

Fiona E Harrison

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7717581/fiona-e-harrison-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

2,702
citations

29
h-index

51
g-index

63
ext. papers

3,219
ext. citations

4.8
avg. IF

5.46
L-index

#	Paper	IF	Citations
60	Improved synthesis of an ergothioneine PET radioligand for imaging oxidative stress in Alzheimer's disease.. <i>FEBS Letters</i> , 2022 ,	3.8	2
59	Manganese-induced hyperactivity and dopaminergic dysfunction depend on age, sex and YAC128 genotype.. <i>Pharmacology Biochemistry and Behavior</i> , 2022 , 213, 173337	3.9	0
58	Autism-Associated Variant in the SLC6A3 Gene Alters the Oral Microbiome and Metabolism in a Murine Model. <i>Frontiers in Psychiatry</i> , 2021 , 12, 655451	5	1
57	Serotonin Transporter Ala276 Mouse: Novel Model to Assess the Neurochemical and Behavioral Impact of Thr276 Phosphorylation In Vivo. <i>Neurochemical Research</i> , 2021 , 1	4.6	
56	Ascorbate deficiency decreases dopamine release in gulo and APP/PSEN1 mice. <i>Journal of Neurochemistry</i> , 2021 , 157, 656-665	6	6
55	Effects of Acrylic Tunnel Enrichment on Anxiety-Like Behavior, Neurogenesis, and Physiology of C57BL/6J Mice. <i>Journal of the American Association for Laboratory Animal Science</i> , 2021 , 60, 44-53	1.3	2
54	Decreased content of ascorbic acid (vitamin C) in the brain of knockout mouse models of Na ⁺ ,K ⁺ -ATPase-related neurologic disorders. <i>PLoS ONE</i> , 2021 , 16, e0246678	3.7	1
53	Targeted and Untargeted Mass Spectrometry Reveals the Impact of High-Fat Diet on Peripheral Amino Acid Regulation in a Mouse Model of Alzheimer's Disease. <i>Journal of Proteome Research</i> , 2021 , 20, 4405-4414	5.6	1
52	A novel antioxidant ergothioneine PET radioligand for in vivo imaging applications. <i>Scientific Reports</i> , 2021 , 11, 18450	4.9	1
51	Altered synaptic glutamate homeostasis contributes to cognitive decline in young APP/PSEN1 mice. <i>Neurobiology of Disease</i> , 2021 , 158, 105486	7.5	0
50	YAC128 mouse model of Huntington disease is protected against subtle chronic manganese (Mn)-induced behavioral and neuropathological changes. <i>NeuroToxicology</i> , 2021 , 87, 94-105	4.4	2
49	Targeted and untargeted mass spectrometry reveals impact of high fat diet on peripheral amino acid regulation in a mouse model of Alzheimer's disease.. <i>Alzheimers and Dementia</i> , 2021 , 17 Suppl 2, e058428	1.2	
48	Huntington's disease genotype suppresses global manganese-responsive processes in pre-manifest and manifest YAC128 mice. <i>Metallomics</i> , 2020 , 12, 1118-1130	4.5	10
47	Brain manganese and the balance between essential roles and neurotoxicity. <i>Journal of Biological Chemistry</i> , 2020 , 295, 6312-6329	5.4	66
46	Vitamin C is a source of oxoaldehyde and glycative stress in age-related cataract and neurodegenerative diseases. <i>Aging Cell</i> , 2020 , 19, e13176	9.9	5
45	A Cecal Slurry Mouse Model of Sepsis Leads to Acute Consumption of Vitamin C in the Brain. <i>Nutrients</i> , 2020 , 12,	6.7	5
44	Impaired amygdala-based learning and decreased anxiety in a murine model of pseudohypoparathyroidism type 1A. <i>Behavioural Brain Research</i> , 2019 , 367, 53-58	3.4	

43	Cell-free hemoglobin augments acute kidney injury during experimental sepsis. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, F922-F929	4.3	12
42	Autism-linked dopamine transporter mutation alters striatal dopamine neurotransmission and dopamine-dependent behaviors. <i>Journal of Clinical Investigation</i> , 2019 , 129, 3407-3419	15.9	47
41	Markers of oxidative damage to lipids, nucleic acids and proteins and antioxidant enzymes activities in Alzheimer's disease brain: A meta-analysis in human pathological specimens. <i>Free Radical Biology and Medicine</i> , 2018 , 115, 351-360	7.8	45
40	Altered glutamate clearance in ascorbate deficient mice increases seizure susceptibility and contributes to cognitive impairment in APP/PSEN1 mice. <i>Neurobiology of Aging</i> , 2018 , 71, 241-254	5.6	12
39	P3-210: CARDIOVASCULAR FUNCTION IS COMPROMISED IN APP/PSEN1 MICE COMPARED TO AGE-MATCHED WILDTYPE MICE 2018 , 14, P1150-P1151		
38	P1-239: AORTIC WALL STRUCTURE IS DISORGANIZED AND FRAGMENTED IN APP/PSEN1 COMPARED TO AGE-MATCHED WILDTYPE MICE 2018 , 14, P370-P370		
37	Oxidative Stress Levels in the Brain Are Determined by Post-Mortem Interval and Ante-Mortem Vitamin C State but Not Alzheimer's Disease Status. <i>Nutrients</i> , 2018 , 10,	6.7	4
36	Antioxidants prevent inflammation and preserve the optic projection and visual function in experimental neurotrauma. <i>Cell Death and Disease</i> , 2018 , 9, 1097	9.8	29
35	Reversal of high fat diet-induced obesity improves glucose tolerance, inflammatory response, Amyloid accumulation and cognitive decline in the APP/PSEN1 mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2017 , 100, 87-98	7.5	55
34	Oxidative stress, serotonergic changes and decreased ultrasonic vocalizations in a mouse model of Smith-Lemli-Opitz syndrome. <i>Genes, Brain and Behavior</i> , 2017 , 16, 619-626	3.6	5
33	Mitochondrial dysfunction in the APP/PSEN1 mouse model of Alzheimer's disease and a novel protective role for ascorbate. <i>Free Radical Biology and Medicine</i> , 2017 , 112, 515-523	7.8	36
32	Differential proteomic and behavioral effects of long-term voluntary exercise in wild-type and APP-overexpressing transgenics. <i>Neurobiology of Disease</i> , 2015 , 78, 45-55	7.5	23
31	Vitamin C facilitates dopamine neuron differentiation in fetal midbrain through TET1- and JMJD3-dependent epigenetic control manner. <i>Stem Cells</i> , 2015 , 33, 1320-32	5.8	69
30	Low brain ascorbic acid increases susceptibility to seizures in mouse models of decreased brain ascorbic acid transport and Alzheimer's disease. <i>Epilepsy Research</i> , 2015 , 110, 20-5	3	31
29	Shared Neuropathological Characteristics of Obesity, Type 2 Diabetes and Alzheimer's Disease: Impacts on Cognitive Decline. <i>Nutrients</i> , 2015 , 7, 7332-57	6.7	78
28	Vitamin C deficiency in the brain impairs cognition, increases amyloid accumulation and deposition, and oxidative stress in APP/PSEN1 and normally aging mice. <i>ACS Chemical Neuroscience</i> , 2015 , 6, 570-81	5.7	70
27	Intravenous ascorbate improves spatial memory in middle-aged APP/PSEN1 and wild type mice. <i>Behavioural Brain Research</i> , 2014 , 264, 34-42	3.4	20
26	Ascorbic acid and the brain: rationale for the use against cognitive decline. <i>Nutrients</i> , 2014 , 6, 1752-81	6.7	60

25	Antioxidant supplementation ameliorates molecular deficits in Smith-Lemli-Opitz syndrome. <i>Biological Psychiatry</i> , 2014 , 75, 215-22	7.9	34
24	Behavioral and monoamine changes following severe vitamin C deficiency. <i>Journal of Neurochemistry</i> , 2013 , 124, 363-75	6	35
23	Role of vitamin C in the function of the vascular endothelium. <i>Antioxidants and Redox Signaling</i> , 2013 , 19, 2068-83	8.4	174
22	Behavioural and neurochemical effects of scurvy in gulo knockout mice. <i>Journal for Maritime Research</i> , 2013 , 15, 107-114	0.1	2
21	Behavioral and serotonergic response changes in the Dhcr7-HET mouse model of Smith-Lemli-Opitz syndrome. <i>Pharmacology Biochemistry and Behavior</i> , 2013 , 106, 101-8	3.9	11
20	Combined vitamin C and E deficiency induces motor defects in gulo(-)/SVCT2(+/-) mice. <i>Nutritional Neuroscience</i> , 2013 , 16, 160-73	3.6	9
19	Vitamin C activation of the biosynthesis of epoxyeicosatrienoic acids. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2012 , 3, 204-218	0.9	5
18	A critical review of vitamin C for the prevention of age-related cognitive decline and Alzheimer's disease. <i>Journal of Alzheimers Disease</i> , 2012 , 29, 711-26	4.3	97
17	Increased expression of SVCT2 in a new mouse model raises ascorbic acid in tissues and protects against paraquat-induced oxidative damage in lung. <i>PLoS ONE</i> , 2012 , 7, e35623	3.7	15
16	Differential regulation of the ascorbic acid transporter SVCT2 during development and in response to ascorbic acid depletion. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 414, 737-42	3.4	43
15	Treatment with a β -ketoaldehyde scavenger prevents working memory deficits in hApoE4 mice. <i>Journal of Alzheimers Disease</i> , 2011 , 27, 49-59	4.3	32
14	Vitamin C deficiency increases basal exploratory activity but decreases scopolamine-induced activity in APP/PSEN1 transgenic mice. <i>Pharmacology Biochemistry and Behavior</i> , 2010 , 94, 543-52	3.9	24
13	Vitamin C distribution and retention in the mouse brain. <i>Brain Research</i> , 2010 , 1348, 181-6	3.7	45
12	Low ascorbic acid and increased oxidative stress in gulo(-/-) mice during development. <i>Brain Research</i> , 2010 , 1349, 143-52	3.7	46
11	Low vitamin C and increased oxidative stress and cell death in mice that lack the sodium-dependent vitamin C transporter SVCT2. <i>Free Radical Biology and Medicine</i> , 2010 , 49, 821-9	7.8	57
10	Antioxidants and cognitive training interact to affect oxidative stress and memory in APP/PSEN1 mice. <i>Nutritional Neuroscience</i> , 2009 , 12, 203-18	3.6	56
9	Vitamin C reduces spatial learning deficits in middle-aged and very old APP/PSEN1 transgenic and wild-type mice. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 93, 443-50	3.9	64
8	Vitamin C function in the brain: vital role of the ascorbate transporter SVCT2. <i>Free Radical Biology and Medicine</i> , 2009 , 46, 719-30	7.8	409

7	Endogenous anxiety and stress responses in water maze and Barnes maze spatial memory tasks. <i>Behavioural Brain Research</i> , 2009 , 198, 247-51	3.4	243
6	Ascorbic acid attenuates scopolamine-induced spatial learning deficits in the water maze. <i>Behavioural Brain Research</i> , 2009 , 205, 550-8	3.4	52
5	Elimination of GD3 synthase improves memory and reduces amyloid-beta plaque load in transgenic mice. <i>Neurobiology of Aging</i> , 2009 , 30, 1777-91	5.6	100
4	Elevated oxidative stress and sensorimotor deficits but normal cognition in mice that cannot synthesize ascorbic acid. <i>Journal of Neurochemistry</i> , 2008 , 106, 1198-208	6	75
3	Impaired spatial learning in the APPSwe + PSEN1DeltaE9 bigenic mouse model of Alzheimer's disease. <i>Genes, Brain and Behavior</i> , 2007 , 6, 54-65	3.6	239
2	Spatial and nonspatial escape strategies in the Barnes maze. <i>Learning and Memory</i> , 2006 , 13, 809-19	2.8	133
1	Epigenetic Remodeling by Vitamin C Potentiates the Differentiation of Mouse and Human Plasma Cells		1