Lucjusz Zaprutko

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7717854/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Kumquat Fruits as an Important Source of Food Ingredients and Utility Compounds. Food Reviews International, 2023, 39, 875-895.	4.3	4
2	Social Attitude to COVID-19 and Influenza Vaccinations after the Influenza Vaccination Season and between the Second and Third COVID-19 Wave in Poland, Lithuania, and Ukraine. International Journal of Environmental Research and Public Health, 2022, 19, 2042.	1.2	9
3	Structure and Activity of Pentacyclic Triterpenes Codrugs. A Review. Mini-Reviews in Medicinal Chemistry, 2021, 21, 1509-1526.	1.1	16
4	Oleanolic Acid's Semisynthetic Derivatives HIMOXOL and Br-HIMOLID Show Proautophagic Potential and Inhibit Migration of HER2-Positive Breast Cancer Cells In Vitro. International Journal of Molecular Sciences, 2021, 22, 11273.	1.8	7
5	The effects of baths and wet wraps with a sweet whey solution on the level of hydration and barrier function of the epidermis. Postepy Dermatologii I Alergologii, 2021, 38, 798-803.	0.4	1
6	Synthesis of Optically Active Bicyclic Derivatives of Nitroimidazoles. Compounds, 2021, 1, 145-153.	1.0	2
7	Linked drug-drug conjugates based on triterpene and phenol structures. Rational synthesis, molecular properties, toxicity and bioactivity prediction. Arabian Journal of Chemistry, 2020, 13, 8793-8806.	2.3	6
8	Anti-COVID drugs: repurposing existing drugs or search for new complex entities, strategies and perspectives. Future Medicinal Chemistry, 2020, 12, 1743-1757.	1.1	22
9	Oleanolic acid oxime derivatives and their conjugates with aspirin modulate the NF-ήB-mediated transcription in HepG2 hepatoma cells. Bioorganic Chemistry, 2019, 93, 103326.	2.0	20
10	Synthesis of novel spiro-condensed 2-amino-4H-pyrans based on 1,2-benzoxathiin-4(3H)-one 2,2-dioxide. Chemistry of Heterocyclic Compounds, 2019, 55, 254-260.	0.6	5
11	Synthesis and crystal structure of fused imidazooxazolidine systems. Journal of Molecular Structure, 2019, 1184, 305-309.	1.8	0
12	Some nitroimidazole derivatives as antibacterial and antifungal agents in in vitro study. Journal of Medical Science, 2019, 88, 47-51.	0.2	4
13	Anti-Candida Activity of 4-Morpholino-5-Nitro- and 4,5-Dinitro-Imidazole Derivatives. Pharmaceutical Chemistry Journal, 2018, 51, 1063-1067.	0.3	4
14	1,2-Benzoxathiin-4(3 <i>H</i>)-one 2,2-dioxide – new enol nucleophile in three-component interaction with benzaldehydes and active methylene nitriles. RSC Advances, 2018, 8, 37295-37302.	1.7	8
15	Microwave (MW), Ultrasound (US) and Combined Synergic MW-US Strategies for Rapid Functionalization of Pharmaceutical Use Phenols. Molecules, 2018, 23, 2360.	1.7	14
16	The Structure and Activity of Double-Nitroimidazoles. A Mini-Review. Scientia Pharmaceutica, 2018, 86, 30.	0.7	2
17	Molecular Consortia—Various Structural and Synthetic Concepts for More Effective Therapeutics Synthesis. International Journal of Molecular Sciences, 2018, 19, 1104.	1.8	52
18	Multidirectional Efficacy of Biologically Active Nitro Compounds Included in Medicines.	1.7	73

Pharmaceuticals, 2018, 11, 54.

Lucjusz Zaprutko

#	Article	IF	CITATIONS
19	Organogels as modern drug carriers. Polimery, 2018, 63, 169-177.	0.4	2
20	Beckmann rearrangement within the ring C of oleanolic acid lactone: Synthesis, structural study and reaction mechanism analysis. Journal of Molecular Structure, 2017, 1136, 173-181.	1.8	5
21	Synthesis of 1-ethyl-1H-2,1-benzothiazine 2,2-dioxide derivatives using cycloalkanecarbaldehydes and evaluation of their antimicrobial activity. Chemistry of Heterocyclic Compounds, 2017, 53, 219-229.	0.6	10
22	Semisynthetic oleanane triterpenoids inhibit migration and invasion of human breast cancer cells through downregulated expression of the ITGB1 / PTK2 / PXN pathway. Chemico-Biological Interactions, 2017, 268, 136-147.	1.7	16
23	Pharmaceutical applications of graphene. Postepy Higieny I Medycyny Doswiadczalnej, 2017, 71, 0-0.	0.1	4
24	Hybrid Compounds Strategy in the Synthesis of Oleanolic Acid Skeleton-NSAID Derivatives. Molecules, 2016, 21, 420.	1.7	16
25	Strong and Long-Lasting Antinociceptive and Anti-inflammatory Conjugate of Naturally Occurring Oleanolic Acid and Aspirin. Frontiers in Pharmacology, 2016, 7, 202.	1.6	24
26	Oleanolic Acid A-lactams Inhibit the Growth of HeLa, KB, MCF-7 and Hep-G2 Cancer Cell Lines at Micromolar Concentrations. Anti-Cancer Agents in Medicinal Chemistry, 2016, 16, 579-592.	0.9	19
27	Simple Amides of Oleanolic Acid as Effective Penetration Enhancers. PLoS ONE, 2015, 10, e0122857.	1.1	9
28	Proapoptotic activity and ABCC1-related multidrug resistance reduction ability of semisynthetic oleanolic acid derivatives DIOXOL and HIMOXOL in human acute promyelocytic leukemia cells. Chemico-Biological Interactions, 2015, 242, 1-12.	1.7	15
29	Recent advances in synthesis and biological activity of triterpenic acylated oximes. Phytochemistry Reviews, 2015, 14, 203-231.	3.1	44
30	C-Lactam Derivatives of Oleanolic Acid. Hydrolysis and Further Acylation of Methyl Acetyloleanolate C-Lactam and C-Thiolactam. Natural Product Communications, 2014, 9, 1934578X1400900.	0.2	0
31	Reactions of Nucleophilic Substitution in Bicyclic Nitroimidazodihydrooxazoles. Journal of Heterocyclic Chemistry, 2014, 51, 1463-1467.	1.4	Ο
32	Methyl 3-hydroxyimino-11-oxoolean-12-en-28-oate (HIMOXOL), a synthetic oleanolic acid derivative, induces both apoptosis and autophagy in MDA-MB-231 breast cancer cells. Chemico-Biological Interactions, 2014, 208, 47-57.	1.7	39
33	AÂbrief history of taxol. Journal of Medical Science, 2014, 83, 47-52.	0.2	14
34	Beckmann rearrangement of oxime obtained from oleanolic acid. Structure elucidation of the initial oxime. Journal of Molecular Structure, 2013, 1053, 115-121.	1.8	21
35	Regioselective Nitro Group Substitution. Synthesis of Isomeric 4-Amino-5-nitro- and 5-Amino-4-nitroimidazoles. Heterocycles, 2012, 85, 2197.	0.4	4
36	Anticancer effect of A-ring or/and C-ring modified oleanolic acid derivatives on KB, MCF-7 and HeLa cell lines. Organic and Biomolecular Chemistry, 2012, 10, 2201.	1.5	25

Lucjusz Zaprutko

#	Article	IF	CITATIONS
37	The analgesic and anti-inflammatory effect of new oleanolic acid acyloxyimino derivative. European Journal of Pharmaceutical Sciences, 2012, 47, 549-555.	1.9	38
38	Synthesis of new potential anticancer agents based on 4-thiazolidinone and oleanane scaffolds. Medicinal Chemistry Research, 2012, 21, 3568-3580.	1.1	54
39	Synthesis, Structure and Biological Evaluation of Novel Bicyclic Nitroimidazole Derivatives. Archiv Der Pharmazie, 2012, 345, 463-467.	2.1	6
40	Targeting Nrf2-Mediated Gene Transcription by Triterpenoids and Their Derivatives. Biomolecules and Therapeutics, 2012, 20, 499-505.	1.1	28
41	A Facile Synthesis and Anticancer Activity Evaluation of Spiro[Thiazolidinone-Isatin] Conjugates. Scientia Pharmaceutica, 2011, 79, 763-777.	0.7	66
42	Oleanolic acid derivative methyl 3,11-dioxoolean-12-en-28-olate targets multidrug resistance related to ABCB1. Pharmacological Reports, 2011, 63, 1500-1517.	1.5	12
43	Synthesis of fragrant heterocyclic thioketo analogues of jasmone under microwave conditions. Flavour and Fragrance Journal, 2011, 26, 101-106.	1.2	3
44	3β-Acetoxy-12α-chloro-D-friedooleanan-28,14β-olide. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o679-o679.	0.2	1
45	Synthesis of triterpenoid acylates: Effective reproduction inhibitors of influenza A (H1N1) and papilloma viruses. Russian Journal of Bioorganic Chemistry, 2010, 36, 771-778.	0.3	20
46	Chemoselective oxidation of oleanolic acid derivatives with ozone. Chemistry of Natural Compounds, 2010, 46, 397-399.	0.2	9
47	Selective reduction of 2,4â€dinitro―and 4,5â€dinitroimidazole derivatives using iron dust. Journal of Heterocyclic Chemistry, 2010, 47, 1049-1055.	1.4	15
48	Synthesis of some N-substituted nitroimidazole derivatives as potential antioxidant and antifungal agents. European Journal of Medicinal Chemistry, 2009, 44, 645-652.	2.6	58
49	Microwave assisted synthesis of unsaturated jasmone heterocyclic analogues as new fragrant substances. European Journal of Medicinal Chemistry, 2009, 44, 3032-3039.	2.6	15
50	Synthesis of novel thiazolone-based compounds containing pyrazoline moiety and evaluation of their anticancer activity. European Journal of Medicinal Chemistry, 2009, 44, 1396-1404.	2.6	247
51	New 5-substituted thiazolo[3,2-b][1,2,4]triazol-6-ones: Synthesis and anticancer evaluation. European Journal of Medicinal Chemistry, 2007, 42, 641-648.	2.6	137
52	Microwave assisted synthesis ofÂfragrant jasmone heterocyclic analogues. European Journal of Medicinal Chemistry, 2006, 41, 586-591.	2.6	20
53	Structure of the minor ozonolysis product of 19β,28-epoxy-A-neo-18α-olean-3(5)-ene. Chemistry of Natural Compounds, 2006, 42, 618-619.	0.2	2
54	(R)-(+)-3-Chlor-1-(4-morpholino-5-nitro-1H-imidazol-1-yl)propan-2-ol. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4071-o4072.	0.2	2

LUCJUSZ ZAPRUTKO

#	Article	IF	CITATIONS
55	(S)-(â^')-3-Chlor-1-(4-morpholino-5-nitro-1H-imidazol-1-yl)propan-2-ol. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o4231-o4232.	0.2	2
56	Triterpenoids. Part 21: Oleanolic acid azaderivatives as percutaneous transport promoters. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 4723-4726.	1.0	28
57	Azoles 48 [1]: Synthesis of Some 4-Amino-2-methyl-5-nitro-1-phenacylimidazoles. Monatshefte Für Chemie, 2003, 134, 1145-1150.	0.9	10
58	Azoles. Part 48. Synthesis of Some 4-Amino-2-methyl-5-nitro-1-phenacylimidazoles ChemInform, 2003, 34, no.	0.1	0
59	Triterpenoide. XIII. Über weitere neue Triterpenlactone. Acta Crystallographica Section C: Crystal Structure Communications, 1998, 54, 1309-1312.	0.4	2
60	Triterpenoide. X. Über neue isomere Triterpenlactone. Acta Crystallographica Section C: Crystal Structure Communications, 1997, 53, 261-264.	0.4	2
61	Triterpenoide, 5. Synthese und Strukturaufkläung einiger neuer 18î±â€Oleanolsärederivate. Liebigs Annalen Der Chemie, 1990, 1990, 373-378.	0.8	2
62	Triterpenoids. Part IV. Mass spectrometry of pentacyclic triterpenoids: 18β- and 18α-11-oxooleanolic acid derivatives. Organic Mass Spectrometry, 1989, 24, 105-108.	1.3	8
63	Triterpenoids. Part II—Carbon-13 NMR spectra of 18β- and 18α-11-oxooleanolic acid derivatives. Magnetic Resonance in Chemistry, 1987, 25, 223-226.	1.1	11
64	Synthesis of selected azoles derivatives using the cross-combination of microwave and ultrasound factors. , 0, , .		2