

Michael J O brien

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7719157/michael-j-obrien-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

13,164
citations

37
h-index

72
g-index

72
ext. papers

14,712
ext. citations

14.6
avg, IF

5.38
L-index

#	Paper	IF	Citations
71	Ergogenic Aids 2021 , 711-716		
70	Medical Therapies for Concussion. <i>Clinics in Sports Medicine</i> , 2021 , 40, 123-131	2.6	
69	The National Polyp Study at 40: challenges then and now. <i>Gastrointestinal Endoscopy</i> , 2021 , 93, 720-726	5.2	1
68	Proximal Aberrant Crypt Foci Associate with Synchronous Neoplasia and Are Primed for Neoplastic Progression. <i>Molecular Cancer Research</i> , 2018 , 16, 486-495	6.6	10
67	Adenoma Prevalence in Blacks and Whites Having Equal Adherence To Screening Colonoscopy: The National Colonoscopy Study. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 1469-1470	6.9	4
66	Cutaneous involvement in luteinized thecomas with sclerosing peritonitis (LTSP)-A new finding in a rare syndrome. <i>Journal of Cutaneous Pathology</i> , 2017 , 44, 898-902	1.7	1
65	The flowering of pathology as a medical discipline in Boston, 1892-c.1950: W.T. Councilman, FB Mallory, JH Wright, SB Wolbach and their descendants. <i>Modern Pathology</i> , 2016 , 29, 944-61	9.8	2
64	Evaluation of expansile nanoparticle tumor localization and efficacy in a cancer stem cell-derived model of pancreatic peritoneal carcinomatosis. <i>Nanomedicine</i> , 2016 , 11, 1001-15	5.6	16
63	Endoscopic histological assessment of colonic polyps by using elastic scattering spectroscopy. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 539-47	5.2	20
62	Colorectal serrated pathway cancers and precursors. <i>Histopathology</i> , 2015 , 66, 49-65	7.3	71
61	Development and validation of a clinical score for predicting risk of adenoma at screening colonoscopy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 913-20	4	12
60	A Risk Prediction Index for Advanced Colorectal Neoplasia at Screening Colonoscopy. <i>American Journal of Gastroenterology</i> , 2015 , 110, 1062-71	0.7	32
59	Mandibular Destruction Secondary to Invasion by Carcinoma Cuniculatum. <i>Journal of Oral and Maxillofacial Surgery</i> , 2015 , 73, 2343-51	1.8	11
58	Epidemiology of goblet cell and microvesicular hyperplastic polyps. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1922-32	0.7	13
57	HD chromoendoscopy coupled with DNA mass spectrometry profiling identifies somatic mutations in microdissected human proximal aberrant crypt foci. <i>Molecular Cancer Research</i> , 2014 , 12, 823-9	6.6	11
56	Case report: upper extremity deep venous thrombosis in a 19-year-old baseball player. <i>Physician and Sportsmedicine</i> , 2014 , 42, 163-7	2.4	6
55	Elastic scattering spectroscopy as an optical marker of inflammatory bowel disease activity and subtypes. <i>Inflammatory Bowel Diseases</i> , 2014 , 20, 1029-36	4.5	13

54	Evaluating the risks and benefits of participation in high-school football. <i>The Virtual Mentor: VM</i> , 2014 , 16, 526-33		3
53	Plasminogen activator inhibitor-1 is increased in colonic epithelial cells from patients with colitis-associated cancer. <i>Journal of Crohn's and Colitis</i> , 2013 , 7, 403-11	1.5	5
52	Prevalence of advanced colorectal neoplasia in white and black patients undergoing screening colonoscopy in a safety-net hospital. <i>Annals of Internal Medicine</i> , 2013 , 159, 13-20	8	53
51	Spontaneous colonic perforation in a patient with collagenous colitis. <i>Gastroenterology and Hepatology</i> , 2013 , 9, 262-4	0.7	5
50	Colonoscopic polypectomy and long-term prevention of colorectal-cancer deaths. <i>New England Journal of Medicine</i> , 2012 , 366, 687-96	59.2	1934
49	Serrated lesions of the colorectum: review and recommendations from an expert panel. <i>American Journal of Gastroenterology</i> , 2012 , 107, 1315-29; quiz 1314, 1330	0.7	767
48	The clinical significance of serrated polyps. <i>American Journal of Gastroenterology</i> , 2011 , 106, 229-40; quiz 241	0.7	131
47	Ergogenic Aids: Creatine Supplementation as a Popular Ergogenic Aid in Young Adults 2011 , 905-909		
46	Truncated neurokinin-1 receptor is increased in colonic epithelial cells from patients with colitis-associated cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 17420-5	11.5	47
45	Variation in the detection of serrated polyps in an average risk colorectal cancer screening cohort. <i>American Journal of Gastroenterology</i> , 2010 , 105, 2656-64	0.7	245
44	Raising gestational choline intake alters gene expression in DMBA-evoked mammary tumors and prolongs survival. <i>FASEB Journal</i> , 2009 , 23, 1054-63	0.9	47
43	Pragmatic classification of superficial neoplastic colorectal lesions. <i>Gastrointestinal Endoscopy</i> , 2009 , 70, 1182-99	5.2	89
42	Reinterpretation of histology of proximal colon polyps called hyperplastic in 2001. <i>World Journal of Gastroenterology</i> , 2009 , 15, 3767-70	5.6	112
41	Nonpolypoid neoplastic lesions of the colorectal mucosa. <i>Gastrointestinal Endoscopy</i> , 2008 , 68, S3-47	5.2	375
40	Hyperplastic and serrated polyps of the colorectum. <i>Gastroenterology Clinics of North America</i> , 2007 , 36, 947-68, viii	4.4	131
39	Recommendations for the reporting of surgically resected specimens of colorectal carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007 , 450, 1-13	5.1	17
38	MIP-3alpha neutralizing monoclonal antibody protects against TNBS-induced colonic injury and inflammation in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, G1263-71	5.1	42
37	Mutations in BRAF and KRAS differentially distinguish serrated versus non-serrated hyperplastic aberrant crypt foci in humans. <i>Cancer Research</i> , 2007 , 67, 3551-4	10.1	143

36	A multinational, internet-based assessment of observer variability in the diagnosis of serrated colorectal polyps. <i>American Journal of Clinical Pathology</i> , 2007 , 127, 938-45	1.9	83
35	Recommendations for the reporting of surgically resected specimens of colorectal carcinoma. <i>Human Pathology</i> , 2007 , 38, 537-545	3.7	56
34	Guidelines for colonoscopy surveillance after polypectomy: a consensus update by the US Multi-Society Task Force on Colorectal Cancer and the American Cancer Society. <i>Ca-A Cancer Journal for Clinicians</i> , 2006 , 56, 143-59; quiz 184-5	220.7	231
33	Guidelines for colonoscopy surveillance after cancer resection: a consensus update by the American Cancer Society and US Multi-Society Task Force on Colorectal Cancer. <i>Ca-A Cancer Journal for Clinicians</i> , 2006 , 56, 160-7; quiz 185-6	220.7	102
32	SIR 2006 Annual Meeting Film Panel Case: Budd-Chiari syndrome in a patient with Cogan syndrome. <i>Journal of Vascular and Interventional Radiology</i> , 2006 , 17, 1881-3	2.4	1
31	Guidelines for colonoscopy surveillance after polypectomy: a consensus update by the US Multi-Society Task Force on Colorectal Cancer and the American Cancer Society. <i>Gastroenterology</i> , 2006 , 130, 1872-85	13.3	591
30	Guidelines for colonoscopy surveillance after cancer resection: a consensus update by the American Cancer Society and the US Multi-Society Task Force on Colorectal Cancer. <i>Gastroenterology</i> , 2006 , 130, 1865-71	13.3	260
29	Comparison of microsatellite instability, CpG island methylation phenotype, BRAF and KRAS status in serrated polyps and traditional adenomas indicates separate pathways to distinct colorectal carcinoma end points. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1491-501	6.7	406
28	Prognostic significance of superficial fissuring ulceration in patients with severe "indeterminate" colitis. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 165-70	6.7	63
27	Hyperplastic polyps, serrated adenomas, and the serrated polyp neoplasia pathway. <i>American Journal of Gastroenterology</i> , 2004 , 99, 2242-55	0.7	118
26	Flat adenomas in the National Polyp Study: is there increased risk for high-grade dysplasia initially or during surveillance?. <i>Clinical Gastroenterology and Hepatology</i> , 2004 , 2, 905-11	6.9	123
25	BRAF and KRAS Mutations in hyperplastic polyps and serrated adenomas of the colorectum: relationship to histology and CpG island methylation status. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1452-9	6.7	247
24	Histologic predictors of pouchitis in patients with chronic ulcerative colitis. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 999-1006	6.7	82
23	Hyperplastic (serrated) polyps of the colorectum: relationship of CpG island methylator phenotype and K-ras mutation to location and histologic subtype. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 423-34	6.7	147
22	A neurokinin 1 receptor antagonist reduces an ongoing ileal pouch inflammation and the response to a subsequent inflammatory stimulus. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 285, G1259-67	5.1	39
21	On finding flat adenomas: is the search worth the gain?. <i>Gastroenterology</i> , 2002 , 122, 839-40	13.3	19
20	Blinded assessment of the flat adenoma in the national polyp study (NPS) does not demonstrate an excess risk for high grade dysplasia initially or for advanced adenomas at surveillance. <i>Gastroenterology</i> , 2001 , 120, A96	13.3	6
19	A comparison of colonoscopy and double-contrast barium enema for surveillance after polypectomy. National Polyp Study Work Group. <i>New England Journal of Medicine</i> , 2000 , 342, 1766-72	59.2	458

18	The role of p21ras in pancreatic neoplasia and chronic pancreatitis. <i>Human Pathology</i> , 1999 , 30, 602-10	3.7	15
17	Fine-needle aspiration cytology diagnosis of colloid nodule versus follicular variant of papillary carcinoma of the thyroid. <i>Diagnostic Cytopathology</i> , 1998 , 18, 87-90	1.4	47
16	Fine-needle aspiration cytology diagnosis of colloid nodule versus follicular variant of papillary carcinoma of the thyroid 1998 , 18, 87		2
15	Risk of colorectal cancer in the families of patients with adenomatous polyps. National Polyp Study Workgroup. <i>New England Journal of Medicine</i> , 1996 , 334, 82-7	59.2	266
14	Prevention of colorectal cancer by colonoscopic polypectomy. The National Polyp Study Workgroup. <i>New England Journal of Medicine</i> , 1993 , 329, 1977-81	59.2	354 ⁰
13	Randomized comparison of surveillance intervals after colonoscopic removal of newly diagnosed adenomatous polyps. The National Polyp Study Workgroup. <i>New England Journal of Medicine</i> , 1993 , 328, 901-6	59.2	811
12	Analysis of epithelial and lymphoid phenotypic markers in relation to growth pattern of colorectal adenomas. <i>Human Pathology</i> , 1992 , 23, 1038-43	3.7	2
11	The National Polyp Study. Design, methods, and characteristics of patients with newly diagnosed polyps. The National Polyp Study Workgroup. <i>Cancer</i> , 1992 , 70, 1236-45	6.4	123
10	Precursors of colorectal carcinoma. Biopsy and biologic markers. <i>Cancer</i> , 1992 , 70, 1317-27	6.4	33
9	The national polyp study design, methods, and characteristics of patients with newly diagnosed polyps. <i>Cancer</i> , 1992 , 70, 1236-1245	6.4	93
8	Differential reactivities of carcinoembryonic antigen (CEA) and CEA-related monoclonal and polyclonal antibodies in common epithelial malignancies. <i>American Journal of Clinical Pathology</i> , 1990 , 94, 157-64	1.9	83
7	The National Polyp Study: Patient and polyp characteristics associated with high-grade dysplasia in colorectal adenomas. <i>Gastroenterology</i> , 1990 , 98, 371-379	13.3	622
6	Intratubular germ cell neoplasia of the testis: identification by placental alkaline phosphatase immunostaining and argyrophilic nucleolar organizer region quantification. <i>Human Pathology</i> , 1990 , 21, 941-8	3.7	23
5	Isolation and characterization of an undifferentiated human colon carcinoma cell line (MIP-101). <i>Cancer Investigation</i> , 1987 , 5, 545-52	2.1	37
4	Cholecystitis secondary to infusion chemotherapy. <i>Journal of Surgical Oncology</i> , 1986 , 31, 287-93	2.8	10
3	Signet ring carcinoma of the pancreas, a rare variant with very high CEA values. Immunohistologic comparison with adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 1984 , 29, 573-6	4	31
2	Immunocytochemical staining for CEA in small cell carcinoma of lung predicts clinical usefulness of the plasma assay. <i>Cancer</i> , 1983 , 52, 301-6	6.4	24
1	Management of Malignant Polyps448-458		1

