
## A D Benaglia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7719403/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with<br>the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European<br>Physical Journal C, 2015, 75, 212. | 3.9 | 541       |
| 2  | Event generator tunes obtained from underlying event and multiparton scattering measurements.<br>European Physical Journal C, 2016, 76, 155.  | 3.9 | 499       |
| 3  | Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC.<br>Journal of High Energy Physics, 2010, 2010, 1.   | 4.7 | 497       |
| 4  | Study of high-p T charged particle suppression in PbPb compared to pp collisions at<br>\$sqrt{s_{mathrm{NN}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 3.9 | 369       |
| 5  | Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext<br>{Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.   | 3.9 | 355       |
| 6  | Observation of the diphoton decay of the Higgs boson and measurement of its properties. European<br>Physical Journal C, 2014, 74, 3076.   | 3.9 | 342       |
| 7  | Observation of a new boson with mass near 125 GeV in pp collisions at \$ sqrt{s}=7 \$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 320       |
| 8  | Search for dark matter, extra dimensions, and unparticles in monojet events in proton–proton<br>collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75,<br>235.                               | 3.9 | 320       |
| 9  | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons<br>and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.   | 3.9 | 241       |
| 10 | Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at<br>\$sqrt{s} = 0.9 \$ and 2.36 TeV. Journal of High Energy Physics, 2010, 2010, 1.  | 4.7 | 230       |
| 11 | Suppression of non-prompt J/Ĩ^, prompt J/Ĩ^, and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt<br>{{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 200       |
| 12 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements.<br>European Physical Journal C, 2020, 80, 4.  | 3.9 | 198       |
| 13 | Measurement of the differential cross section for top quark pair production in pp collisions at<br>\$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 542.  | 3.9 | 191       |
| 14 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb<br>collisions at \$sqrt{s_{NN}}= 2.76 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 3.9 | 181       |
| 15 | Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in<br>proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014,<br>74, 3149.                                | 3.9 | 179       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Search for dark matter and large extra dimensions in monojet events in pp collisions at \$ sqrt {s} =<br>{7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 168       |
| 20 | Measurement of the inclusive W and Z production cross sections in pp collisions at \$ sqrt {s} = 7 \$ TeV with the CMS experiment. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 158       |
| 21 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at \$sqrt{s} = 0.9, 2.76,mbox{ and }7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 3.9 | 154       |
| 22 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables α<br>T and b-quark multiplicity in pp collisions at \$sqrt{s} = 8 mathrm{TeV}\$. European Physical Journal<br>C, 2013, 73, 2568. | 3.9 | 147       |
| 23 | Strange particle production in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 139       |
| 24 | Prompt and non-prompt J/l̈́ production in pp collisions at \$sqrt{s} = 7\$ TeV. European Physical Journal C, 2011, 71, 1.   | 3.9 | 135       |
| 25 | A search for a doubly-charged Higgs boson in pp collisions at \$sqrt{s} = 7 mbox{TeV}\$. European<br>Physical Journal C, 2012, 72, 1.   | 3.9 | 129       |
| 26 | Measurement of differential top-quark-pair production cross sections in pp collisions at \$sqrt{s} =<br>7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.  | 3.9 | 125       |
| 27 | Evidence for the 125 GeV Higgs boson decaying to a pair of Ï,, leptons. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 123       |
| 28 | Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.  | 3.9 | 123       |
| 29 | Measurements of inclusive W and Z cross sections in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 122       |
| 30 | CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.  | 3.9 | 120       |
| 31 | Searches for long-lived charged particles in pp collisions at \$ sqrt{s} \$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 118       |
| 32 | Search for a light charged Higgs boson in top quark decays in pp collisions at \$ sqrt {s} = 7;TeV \$.<br>Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 117       |
| 33 | Charged particle multiplicities in pp interactions at \$ sqrt {s} = 0.9 \$ , 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 106       |
| 34 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 101       |
| 35 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 100       |
| 36 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at \$<br>sqrt {{{s_{ext{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 99        |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final<br>state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European<br>Physical Journal C, 2017, 77, 710.   | 3.9  | 98        |
| 38 | Measurement of the underlying event activity at the LHC with \$ sqrt {s} = 7 \$ TeV and comparison with \$ sqrt {s} = 0.9 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7  | 97        |
| 39 | Search for supersymmetry in hadronic final states using M T2 in pp collisions at \$ sqrt{s}=7 \$ TeV.<br>Journal of High Energy Physics, 2012, 2012, 1.  | 4.7  | 95        |
| 40 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons.<br>Journal of High Energy Physics, 2015, 2015, 1.   | 4.7  | 92        |
| 41 | Measurements of differential and double-differential Drell–Yan cross sections in proton–proton<br>collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.  | 3.9  | 88        |
| 42 | Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13<br>\$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7  | 86        |
| 43 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ sqrt{{{s_{mathrm{NN}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7  | 85        |
| 44 | A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider.<br>Science, 2012, 338, 1569-1575.  | 12.6 | 85        |
| 45 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$ sqrt{s} \$ =<br>7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7  | 85        |
| 46 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp<br>collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7  | 85        |
| 47 | Study of the production of charged pions, kaons, and protons in pPb collisions at \$\$sqrt{s_{NN}} =;<br>\$\$ s N N = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.  | 3.9  | 85        |
| 48 | Performance of the CMS Level-1 trigger in proton-proton collisions at â^š <i>s</i> = 13 TeV. Journal of<br>Instrumentation, 2020, 15, P10017-P10017.   | 1.2  | 84        |
| 49 | Measurement of the single-top-quark t-channel cross section in pp collisions at \$ sqrt{s}=7 \$ TeV.<br>Journal of High Energy Physics, 2012, 2012, 1.   | 4.7  | 83        |
| 50 | Measurement of the differential cross section and charge asymmetry for inclusive \$\$mathrm<br>{p}mathrm {p}ightarrow mathrm {W}^{pm }+X\$\$ p p → W ± + X production at \$\${sqrt{s}} = 8\$\$ s = 8<br>TeV. European Physical Journal C, 2016, 76, 469. | 3.9  | 83        |
| 51 | Measurement of prompt and nonprompt charmonium suppression in \$\$ext {PbPb}\$\$ collisions at 5.02\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2018, 78, 509.   | 3.9  | 83        |
| 52 | Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV<br>and constraints on dark matter mediators and other new particles. Journal of High Energy Physics,<br>2018, 2018, 1.                              | 4.7  | 82        |
| 53 | J/ï^ and ï^(2S) production in pp collisions at \$ sqrt {s} = 7{ext{Tev}} \$. Journal of High Energy Physics,<br>2012, 2012, 1.   | 4.7  | 81        |
| 54 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of<br>High Energy Physics, 2014, 2014, 1.   | 4.7  | 81        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Search for a charged Higgs boson in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 81        |
| 56 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 78        |
| 57 | Search for production of four top quarks in final states with same-sign or multiple leptons in<br>proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80,<br>75.   | 3.9 | 78        |
| 58 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at \$ sqrt{{{s_{NN }}} \$<br>=2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 77        |
| 59 | Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 75        |
| 60 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at<br>\$\$sqrt{s_{mathrm{NN}}} = 5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014,<br>74, 1.   | 3.9 | 75        |
| 61 | Measurement of the \$\${{mathrm{W} }^{+} }mathrm{W}^{-} \$\$ W + W - cross section in pp collisions<br>at \$\$sqrt{s} = 8\$\$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C,<br>2016, 76, 401.   | 3.9 | 74        |
| 62 | Measurement of the X(3872) production cross section via decays to J/ï̇́ï€ + Ï€ â^' in pp collisions at \$<br>sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 73        |
| 63 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.   | 3.9 | 73        |
| 64 | Search for additional neutral MSSM Higgs bosons in the Ï,, Ï,, final state in proton-proton collisions at<br>\$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 73        |
| 65 | Measurement of the t-channel single-top-quark production cross section and of the  V tb  CKM<br>matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 70        |
| 66 | Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic<br>final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext<br>{Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3. | 3.9 | 70        |
| 67 | Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 69        |
| 68 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s<br>\$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 69        |
| 69 | Search for anomalous production of multilepton events in pp collisions at \$ sqrt {s} = 7,TeV \$.<br>Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 68        |
| 70 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC.<br>European Physical Journal C, 2013, 73, 2469.  | 3.9 | 68        |
| 71 | Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 68        |
| 72 | Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions<br>at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal<br>C, 2015, 75, 186.  | 3.9 | 68        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Measurement of the \$\${mathrm {t}overline{mathrm {t}}\$\$ t t Â <sup>-</sup> production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.                    | 3.9 | 68        |
| 74 | Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 66        |
| 75 | Long-range and short-range dihadron angular correlations in central PbPb collisions at \$ sqrt<br>{{{s_{ext{NN}}}} \$  = 2.76 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 65        |
| 76 | Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at \$\$sqrt{s}=7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.   | 3.9 | 65        |
| 77 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at \$sqrt{s}<br>= 7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 2283.  | 3.9 | 64        |
| 78 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 63        |
| 79 | Measurement of the W+Wâ^' cross section in pp collisions at \$sqrt{s} = 7mbox{ TeV}\$ and limits on anomalous WWγ and WWZ couplings. European Physical Journal C, 2013, 73, 1.   | 3.9 | 62        |
| 80 | Measurement of differential cross sections for Higgs boson production in the diphoton decay<br>channel in pp collisions at \$\$sqrt{s}=8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76,<br>13.   | 3.9 | 62        |
| 81 | Measurement of the inelastic proton-proton cross section at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High<br>Energy Physics, 2018, 2018, 1.  | 4.7 | 62        |
| 82 | Search for resonant and nonresonant new phenomena in high-mass dilepton final states at \$\$<br>sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 62        |
| 83 | Measurement of prompt J/Ĩ^ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High<br>Energy Physics, 2014, 2014, 1.  | 4.7 | 61        |
| 84 | Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at \$sqrt{s} = 7 mathrm{TeV}\$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1. | 3.9 | 60        |
| 85 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at \$ sqrt {s}<br>= 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 59        |
| 86 | Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state.<br>Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 58        |
| 87 | Jet production rates in association with W and Z bosons in pp collisions at \$ sqrt {s} = 7 {ext{TeV}}<br>\$. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 58        |
| 88 | Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 58        |
| 89 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at<br>\$\$sqrt{s_{_mathrm {NN}}} =5.02\$\$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C,<br>2015, 75, 237.  | 3.9 | 58        |
| 90 | Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events<br>in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C,<br>2018, 78, 701.  | 3.9 | 58        |

| #  | Article | IF | CITATIONS |
|----|---------|----|-----------|
| 91 |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |
|    |         |    |           |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 51        |
| 110 | First measurement of the underlying event activity atÂtheÂLHCÂwith \$sqrt{s} = 0.9\$ ÂTeV. European<br>Physical Journal C, 2010, 70, 555-572.  | 3.9 | 50        |
| 111 | Study of the underlying event at forward rapidity in pp collisions at \$<br>sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 50        |
| 112 | Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at \$\$sqrt{s}=13,ext<br>{Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.   | 3.9 | 50        |
| 113 | Search for new physics with jets and missing transverse momentum in pp collisions at \$ sqrt {s} = 7 \$<br>TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 49        |
| 114 | Search for leptonic decays of W′ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.  | 4.7 | 49        |
| 115 | Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at<br>\$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.          | 3.9 | 49        |
| 116 | Search for new physics in events with same-sign dileptons and jets in pp collisions at \$ sqrt{s} \$ = 8<br>TeV. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 48        |
| 117 | Search for vector-like quarks in events with two oppositely charged leptons and jets in<br>proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal<br>C, 2019, 79, 364. | 3.9 | 48        |
| 118 | Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2013, 2013, 1.              | 4.7 | 47        |
| 119 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 46        |
| 120 | Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.                            | 4.7 | 46        |
| 121 | Search for disappearing tracks in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of<br>High Energy Physics, 2015, 2015, 1.   | 4.7 | 46        |
| 122 | Search for third-generation scalar leptoquarks decaying to a top quark and a \$\$au \$\$ Ï,, lepton at<br>\$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2018, 78, 707.                   | 3.9 | 46        |
| 123 | Search for heavy bottom-like quarks in 4.9 fbâ^'1 of pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.  | 4.7 | 45        |
| 124 | Search for microscopic black holes in pp collisions at \$ sqrt{s}=8 \$ TeV. Journal of High Energy<br>Physics, 2013, 2013, 1.  | 4.7 | 44        |
| 125 | Search for a light charged Higgs boson decaying to c s Â <sup>-</sup> \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.      | 4.7 | 44        |
| 126 | Search for decays of stopped long-lived particles produced in proton–proton collisions at<br>\$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.                                      | 3.9 | 44        |

| #   | Article   | IF           | CITATIONS |
|-----|---|--------------|-----------|
| 127 | Search for standard model production of four top quarks with same-sign and multilepton final<br>states in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical<br>Journal C, 2018, 78, 140.                        | 3.9          | 44        |
| 128 | Measurement of top quark–antiquark pair production in association with a W or Z boson in pp<br>collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.   | 3.9          | 43        |
| 129 | Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High<br>Energy Physics, 2014, 2014, 1.  | 4.7          | 43        |
| 130 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged<br>particles in proton–proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical<br>Journal C, 2015, 75, 325.                     | 3.9          | 43        |
| 131 | Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7          | 43        |
| 132 | Measurement of the top-quark mass in \$mathrm{t}overline{mathrm{t}}\$ events with dilepton final states in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.  | 3.9          | 42        |
| 133 | Evidence for exclusive γγ → W + W â^' production and constraints on anomalous quartic gauge couplings<br>in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7          | 42        |
| 134 | Search for vector-like T and B quark pairs in final states with leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7          | 42        |
| 135 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7          | 42        |
| 136 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7          | 41        |
| 137 | Measurement of the t t Â <sup>-</sup> \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the eμ<br>channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy<br>Physics, 2016, 2016, 1.        | 4.7          | 41        |
| 138 | Measurement of the \$\$mathrm{t}overline{{mathrm{t}}}\$\$ t t Â <sup>-</sup> production cross section in the<br>all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical<br>Journal C, 2016, 76, 128. | 3.9          | 41        |
| 139 | Measurement of properties of \$\$ {mathrm{B}}_{mathrm{s}}^0 \$\$→ μ+μâ^' decays and search for B0→ μ+<br>with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.  | .μâ^'<br>4.7 | 41        |
| 140 | Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7          | 41        |
| 141 | Search for same-sign top-quark pair production at \$ sqrt {s} = 7 \$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7          | 40        |
| 142 | Search for new physics in dijet angular distributions using proton–proton collisions at<br>\$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical<br>Journal C, 2018, 78, 789.                                 | 3.9          | 40        |
| 143 | Measurement of the top quark mass in the all-jets final state at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.   | 3.9          | 40        |
| 144 | Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at<br>\$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7          | 40        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$.<br>European Physical Journal C, 2021, 81, 378. | 3.9 | 40        |
| 146 | Search for resonances in the dilepton mass distribution in pp collisions at \$ sqrt {s} = 7 \$ TeV.<br>Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 39        |
| 147 | Inclusive b-jet production in pp collisions at \$sqrt {s} = 7TeV\$. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 39        |
| 148 | Measurement of the ZſĴ³* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High<br>Energy Physics, 2012, 2012, 1.  | 4.7 | 39        |
| 149 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 39        |
| 150 | Measurement of the ZZ production cross section and search for anomalous couplings in 2ℓ2ℓ′ final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 39        |
| 151 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 39        |
| 152 | Measurement of differential cross sections for \$\${ext {Z}}\$\$ Z boson production in association<br>with jets in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical<br>Journal C, 2018, 78, 965.           | 3.9 | 39        |
| 153 | Search for heavy stable charged particles in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 38        |
| 154 | Measurement of the top-quark mass in \$ mathrm{t}overline{mathrm{t}} \$ events with lepton+jets final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 38        |
| 155 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at \$\$sqrt{s}= 13,ext{TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.   | 3.9 | 38        |
| 156 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.  | 3.9 | 38        |
| 157 | Evidence for associated production of a Higgs boson with a top quark pair in final states with<br>electrons, muons, and hadronically decaying Ï,, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy<br>Physics, 2018, 2018, 1.            | 4.7 | 38        |
| 158 | Measurement of the \$mathrm{{tar{t}}}\$ production cross section in pp collisions at \$sqrt{s}=7\$<br>TeV using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011,<br>71, 1.                              | 3.9 | 37        |
| 159 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 37        |
| 160 | Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 37        |
| 161 | Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s}<br>\$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 37        |
| 162 | Measurement of the Drell-Yan cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High<br>Energy Physics, 2011, 2011, 1.  | 4.7 | 36        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Search for resonant and nonresonant Higgs boson pair production in the b b Â <sup>-</sup> â,,''νâ,,''ν \$\$<br>mathrm{b}overline{mathrm{b}}mathit{ell u ell u } \$\$ final state in proton-proton collisions<br>at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.            | 4.7 | 36        |
| 164 | Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 36        |
| 165 | Measurement of the top-quark mass in all-jets \$\$hbox {t}ar{mathrm{t}}\$\$ t t Â⁻ events in pp<br>collisions at \$\$sqrt{s}=7\$\$ s = 7 TeV. European Physical Journal C, 2014, 74, 2758.  | 3.9 | 35        |
| 166 | Search for heavy Majorana neutrinos in e±e±+ jets and e± μ ±+ jets events in proton-proton collisions<br>at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 35        |
| 167 | Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 35        |
| 168 | Measurement of exclusive \$\$mathrm {Upsilon }\$\$ photoproduction from protons in \$\$mathrm<br>{p}\$\$Pb collisions at \$\$sqrt{smash [b]{s_{_{mathrm {NN}}}} = 5.02,ext {TeV} \$\$. European<br>Physical Journal C, 2019, 79, 277.   | 3.9 | 35        |
| 169 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in<br>proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.  | 3.9 | 35        |
| 170 | Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 34        |
| 171 | Search for microscopic black holes in pp collisions at \$\$ sqrt {s} = {ext{7TeV}} \$\$. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 34        |
| 172 | Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or ≥3 b-quark jets<br>in 7 TeV pp collisions using the variable α T. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 34        |
| 173 | Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8<br>TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 34        |
| 174 | Measurement of \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â <sup>-</sup> production with additional jet activity,<br>including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at<br>\$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379. | 3.9 | 34        |
| 175 | Measurements of the \$\$mathrm{t}overline{mathrm{t}}\$\$ t t Â <sup>-</sup> production cross section in<br>lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7Â \$\$,ext {TeV}\$\$<br>TeV cross sections. European Physical Journal C, 2017, 77, 15.                    | 3.9 | 34        |
| 176 | Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of<br>two muons and two Ï,, leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High<br>Energy Physics, 2018, 2018, 1.  | 4.7 | 34        |
| 177 | Measurement of the top quark mass with lepton+jets final states using \$\$mathrm {p}\$\$\$\$mathrm<br>{p}\$\$ collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2018, 78, 891.  | 3.9 | 34        |
| 178 | Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor<br>leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 34        |
| 179 | Search for single production of vector-like quarks decaying to a top quark and a \$\$mathrm {W} \$\$ W<br>boson in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$ s = 13 TeV. European Physical<br>Journal C, 2019, 79, 90.   | 3.9 | 34        |
| 180 | Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at<br>\$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.   | 3.9 | 33        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at \$ sqrt{s}=8 \$<br>TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 33        |
| 182 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks.<br>European Physical Journal C, 2016, 76, 371.  | 3.9 | 33        |
| 183 | Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two Ï,, leptons and<br>two jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019,<br>2019, 1.   | 4.7 | 33        |
| 184 | Measurement of exclusive \$\${{{uprho _{}^{} _{}}{{left( {770}ight) }{}_{}}}<br>^{0}\$\$Âphotoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_{mathrm}}}}<br>{NN}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.   | 3.9 | 33        |
| 185 | Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$<br>boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal<br>C, 2021, 81, 13.  | 3.9 | 33        |
| 186 | Search for top squark pair production using dilepton final states in \$\${ext {p}}{ext {p}}\$\$<br>collision data collected at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 3.  | 3.9 | 33        |
| 187 | Measurement of \$\$hbox {t}{ar{hbox {t}}\$\$ normalised multi-differential cross sections in<br>\$\${ext {p}}{ext {p}} \$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous<br>determination of the strong coupling strength, top quark pole mass, and parton distribution<br>functions. European Physical lournal C. 2020. 80. 1. | 3.9 | 33        |
| 188 | Measurement of \$ {ext{B}}overline {ext{B}} \$ angular correlations based on secondary vertex reconstruction at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 32        |
| 189 | Search for supersymmetry in pp collisions at \$ sqrt {s} = 7 \$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 32        |
| 190 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of<br>High Energy Physics, 2013, 2013, 1.   | 4.7 | 32        |
| 191 | Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.   | 3.9 | 32        |
| 192 | Measurements of the \$\$mathrm{Z}\$\$ Z \$\$mathrm{Z}\$\$ Z production cross sections in the<br>\$\$2mathrm{l} 2u \$\$ 2 l 2 l¼2 channel in proton–proton collisions at \$\$sqrt{s} = 7\$\$ s = 7 and \$\$8~.<br>European Physical Journal C, 2015, 75, 511.   | 3.9 | 32        |
| 193 | Timing capabilities of garnet crystals for detection of high energy charged particles. Nuclear<br>Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and<br>Associated Equipment, 2017, 852, 1-9.  | 1.6 | 32        |
| 194 | Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at \$ sqrt{s}=7;TeV \$.<br>Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 31        |
| 195 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 31        |
| 196 | Measurement of electroweak production of two jets in association with a Z boson in proton–proton<br>collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.  | 3.9 | 31        |
| 197 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76<br>\$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 31        |
| 198 | Search for top squark pair production in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 31        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 31        |
| 200 | A multi-dimensional search for new heavy resonances decaying to boosted \$\$ext{ W }{}{\$\$ \$\$ext{<br>W }{}\$\$ , \$\$ext{ W }{}{}\$\$ \$\$ext{ Z }{}}\$\$ , or \$\$ext{ Z }{}{}\$\$ \$\$ext{ Z }{}}\$\$ boson pairs in<br>the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237. | 3.9 | 31        |
| 201 | Measurement of Bose-Einstein correlations in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 30        |
| 202 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at \$ sqrt<br>{s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 30        |
| 203 | Search for a Higgs boson in the decay channel H → ZZ(*) → q\$ overline {ext{q}} \$ â"" â~' â"" + in pp collisions at<br>\$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 30        |
| 204 | Measurement of the W-boson helicity in top-quark decays from \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 30        |
| 205 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy<br>Physics, 2015, 2015, 1.   | 4.7 | 30        |
| 206 | Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ ℓ ν<br>b b Â <sup>-</sup> final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.  | 3.9 | 30        |
| 207 | Measurements of the associated production of a Z boson and b jets in pp collisions at \$\${sqrt{s}} =<br>8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.  | 3.9 | 30        |
| 208 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 29        |
| 209 | Measurement of inclusive jet production and nuclear modifications in pPb collisions at<br>\$\$sqrt{s_{_mathrm {NN}}} =5.02,mathrm{TeV} \$\$ s NN. European Physical Journal C, 2016, 76, 372.   | 3.9 | 29        |
| 210 | Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 \$\$<br>sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 29        |
| 211 | Search for lepton flavour violating decays of the Higgs boson to μ4τ and eτ in proton-proton collisions<br>at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 29        |
| 212 | Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp<br>collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy<br>Physics, 2018, 2018, 1.  | 4.7 | 29        |
| 213 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom<br>quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical<br>Journal C, 2019, 79, 280.   | 3.9 | 29        |
| 214 | Measurements of \$\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton<br>collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High<br>Energy Physics, 2019, 2019, 1.  | 4.7 | 28        |
| 215 | Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o<br>mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}}<br>\$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019,<br>2019. 1.     | 4.7 | 28        |
| 216 | Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 28        |

| #   | Article  | IF                  | CITATIONS |
|-----|--|---------------------|-----------|
| 217 | Measurements of differential Z boson production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7                 | 28        |
| 218 | Study of Z production in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}=2.76 \$\$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7                 | 27        |
| 219 | Search for anomalous single top quark production in association with a photon in pp collisions at s<br>= 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7                 | 27        |
| 220 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.                    | 4.7                 | 27        |
| 221 | Search for new physics in events with a leptonically decaying Z boson and a large transverse<br>momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV.<br>European Physical Journal C, 2018, 78, 291. | 3.9                 | 27        |
| 222 | Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at â^š <i>s</i> = 13 TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.   | 1.2                 | 27        |
| 223 | Search for new neutral Higgs bosons through the \$\$ mathrm{H}o mathrm{ZA}o<br>{ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13<br>TeV. Journal of High Energy Physics, 2020, 2020, 1.     | 4.7                 | 27        |
| 224 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7                 | 27        |
| 225 | Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at \$ sqrt {s} = 7,{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7                 | 26        |
| 226 | Search for resonant \$ mathrm{t}overline{mathrm{t}} \$ production in lepton+jets events in pp<br>collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7                 | 26        |
| 227 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.                                | 3.9                 | 26        |
| 228 | Search for the standard model Higgs boson in the H → ZZ → 2ℓ2ν channel in pp collision<br>= {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.  | s at \$ sqrt<br>4.7 | {ext{s}}  |
| 229 | Measurement of the production cross section for pairs of isolated photons in pp collisions at \$ sqrt<br>{s} = 7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7                 | 26        |
| 230 | Search for W′ → tb decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7                 | 26        |
| 231 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions<br>at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7                 | 26        |
| 232 | Measurement of the inclusive jet cross section in pp collisions at \$\$sqrt{s} = 2.76,ext {TeV}\$\$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.  | 3.9                 | 26        |
| 233 | Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7                 | 26        |
| 234 | Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                              | 4.7                 | 26        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or<br>muons in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy<br>Physics, 2020, 2020, 1.                             | 4.7 | 26        |
| 236 | Measurement of energy flow at large pseudorapidities in pp collisions at \$ sqrt {s} = 0.{9} \$ and 7 TeV.<br>Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 25        |
| 237 | Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8<br>\$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.  | 3.9 | 25        |
| 238 | Search for high-mass resonances in final states with a lepton and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 25        |
| 239 | Search for physics beyond the standard model in multilepton final states in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 25        |
| 240 | Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 25        |
| 241 | Measurement of the \$mathrm{t}ar{mathrm{t}}\$ production cross section in the Ï,,+jets channel in pp collisions at \$sqrt{s}=7 mbox{TeV}\$. European Physical Journal C, 2013, 73, 1.  | 3.9 | 24        |
| 242 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 24        |
| 243 | Search for third-generation scalar leptoquarks in the tÏ,, channel in proton-proton collisions at s = 8<br>\$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 24        |
| 244 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 24        |
| 245 | Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 24        |
| 246 | Measurements of \$\${mathrm{p}} {mathrm{p}} ightarrow {mathrm{Z}} {mathrm{Z}} \$\$<br>production cross sections and constraints on anomalous triple gauge couplings at \$\$sqrt{s} =<br>13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 200.     | 3.9 | 24        |
| 247 | Inclusive b-hadron production cross section with muons in pp collisions at \$ sqrt {s} = 7;{ext{TeV}} \$. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 23        |
| 248 | Measurement of WZ and ZZ production in pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.  | 3.9 | 23        |
| 249 | Observation of top quark pairs produced in association with a vector boson in pp collisions at s = 8<br>\$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 23        |
| 250 | Detection of high energy muons with sub-20 ps timing resolution using L(Y)SO crystals and SiPM readout. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 830, 30-35. | 1.6 | 23        |
| 251 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 23        |
| 252 | Searches for pair production of charginos and top squarks in final states with two oppositely<br>charged leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics,<br>2018, 2018, 1.                                | 4.7 | 23        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 23        |
| 254 | Search for resonant \$\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions<br>at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 23        |
| 255 | Search for a light pseudoscalar Higgs boson in the boosted μÂμττ final state in proton-proton collisions at<br>\$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 23        |
| 256 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$. European Physical Journal C, 2020, 80, 752.                                   | 3.9 | 23        |
| 257 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of<br>High Energy Physics, 2011, 2011, 1.  | 4.7 | 22        |
| 258 | Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse<br>momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013,<br>73, 2493.   | 3.9 | 22        |
| 259 | Search for t t Â <sup>-</sup> \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and<br>fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High<br>Energy Physics, 2017, 2017, 1. | 4.7 | 22        |
| 260 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 22        |
| 261 | Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.   | 3.9 | 22        |
| 262 | Measurement of differential cross sections and charge ratios for t-channel single top quark<br>production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European<br>Physical Journal C, 2020, 80, 370.                               | 3.9 | 22        |
| 263 | Search for supersymmetry in events with a Ï,, lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 21        |
| 264 | Search for beyond the standard model Higgs bosons decaying into a \$\$<br>mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High<br>Energy Physics, 2018, 2018, 1.   | 4.7 | 21        |
| 265 | A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.   | 2.9 | 21        |
| 266 | Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 21        |
| 267 | Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at \$ sqrt {s} = 7 \$<br>TeV. Journal of High Energy Physics, 2011, 2011, 1.   | 4.7 | 20        |
| 268 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 20        |
| 269 | Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.  | 3.9 | 20        |
| 270 | Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 20        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Search for the production of dark matter in association with top-quark pairs in the single-lepton<br>final state in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics,<br>2015, 2015, 1.                                 | 4.7 | 20        |
| 272 | Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$<br>TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 20        |
| 273 | Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the all-jet final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 20        |
| 274 | Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 20        |
| 275 | Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / ï^ and a<br>photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical<br>Journal C, 2019, 79, 94.                 | 3.9 | 20        |
| 276 | Measurement of top quark pair production in association with a Z boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 20        |
| 277 | Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1. | 4.7 | 20        |
| 278 | A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy<br>Physics, 2020, 2020, 1.  | 4.7 | 20        |
| 279 | DSB:Ce <sup>3+</sup> scintillation glass for future. Journal of Physics: Conference Series, 2015, 587, 012062.   | 0.4 | 19        |
| 280 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.                           | 4.7 | 19        |
| 281 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into Ï,, leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 19        |
| 282 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into<br>vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical<br>Journal C, 2021, 81, 723.                               | 3.9 | 19        |
| 283 | Search for quark compositeness in dijet angular distributions from pp collisions at \$ sqrt {s} = 7{ } \$<br>TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 18        |
| 284 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states<br>in pp collisions at \$\$sqrt{s} = 8;ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.  | 3.9 | 18        |
| 285 | Measurement of normalized differential \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 18        |
| 286 | Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 18        |
| 287 | Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 18        |
| 288 | Measurement of differential cross sections for inclusive isolated-photon and photon+jet production<br>in proton-proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C,<br>2019, 79, 20.                                   | 3.9 | 18        |

| #   | Article   | IF               | CITATIONS                 |
|-----|---|------------------|---------------------------|
| 289 | Measurement of the differential Drell-Yan cross section in proton-proton collisions at \$\$<br>sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.                                  | 4.7              | 18                        |
| 290 | MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} =<br>13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.   | 3.9              | 18                        |
| 291 | Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.                   | 3.9              | 18                        |
| 292 | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in<br>proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.        | 3.9              | 18                        |
| 293 | Search for stopped long-lived particles produced in pp collisions at \$ sqrt {s} = {ext{7TeV}} \$.<br>Journal of High Energy Physics, 2012, 2012, 1.  | 4.7              | 17                        |
| 294 | Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7              | 17                        |
| 295 | Search for standard model production of four top quarks in the lepton + jets channel in pp<br>collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.                     | 4.7              | 17                        |
| 296 | Probing color coherence effects in pp collisions at $s=7,ext TeV \$ s = 7 TeV. European<br>Physical Journal C, 2014, 74, 2901.  | 3.9<br>Â.        | 17                        |
| 297 | and B± → J/Ĩ`K ± and ℬ B c ± → J / Ï` Ï€ ± Ï€ ± Ï€ â^" / ℬ B c ± → J / Ï` Ï€ ± \$\$<br>mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm }{pm }{pi}^{pm} Tj ETQq1 1 0.7             | 84314 rgł<br>4.7 | 3T <sub>1</sub> /Overlock |
| 298 | 2015, 1.<br>Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and<br>derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7              | 17                        |
| 299 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1. | 4.7              | 17                        |
| 300 | Charged-particle nuclear modification factors in XeXe collisions at \$\$ sqrt{s_{mathrm{NN}}} = 5.44<br>\$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7              | 17                        |
| 301 | Search for ZÎ <sup>3</sup> resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                        | 4.7              | 17                        |
| 302 | Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.        | 4.7              | 17                        |
| 303 | Search for the decay of a Higgs boson in the ℓℓγ channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$<br>TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7              | 17                        |
| 304 | Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at<br>\$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.                      | 3.9              | 17                        |
| 305 | Electroweak production of two jets in association with a Z boson in proton–proton collisions at<br>\$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.                 | 3.9              | 17                        |
| 306 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.            | 4.7              | 17                        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 307 | Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.                         | 4.7 | 16        |
| 308 | Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 16        |
| 309 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 16        |
| 310 | Measurement of jet multiplicity distributions in \$\$mathrm {t}overline{mathrm {t}}\$\$ t t Â <sup>-</sup><br>production in pp collisions at \$\$sqrt{s} = 7,ext {TeV} \$\$ s = 7 TeV. European Physical Journal C, 2014,<br>74, 3014.               | 3.9 | 16        |
| 311 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an<br>\$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV.<br>European Physical Journal C, 2016, 76, 317. | 3.9 | 16        |
| 312 | Measurement of dijet azimuthal decorrelation in ppÂcollisions at \$\$sqrt{s}=8,mathrm{TeV} \$\$ s = 8<br>TeV. European Physical Journal C, 2016, 76, 536.  | 3.9 | 16        |
| 313 | Search for excited leptons in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High<br>Energy Physics, 2016, 2016, 1.   | 4.7 | 16        |
| 314 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                  | 4.7 | 16        |
| 315 | Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s =<br>8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.   | 3.9 | 16        |
| 316 | Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 16        |
| 317 | Search for new physics in top quark production in dilepton final states in proton-proton collisions<br>at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 886.   | 3.9 | 16        |
| 318 | Search for a fermiophobic Higgs boson in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7 | 15        |
| 319 | Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 15        |
| 320 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at<br>\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.  | 4.7 | 15        |
| 321 | Measurement of top quark polarisation in t-channel single top quark production. Journal of High<br>Energy Physics, 2016, 2016, 1.  | 4.7 | 15        |
| 322 | Growth and characterization of Ce-doped YAG and LuAG fibers. Optical Materials, 2017, 65, 66-68.   | 3.6 | 15        |
| 323 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 15        |
| 324 | Search for a singly produced third-generation scalar leptoquark decaying to a Ï,, lepton and a bottom<br>quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018,<br>1.                            | 4.7 | 15        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Measurement of b hadron lifetimes in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {Te}ext {V}\$\$<br>TeV. European Physical Journal C, 2018, 78, 457.   | 3.9 | 15        |
| 326 | Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 15        |
| 327 | Search for lepton flavour violating decays of a neutral heavy Higgs boson to μIï,, and eï,, in proton-proton<br>collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 15        |
| 328 | Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 15        |
| 329 | Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 15        |
| 330 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$<br>sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 14        |
| 331 | Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$<br>in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on ZZγ and ZγI³ triple gauge boson couplings. Journal of<br>High Energy Physics, 2013, 2013, 1.  | 4.7 | 14        |
| 332 | Test beam results of a high granularity LuAG fibre calorimeter prototype. Journal of Instrumentation, 2016, 11, P05004-P05004.   | 1.2 | 14        |
| 333 | Search for s channel single top quark production in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV.<br>Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 14        |
| 334 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and<br>large transverse event activity in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of<br>High Energy Physics, 2017, 2017, 1. | 4.7 | 14        |
| 335 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at<br>\$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 14        |

 $336 \qquad \mbox{Studies of $${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 $B s 2 \ a^- ( 5840 ) 0 and $${mathrm {B}} \ and $${mathrm {B}} \ b^+ ( 5840 ) 0 and $${mathrm {B}} \ b^+ ( 5840 ) and $${mathrm {B$ 

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 14        |
| 344 | Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 14        |
| 345 | Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.  | 3.9 | 14        |
| 346 | Search for light resonances decaying into pairs of muons as a signal of new physics. Journal of High<br>Energy Physics, 2011, 2011, 1.   | 4.7 | 13        |
| 347 | Measurement of the underlying event activity in pp collisions at \$ sqrt {s} = 0.9 \$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 13        |
| 348 | Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp<br>collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.   | 4.7 | 13        |
| 349 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 13        |
| 350 | Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final<br>states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018,<br>1.                           | 4.7 | 13        |
| 351 | Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 13        |
| 352 | Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                    | 4.7 | 13        |
| 353 | Jet properties in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{N};mathrm{N}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 13        |
| 354 | Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.                                 | 4.7 | 13        |
| 355 | Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 13        |
| 356 | Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 13        |
| 357 | Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 13        |
| 358 | Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 13        |
| 359 | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                              | 4.7 | 13        |
| 360 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at s = 8<br>\$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 12        |

| #   | Article  | IF             | CITATIONS |
|-----|--|----------------|-----------|
| 361 | Phenomenological MSSM interpretation of CMS searches in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7            | 12        |
| 362 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7            | 12        |
| 363 | Measurement of the groomed jet mass in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{NN}}=5.02 \$\$<br>TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7            | 12        |
| 364 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7            | 12        |
| 365 | Search for dark matter produced in association with a Higgs boson decaying to γĴ³ or Ï" +Ï" â^' at \$\$<br>sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7            | 12        |
| 366 | Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at<br>\$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.  | 3.9            | 12        |
| 367 | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.                                    | 4.7            | 12        |
| 368 | Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893. | 3.9            | 12        |
| 369 | Investigation into the event-activity dependence of l'(nS) relative production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2020, 2020, 1.                                      | 4.7            | 12        |
| 370 | Search for new physics in top quark production with additional leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.                | 4.7            | 12        |
| 371 | Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European<br>Physical Journal C, 2021, 81, 312.  | 3.9            | 12        |
| 372 | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$<br>= 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7            | 12        |
| 373 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7            | 11        |
| 374 | Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at \$sqrt{s}= 7\$ TeV. European Physical Journal C, 2012, 72, 1.                            | 3.9            | 11        |
| 375 | Search for the standard model Higgs boson in the H → ZZ → â""+â""â^'Ï"+Ï"â^' decay channel in pp collisions at S<br>{s} = {7};{ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.                                  | \$ sort<br>4.9 | 11        |
| 376 | Measurement of the Zl̂ <sup>3</sup> production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.                                 | 4.7            | 11        |
| 377 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.          | 4.7            | 11        |
| 378 | Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                                       | 4.7            | 11        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse<br>momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C,<br>2019, 79, 444.                                   | 3.9 | 11        |
| 380 | Search for nonresonant Higgs boson pair production in the \$\$<br>mathrm{b}overline{mathrm{b}}mathrm{b}overline{mathrm{b}} \$\$ final state at \$\$ sqrt{s} \$\$ = 13<br>TeV. Journal of High Energy Physics, 2019, 2019, 1.                                    | 4.7 | 11        |
| 381 | Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.  | 3.9 | 11        |
| 382 | Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 11        |
| 383 | Bose-Einstein correlations of charged hadrons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV.<br>Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 11        |
| 384 | Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in<br>proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020,<br>80, 43.   | 3.9 | 11        |
| 385 | First measurement of large area jet transverse momentum spectra in heavy-ion collisions. Journal of<br>High Energy Physics, 2021, 2021, 1.  | 4.7 | 11        |
| 386 | Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the ττbb final state at 13 TeV.<br>Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 11        |
| 387 | Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2011, 2011, 1.  | 4.7 | 10        |
| 388 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions<br>at s = 2.76 \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 10        |
| 389 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 10        |
| 390 | Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / γ â^— → Ï,, Ï,, cross section in pp<br>collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal<br>C, 2018, 78, 708.                   | 3.9 | 10        |
| 391 | Search for a heavy resonance decaying into a Z boson and a vector boson in the \$\$ u<br>overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018,<br>2018, 1.  | 4.7 | 10        |
| 392 | Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$<br>overline{mathrm{q}} \$\$'â,,''ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of<br>High Energy Physics, 2019, 2019, 1. | 4.7 | 10        |
| 393 | Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02<br>TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 10        |
| 394 | Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton<br>collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.  | 3.9 | 10        |
| 395 | Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.  | 4.7 | 9         |
| 396 | Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e1¼ final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 9         |

| #   | Article  | IF       | CITATIONS |
|-----|--|----------|-----------|
| 397 | Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at \$\$sqrt{s}=<br>13~hbox {TeV}\$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.  | 3.9      | 9         |
| 398 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets<br>final state in pp collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C,<br>2019, 79, 1.          | 3.9      | 9         |
| 399 | Search for a low-mass Ï"â^ï,,+ resonance in association with a bottom quark in proton-proton collisions<br>at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7      | 9         |
| 400 | Angular analysis of the decay B+ → Kâ^—(892)+μ+μâ^' in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ =<br>TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 8<br>4.7 | 9         |
| 401 | Search for a heavy vector resonance decaying to a \$\${mathrm{Z}}_{mathrm{}}^{mathrm{}}\$ Âboson<br>and a Higgs boson in proton-proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European<br>Physical Journal C, 2021, 81, 688. | 3.9      | 9         |
| 402 | Beam test evaluation of electromagnetic calorimeter modules made from proton-damaged PbWO <sub>4</sub> crystals. Journal of Instrumentation, 2016, 11, P04012-P04012.  | 1.2      | 8         |
| 403 | Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13<br>TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7      | 8         |
| 404 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = 5.02 \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ and 8.16 TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7      | 8         |
| 405 | Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2â,,"2q final states at \$\$<br>sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7      | 8         |
| 406 | Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7      | 8         |
| 407 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in \$\${ext<br>{p}} {ext {p}} \$\$ collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019,<br>79, 773.           | 3.9      | 8         |
| 408 | Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at \$\$<br>sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7      | 8         |
| 409 | Search for chargino-neutralino production in events with Higgs and W bosons using 137 fbâ~'1 of proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                                     | 4.7      | 8         |
| 410 | Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. Journal of<br>High Energy Physics, 2022, 2022, 1.  | 4.7      | 8         |
| 411 | Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                               | 4.7      | 8         |
| 412 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at \$ sqrt{s}=7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7      | 7         |
| 413 | The CMS ECAL performance with examples. Journal of Instrumentation, 2014, 9, C02008-C02008.  | 1.2      | 7         |
| 414 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.                                   | 4.7      | 7         |

| #   | Article   | IF                     | CITATIONS |
|-----|---|------------------------|-----------|
| 415 | Search for the associated production of the Higgs boson and a vector boson in proton-proton<br>collisions at \$\$ sqrt{s} \$\$ = 13 TeV via Higgs boson decays to Ï" leptons. Journal of High Energy Physics,<br>2019, 2019, 1.                           | 4.7                    | 7         |
| 416 | Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at \$\$sqrt{s} = 5.02\$\$ and 13TeV. European Physical Journal C, 2020, 80, 718.  | 3.9                    | 7         |
| 417 | Measurement of the top quark forward-backward production asymmetry and the anomalous<br>chromoelectric and chromomagnetic moments in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of<br>High Energy Physics, 2020, 2020, 1.                       | 4.7                    | 7         |
| 418 | Measurements of the pp → W±γγ and pp → Zγγ cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1.  | <sup>3</sup> 0n<br>4.7 | 7         |
| 419 | Measurement of the cross section for production of \$ boverline b X \$ decaying to muons in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.   | 4.7                    | 6         |
| 420 | Comparison of the Z/γ â^— + jets to γ + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV.<br>Journal of High Energy Physics, 2015, 2015, 1.  | 4.7                    | 6         |
| 421 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at<br>\$\$sqrt{s} = 7\$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.   | 3.9                    | 6         |
| 422 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing<br>transverse momentum in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High<br>Energy Physics, 2018, 2018, 1.                     | 4.7                    | 6         |
| 423 | Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} = 13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7                    | 6         |
| 424 | Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in<br>\$\$mathrm{p}mathrm{p}\$\$ collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$. European Physical Journal C,<br>2019, 79, 969.                                 | 3.9                    | 6         |
| 425 | Search for decays of the 125 GeV Higgs boson into a Z boson and a ï•or ï• meson. Journal of High Energy<br>Physics, 2020, 2020, 1.  | 4.7                    | 6         |
| 426 | Determination of the strong coupling constant αS(mZ) from measurements of inclusive W± and Z<br>boson production cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 7 and 8<br>TeV. Journal of High Energy Physics, 2020, 2020, 1. | 4.7                    | 6         |
| 427 | Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.   |                        | 6         |
| 428 | Measurement of double-parton scattering in inclusive production of four jets with low transverse<br>momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022,<br>2022, 1.                                 | 4.7                    | 6         |
| 429 | Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                              | 4.7                    | 6         |
| 430 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7                    | 6         |
| 431 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7                    | 5         |
| 432 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at<br>s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7                    | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Space-Time Development of Electromagnetic and Hadronic Showers and Perspectives for Novel Calorimetric Techniques. IEEE Transactions on Nuclear Science, 2016, 63, 574-579.  | 2.0 | 5         |
| 434 | Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at<br>\$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy<br>Physics, 2018, 2018, 1. | 4.7 | 5         |
| 435 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.          | 4.7 | 5         |
| 436 | Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 5         |
| 437 | Search for the pair production of light top squarks in the e±μâ~" final state in proton-proton collisions<br>at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 5         |
| 438 | Measurement of the cross section for \$\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.                      | 4.7 | 5         |
| 439 | Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 5         |
| 440 | In-medium modification of dijets in PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 5         |
| 441 | Measurement of energy flow at large pseudorapidities in pp collisions at ( sqrt {s} = 0.{9} ) and 7 TeV. , 2011, 2011, 1.  |     | 5         |
| 442 | Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} =<br>8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80,<br>1164.                              | 3.9 | 5         |
| 443 | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.                       | 4.7 | 5         |
| 444 | Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 5         |
| 445 | Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$<br>= 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .                      | 4.7 | 5         |
| 446 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 5         |
| 447 | Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 5         |
| 448 | Search for pair production of excited top quarks in the lepton + jets final state. Journal of High<br>Energy Physics, 2014, 2014, 1.   | 4.7 | 4         |
| 449 | Search for dark matter particles in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 4         |
| 450 | Measurement of differential cross sections in the kinematic angular variable Ï•* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.                              | 4.7 | 4         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 451 | Search for ZZ resonances in the 2â,,"2ν final state in proton-proton collisions at 13 TeV. Journal of High<br>Energy Physics, 2018, 2018, 1.  | 4.7 | 4         |
| 452 | Event shape variables measured using multijet final states in proton-proton collisions at \$\$<br>sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 4         |
| 453 | Search for resonant production of second-generation sleptons with same-sign dimuon events in<br>proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C,<br>2019, 79, 305.      | 3.9 | 4         |
| 454 | The production of isolated photons in PbPb and pp collisions at \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 5.02<br>TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 4         |
| 455 | Search for supersymmetry in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.                    | 4.7 | 4         |
| 456 | Measurement of b jet shapes in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High<br>Energy Physics, 2021, 2021, 1.  | 4.7 | 4         |
| 457 | Search for supersymmetry using Higgs boson to diphoton decays at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 4         |
| 458 | Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .                                  | 4.7 | 4         |
| 459 | Study of hadronic event-shape variables in multijet final states in pp collisions at s = 7 \$\$ sqrt{s} = 7<br>\$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.   | 4.7 | 3         |
| 460 | Search for W′ → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy<br>Physics, 2016, 2016, 1.  | 4.7 | 3         |
| 461 | Search for top quark partners with charge 5/3 in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$<br>TeV. Journal of High Energy Physics, 2017, 2017, 1.   | 4.7 | 3         |
| 462 | Inclusive search for supersymmetry in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 3         |
| 463 | Search for excited leptons in ℓℓγ final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$<br>TeV. Journal of High Energy Physics, 2019, 2019, 1.   | 4.7 | 3         |
| 464 | Calibration of the CMS hadron calorimeters using proton-proton collision data at â^šs = 13 TeV.<br>Journal of Instrumentation, 2020, 15, P05002-P05002.   | 1.2 | 3         |
| 465 | Search for the lepton flavor violating decay τ → 3μ in proton-proton collisions at \$\$ sqrt{mathrm{s}}<br>\$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 3         |
| 466 | Study of Drell-Yan dimuon production in proton-lead collisions at \$\$ sqrt{s_{mathrm{NN}}} \$\$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 3         |
| 467 | Calorimeter Designs Based on Fibre-Shaped Scintillators. Springer Proceedings in Physics, 2017, , 231-241.  | 0.2 | 3         |
| 468 | Measurement of the ( toverline{t} ) production cross section in the dilepton channel in pp collisions at ( sqrt{s} ) = 8 TeV. , 2014, 2014, 1.  |     | 3         |

| #   | Article   | IF                | CITATIONS         |
|-----|---|-------------------|-------------------|
| 469 | Study of the \$\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7               | 3                 |
| 470 | Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell ) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV} ). , 2018, 78, 1.   |                   | 3                 |
| 471 | Measurement of the inclusive and differential t\$\$ overline{t} \$\$γ cross sections in the single-lepton channel and EFT interpretation at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.                                    | 4.7               | 3                 |
| 472 | Double side read-out technique for mitigation of radiation damage effects in PbWO <sub>4</sub> crystals. Journal of Instrumentation, 2016, 11, P04021-P04021.   | 1.2               | 2                 |
| 473 | Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7               | 2                 |
| 474 | Measurement of the top quark pair production cross section in dilepton final states containing one Ï"<br>lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7               | 2                 |
| 475 | Measurements of the differential cross sections of the production of Z + jets and Î <sup>3</sup> + jets and of Z<br>boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy<br>Physics, 2021, 2021, 1. | 4.7               | 2                 |
| 476 | Measurement of the Z boson differential production cross section using its invisible decay mode (Z →) Tj ETQq<br>Physics, 2021, 2021, 1.  | 0 0 0 rgB1<br>4.7 | /Overlock 10<br>2 |
| 477 | Test beam characterization of sensor prototypes for the CMS Barrel MIP Timing Detector. Journal of Instrumentation, 2021, 16, P07023.   | 1.2               | 2                 |
| 478 | Measurements of angular distance and momentum ratio distributions in three-jet and \$\${ext {Z}}\$\$<br>+ two-jet final states in \$\${ext {p}}{ext {p}}\$\$ collisions. European Physical Journal C, 2021, 81, 852.                                      | 3.9               | 2                 |
| 479 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( sqrt{s}=8 )<br>TeV. , 2013, 2013, 1.   |                   | 2                 |
| 480 | Observation of tW production in the single-lepton channel in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV.<br>Journal of High Energy Physics, 2021, 2021, 1.   | 4.7               | 2                 |
| 481 | Measurement of prompt open-charm production cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7               | 2                 |
| 482 | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at<br>\$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7               | 2                 |
| 483 | Measurement of the inclusive \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.  | 4.7               | 2                 |
| 484 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with<br>leptons and a bottom quark pair at \$\$ sqrt{s} \$\$= 13 TeV. Journal of High Energy Physics, 2022, 2022, .  | 4.7               | 2                 |
| 485 | Measurement of the Muon Stopping Power in Lead Tungstate with the Electromagnetic Calorimeter in CMS. Journal of Physics: Conference Series, 2011, 293, 012049.   | 0.4               | 1                 |
| 486 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at s = 8 \$\$<br>sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7               | 1                 |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 487 | Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 1         |
| 488 | Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.   | 4.7 | 1         |
| 489 | Search for a heavy resonance decaying to a top quark and a W boson at \$\$ sqrt{s} \$\$ = 13 TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 1         |
| 490 | Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}uppi ^+uppi ^-\$\$ and<br>B\$\$^0_mathrm {s}\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm {S}\$\$ decays. European<br>Physical Journal C, 2022, 82, . | 3.9 | 1         |
| 491 | The CMS Collaboration. Nuclear Physics A, 2009, 830, 946c-956c.  | 1.5 | Ο         |
| 492 | Measurements of properties of the Higgs-like Particle at 125 GeV by the CMS collaboration. EPJ Web of Conferences, 2013, 60, 12011.  | 0.3 | 0         |
| 493 | Precision Timing with the CMS MIP Timing Detector. , 2019, , .   |     | 0         |