

Anssi Auvinen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7719703/publications.pdf>

Version: 2024-02-01

496
papers

32,288
citations

4942

84
h-index

5663

162
g-index

510
all docs

510
docs citations

510
times ranked

28382
citing authors

#	ARTICLE	IF	CITATIONS
1	Screening and Prostate-Cancer Mortality in a Randomized European Study. <i>New England Journal of Medicine</i> , 2009, 360, 1320-1328.	13.9	3,540
2	Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. <i>BMJ: British Medical Journal</i> , 2005, 330, 223.	2.4	1,284
3	Screening and prostate cancer mortality: results of the European Randomised Study of Screening for Prostate Cancer (ERSPC) at 13 years of follow-up. <i>Lancet, The</i> , 2014, 384, 2027-2035.	6.3	1,261
4	The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: Estimates of Radiation-Related Cancer Risks. <i>Radiation Research</i> , 2007, 167, 396-416.	0.7	1,139
5	Prostate-Cancer Mortality at 11 Years of Follow-up. <i>New England Journal of Medicine</i> , 2012, 366, 981-990.	13.9	1,105
6	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018, 50, 928-936.	9.4	652
7	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013, 45, 385-391.	9.4	492
8	Prevalence of symptoms among patients with advanced cancer: An international collaborative study. <i>Journal of Pain and Symptom Management</i> , 1996, 12, 3-10.	0.6	423
9	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109.	9.4	408
10	Identification of seven new prostate cancer susceptibility loci through a genome-wide association study. <i>Nature Genetics</i> , 2009, 41, 1116-1121.	9.4	389
11	Quality-of-Life Effects of Prostate-Specific Antigen Screening. <i>New England Journal of Medicine</i> , 2012, 367, 595-605.	13.9	364
12	A 16-yr Follow-up of the European Randomized study of Screening for Prostate Cancer. <i>European Urology</i> , 2019, 76, 43-51.	0.9	359
13	An association of serum vitamin D concentrations $\leq 40\text{ nmol/L}$ with acute respiratory tract infection in young Finnish men. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 714-717.	2.2	354
14	Renal effects of uranium in drinking water.. <i>Environmental Health Perspectives</i> , 2002, 110, 337-342.	2.8	345
15	Nocturia Frequency, Bother, and Quality of Life: How Often Is Too Often? A Population-Based Study in Finland. <i>European Urology</i> , 2010, 57, 488-498.	0.9	290
16	Validity of the new American College of Rheumatology criteria for neuropsychiatric lupus syndromes: a population-based evaluation. <i>Arthritis and Rheumatism</i> , 2001, 45, 419-423.	6.7	277
17	Antiepileptic drug use of women with epilepsy and congenital malformations in offspring. <i>Neurology</i> , 2005, 64, 1874-1878.	1.5	272
18	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021, 53, 65-75.	9.4	264

#	ARTICLE	IF	CITATIONS
19	Prostate cancer incidence and mortality trends in 37 European countries: An overview. <i>European Journal of Cancer</i> , 2010, 46, 3040-3052.	1.3	260
20	Incidence of gliomas by anatomic location. <i>Neuro-Oncology</i> , 2007, 9, 319-325.	0.6	250
21	Large-scale randomized prostate cancer screening trials: Program performances in the European randomized screening for prostate cancer trial and the prostate, lung, colorectal and ovary cancer trial. <i>International Journal of Cancer</i> , 2002, 97, 237-244.	2.3	247
22	Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland.. <i>Environmental Health Perspectives</i> , 1999, 107, 705-710.	2.8	236
23	The INTERPHONE study: design, epidemiological methods, and description of the study population. <i>European Journal of Epidemiology</i> , 2007, 22, 647-664.	2.5	225
24	Screening for Prostate Cancer Decreases the Risk of Developing Metastatic Disease: Findings from the European Randomized Study of Screening for Prostate Cancer (ERSPC). <i>European Urology</i> , 2012, 62, 745-752.	0.9	216
25	Brain Tumors and Salivary Gland Cancers Among Cellular Telephone Users. <i>Epidemiology</i> , 2002, 13, 356-359.	1.2	212
26	Bone as a Possible Target of Chemical Toxicity of Natural Uranium in Drinking Water. <i>Environmental Health Perspectives</i> , 2005, 113, 68-72.	2.8	206
27	What Is the Most Bothersome Lower Urinary Tract Symptom? Individual- and Population-level Perspectives for Both Men and Women. <i>European Urology</i> , 2014, 65, 1211-1217.	0.9	193
28	Incidence of cancer among Finnish airline cabin attendants, 1967-92. <i>BMJ: British Medical Journal</i> , 1995, 311, 649-652.	2.4	189
29	Prognosis of non-specific musculoskeletal pain in preadolescents: A prospective 4-year follow-up study till adolescence. <i>Pain</i> , 2004, 110, 550-559.	2.0	188
30	Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. <i>British Journal of Cancer</i> , 2005, 93, 842-848.	2.9	181
31	Prostate Cancer Mortality Reduction by Prostate-Specific Antigen-Based Screening Adjusted for Nonattendance and Contamination in the European Randomised Study of Screening for Prostate Cancer (ERSPC). <i>European Urology</i> , 2009, 56, 584-591.	0.9	180
32	European Code against Cancer 4th Edition: 12 ways to reduce your cancer risk. <i>Cancer Epidemiology</i> , 2015, 39, S1-S10.	0.8	176
33	Vitamin D Supplementation for the Prevention of Acute Respiratory Tract Infection: A Randomized, Double-Blinded Trial among Young Finnish Men. <i>Journal of Infectious Diseases</i> , 2010, 202, 809-814.	1.9	168
34	Cholesterol-Lowering Drugs and Prostate Cancer Risk: A Population-based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2226-2232.	1.1	166
35	Kidney Toxicity of Ingested Uranium From Drinking Water. <i>American Journal of Kidney Diseases</i> , 2006, 47, 972-982.	2.1	165
36	Asbestos exposure as a risk factor for retroperitoneal fibrosis. <i>Lancet, The</i> , 2004, 363, 1422-1426.	6.3	162

#	ARTICLE	IF	CITATIONS
37	Reconciling the Effects of Screening on Prostate Cancer Mortality in the ERSPC and PLCO Trials. <i>Annals of Internal Medicine</i> , 2017, 167, 449.	2.0	160
38	Association of Repeated Exposure to Antibiotics With the Development of Pediatric Crohn's Disease--A Nationwide, Register-based Finnish Case-Control Study. <i>American Journal of Epidemiology</i> , 2012, 175, 775-784.	1.6	158
39	Interpreting Trends in Prostate Cancer Incidence and Mortality in the Five Nordic Countries. <i>Journal of the National Cancer Institute</i> , 2007, 99, 1881-1887.	3.0	157
40	A Systematic Evaluation of Factors Associated With Nocturia--The Population-based FINNO Study. <i>American Journal of Epidemiology</i> , 2009, 170, 361-368.	1.6	155
41	Incidence of inflammatory bowel disease in Finnish children, 1987-2003. <i>Inflammatory Bowel Diseases</i> , 2006, 12, 677-683.	0.9	152
42	Mobile phone use and risk of glioma in 5 North European countries. <i>International Journal of Cancer</i> , 2007, 120, 1769-1775.	2.3	148
43	Predicting the outcome of prostate biopsy in screen-positive men by a multilayer perceptron network. <i>Urology</i> , 2000, 56, 418-422.	0.5	141
44	Treatment delay and the risk of prolonged status epilepticus. <i>Neurology</i> , 2005, 65, 1316-1318.	1.5	139
45	Loss of SUFU Function in Familial Multiple Meningioma. <i>American Journal of Human Genetics</i> , 2012, 91, 520-526.	2.6	137
46	Mortality from diseases other than cancer following low doses of ionizing radiation: results from the 15-Country Study of nuclear industry workers. <i>International Journal of Epidemiology</i> , 2007, 36, 1126-1135.	0.9	135
47	Increased Cardiovascular and Cancer Mortality after Radioiodine Treatment for Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2190-2196.	1.8	132
48	Epilepsy-related clinical characteristics and mortality. <i>Neurology</i> , 2014, 83, 1968-1977.	1.5	131
49	Incidence of cancer among Nordic airline pilots over five decades: occupational cohort study. <i>BMJ: British Medical Journal</i> , 2002, 325, 567-567.	2.4	129
50	Is Nocturia Equally Common Among Men and Women? A Population Based Study in Finland. <i>Journal of Urology</i> , 2006, 175, 596-600.	0.2	128
51	The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: Design, Epidemiological Methods and Descriptive Results. <i>Radiation Research</i> , 2007, 167, 361-379.	0.7	125
52	Validation of short term recall of mobile phone use for the Interphone study. <i>Occupational and Environmental Medicine</i> , 2006, 63, 237-243.	1.3	124
53	Time Trends in Brain Tumor Incidence Rates in Denmark, Finland, Norway, and Sweden, 1974-2003. <i>Journal of the National Cancer Institute</i> , 2009, 101, 1721-1724.	3.0	121
54	Haematological toxicity: a marker of adjuvant chemotherapy efficacy in stage II and III breast cancer. <i>British Journal of Cancer</i> , 1997, 75, 301-305.	2.9	120

#	ARTICLE	IF	CITATIONS
55	Increased cancer incidence after radioiodine treatment for hyperthyroidism. <i>Cancer</i> , 2007, 109, 1972-1979.	2.0	120
56	Cost-effectiveness of Prostate Cancer Screening: A Simulation Study Based on ERSPC Data. <i>Journal of the National Cancer Institute</i> , 2015, 107, 366.	3.0	120
57	Prevalence of Symptoms Related to Interstitial Cystitis in Women: A Population Based Study in Finland. <i>Journal of Urology</i> , 2002, 168, 139-143.	0.2	119
58	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013, 22, 408-415.	1.4	118
59	Interstitial cystitis-like urinary symptoms among patients with Sjögren's syndrome: a population-based study in Finland. <i>American Journal of Medicine</i> , 2003, 115, 62-65.	0.6	117
60	Female predominance in meningiomas can not be explained by differences in progesterone, estrogen, or androgen receptor expression. <i>Journal of Neuro-Oncology</i> , 2006, 80, 1-7.	1.4	116
61	Biology and Clinical Implications of the 19q13 Aggressive Prostate Cancer Susceptibility Locus. <i>Cell</i> , 2018, 174, 576-589.e18.	13.5	116
62	Incidence trends of pediatric inflammatory bowel disease in Finland, 1987-2003, a nationwide study. <i>Inflammatory Bowel Diseases</i> , 2011, 17, 1778-1783.	0.9	112
63	Indoor Radon Exposure and Risk of Lung Cancer: a Nested Case-Control Study in Finland. <i>Journal of the National Cancer Institute</i> , 1996, 88, 966-972.	3.0	111
64	Metastatic Prostate Cancer Incidence and Prostate-specific Antigen Testing: New Insights from the European Randomized Study of Screening for Prostate Cancer. <i>European Urology</i> , 2015, 68, 885-890.	0.9	111
65	Incidence trends of adult primary intracerebral tumors in four Nordic countries. <i>International Journal of Cancer</i> , 2004, 108, 450-455.	2.3	108
66	Allergic Conditions and Brain Tumor Risk. <i>American Journal of Epidemiology</i> , 2007, 166, 941-950.	1.6	106
67	Incidence of intracranial meningiomas in Denmark, Finland, Norway and Sweden, 1968-1997. <i>International Journal of Cancer</i> , 2005, 117, 996-1001.	2.3	104
68	Bidirectional Relationship Between Depression and Erectile Dysfunction. <i>Journal of Urology</i> , 2007, 177, 669-673.	0.2	104
69	Risk factors for development of non-specific musculoskeletal pain in preteens and early adolescents: a prospective 1-year follow-up study. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 46.	0.8	100
70	Onset, prognosis and risk factors for widespread pain in schoolchildren: A prospective 4-year follow-up study. <i>Pain</i> , 2008, 138, 681-687.	2.0	100
71	Cancer screening: Evidence and practice in Europe 2008. <i>European Journal of Cancer</i> , 2008, 44, 1404-1413.	1.3	100
72	Antidiabetic Medication and Prostate Cancer Risk: A Population-based Case-Control Study. <i>American Journal of Epidemiology</i> , 2008, 168, 925-931.	1.6	100

#	ARTICLE	IF	CITATIONS
73	Mobile Phone Use and Incidence of Glioma in the Nordic Countries 1979–2008. <i>Epidemiology</i> , 2012, 23, 301-307.	1.2	100
74	Mortality from cancer and other causes among male airline cockpit crew in Europe. <i>International Journal of Cancer</i> , 2003, 106, 946-952.	2.3	99
75	Prospective Evaluation Plan for Randomised Trials of Prostate Cancer Screening. <i>Journal of Medical Screening</i> , 1996, 3, 97-104.	1.1	98
76	Use of Insulin and Insulin Analogs and Risk of Cancer – Systematic Review and Meta-Analysis of Observational Studies. <i>Current Drug Safety</i> , 2013, 8, 333-348.	0.3	95
77	Risks from CT scans – what do recent studies tell us?. <i>Journal of Radiological Protection</i> , 2014, 34, E1.	0.6	95
78	Prostate Cancer Mortality in the Finnish Randomized Screening Trial. <i>Journal of the National Cancer Institute</i> , 2013, 105, 719-725.	3.0	94
79	PREVALENCE OF CLINICALLY CONFIRMED INTERSTITIAL CYSTITIS IN WOMEN: A POPULATION BASED STUDY IN FINLAND. <i>Journal of Urology</i> , 2005, 174, 581-583.	0.2	89
80	Risk of Subsequent Cancer Following Breast Cancer in Men. <i>Journal of the National Cancer Institute</i> , 2002, 94, 1330-1332.	3.0	88
81	Mortality from Cancer and Other Causes among Airline Cabin Attendants in Europe: A Collaborative Cohort Study in Eight Countries. <i>American Journal of Epidemiology</i> , 2003, 158, 35-46.	1.6	88
82	Vitamin D fortification as public health policy: significant improvement in vitamin D status in young Finnish men. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 1035-1038.	1.3	88
83	Prostate cancer and PSA among statin users in the Finnish prostate cancer screening trial. <i>International Journal of Cancer</i> , 2010, 127, 1650-1659.	2.3	88
84	The Prevalence of Clinically Meaningful Overactive Bladder: Bother and Quality of Life Results from the Population-Based FINNO Study. <i>European Urology</i> , 2011, 59, 629-636.	0.9	88
85	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018, 9, 2256.	5.8	88
86	Long-term health outcomes in pediatric inflammatory bowel disease: A population-based study. <i>Inflammatory Bowel Diseases</i> , 2009, 15, 56-62.	0.9	84
87	Antiphospholipid and antinuclear antibodies in patients with epilepsy or new-onset seizure disorders. <i>American Journal of Medicine</i> , 2000, 109, 712-717.	0.6	83
88	European Code against Cancer 4th Edition: Ultraviolet radiation and cancer. <i>Cancer Epidemiology</i> , 2015, 39, S75-S83.	0.8	83
89	Reproductive Factors and Risk of Meningioma and Glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 2663-2670.	1.1	81
90	A randomized trial of choice of treatment in prostate cancer: the effect of intervention on the treatment chosen. <i>BJU International</i> , 2004, 93, 52-56.	1.3	80

#	ARTICLE	IF	CITATIONS
91	Systematic review of wireless phone use and brain cancer and other head tumors. <i>Bioelectromagnetics</i> , 2012, 33, 187-206.	0.9	80
92	Effect of life-style factors on incidence of erectile dysfunction. <i>International Journal of Impotence Research</i> , 2004, 16, 389-394.	1.0	77
93	Radon and other natural radionuclides in drinking water and risk of stomach cancer: A case-cohort study in Finland. <i>International Journal of Cancer</i> , 2005, 114, 109-113.	2.3	77
94	XRCC1 and XRCC3 variants and risk of glioma and meningioma. <i>Journal of Neuro-Oncology</i> , 2008, 88, 135-142.	1.4	77
95	Cosmic radiation and cancer mortality among airline pilots: results from a European cohort study (ESCAPE). <i>Radiation and Environmental Biophysics</i> , 2004, 42, 247-256.	0.6	76
96	Angiosarcoma after radiotherapy: a cohort study of 332%163 Finnish cancer patients. <i>British Journal of Cancer</i> , 2007, 97, 115-117.	2.9	76
97	URINE, HAIR, AND NAILS AS INDICATORS FOR INGESTION OF URANIUM IN DRINKING WATER. <i>Health Physics</i> , 2005, 88, 229-242.	0.3	75
98	<i>HOXB13</i> G84E Mutation in Finland: Population-Based Analysis of Prostate, Breast, and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 452-460.	1.1	75
99	Overexpression of p53 and long-term survival in colon carcinoma. <i>British Journal of Cancer</i> , 1994, 70, 293-296.	2.9	74
100	Social Class and Cancer Patient Survival in Finland. <i>American Journal of Epidemiology</i> , 1995, 142, 1089-1102.	1.6	73
101	European randomized study of prostate cancer screening: first-year results of the Finnish trial. <i>British Journal of Cancer</i> , 1999, 79, 1210-1214.	2.9	73
102	Incidence of bone and soft tissue sarcoma after radiotherapy: A cohort study of 295,712 Finnish cancer patients. <i>International Journal of Cancer</i> , 2006, 118, 1017-1021.	2.3	73
103	Acceptability and complications of prostate biopsy in population-based PSA screening versus routine clinical practice: a prospective, controlled study. <i>Urology</i> , 2002, 60, 846-850.	0.5	71
104	Mortality from cancer and other causes in commercial airline crews: a joint analysis of cohorts from 10 countries. <i>Occupational and Environmental Medicine</i> , 2014, 71, 313-322.	1.3	68
105	Birth Rate among Patients with Epilepsy: A Nationwide Population-based Cohort Study in Finland. <i>American Journal of Epidemiology</i> , 2004, 159, 1057-1063.	1.6	67
106	Comprehensive analysis of the role of DNA repair gene polymorphisms on risk of glioma. <i>Human Molecular Genetics</i> , 2008, 17, 800-805.	1.4	67
107	Algorithms based on prostate-specific antigen (PSA), free PSA, digital rectal examination and prostate volume reduce false-positive PSA results in prostate cancer screening. <i>International Journal of Cancer</i> , 2004, 111, 310-315.	2.3	66
108	A comprehensive study of the association between the EGFR and ERBB2 genes and glioma risk. <i>Acta Oncologica</i> , 2010, 49, 767-775.	0.8	66

#	ARTICLE	IF	CITATIONS
109	An international prospective cohort study of mobile phone users and health (Cosmos): Design considerations and enrolment. <i>Cancer Epidemiology</i> , 2011, 35, 37-43.	0.8	66
110	Panel discussion does not improve reliability of peer review for medical research grant proposals. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 47-52.	2.4	66
111	Lower Limb Pain in a Preadolescent Population: Prognosis and Risk Factors for Chronicity—A Prospective 1- and 4-Year Follow-up Study. <i>Pediatrics</i> , 2005, 116, 673-681.	1.0	65
112	Use of aspirin, but not other non-steroidal anti-inflammatory drugs is associated with decreased prostate cancer risk at the population level. <i>European Journal of Cancer</i> , 2013, 49, 938-945.	1.3	65
113	Low-dose ionising radiation and cardiovascular diseases “ Strategies for molecular epidemiological studies in Europe. <i>Mutation Research - Reviews in Mutation Research</i> , 2015, 764, 90-100.	2.4	64
114	Do Confounding or Selection Factors of Residential Wiring Codes and Magnetic Fields Distort Findings of Electromagnetic Fields Studies?. <i>Epidemiology</i> , 2000, 11, 189-198.	1.2	64
115	Breast cancer risk among Finnish cabin attendants: a nested case-control study. <i>Occupational and Environmental Medicine</i> , 2005, 62, 488-493.	1.3	63
116	Well water radioactivity and risk of cancers of the urinary organs. <i>Environmental Research</i> , 2006, 102, 333-338.	3.7	63
117	Insulin-Like Growth Factor I Is Not a Useful Marker of Prostate Cancer in Men with Elevated Levels of Prostate-Specific Antigen. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2744-2747.	1.8	63
118	Cognitive Impairment in Systemic Lupus Erythematosus and Neuropsychiatric Systemic Lupus Erythematosus: A Population-Based Neuropsychological Study. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003, 25, 145-151.	0.8	62
119	Determinants of mobile phone output power in a multinational study: implications for exposure assessment. <i>Occupational and Environmental Medicine</i> , 2009, 66, 664-671.	1.3	62
120	A correlation study of eye lens dose and personal dose equivalent for interventional cardiologists. <i>Radiation Protection Dosimetry</i> , 2013, 157, 561-569.	0.4	62
121	Is the Prevalence of Overactive Bladder Overestimated? A Population-Based Study in Finland. <i>PLoS ONE</i> , 2007, 2, e195.	1.1	61
122	Nocturia and Obesity: A Population-based Study in Finland. <i>American Journal of Epidemiology</i> , 2006, 163, 1003-1011.	1.6	60
123	Meningioma and mobile phone use—a collaborative case-control study in five North European countries. <i>International Journal of Epidemiology</i> , 2008, 37, 1304-1313.	0.9	59
124	Rationale for randomised trials of prostate cancer screening. <i>European Journal of Cancer</i> , 1999, 35, 262-271.	1.3	58
125	Epidemiologic Studies Of Pilots And Aircrew. <i>Health Physics</i> , 2000, 79, 576-584.	0.3	58
126	Quantifying the Impact of Selection Bias Caused by Nonparticipation in a Case—Control Study of Mobile Phone Use. <i>Annals of Epidemiology</i> , 2009, 19, 33-41.e1.	0.9	58

#	ARTICLE	IF	CITATIONS
127	Reasons for Discontinuing Active Surveillance: Assessment of 21 Centres in 12 Countries in the Movember GAP3 Consortium. <i>European Urology</i> , 2019, 75, 523-531.	0.9	58
128	Measuring social class differences in cancer patient survival: is it necessary to control for social class differences in general population mortality? A Finnish population-based study. <i>Journal of Epidemiology and Community Health</i> , 1998, 52, 727-734.	2.0	57
129	Sensitivity in cancer screening. <i>Journal of Medical Screening</i> , 2007, 14, 174-177.	1.1	57
130	Cancer risk among insulin users: comparing analogues with human insulin in the CARING five-country cohort study. <i>Diabetologia</i> , 2017, 60, 1691-1703.	2.9	57
131	An International Case-Control Study of Glutathione Transferase and Functionally Related Polymorphisms and Risk of Primary Adult Brain Tumors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 559-565.	1.1	56
132	Comprehensive Analysis of DNA Repair Gene Variants and Risk of Meningioma. <i>Journal of the National Cancer Institute</i> , 2008, 100, 270-276.	3.0	56
133	Histological inflammation and risk of subsequent prostate cancer among men with initially elevated serum prostate-specific antigen (PSA) concentration in the Finnish prostate cancer screening trial. <i>BJU International</i> , 2013, 112, 735-741.	1.3	56
134	The efficacy of prostate-specific antigen screening: Impact of key components in the ERSPC and PLCO trials. <i>Cancer</i> , 2018, 124, 1197-1206.	2.0	56
135	The Estonian Study of Chernobyl Cleanup Workers: II. Incidence of Cancer and Mortality. <i>Radiation Research</i> , 1997, 147, 653.	0.7	55
136	CHEK2 1100delC is not a risk factor for male breast cancer population. <i>International Journal of Cancer</i> , 2004, 108, 475-476.	2.3	55
137	An International Case-Control Study of Interleukin-4, Interleukin-13, and Cyclooxygenase-2 Polymorphisms and Glioblastoma Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2448-2454.	1.1	55
138	Genetic variation in p53 and ATM haplotypes and risk of glioma and meningioma. <i>Journal of Neuro-Oncology</i> , 2007, 82, 229-237.	1.4	55
139	False-positive screening results in the European randomized study of screening for prostate cancer. <i>European Journal of Cancer</i> , 2011, 47, 2698-2705.	1.3	55
140	Lens opacities among physicians occupationally exposed to ionizing radiation – a pilot study in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 237-243.	1.7	55
141	Social class and colon cancer survival in Finland. <i>Cancer</i> , 1992, 70, 402-409.	2.0	54
142	Prostate cancer incidence among finasteride and alpha-blocker users in the Finnish Prostate Cancer Screening Trial. <i>British Journal of Cancer</i> , 2009, 101, 843-848.	2.9	54
143	Lead-time in prostate cancer screening (Finland). <i>Cancer Causes and Control</i> , 2002, 13, 279-285.	0.8	53
144	Uranium and other natural radionuclides in drinking water and risk of leukemia: a case-cohort study in Finland. <i>Cancer Causes and Control</i> , 2002, 13, 825-829.	0.8	53

#	ARTICLE	IF	CITATIONS
145	Lead-time in the European Randomised Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2010, 46, 3102-3108.	1.3	53
146	Depressive Symptoms Increase the Incidence of Nocturia: Tampere Aging Male Urologic Study (TAMUS). <i>Journal of Urology</i> , 2008, 179, 1897-1901.	0.2	52
147	Cancer incidence among Nordic airline cabin crew. <i>International Journal of Cancer</i> , 2012, 131, 2886-2897.	2.3	52
148	CARING (CANCER Risk and INSulin analogues): The Association of Diabetes Mellitus and Cancer Risk with Focus on Possible Determinants - A Systematic Review and a Meta-Analysis. <i>Current Drug Safety</i> , 2013, 8, 296-332.	0.3	52
149	Effect of Nonsteroidal Anti-Inflammatory Drug Use on the Incidence of Erectile Dysfunction. <i>Journal of Urology</i> , 2006, 175, 1812-1816.	0.2	51
150	The Movember Foundation's GAP3 cohort: a profile of the largest global prostate cancer active surveillance database to date. <i>BJU International</i> , 2018, 121, 737-744.	1.3	51
151	The Impact of Nocturia on Mortality: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020, 203, 486-495.	0.2	51
152	Prevalence and Severity of Erectile Dysfunction in 50 to 75-Year-Old Finnish Men. <i>Journal of Urology</i> , 2003, 170, 2342-2344.	0.2	50
153	Selection Bias Due to Differential Participation in a Case-Control Study of Mobile Phone Use and Brain Tumors. <i>Annals of Epidemiology</i> , 2005, 15, 321-325.	0.9	50
154	Meta-analysis of mobile phone use and intracranial tumors. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 171-177.	1.7	50
155	Do Recorded Doses Overestimate True Doses Received by Chernobyl Cleanup Workers? Results of Cytogenetic Analyses of Estonian Workers by Fluorescence In Situ Hybridization. <i>Radiation Research</i> , 1998, 150, 237.	0.7	48
156	Hereditary Minisatellite Mutations among the Offspring of Estonian Chernobyl Cleanup Workers. <i>Radiation Research</i> , 2003, 159, 651-655.	0.7	48
157	Functional Polymorphisms in Folate Metabolism Genes Influence the Risk of Meningioma and Glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1195-1202.	1.1	48
158	Assessment of causes of death in a prostate cancer screening trial. <i>International Journal of Cancer</i> , 2008, 122, 413-417.	2.3	47
159	Increased long-term cardiovascular morbidity among patients treated with radioactive iodine for hyperthyroidism. <i>Clinical Endocrinology</i> , 2008, 68, 450-457.	1.2	47
160	Exogenous sex hormone use and risk of meningioma: a population-based case-control study in Finland. <i>Cancer Causes and Control</i> , 2010, 21, 2149-2156.	0.8	47
161	Interaction Between 5 Genetic Variants and Allergy in Glioma Risk. <i>American Journal of Epidemiology</i> , 2010, 171, 1165-1173.	1.6	47
162	Diabetes and Breast Cancer Subtypes. <i>PLoS ONE</i> , 2017, 12, e0170084.	1.1	47

#	ARTICLE	IF	CITATIONS
163	Thyroid Nodularity and Cancer among Chernobyl Cleanup Workers from Estonia. <i>Radiation Research</i> , 1997, 147, 225.	0.7	46
164	The Common D302H Variant of CASP8 Is Associated with Risk of Glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 987-989.	1.1	45
165	Estimation of Prostate Cancer Risk on the Basis of Total and Free Prostate-Specific Antigen, Prostate Volume and Digital Rectal Examination. <i>European Urology</i> , 2002, 41, 619-627.	0.9	44
166	Effects of Age, Comorbidity and Lifestyle Factors on Erectile Function: Tampere Ageing Male Urological Study (TAMUS). <i>European Urology</i> , 2004, 45, 628-633.	0.9	44
167	Cardiovascular drug use and the incidence of erectile dysfunction. <i>International Journal of Impotence Research</i> , 2007, 19, 208-212.	1.0	44
168	Regular Intercourse Protects Against Erectile Dysfunction: Tampere Aging Male Urologic Study. <i>American Journal of Medicine</i> , 2008, 121, 592-596.	0.6	44
169	Smoking and Bladder Symptoms in Women. <i>Obstetrics and Gynecology</i> , 2011, 118, 643-648.	1.2	44
170	European Code against Cancer 4th Edition: Ionising and non-ionising radiation and cancer. <i>Cancer Epidemiology</i> , 2015, 39, S93-S100.	0.8	44
171	Multidisciplinary European Low Dose Initiative (MELODI): strategic research agenda for low dose radiation risk research. <i>Radiation and Environmental Biophysics</i> , 2018, 57, 5-15.	0.6	44
172	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. <i>European Journal of Epidemiology</i> , 2018, 33, 965-976.	2.5	44
173	Cancer incidence among 10,211 airline pilots: a Nordic study. <i>Aviation, Space, and Environmental Medicine</i> , 2003, 74, 699-706.	0.6	44
174	EFFECT OF LOWER URINARY TRACT SYMPTOMS ON THE INCIDENCE OF ERECTILE DYSFUNCTION. <i>Journal of Urology</i> , 2005, 174, 205-209.	0.2	43
175	Incidence of Nocturia in 50 to 80-Year-Old Finnish Men. <i>Journal of Urology</i> , 2006, 176, 2541-2545.	0.2	43
176	Is the incidence of meningiomas underestimated? A regional survey. <i>British Journal of Cancer</i> , 2008, 99, 182-184.	2.9	43
177	Health coaching by telephony to support self-care in chronic diseases: clinical outcomes from The TERVA randomized controlled trial. <i>BMC Health Services Research</i> , 2012, 12, 147.	0.9	43
178	Cancer Incidence and Mortality in Patients Treated Either With RAI or Thyroidectomy for Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3710-3717.	1.8	43
179	Cancer consequences of the Chernobyl accident in Europe outside the former USSR: A review. , 1996, 67, 343-352.		42
180	Congenital structural anomalies in offspring of women with epilepsy – a population-based cohort study in Finland. <i>International Journal of Epidemiology</i> , 2006, 35, 280-287.	0.9	42

#	ARTICLE	IF	CITATIONS
181	Family History and Prostate Cancer Screening With Prostate-Specific Antigen. <i>Journal of Clinical Oncology</i> , 2002, 20, 2658-2663.	0.8	41
182	Effect of chronic diseases on incidence of erectile dysfunction. <i>Urology</i> , 2003, 62, 1097-1102.	0.5	41
183	Anticardiolipin and antinuclear antibodies in epilepsy—a population-based cross-sectional study. <i>Epilepsy Research</i> , 2004, 58, 13-18.	0.8	41
184	Cancer risk among chernobyl cleanup workers in Estonia and Latvia, 1986–1998. <i>International Journal of Cancer</i> , 2006, 119, 162-168.	2.3	41
185	Antidiabetic drug use and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Scandinavian Journal of Urology</i> , 2017, 51, 5-12.	0.6	41
186	Diagnostic Value of Free Prostate-Specific Antigen among Men with a Prostate-Specific Antigen Level of ≥ 3.0 ng per Liter. <i>European Urology</i> , 2008, 54, 362-370.	0.9	40
187	The Effects of Lifestyle Factors on the Incidence of Nocturia. <i>Journal of Urology</i> , 2008, 180, 2059-2062.	0.2	40
188	Cardiovascular Morbidity and Mortality After Treatment of Hyperthyroidism with Either Radioactive Iodine or Thyroidectomy. <i>Thyroid</i> , 2018, 28, 1111-1120.	2.4	40
189	Three-Year Results of the Finnish Prostate Cancer Screening Trial. <i>Journal of the National Cancer Institute</i> , 2001, 93, 552-553.	3.0	39
190	Second Round Results of the Finnish Population-Based Prostate Cancer Screening Trial. <i>Clinical Cancer Research</i> , 2004, 10, 2231-2236.	3.2	39
191	Mortality by clinical characteristics in a tertiary care cohort of adult patients with chronic epilepsy. <i>Epilepsia</i> , 2012, 53, e212-4.	2.6	39
192	Prostate cancer risk prediction using a polygenic risk score. <i>Scientific Reports</i> , 2020, 10, 17075.	1.6	39
193	False-positive screening results in the Finnish prostate cancer screening trial. <i>British Journal of Cancer</i> , 2010, 102, 469-474.	2.9	38
194	Location of Gliomas in Relation to Mobile Telephone Use: A Case-Case and Case-Specular Analysis. <i>American Journal of Epidemiology</i> , 2011, 174, 2-11.	1.6	38
195	Celiac disease-related antibodies in an epilepsy cohort and matched reference population. <i>Epilepsy and Behavior</i> , 2005, 6, 388-392.	0.9	37
196	Balancing the harms and benefits of early detection of prostate cancer. <i>Cancer</i> , 2010, 116, 4857-4865.	2.0	37
197	Background radiation and childhood leukemia: A nationwide register-based case-control study. <i>International Journal of Cancer</i> , 2016, 139, 1975-1982.	2.3	37
198	Statin Use and Prostate Cancer Survival in the Finnish Randomized Study of Screening for Prostate Cancer. <i>European Urology Focus</i> , 2017, 3, 212-220.	1.6	37

#	ARTICLE	IF	CITATIONS
199	<p>Charlson Comorbidity Index Based On Hospital Episode Statistics Performs Adequately In Predicting Mortality, But Its Discriminative Ability Diminishes Over Time</p>. Clinical Epidemiology, 2019, Volume 11, 923-932.	1.5	37
200	Antiepileptic drug use and birth rate in patients with epilepsy--a population-based cohort study in Finland. Human Reproduction, 2006, 21, 2290-2295.	0.4	36
201	Long-term mortality risk by cause of death in newly diagnosed patients with epilepsy in Finland: a nationwide register-based study. European Journal of Epidemiology, 2013, 28, 981-990.	2.5	36
202	Prostate Cancer and Socioeconomic Status in the Finnish Randomized Study of Screening for Prostate Cancer. American Journal of Epidemiology, 2016, 184, 720-731.	1.6	36
203	A randomized trial of early detection of clinically significant prostate cancer (ProScreen): study design and rationale. European Journal of Epidemiology, 2017, 32, 521-527.	2.5	36
204	Biodosimetry of Chernobyl Cleanup Workers from Estonia and Latvia Using the Glycophorin A In Vivo Somatic Cell Mutation Assay. Radiation Research, 1997, 147, 215.	0.7	35
205	European Code against Cancer 4th Edition: Medical exposures, including hormone therapy, and cancer. Cancer Epidemiology, 2015, 39, S107-S119.	0.8	35
206	Absolute Effect of Prostate Cancer Screening: Balance of Benefits and Harms by Center within the European Randomized Study of Prostate Cancer Screening. Clinical Cancer Research, 2016, 22, 243-249.	3.2	35
207	Clinical and epidemiological observations on individual radiation sensitivity and susceptibility. International Journal of Radiation Biology, 2020, 96, 324-339.	1.0	35
208	Androgen Receptor Gene Alterations in Finnish Male Breast Cancer. Breast Cancer Research and Treatment, 2003, 77, 167-170.	1.1	34
209	Medical history, cigarette smoking and risk of acoustic neuroma: An international case-control study. International Journal of Cancer, 2007, 120, 103-110.	2.3	34
210	Reproductive factors associated with nocturia and urinary urgency in women: a population-based study in Finland. American Journal of Obstetrics and Gynecology, 2008, 199, 153.e1-153.e12.	0.7	34
211	Ionizing Radiation and Risk of Chronic Lymphocytic Leukemia in the 15-Country Study of Nuclear Industry Workers. Radiation Research, 2008, 170, 661-665.	0.7	34
212	BRCA2 Mutations in 154 Finnish Male Breast Cancer Patients. Neoplasia, 2004, 6, 541-545.	2.3	33
213	A Nationwide Cohort Study on the Incidence of Meningioma in Women Using Postmenopausal Hormone Therapy in Finland. American Journal of Epidemiology, 2012, 175, 309-314.	1.6	33
214	Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. International Journal of Epidemiology, 2019, 48, 1567-1579.	0.9	33
215	Extremely Low-Frequency Magnetic Fields and Childhood Acute Lymphoblastic Leukemia: An Exploratory Analysis of Alternative Exposure Metrics. American Journal of Epidemiology, 2000, 152, 20-31.	1.6	32
216	Reducing overdiagnosis by polygenic risk-stratified screening: findings from the Finnish section of the ERSPC. British Journal of Cancer, 2015, 113, 1086-1093.	2.9	32

#	ARTICLE	IF	CITATIONS
217	Breast and cervical cancer incidence and mortality trends in Russia 1980–2013. <i>Cancer Epidemiology</i> , 2018, 55, 73-80.	0.8	32
218	Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). <i>Environment International</i> , 2020, 140, 105687.	4.8	32
219	Haemophilus influenzae type B vaccination and risk of childhood leukaemia in a vaccine trial in Finland. <i>British Journal of Cancer</i> , 2000, 83, 956-958.	2.9	31
220	Impact of Obesity on Urinary Storage Symptoms: Results from the FINNO Study. <i>Journal of Urology</i> , 2013, 189, 1377-1382.	0.2	31
221	Risk factors for traumatic and non-traumatic lower limb pain among preadolescents: a population-based study of Finnish schoolchildren. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 3.	0.8	30
222	Postscreening follow-up of the Finnish Prostate Cancer Screening Trial on putative prostate cancer risk factors: vitamin and mineral use, male pattern baldness, pubertal development and non-steroidal anti-inflammatory drug use. <i>Scandinavian Journal of Urology</i> , 2016, 50, 267-273.	0.6	30
223	Radiation exposure from computerized tomography and risk of childhood leukemia: Finnish register-based case-control study of childhood leukemia (FRECCLE). <i>Haematologica</i> , 2018, 103, 1873-1880.	1.7	30
224	Hysterectomy and subsequent risk of cancer. <i>International Journal of Epidemiology</i> , 1997, 26, 476-483.	0.9	29
225	No excess mortality after prostate biopsy: results from the European Randomized Study of Screening for Prostate Cancer. <i>BJU International</i> , 2011, 107, 1912-1917.	1.3	29
226	Serum cholesterol and prostate cancer risk in the Finnish randomized study of screening for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 66-76.	2.0	28
227	Risk Prediction of Prostate Cancer with Single Nucleotide Polymorphisms and Prostate Specific Antigen. <i>Journal of Urology</i> , 2019, 201, 486-495.	0.2	28
228	Screening for prostate cancer using serum prostate-specific antigen: a randomised, population-based pilot study in Finland. <i>British Journal of Cancer</i> , 1996, 74, 568-572.	2.9	27
229	Impact of LUTS Using Bother Index in DAN-PSS-1 Questionnaire. <i>European Urology</i> , 2007, 51, 473-478.	0.9	27
230	Reducing overestimation in reported mobile phone use associated with epidemiological studies. <i>Bioelectromagnetics</i> , 2008, 29, 559-563.	0.9	27
231	MNS16A minisatellite genotypes in relation to risk of glioma and meningioma and to glioblastoma outcome. <i>International Journal of Cancer</i> , 2009, 125, 968-972.	2.3	27
232	Site-specific cancer risk in the Baltic cohort of Chernobyl cleanup workers, 1986–2007. <i>European Journal of Cancer</i> , 2013, 49, 2926-2933.	1.3	27
233	Breast self-examination and survival from breast cancer. <i>Breast Cancer Research and Treatment</i> , 1996, 38, 161-168.	1.1	26
234	USE OF THE COMPLEX BETWEEN PROSTATE SPECIFIC ANTIGEN AND \pm 1-PROTEASE INHIBITOR FOR SCREENING PROSTATE CANCER. <i>Journal of Urology</i> , 2000, 164, 1956-1960.	0.2	26

#	ARTICLE	IF	CITATIONS
235	Frequent amplification and overexpression of CCND1 in male breast cancer. <i>International Journal of Cancer</i> , 2004, 111, 968-971.	2.3	26
236	Association between the Bothersomeness of Lower Urinary Tract Symptoms and the Prevalence of Erectile Dysfunction. <i>Journal of Sexual Medicine</i> , 2005, 2, 438-444.	0.3	26
237	Prostate cancer risk and nonsteroidal antiinflammatory drug use in the Finnish prostate cancer screening trial. <i>British Journal of Cancer</i> , 2014, 111, 1421-1431.	2.9	26
238	Cardiovascular morbidity and mortality in surgically treated hyperthyroidism – a nation-wide cohort study with a long-term follow-up. <i>Clinical Endocrinology</i> , 2014, 80, 743-750.	1.2	26
239	Glycophorin A biodosimetry in Chernobyl cleanup workers from the Baltic countries. <i>BMJ: British Medical Journal</i> , 1996, 312, 1078-1079.	2.4	26
240	Smoking Cessation Intervention in Rural Kerala, India: Findings of a Randomised Controlled Trial. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 6797-6802.	0.5	26
241	Population exposure to ultraviolet radiation in Finland 1920–1995: Exposure trends and a time-series analysis of exposure and cutaneous melanoma incidence. <i>Environmental Research</i> , 2006, 101, 123-131.	3.7	25
242	HER-2 positive breast cancer: decreasing proportion but stable incidence in Finnish population from 1982 to 2005. <i>Breast Cancer Research</i> , 2009, 11, R37.	2.2	25
243	Incidence trends of vestibular schwannomas in Denmark, Finland, Norway and Sweden in 1987–2007. <i>British Journal of Cancer</i> , 2011, 105, 1069-1075.	2.9	25
244	A randomized trial of the choice of treatment in prostate cancer: design and baseline characteristics. <i>BJU International</i> , 2001, 88, 708-715.	1.3	24
245	Serum IgA, IgG, and IgM concentrations in patients with epilepsy and matched controls: a cohort-based cross-sectional study. <i>Epilepsy and Behavior</i> , 2005, 6, 191-195.	0.9	24
246	Erectile dysfunction influences the subsequent incidence of lower urinary tract symptoms and bother. <i>International Journal of Impotence Research</i> , 2007, 19, 317-320.	1.0	24
247	Estimate of Opportunistic Prostate Specific Antigen Testing in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Journal of Urology</i> , 2017, 198, 50-57.	0.2	24
248	Adherence to Active Surveillance Protocols for Low-risk Prostate Cancer: Results of the Movember Foundation's Global Action Plan Prostate Cancer Active Surveillance Initiative. <i>European Urology Oncology</i> , 2020, 3, 80-91.	2.6	24
249	Test sensitivity of prostate-specific antigen in the Finnish randomised prostate cancer screening trial. <i>International Journal of Cancer</i> , 2004, 111, 940-943.	2.3	23
250	Estimation of natural history parameters of breast cancer based on non-randomized organized screening data: subsidiary analysis of effects of inter-screening interval, sensitivity, and attendance rate on reduction of advanced cancer. <i>Breast Cancer Research and Treatment</i> , 2010, 122, 553-566.	1.1	23
251	The association between antihypertensive drug use and incidence of prostate cancer in Finland: a population-based case-control study. <i>Cancer Causes and Control</i> , 2011, 22, 1445-1452.	0.8	23
252	A Framework for Estimating Radiation-Related Cancer Risks in Japan from the 2011 Fukushima Nuclear Accident. <i>Radiation Research</i> , 2014, 182, 556.	0.7	23

#	ARTICLE	IF	CITATIONS
253	Estimating the harms and benefits of prostate cancer screening as used in common practice versus recommended good practice: A microsimulation screening analysis. <i>Cancer</i> , 2016, 122, 3386-3393.	2.0	23
254	Re. <i>Epidemiology</i> , 2016, 27, e20-e21.	1.2	23
255	Risk of Cause-specific Death in Individuals with Cancer—Modifying Role Diabetes, Statins and Metformin. <i>International Journal of Cancer</i> , 2017, 141, 2437-2449.	2.3	23
256	Long-term strategies for thyroid health monitoring after nuclear accidents: recommendations from an Expert Group convened by IARC. <i>Lancet Oncology</i> , The, 2018, 19, 1280-1283.	5.1	23
257	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. <i>Cancer Epidemiology</i> , 2019, 59, 158-165.	0.8	23
258	Mortality after Cerebral Angiography with or without Radioactive Thorotrast: An International Cohort of 3,143 Two-Year Survivors. <i>Radiation Research</i> , 2001, 156, 136-150.	0.7	22
259	Relationship between smoking and erectile dysfunction. <i>International Journal of Impotence Research</i> , 2005, 17, 164-169.	1.0	22
260	Epidemiological risk assessment of mobile phones and cancer: where can we improve?. <i>European Journal of Cancer Prevention</i> , 2006, 15, 516-523.	0.6	22
261	Chernobyl cleanup workers from Estonia: follow-up for cancer incidence and mortality. <i>Journal of Radiological Protection</i> , 2013, 33, 395-411.	0.6	22
262	Women treated for epilepsy during pregnancy: outcomes from a nationwide population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 812-820.	1.3	22
263	Retrospective dose estimates in Estonian Chernobyl clean-up workers by means of FISH. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1996, 369, 7-12.	1.2	21
264	Health-Related Quality of Life in the Finnish Trial of Screening for Prostate Cancer. <i>European Urology</i> , 2014, 65, 39-47.	0.9	21
265	Sotalol, but not digoxin is associated with decreased prostate cancer risk: A population-based case-control study. <i>International Journal of Cancer</i> , 2015, 137, 1187-1195.	2.3	21
266	The Intracranial Distribution of Gliomas in Relation to Exposure From Mobile Phones: Analyses From the INTERPHONE Study. <i>American Journal of Epidemiology</i> , 2016, 184, 818-828.	1.6	21
267	Epilepsy, excess deaths and years of life lost from external causes. <i>European Journal of Epidemiology</i> , 2016, 31, 445-453.	2.5	21
268	National economic and development indicators and international variation in prostate cancer incidence and mortality: an ecological analysis. <i>World Journal of Urology</i> , 2017, 35, 851-858.	1.2	21
269	Cancer incidence among physicians occupationally exposed to ionizing radiation in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006, 32, 368-373.	1.7	21
270	Tumor characteristics in a population-based prostate cancer screening trial with prostate-specific antigen. <i>Clinical Cancer Research</i> , 2003, 9, 2435-9.	3.2	21

#	ARTICLE	IF	CITATIONS
271	Effects of prostate cancer screening on health-related quality of life: Results of the Finnish arm of the European randomized screening trial (ERSPC). <i>Acta Oncol</i> , 2013, 52, 1615-1621.	0.8	20
272	Family history in the Finnish Prostate Cancer Screening Trial. <i>International Journal of Cancer</i> , 2015, 136, 2172-2177.	2.3	20
273	Incidence and Remission of Nocturia: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016, 70, 372-381.	0.9	20
274	The Estonian Study of Chernobyl Cleanup Workers: I. Design and Questionnaire Data. <i>Radiation Research</i> , 1997, 147, 641.	0.7	19
275	Specificity of serum prostate-specific antigen determination in the Finnish prostate cancer screening trial. <i>British Journal of Cancer</i> , 2007, 96, 56-60.	2.9	19
276	Does the Imprecise Definition of Overactive Bladder Serve Commercial Rather than Patient Interests?. <i>European Urology</i> , 2012, 61, 746-748.	0.9	19
277	Non-cancer morbidity among Estonian Chernobyl cleanup workers: a register-based cohort study. <i>BMJ Open</i> , 2014, 4, e004516.	0.8	19
278	Use of non-steroidal anti-inflammatory drugs and prostate cancer survival in the Finnish prostate cancer screening trial. <i>Prostate</i> , 2015, 75, 1394-1402.	1.2	19
279	Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2009, 119, 55-60.	1.0	18
280	Cancer incidence in the vicinity of Finnish nuclear power plants: an emphasis on childhood leukemia. <i>Cancer Causes and Control</i> , 2010, 21, 587-595.	0.8	18
281	Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. <i>Journal of Medical Screening</i> , 2013, 20, 33-38.	1.1	18
282	Fasting blood glucose, glycaemic control and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>British Journal of Cancer</i> , 2018, 118, 1248-1254.	2.9	18
283	Predicting Biopsy Outcomes During Active Surveillance for Prostate Cancer: External Validation of the Canary Prostate Active Surveillance Study Risk Calculators in Five Large Active Surveillance Cohorts. <i>European Urology</i> , 2019, 76, 693-702.	0.9	18
284	Non-Steroidal Anti-Inflammatory Drugs and Cancer Death in the Finnish Prostate Cancer Screening Trial. <i>PLoS ONE</i> , 2016, 11, e0153413.	1.1	18
285	CASP8 D302H and meningioma risk: An analysis of five case-control series. <i>Cancer Letters</i> , 2009, 273, 312-315.	3.2	17
286	Number of screens for overdetection as an indicator of absolute risk of overdiagnosis in prostate cancer screening. <i>International Journal of Cancer</i> , 2012, 131, 1367-1375.	2.3	17
287	The Impact of Interscreening Interval and Age on Prostate Cancer Screening With Prostate-Specific Antigen. <i>European Urology</i> , 2012, 61, 1011-1018.	0.9	17
288	Synergistic Interaction of <i>HOXB13</i> and <i>CIP2A</i> Predisposes to Aggressive Prostate Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 6265-6276.	3.2	17

#	ARTICLE	IF	CITATIONS
289	Should we start population screening for prostate cancer? Randomised trials are still needed. <i>International Journal of Cancer</i> , 2002, 97, 377-378.	2.3	16
290	Changes in prevalence of urinary symptoms in Finnish men. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 378-384.	1.4	16
291	No increase in thyroid cancer among children and adolescents in Finland due to Chernobyl accident. <i>European Journal of Cancer</i> , 2006, 42, 1167-1171.	1.3	16
292	Personalised biopsy schedules based on risk of Gleason upgrading for patients with low-risk prostate cancer on active surveillance. <i>BJU International</i> , 2021, 127, 96-107.	1.3	15
293	Geographical differences in the prevalence of hypospadias in Finland. <i>Environmental Research</i> , 2003, 92, 118-123.	3.7	14
294	KLF6 IVS1 -27G>A Variant and the Risk of Prostate Cancer in Finland. <i>European Urology</i> , 2007, 52, 1076-1081.	0.9	14
295	A stochastic model for survival of early prostate cancer with adjustments for leadtime, length bias, and over-detection. <i>Biometrical Journal</i> , 2012, 54, 20-44.	0.6	14
296	A Different Method of Evaluation of the ERSPC Trial Confirms That Prostate-specific Antigen Testing Has a Significant Impact on Prostate Cancer Mortality. <i>European Urology</i> , 2014, 66, 401-403.	0.9	14
297	5 α -reductase inhibitor use and prostate cancer survival in the Finnish Prostate Cancer Screening Trial. <i>International Journal of Cancer</i> , 2016, 138, 2820-2828.	2.3	14
298	Insulin glargine use and breast cancer risk: Associations with cumulative exposure. <i>Acta Oncologica</i> , 2016, 55, 851-858.	0.8	14
299	Estimating bias in causes of death ascertainment in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Cancer Epidemiology</i> , 2016, 45, 1-5.	0.8	14
300	Warfarin use and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Scandinavian Journal of Urology</i> , 2016, 50, 413-419.	0.6	14
301	Occupational solvent exposure and adult chronic lymphocytic leukemia: No risk in a population-based case-control study in four Nordic countries. <i>International Journal of Cancer</i> , 2017, 141, 1140-1147.	2.3	14
302	An international prospective cohort study of mobile phone users and health (COSMOS): Factors affecting validity of self-reported mobile phone use. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 1-8.	2.1	14
303	Effects of incomplete residential histories on studies of environmental exposure with application to childhood leukaemia and background radiation. <i>Environmental Research</i> , 2018, 166, 466-472.	3.7	14
304	Epidemiological studies of natural sources of radiation and childhood cancer: current challenges and future perspectives. <i>Journal of Radiological Protection</i> , 2020, 40, R1-R23.	0.6	14
305	Cancer Incidence Among Finnish Nuclear Reactor Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2002, 44, 634-638.	0.9	13
306	Retention rate of oxcarbazepine monotherapy in an unselected population of adult epileptics. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2005, 14, 72-74.	0.9	13

#	ARTICLE	IF	CITATIONS
307	Smoking causes erectile dysfunction through vascular disease. <i>Urology</i> , 2006, 68, 1318-1322.	0.5	13
308	Seizure-freedom with combination therapy in localization-related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2008, 17, 276-280.	0.9	13
309	Mobile phone use and location of glioma: A caseâ€‘case analysis. <i>Bioelectromagnetics</i> , 2009, 30, 176-182.	0.9	13
310	Validation of exposure assessment and assessment of recruitment methods for a prospective cohort study of mobile phone users (COSMOS) in Finland: a pilot study. <i>Environmental Health</i> , 2011, 10, 14.	1.7	13
311	Chernobyl fallout and cancer incidence in Finland 1988â€‘2007. <i>International Journal of Cancer</i> , 2014, 134, 2253-2263.	2.3	13
312	Childhood leukaemia risks: from unexplained findings near nuclear installations to recommendations for future research. <i>Journal of Radiological Protection</i> , 2014, 34, R53-R68.	0.6	13
313	Eye Lens Opacities Among Physicians Occupationally Exposed to Ionizing Radiation. <i>Annals of Occupational Hygiene</i> , 2015, 59, 945-948.	1.9	13
314	Population attitudes towards research use of health care registries: a population-based survey in Finland. <i>BMC Medical Ethics</i> , 2015, 16, 48.	1.0	13
315	Antiepileptic drugs with histone deacetylase inhibition activity and prostate cancer risk: a population-based caseâ€‘control study. <i>Cancer Causes and Control</i> , 2016, 27, 637-645.	0.8	13
316	Populationâ€‘based randomized trial of screening for clinically significant prostate cancer ProScreen: a pilot study. <i>BJU International</i> , 2022, 130, 193-199.	1.3	13
317	Prostate Cancer Patients Under Active Surveillance with a Suspicious Magnetic Resonance Imaging Finding Are at Increased Risk of Needing Treatment: Results of the Movember Foundationâ€™s Global Action Plan Prostate Cancer Active Surveillance (GAP3) Consortium. <i>European Urology Open Science</i> , 2022, 35, 59-67.	0.2	13
318	Antimitochondrial antibodies in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2005, 7, 95-97.	0.9	12
319	Estimating the Cosmic Radiation Dose for a Cabin Crew With Flight Timetables. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 540-545.	0.9	12
320	Evaluation of breast cancer service screening programme with a Bayesian approach: mortality analysis in a Finnish region. <i>Breast Cancer Research and Treatment</i> , 2010, 121, 671-678.	1.1	12
321	Application of the ELDO approach to assess cumulative eye lens doses for interventional cardiologists. <i>Radiation Protection Dosimetry</i> , 2015, 164, 84-88.	0.4	12
322	Digoxin and prostate cancer survival in the Finnish Randomized Study of Screening for Prostate Cancer. <i>British Journal of Cancer</i> , 2016, 115, 1289-1295.	2.9	12
323	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men. <i>PLoS ONE</i> , 2020, 15, e0234269.	1.1	12
324	Predicting residential radon concentrations in Finland: Model development, validation, and application to childhood leukemia. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 278-292.	1.7	12

#	ARTICLE	IF	CITATIONS
325	Multiple Approaches and Participation Rate for a Community Based Smoking Cessation Intervention Trial in Rural Kerala, India. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013, 14, 2891-2896.	0.5	12
326	Haemophilus influenzae type b vaccine formulation and risk of childhood leukaemia. <i>British Journal of Cancer</i> , 2002, 87, 511-512.	2.9	11
327	Prostate cancer risk among users of finasteride and alpha-blockers – A population based case–control study. <i>European Journal of Cancer</i> , 2007, 43, 775-781.	1.3	11
328	Asbestos-related pleural and lung fibrosis in patients with retroperitoneal fibrosis. <i>Orphanet Journal of Rare Diseases</i> , 2008, 3, 29.	1.2	11
329	Results of the three rounds of the Finnish Prostate Cancer Screening Trial – The incidence of advanced cancer is decreased by screening. <i>International Journal of Cancer</i> , 2010, 127, 1699-1705.	2.3	11
330	Prevalence and bother of postmicturition dribble in Finnish men aged 30–80 years: Tampere Ageing Male Urologic Study (TAMUS). <i>Scandinavian Journal of Urology and Nephrology</i> , 2012, 46, 418-423.	1.4	11
331	Excess all-cause mortality in the evaluation of a screening trial to account for selective participation. <i>Journal of Medical Screening</i> , 2013, 20, 39-45.	1.1	11
332	The Finnish prostate cancer screening trial: Analyses on the screening failures. <i>International Journal of Cancer</i> , 2015, 136, 2437-2443.	2.3	11
333	Prostate cancer risk among users of digoxin and other antiarrhythmic drugs in the Finnish Prostate Cancer Screening Trial. <i>Cancer Causes and Control</i> , 2016, 27, 157-164.	0.8	11
334	Impact of cause of death adjudication on the results of the European prostate cancer screening trial. <i>British Journal of Cancer</i> , 2017, 116, 141-148.	2.9	11
335	Prognostic factors of prostate cancer mortality in a Finnish randomized screening trial. <i>International Journal of Urology</i> , 2018, 25, 270-276.	0.5	11
336	Productivity losses associated with premature mortality due to cancer in Russia: A population-wide study covering 2001–2030. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 482-491.	1.2	11
337	Blood glucose, glucose balance, and disease-specific survival after prostate cancer diagnosis in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 453-460.	2.0	11
338	Incidence trends of adult malignant brain tumors in Finland, 1990–2016. <i>Acta Oncologica</i> , 2019, 58, 990-996.	0.8	11
339	Impact of lower urinary tract symptoms on mortality: a 21-year follow-up among middle-aged and elderly Finnish men. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 317-323.	2.0	11
340	Cancer risk following radiotherapy for infertility or menstrual disorders. , 1999, 82, 795-798.		10
341	Test Sensitivity in the European Prostate Cancer Screening Trial: Results from Finland, Sweden, and the Netherlands. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2000-2005.	1.1	10
342	State of the art in research into the risk of low dose radiation exposure – findings of the fourth MELODI workshop. <i>Journal of Radiological Protection</i> , 2013, 33, 589-603.	0.6	10

#	ARTICLE	IF	CITATIONS
343	Incidence of Pediatric Inflammatory Bowel Disease in Finland. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016, 63, 65-70.	0.9	10
344	Parental occupational exposure to low-frequency magnetic fields and risk of leukaemia in the offspring: findings from the Childhood Leukaemia International Consortium (CLIC). <i>Occupational and Environmental Medicine</i> , 2019, 76, 746-753.	1.3	10
345	Expected impact of MRI-related interreader variability on ProScreen prostate cancer screening trial: a pre-trial validation study. <i>Cancer Imaging</i> , 2020, 20, 72.	1.2	10
346	Occupational radiation dose estimation for Finnish aircraft cabin attendants. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 157-163.	1.7	10
347	PREDICTORS OF BIOLOGICAL AGGRESSIVENESS OF PROSTATE SPECIFIC ANTIGEN SCREENING DETECTED PROSTATE CANCER. <i>Journal of Urology</i> , 2001, 165, 1569-1574.	0.2	9
348	The rationale for the ERSPC trial: will it improve the knowledge base on prostate cancer screening?. <i>BJU International</i> , 2003, 92, 14-16.	1.3	9
349	Why do men opt out of prostate cancer screening? Attitudes and perception among participants and non-participants of a screening trial. <i>BJU International</i> , 2010, 106, 472-477.	1.3	9
350	Empirical evaluation of grouping of lower urinary tract symptoms: principal component analysis of Tampere Ageing Male Urological Study data. <i>BJU International</i> , 2013, 111, 467-473.	1.3	9
351	Chernobyl cleanup workers from Estonia: cohort description and related epidemiological research. <i>Journal of Radiological Protection</i> , 2015, 35, R35-R45.	0.6	9
352	Correlation between stage shift and differences in mortality in the European Randomised study of Screening for Prostate Cancer (ERSPC). <i>BJU International</i> , 2016, 118, 677-680.	1.3	9
353	Prostate cancer-specific survival among warfarin users in the Finnish Randomized Study of Screening for Prostate Cancer. <i>BMC Cancer</i> , 2017, 17, 585.	1.1	9
354	Antihypertensive drugs and prostate cancer risk in a Finnish population-based cohort. <i>Scandinavian Journal of Urology</i> , 2018, 52, 321-327.	0.6	9
355	Excess mortality in Finnish diabetic subjects due to alcohol, accidents and suicide: a nationwide study. <i>European Journal of Endocrinology</i> , 2018, 179, 299-306.	1.9	9
356	Radiation doses from global fallout and cancer incidence among reindeer herders and Sami in Northern Finland. <i>Occupational and Environmental Medicine</i> , 2010, 67, 737-743.	1.3	8
357	Prevalence of hesitancy in 30-80-year-old Finnish men: Tampere Ageing Male Urological Study (TAMUS). <i>BJU International</i> , 2012, 109, 1360-1364.	1.3	8
358	Fallout from the Chernobyl accident and overall cancer incidence in Finland. <i>Cancer Epidemiology</i> , 2013, 37, 585-592.	0.8	8
359	Risk Factors for Skin Cancer among Finnish Airline Cabin Crew. <i>Annals of Occupational Hygiene</i> , 2013, 57, 695-704.	1.9	8
360	The effect of non-steroidal anti-inflammatory drugs on risk of benign prostatic hyperplasia. <i>Prostate</i> , 2017, 77, 1029-1035.	1.2	8

#	ARTICLE	IF	CITATIONS
361	Costs of Robotic-Assisted Versus Traditional Laparoscopy in Endometrial Cancer. <i>International Journal of Gynecological Cancer</i> , 2017, 27, 1788-1793.	1.2	8
362	The Impact of Design and Performance in Prostate-Specific Antigen Screening: Differences Between ERSPC Centers. <i>European Urology</i> , 2019, 76, 276-279.	0.9	8
363	Consistent Biopsy Quality and Gleason Grading Within the Global Active Surveillance Global Action Plan 3 Initiative: A Prerequisite for Future Studies. <i>European Urology Oncology</i> , 2019, 2, 333-336.	2.6	8
364	Survival of glioma patients in relation to mobile phone use in Denmark, Finland and Sweden. <i>Journal of Neuro-Oncology</i> , 2019, 141, 139-149.	1.4	8
365	A Four-kallikrein Panel and β -Microseminoprotein in Predicting High-grade Prostate Cancer on Biopsy: An Independent Replication from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer. <i>European Urology Focus</i> , 2019, 5, 561-567.	1.6	8
366	Triple-negative and HER2-positive breast cancers found by mammography screening show excellent prognosis. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 267-274.	1.1	8
367	Digital rectal examination in prostate cancer screening at PSA level 3.0-3.9 ng/ml: long-term results from a randomized trial. <i>Scandinavian Journal of Urology</i> , 2021, 55, 348-353.	0.6	8
368	Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. <i>Journal of Medical Screening</i> , 2013, 20, 33-38.	1.1	8
369	Biological aggressiveness of prostate cancer in the Finnish screening trial. <i>International Journal of Cancer</i> , 2009, 124, 547-552.	2.3	7
370	Assessing Interactions of Two Loci (rs4242382 and rs10486567) in Familial Prostate Cancer: Statistical Evaluation of Epistasis. <i>PLoS ONE</i> , 2014, 9, e89508.	1.1	7
371	Natural Course of Lower Urinary Tract Symptoms in Men Not Requiring Treatment—A 5-Year Longitudinal Population-based Study. <i>Urology</i> , 2014, 83, 411-415.	0.5	7
372	Pituitary tumor risk in relation to mobile phone use: A case-control study. <i>Acta Oncologica</i> , 2015, 54, 1159-1165.	0.8	7
373	Polymorphisms of Genes Involved in Glucose and Energy Metabolic Pathways and Prostate Cancer: Interplay with Metformin. <i>European Urology</i> , 2015, 68, 1089-1097.	0.9	7
374	Allopurinol and risk of benign prostatic hyperplasia in a Finnish population-based cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 373-378.	2.0	7
375	Could Differences in Treatment Between Trial Arms Explain the Reduction in Prostate Cancer Mortality in the European Randomized Study of Screening for Prostate Cancer?. <i>European Urology</i> , 2019, 75, 1015-1022.	0.9	7
376	The Number of Screening Cycles Needed to Reduce Prostate Cancer Mortality in the Finnish Section of the European Randomized Study of Prostate Cancer (ERSPC). <i>Clinical Cancer Research</i> , 2019, 25, 839-843.	3.2	7
377	Age-, sex- and disease subtype-related foetal growth differentials in childhood acute myeloid leukaemia risk: A Childhood Leukemia International Consortium analysis. <i>European Journal of Cancer</i> , 2020, 130, 1-11.	1.3	7
378	A cohort study on adult hematological malignancies and brain tumors in relation to magnetic fields from indoor transformer stations. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 233, 113712.	2.1	7

#	ARTICLE	IF	CITATIONS
379	Prostate Cancer Screening: A Survey of Attitudes and Practices among Finnish Physicians in 1999 and 2007. <i>Journal of Medical Screening</i> , 2011, 18, 46-49.	1.1	6
380	Population-level and Individual-level Bother of Lower Urinary Tract Symptoms Among 30- to 80-year-old Men. <i>Urology</i> , 2016, 95, 164-170.	0.5	6
381	Number of Screening Rounds and Postscreening Prostate Cancer Incidence: Results from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer Study. <i>European Urology</i> , 2016, 70, 499-505.	0.9	6
382	Residential mobility and the risk of childhood leukemia. <i>Cancer Causes and Control</i> , 2016, 27, 433-443.	0.8	6
383	Allopurinol and the risk of prostate cancer in a Finnish population-based cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2019, 22, 483-490.	2.0	6
384	Cost-effectiveness analysis of PSA-based mass screening: Evidence from a randomised controlled trial combined with register data. <i>PLoS ONE</i> , 2019, 14, e0224479.	1.1	6
385	Patients' education level and treatment modality for prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2020, 130, 204-210.	1.3	6
386	Pharmacoepidemiological Evaluation in Prostate Cancer – Common Pitfalls and How to Avoid Them. <i>Cancers</i> , 2021, 13, 696.	1.7	6
387	Estimating the rate of overdiagnosis with prostate cancer screening: evidence from the Finnish component of the European Randomized Study of Screening for Prostate Cancer. <i>Cancer Causes and Control</i> , 2021, 32, 1299-1313.	0.8	6
388	The Key Role of Patient Involvement in the Development of Core Outcome Sets in Prostate Cancer. <i>European Urology Focus</i> , 2021, 7, 943-946.	1.6	6
389	Outcomes of Screening for Prostate Cancer Among Men Who Use Statins. <i>JAMA Oncology</i> , 2022, 8, 61.	3.4	6
390	Lower Urinary Tract Symptoms and Mortality among Finnish Men: The Roles of Symptom Severity and Bother. <i>Journal of Urology</i> , 2022, 207, 1285-1294.	0.2	6
391	Randomized Screening Trial for Prostate Cancer in Finland. <i>European Urology</i> , 2001, 39, 32-32.	0.9	5
392	Fine mapping of 11q13.5 identifies regions associated with prostate cancer and prostate cancer death. <i>European Journal of Cancer</i> , 2013, 49, 3335-3343.	1.3	5
393	Outcomes of Prostate-specific Antigen-based Prostate Cancer Screening Among Men Using Nonsteroidal Anti-inflammatory Drugs. <i>European Urology Focus</i> , 2018, 4, 851-857.	1.6	5
394	Anticoagulants and cancer mortality in the Finnish randomized study of screening for prostate cancer. <i>Cancer Causes and Control</i> , 2019, 30, 877-888.	0.8	5
395	Novel prostate cancer susceptibility gene SP6 predisposes patients to aggressive disease. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 1158-1166.	2.0	5
396	Comparability and validity of cancer registry data in the northwest of Russia. <i>Acta Oncologica</i> , 2021, 60, 1264-1271.	0.8	5

#	ARTICLE	IF	CITATIONS
397	Associations between systemic medications and development of wet age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2022, 100, 572-582.	0.6	5
398	Incidence of myelodysplastic syndromes in Finland 1997-2016. <i>Leukemia Research</i> , 2022, 116, 106839.	0.4	5
399	Cancer screening simulation models: a state of the art review. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 359.	1.5	5
400	Temporal and Other Exposure Aspects of Residential Magnetic Fields Measurement in Relation to Acute Lymphoblastic Leukaemia in Children: The National Cancer Institute Children's Cancer Group Study. <i>Radiation Protection Dosimetry</i> , 1999, 83, 53-60.	0.4	4
401	Reliability and validity of a bioimpedance measurement device in the assessment of UVR damage to the skin. <i>Archives of Dermatological Research</i> , 2008, 300, 253-261.	1.1	4
402	RE: Prostate-Specific Antigen Screening Trials and Prostate Cancer Deaths: The Androgen Deprivation Connection. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	3.0	4
403	Autoimmunity-related immunological serum markers and survival in a tertiary care cohort of adult patients with epilepsy. <i>Epilepsy Research</i> , 2014, 108, 1675-1679.	0.8	4
404	Prostate cancer screening in Europe - Authors' reply. <i>Lancet, The</i> , 2015, 385, 1507-1508.	6.3	4
405	Estimation of occupational cosmic radiation exposure among airline personnel: Agreement between a job-exposure matrix, aggregate, and individual dose estimates. <i>American Journal of Industrial Medicine</i> , 2017, 60, 386-393.	1.0	4
406	Costs of screening for prostate cancer: Evidence from the Finnish Randomised Study of Screening for Prostate Cancer after 20-year follow-up using register data. <i>European Journal of Cancer</i> , 2018, 93, 108-118.	1.3	4
407	Fertility and marital status in adults with childhood onset epilepsy: A population-based cohort study. <i>Epilepsia</i> , 2019, 60, 1438-1444.	2.6	4
408	Long-term health-related quality of life among men with prostate cancer in the Finnish randomized study of screening for prostate cancer. <i>Cancer Medicine</i> , 2020, 9, 5643-5654.	1.3	4
409	Trends and predictors in all-cause and cause-specific mortality in diabetic and reference populations during 21 years of follow-up. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213602.	2.0	4
410	Number of screening rounds attended and incidence of high-risk prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer (FinRSPC). <i>Cancer</i> , 2021, 127, 188-192.	2.0	4
411	Exposure to loud noise and risk of vestibular schwannoma: results from the INTERPHONE international case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 183-193.	1.7	4
412	Indoor radon and deaths from lung cancer. <i>BMJ: British Medical Journal</i> , 2009, 338, a3128-a3128.	2.4	4
413	Sauna habits/bathing and changes in lower urinary tract symptoms - Tampere Ageing Male Urologic Study (TAMUS). <i>Scandinavian Journal of Urology</i> , 2022, 56, 77-82.	0.6	4
414	Reply: Mobile phone use and acoustic neuroma in five North European countries. <i>British Journal of Cancer</i> , 2006, 94, 1352-1353.	2.9	3

#	ARTICLE	IF	CITATIONS
415	Clinical predictors in patients with refractory epilepsy exposed to levetiracetam: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2008, 117, 332-336.	1.0	3
416	What explains the differences between centres in the European screening trial? A simulation study. <i>Cancer Epidemiology</i> , 2017, 46, 14-19.	0.8	3
417	Outcomes of Prostate Cancer Screening by 5 α -Reductase Inhibitor Use. <i>Journal of Urology</i> , 2017, 198, 305-309.	0.2	3
418	Bias-corrected estimates of effects of PSA screening decisions on the risk of prostate cancer diagnosis and death: Analysis of the Finnish randomized study of screening for prostate cancer. <i>International Journal of Cancer</i> , 2019, 145, 632-638.	2.3	3
419	Impact of Prostatic-specific Antigen Threshold and Screening Interval in Prostate Cancer Screening Outcomes: Comparing the Swedish and Finnish European Randomised Study of Screening for Prostate Cancer Centres. <i>European Urology Focus</i> , 2019, 5, 186-191.	1.6	3
420	Prognostic Index for Predicting Prostate Cancer Survival in a Randomized Screening Trial: Development and Validation. <i>Cancers</i> , 2021, 13, 435.	1.7	3
421	Antidiabetic Drugs and Prostate Cancer Prognosis in a Finnish Population-Based Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 982-989.	1.1	3
422	Antiepileptic drugs and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>International Journal of Cancer</i> , 2021, 149, 307-315.	2.3	3
423	Trends of computed tomography use among children in Finland. <i>European Journal of Radiology Open</i> , 2020, 7, 100290.	0.7	3
424	Inverse Association between Statin Use and Cancer Mortality Relates to Cholesterol Level. <i>Cancers</i> , 2022, 14, 2920.	1.7	3
425	Incidence trends of childhood central nervous system tumors in Finland 1990-2017. <i>BMC Cancer</i> , 2022, 22, .	1.1	3
426	Lung cancer risk from indoor radon. <i>Lancet</i> , The, 1996, 348, 1662-1663.	6.3	2
427	Response: Re: Time Trends in Brain Tumor Incidence Rates in Denmark, Finland, Norway, and Sweden, 1974-2003. <i>Journal of the National Cancer Institute</i> , 2010, 102, 742-743.	3.0	2
428	Foreword: Meeting the challenge of prostate cancer. <i>European Journal of Cancer</i> , 2010, 46, 3037-3039.	1.3	2
429	Effect of intervention on decision making of treatment for disease progression, prostate-specific antigen biochemical failure and prostate cancer death. <i>Health Expectations</i> , 2014, 17, 776-783.	1.1	2
430	Prostate cancer screening using risk stratification based on a multi-state model of genetic variants. <i>Prostate</i> , 2015, 75, 825-835.	1.2	2
431	Bayesian negative-binomial-family-based multistate Markov model for the evaluation of periodic population-based cancer screening considering incomplete information and measurement errors. <i>Statistical Methods in Medical Research</i> , 2018, 27, 2519-2539.	0.7	2
432	Prostate cancer screening: what can we learn from randomised trials?. <i>Translational Andrology and Urology</i> , 2018, 7, 12-17.	0.6	2

#	ARTICLE	IF	CITATIONS
433	Cancer mortality does not differ by antiarrhythmic drug use: A population-based cohort of Finnish men. <i>Scientific Reports</i> , 2018, 8, 10308.	1.6	2
434	Diagnostic radiological examinations and risk of intracranial tumours in adults—findings from the Interphone Study. <i>International Journal of Epidemiology</i> , 2022, 51, 537-546.	0.9	2
435	Combined Longitudinal Clinical and Autopsy Phenomic Assessment in Lethal Metastatic Prostate Cancer: Recommendations for Advancing Precision Medicine. <i>European Urology Open Science</i> , 2021, 30, 47-62.	0.2	2
436	Methodological considerations for interrupted time series analysis in radiation epidemiology: an overview. <i>Journal of Radiological Protection</i> , 2021, 41, 609-618.	0.6	2
437	USE OF THE COMPLEX BETWEEN PROSTATE SPECIFIC ANTIGEN AND α 1-PROTEASE INHIBITOR FOR SCREENING PROSTATE CANCER. <i>Journal of Urology</i> , 2000, , 1956-1960.	0.2	2
438	Association of allergic diseases and epilepsy with risk of glioma, meningioma and acoustic neuroma: results from the INTERPHONE international case-control study. <i>European Journal of Epidemiology</i> , 2022, 37, 503-512.	2.5	2
439	Prostate cancer screening. <i>Lancet</i> , The, 2001, 357, 1201.	6.3	1
440	Reliability and Validity of Prostate-Specific Antigen. <i>JAMA - Journal of the American Medical Association</i> , 2003, 290, 1705.	3.8	1
441	Validity and reliability of the proposed American College of Rheumatology neuropsychological battery for systemic lupus erythematosus: Comment on the article by Kozora et al. <i>Arthritis and Rheumatism</i> , 2005, 53, 478-479.	6.7	1
442	Early detection of skin cancer as public health policy: Comparison of campaign and routine activity. <i>Preventive Medicine</i> , 2008, 46, 160-165.	1.6	1
443	PC DETECTION IN MEN WITH INITIAL PSA LEVELS < 3.0 NG/ML. DATA FROM ERSPC 1993- 2007. <i>Journal of Urology</i> , 2009, 181, 646.	0.2	1
444	Number needed to screen—How can we project outside context?. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1275-1276.	2.4	1
445	Outcomes of medical and surgical treatment for lower urinary tract symptoms (benign prostatic) Tj ETQq1 1 0.784314 rgBT /Overloc 349-355.	0.8	1
446	PD31-03 STATIN USE AND SURVIVAL AFTER PROSTATE CANCER DIAGNOSIS IN THE FINNISH PROSTATE CANCER SCREENING TRIAL. <i>Journal of Urology</i> , 2014, 191, .	0.2	1
447	Cancer Screening: Theory and Applications. , 2017, , 389-405.		1
448	Severity and bother of lower urinary tract symptoms among men aged 30–80 years: Tampere Ageing Male Urological Study (TAMUS). <i>Scandinavian Journal of Urology</i> , 2018, 52, 296-301.	0.6	1
449	Sojourn-time-corrected receiver operating characteristic curve (ROC) for prostate specific antigen (PSA) test in population-based prostate cancer screening. <i>Scientific Reports</i> , 2020, 10, 20665.	1.6	1
450	Seasonal changes in occurrence and severity of lower urinary tract symptoms—Tampere Aging Male Urologic Study (TAMUS). LUTS: Lower Urinary Tract Symptoms, 2021, 13, 216-223.	0.6	1

#	ARTICLE	IF	CITATIONS
451	Abstract 4226: Association between NSAID, statins, and bisphosphonates and prostate cancer survival during androgen deprivation therapy. , 2018, , .		1
452	Epidemiologic Assessment of Cancer Risk from Mobile Phone Use: Where are We. Progress in Electromagnetics Research Symposium: [proceedings] Progress in Electromagnetics Research Symposium, 2006, 2, 197-199.	0.4	1
453	Are There Limits in Explainability of Prognostic Biomarkers? Scrutinizing Biological Utility of Established Signatures. Cancers, 2021, 13, 5087.	1.7	1
454	1719: Statins and Prostate Cancer Among Men Participating in the Finnish Prostate Cancer Screening Trial. Journal of Urology, 2007, 177, 572-572.	0.2	1
455	Intervention-related Deaths in the European Randomized Study of Screening for Prostate Cancer. European Urology Open Science, 2021, 34, 27-32.	0.2	1
456	Anti-epileptic drugs and prostate cancer-specific mortality compared to non-users of anti-epileptic drugs in the Finnish Randomized Study of Screening for Prostate Cancer. British Journal of Cancer, 2022, , .	2.9	1
457	The effect of breast self-examination on breast cancer survival. Patient Education and Counseling, 1991, 18, 279.	1.0	0
458	Colon Cancer Survival in Finland. Cancer, 1993, 71, 2884-2885.	2.0	0
459	MAJOR RISK FACTORS FOR NOCTURIA IN A POPULATION- BASED STUDY. Journal of Urology, 2008, 179, 540-541.	0.2	0
460	INCIDENCE OF ADVANCED PROSTATE CANCER IN THE FINNISH PROSTATE CANCER SCREENING TRIAL. Journal of Urology, 2008, 179, 598-598.	0.2	0
461	BOTHER AND IMPACT OF NOCTURIA ON HEALTH-RELATED QUALITY OF LIFE. Journal of Urology, 2008, 179, 112-112.	0.2	0
462	More Study Needed on Morning Erections and Erectile Dysfunction. American Journal of Medicine, 2009, 122, e7-e8.	0.6	0
463	IMPACT OF OVERACTIVE BLADDER DRY AND WET ON HEALTH-RELATED QUALITY OF LIFE: A POPULATION-BASED STUDY. Journal of Urology, 2009, 181, 86-86.	0.2	0
464	Author's Response: Response to commentary: Meningioma and mobile phone use--a collaborative case-control study in five North European countries. International Journal of Epidemiology, 2010, 39, 1119-1119.	0.9	0
465	Prostate cancer and deprivation. BMJ: British Medical Journal, 2010, 340, c2043-c2043.	2.4	0
466	1763 ARE URINARY STORAGE SYMPTOMS RELATED WITH SMOKING? A POPULATION-BASED STUDY IN WOMEN. Journal of Urology, 2010, 183, .	0.2	0
467	971 INTERVAL CANCERS IN THE SCREENING OF PROSTATE CANCER: RESULTS FROM THE HELSINKI AREA OF THE ERSPC STUDY. European Urology Supplements, 2010, 9, 304-305.	0.1	0
468	1955 WHAT IS THE MOST BOTHERSOME LOWER URINARY TRACT SYMPTOM? INDIVIDUAL AND POPULATION LEVEL PERSPECTIVES. Journal of Urology, 2011, 185, .	0.2	0

#	ARTICLE	IF	CITATIONS
469	25 THE SCREENING TEST NEGATIVE INTERVAL CANCERS CAUSE MORE MORTALITY THAN THE SCREENING TEST POSITIVES. <i>European Urology Supplements</i> , 2011, 10, 36-37.	0.1	0
470	PD6-02 5-ALPHA REDUCTASE INHIBITOR USE AND PROSTATE CANCER SURVIVAL IN THE FINNISH PROSTATE CANCER SCREENING TRIAL. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
471	PD6-09 POLYMORPHISMS IN GENES OF THE GLUCOSE- AND ENERGY-METABOLISM PATHWAYS AND PROSTATE CANCER: INTERPLAY WITH METFORMIN. <i>Journal of Urology</i> , 2015, 193, .	0.2	0
472	Prudent practice optimizes screening outcomes. <i>Nature Reviews Urology</i> , 2016, 13, 376-377.	1.9	0
473	PD09-04 ESTIMATING THE HARMS AND BENEFITS OF PROSTATE CANCER SCREENING: COMPARING COMMON CLINICAL PRACTICE TO RECOMMENDED GOOD PRACTICE. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
474	PD09-01 CORRELATION BETWEEN STAGE SHIFT AND DIFFERENCES IN MORTALITY BETWEEN THE TWO STUDY ARMS OF THE ERSPC.. <i>Journal of Urology</i> , 2016, 195, .	0.2	0
475	PD40-06 A FOUR-KALLIKREIN PANEL IN PREDICTING HIGH-GRADE PROSTATE CANCER ON BIOPSY: AN INDEPENDENT REPLICATION FROM THE FINNISH SECTION OF THE EUROPEAN RANDOMIZED STUDY OF SCREENING FOR PROSTATE CANCER.. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
476	PD40-03 EFFECT OF 5-ALFA REDUCTASE INHIBITOR USAGE ON OUTCOMES OF PROSTATE CANCER SCREENING. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
477	PD47-02 FASTING BLOOD GLUCOSE AND PROSTATE CANCER RISK IN THE FINNISH RANDOMIZED STUDY OF SCREENING FOR PROSTATE CANCER. <i>Journal of Urology</i> , 2017, 197, .	0.2	0
478	OBSOLETE: Cancer Screening: Theory and Applications. , 2019, , .		0
479	Impact of cancer screening on metastasis: A prostate cancer case study. <i>Journal of Medical Screening</i> , 2021, 28, 096914132198973.	1.1	0
480	1790: Determining Cause of Death in Prostate Cancer Screening. <i>Journal of Urology</i> , 2004, 171, 473-473.	0.2	0
481	462: Antidiabetic Medication and Prostate Cancer Risk - A Population-Based Case-Control Study. <i>Journal of Urology</i> , 2007, 177, 155-155.	0.2	0
482	69: Prevalence of Overactive Bladder is Overestimated. <i>Journal of Urology</i> , 2007, 177, 24-24.	0.2	0
483	TU-A-116-10: Dosimetry Approach for a Retrospective Epidemiological Study On Eye Lens Dose to Interventional Cardiologists and the Occurrence of Radiation-Induced Lens Opacities. <i>Medical Physics</i> , 2013, 40, 428-428.	1.6	0
484	Malignant Tumors of the Central Nervous System. , 2014, , 481-495.		0
485	Abstract 4681: Reducing overdiagnosis by polygenic risk-stratified screening: findings from the Finnish arm of the European randomised study of screening for prostate cancer (ERSPC). , 2015, , .		0
486	Abstract 3290: Cancer mortality by antiarrhythmic drug use in a population-based cohort of Finnish men. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
487	Spatio-Temporal Clustering of Childhood Leukemia Relative to Population Mixing in Finland: A Nationwide Register-Based Study. <i>Blood</i> , 2019, 134, 5070-5070.	0.6	0
488	Malignant Tumors of the Central Nervous System. , 2020, , 507-524.		0
489	Title is missing!. , 2019, 14, e0224479.		0
490	Title is missing!. , 2019, 14, e0224479.		0
491	Title is missing!. , 2019, 14, e0224479.		0
492	Title is missing!. , 2019, 14, e0224479.		0
493	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men. , 2020, 15, e0234269.		0
494	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men. , 2020, 15, e0234269.		0
495	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men. , 2020, 15, e0234269.		0
496	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men. , 2020, 15, e0234269.		0