

Anssi Auvinen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7719703/anssi-auvinen-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

459
papers

25,334
citations

77
h-index

145
g-index

510
ext. papers

29,209
ext. citations

6
avg, IF

6.38
L-index

#	Paper	IF	Citations
459	Prostate Cancer Patients Under Active Surveillance with a Suspicious Magnetic Resonance Imaging Finding Are at Increased Risk of Needing Treatment: Results of the Movember Foundation@ Global Action Plan Prostate Cancer Active Surveillance (GAP3) Consortium.. <i>European Urology Open Science</i> , 2021 , 12, 1-10	0.9	1
458	Association of allergic diseases and epilepsy with risk of glioma, meningioma and acoustic neuroma: results from the INTERPHONE international case-control study.. <i>European Journal of Epidemiology</i> , 2022 , 1	12.1	0
457	Incidence of myelodysplastic syndromes in Finland 1997-2016.. <i>Leukemia Research</i> , 2022 , 116, 106839	2.7	0
456	Lower Urinary Tract Symptoms and Mortality among Finnish Men: The Roles of Symptom Severity and Bother.. <i>Journal of Urology</i> , 2022 , 101097JU00000000000002450	2.5	0
455	Population-based randomized trial of screening for clinically significant prostate cancer ProScreen: pilot study.. <i>BJU International</i> , 2021 ,	5.6	1
454	Associations between systemic medications and development of wet age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2021 ,	3.7	1
453	Outcomes of Screening for Prostate Cancer Among Men Who Use Statins. <i>JAMA Oncology</i> , 2021 ,	13.4	3
452	Intervention-related Deaths in the European Randomized Study of Screening for Prostate Cancer.. <i>European Urology Open Science</i> , 2021 , 34, 27-32	0.9	0
451	Antidiabetic Drugs and Prostate Cancer Prognosis in a Finnish Population-Based Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 982-989	4	1
450	Antiepileptic drugs and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>International Journal of Cancer</i> , 2021 , 149, 307-315	7.5	1
449	A cohort study on adult hematological malignancies and brain tumors in relation to magnetic fields from indoor transformer stations. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 233, 113712	6.9	2
448	Novel prostate cancer susceptibility gene SP6 predisposes patients to aggressive disease. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 1158-1166	6.2	2
447	Personalised biopsy schedules based on risk of Gleason upgrading for patients with low-risk prostate cancer on active surveillance. <i>BJU International</i> , 2021 , 127, 96-107	5.6	3
446	Number of screening rounds attended and incidence of high-risk prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer (FinRSPC). <i>Cancer</i> , 2021 , 127, 188-192	6.4	0
445	Seasonal changes in occurrence and severity of lower urinary tract symptoms-Tampere Aging Male Urologic Study (TAMUS). <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 216-223	1.9	0
444	Triple-negative and HER2-positive breast cancers found by mammography screening show excellent prognosis. <i>Breast Cancer Research and Treatment</i> , 2021 , 187, 267-274	4.4	2
443	Trans-ancestry genome-wide association meta-analysis of prostate cancer identifies new susceptibility loci and informs genetic risk prediction. <i>Nature Genetics</i> , 2021 , 53, 65-75	36.3	62

442	Impact of cancer screening on metastasis: A prostate cancer case study. <i>Journal of Medical Screening</i> , 2021 , 28, 480-487	1.4	
441	Pharmacoepidemiological Evaluation in Prostate Cancer-Common Pitfalls and How to Avoid Them. <i>Cancers</i> , 2021 , 13,	6.6	2
440	Estimating the rate of overdiagnosis with prostate cancer screening: evidence from the Finnish component of the European Randomized Study of Screening for Prostate Cancer. <i>Cancer Causes and Control</i> , 2021 , 32, 1299-1313	2.8	1
439	Comparability and validity of cancer registry data in the northwest of Russia. <i>Acta Oncologica</i> , 2021 , 60, 1264-1271	3.2	0
438	Digital rectal examination in prostate cancer screening at PSA level 3.0-3.9 ng/ml: long-term results from a randomized trial. <i>Scandinavian Journal of Urology</i> , 2021 , 55, 348-353	1.6	2
437	Combined Longitudinal Clinical and Autopsy Phenomic Assessment in Lethal Metastatic Prostate Cancer: Recommendations for Advancing Precision Medicine. <i>European Urology Open Science</i> , 2021 , 30, 47-62	0.9	2
436	The Key Role of Patient Involvement in the Development of Core Outcome Sets in Prostate Cancer. <i>European Urology Focus</i> , 2021 , 7, 943-946	5.1	0
435	Cancer screening simulation models: a state of the art review.. <i>BMC Medical Informatics and Decision Making</i> , 2021 , 21, 359	3.6	0
434	Sojourn-time-corrected receiver operating characteristic curve (ROC) for prostate specific antigen (PSA) test in population-based prostate cancer screening. <i>Scientific Reports</i> , 2020 , 10, 20665	4.9	0
433	Long-term health-related quality of life among men with prostate cancer in the Finnish randomized study of screening for prostate cancer. <i>Cancer Medicine</i> , 2020 , 9, 5643-5654	4.8	2
432	Age-, sex- and disease subtype-related foetal growth differentials in childhood acute myeloid leukaemia risk: A Childhood Leukemia International Consortium analysis. <i>European Journal of Cancer</i> , 2020 , 130, 1-11	7.5	4
431	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men. <i>PLoS ONE</i> , 2020 , 15, e0234269	3.7	5
430	Trends and predictors in all-cause and cause-specific mortality in diabetic and reference populations during 21 years of follow-up. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 950-956	5.1	2
429	Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). <i>Environment International</i> , 2020 , 140, 105687	12.9	11
428	Predicting residential radon concentrations in Finland: Model development, validation, and application to childhood leukemia. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020 , 46, 278-292	4.3	4
427	Malignant Tumors of the Central Nervous System 2020 , 507-524		
426	Trends of computed tomography use among children in Finland. <i>European Journal of Radiology Open</i> , 2020 , 7, 100290	2.6	0
425	The Impact of Nocturia on Mortality: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 486-495	2.5	22

424	Epidemiological studies of natural sources of radiation and childhood cancer: current challenges and future perspectives. <i>Journal of Radiological Protection</i> , 2020 , 40, R1-R23	1.2	9
423	Expected impact of MRI-related interreader variability on ProScreen prostate cancer screening trial: a pre-trial validation study. <i>Cancer Imaging</i> , 2020 , 20, 72	5.6	0
422	Prostate cancer risk prediction using a polygenic risk score. <i>Scientific Reports</i> , 2020 , 10, 17075	4.9	12
421	Clinical and epidemiological observations on individual radiation sensitivity and susceptibility. <i>International Journal of Radiation Biology</i> , 2020 , 96, 324-339	2.9	24
420	Adherence to Active Surveillance Protocols for Low-risk Prostate Cancer: Results of the Movember Foundation® Global Action Plan Prostate Cancer Active Surveillance Initiative. <i>European Urology Oncology</i> , 2020 , 3, 80-91	6.7	11
419	Patients' education level and treatment modality for prostate cancer in the Finnish Randomized Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2020 , 130, 204-210	7.5	2
418	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men 2020 , 15, e0234269		
417	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men 2020 , 15, e0234269		
416	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men 2020 , 15, e0234269		
415	Antihypertensive drug use and prostate cancer-specific mortality in Finnish men 2020 , 15, e0234269		
414	Predicting Biopsy Outcomes During Active Surveillance for Prostate Cancer: External Validation of the Canary Prostate Active Surveillance Study Risk Calculators in Five Large Active Surveillance Cohorts. <i>European Urology</i> , 2019 , 76, 693-702	10.2	12
413	Blood glucose, glucose balance, and disease-specific survival after prostate cancer diagnosis in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 453-460	6.2	4
412	Allopurinol and the risk of prostate cancer in a Finnish population-based cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 483-490	6.2	4
411	Fertility and marital status in adults with childhood onset epilepsy: A population-based cohort study. <i>Epilepsia</i> , 2019 , 60, 1438-1444	6.4	4
410	Incidence trends of adult malignant brain tumors in Finland, 1990-2016. <i>Acta Oncologica</i> , 2019 , 58, 990-996	3.2	4
409	The Impact of Design and Performance in Prostate-Specific Antigen Screening: Differences Between ERSPC Centers. <i>European Urology</i> , 2019 , 76, 276-279	10.2	2
408	Could Differences in Treatment Between Trial Arms Explain the Reduction in Prostate Cancer Mortality in the European Randomized Study of Screening for Prostate Cancer?. <i>European Urology</i> , 2019 , 75, 1015-1022	10.2	5
407	A 16-yr Follow-up of the European Randomized study of Screening for Prostate Cancer. <i>European Urology</i> , 2019 , 76, 43-51	10.2	163

406	Productivity losses associated with premature mortality due to cancer in Russia: A population-wide study covering 2001-2030. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 482-491	3	3
405	Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. <i>International Journal of Epidemiology</i> , 2019 , 48, 1567-1579	7.8	18
404	Anticoagulants and cancer mortality in the Finnish randomized study of screening for prostate cancer. <i>Cancer Causes and Control</i> , 2019 , 30, 877-888	2.8	3
403	Parental occupational exposure to low-frequency magnetic fields and risk of leukaemia in the offspring: findings from the Childhood Leukaemia International Consortium (CLIC). <i>Occupational and Environmental Medicine</i> , 2019 , 76, 746-753	2.1	5
402	Charlson Comorbidity Index Based On Hospital Episode Statistics Performs Adequately In Predicting Mortality, But Its Discriminative Ability Diminishes Over Time. <i>Clinical Epidemiology</i> , 2019 , 11, 923-932	5.9	12
401	Exposure to loud noise and risk of vestibular schwannoma: results from the INTERPHONE international case-control study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 183-193	4.3	2
400	Spatio-Temporal Clustering of Childhood Leukemia Relative to Population Mixing in Finland: A Nationwide Register-Based Study. <i>Blood</i> , 2019 , 134, 5070-5070	2.2	
399	Risk Prediction of Prostate Cancer with Single Nucleotide Polymorphisms and Prostate Specific Antigen. <i>Journal of Urology</i> , 2019 , 201, 486-495	2.5	18
398	Parental age and the risk of childhood acute myeloid leukemia: results from the Childhood Leukemia International Consortium. <i>Cancer Epidemiology</i> , 2019 , 59, 158-165	2.8	13
397	Cost-effectiveness analysis of PSA-based mass screening: Evidence from a randomised controlled trial combined with register data. <i>PLoS ONE</i> , 2019 , 14, e0224479	3.7	0
396	Consistent Biopsy Quality and Gleason Grading Within the Global Active Surveillance Global Action Plan 3 Initiative: A Prerequisite for Future Studies. <i>European Urology Oncology</i> , 2019 , 2, 333-336	6.7	4
395	Serum cholesterol and prostate cancer risk in the Finnish randomized study of screening for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 66-76	6.2	18
394	Survival of glioma patients in relation to mobile phone use in Denmark, Finland and Sweden. <i>Journal of Neuro-Oncology</i> , 2019 , 141, 139-149	4.8	5
393	Impact of lower urinary tract symptoms on mortality: a 21-year follow-up among middle-aged and elderly Finnish men. <i>Prostate Cancer and Prostatic Diseases</i> , 2019 , 22, 317-323	6.2	5
392	Bias-corrected estimates of effects of PSA screening decisions on the risk of prostate cancer diagnosis and death: Analysis of the Finnish randomized study of screening for prostate cancer. <i>International Journal of Cancer</i> , 2019 , 145, 632-638	7.5	3
391	Reasons for Discontinuing Active Surveillance: Assessment of 21 Centres in 12 Countries in the Movember GAP3 Consortium. <i>European Urology</i> , 2019 , 75, 523-531	10.2	33
390	The Number of Screening Cycles Needed to Reduce Prostate Cancer Mortality in the Finnish Section of the European Randomized Study of Prostate Cancer (ERSPC). <i>Clinical Cancer Research</i> , 2019 , 25, 839-843	12.9	4
389	Impact of Prostatic-specific Antigen Threshold and Screening Interval in Prostate Cancer Screening Outcomes: Comparing the Swedish and Finnish European Randomised Study of Screening for Prostate Cancer Centres. <i>European Urology Focus</i> , 2019 , 5, 186-191	5.1	3

388	A Four-kallikrein Panel and ßMicroseminoprotein in Predicting High-grade Prostate Cancer on Biopsy: An Independent Replication from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer. <i>European Urology Focus</i> , 2019 , 5, 561-567	5.1	7
387	Cost-effectiveness analysis of PSA-based mass screening: Evidence from a randomised controlled trial combined with register data 2019 , 14, e0224479		
386	Cost-effectiveness analysis of PSA-based mass screening: Evidence from a randomised controlled trial combined with register data 2019 , 14, e0224479		
385	Cost-effectiveness analysis of PSA-based mass screening: Evidence from a randomised controlled trial combined with register data 2019 , 14, e0224479		
384	Cost-effectiveness analysis of PSA-based mass screening: Evidence from a randomised controlled trial combined with register data 2019 , 14, e0224479		
383	Fasting blood glucose, glycaemic control and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>British Journal of Cancer</i> , 2018 , 118, 1248-1254	8.7	9
382	Multidisciplinary European Low Dose Initiative (MELODI): strategic research agenda for low dose radiation risk research. <i>Radiation and Environmental Biophysics</i> , 2018 , 57, 5-15	2	28
381	Allopurinol and risk of benign prostatic hyperplasia in a Finnish population-based cohort. <i>Prostate Cancer and Prostatic Diseases</i> , 2018 , 21, 373-378	6.2	3
380	The Movember Foundation@GAP3 cohort: a profile of the largest global prostate cancer active surveillance database to date. <i>BJU International</i> , 2018 , 121, 737-744	5.6	38
379	Costs of screening for prostate cancer: Evidence from the Finnish Randomised Study of Screening for Prostate Cancer after 20-year follow-up using register data. <i>European Journal of Cancer</i> , 2018 , 93, 108-118	7.5	1
378	Bayesian negative-binomial-family-based multistate Markov model for the evaluation of periodic population-based cancer screening considering incomplete information and measurement errors. <i>Statistical Methods in Medical Research</i> , 2018 , 27, 2519-2539	2.3	2
377	Outcomes of Prostate-specific Antigen-based Prostate Cancer Screening Among Men Using Nonsteroidal Anti-inflammatory Drugs. <i>European Urology Focus</i> , 2018 , 4, 851-857	5.1	3
376	An international prospective cohort study of mobile phone users and health (COSMOS): Factors affecting validity of self-reported mobile phone use. <i>International Journal of Hygiene and Environmental Health</i> , 2018 , 221, 1-8	6.9	7
375	Cancer mortality does not differ by antiarrhythmic drug use: A population-based cohort of Finnish men. <i>Scientific Reports</i> , 2018 , 8, 10308	4.9	2
374	Radiation exposure from computerized tomography and risk of childhood leukemia: Finnish register-based case-control study of childhood leukemia (FRECCLE). <i>Haematologica</i> , 2018 , 103, 1873-1880	6.6	15
373	Biology and Clinical Implications of the 19q13 Aggressive Prostate Cancer Susceptibility Locus. <i>Cell</i> , 2018 , 174, 576-589.e18	56.2	72
372	Cardiovascular Morbidity and Mortality After Treatment of Hyperthyroidism with Either Radioactive Iodine or Thyroidectomy. <i>Thyroid</i> , 2018 , 28, 1111-1120	6.2	26
371	Association analyses of more than 140,000 men identify 63 new prostate cancer susceptibility loci. <i>Nature Genetics</i> , 2018 , 50, 928-936	36.3	340

370	Fine-mapping of prostate cancer susceptibility loci in a large meta-analysis identifies candidate causal variants. <i>Nature Communications</i> , 2018 , 9, 2256	17.4	57
369	Excess mortality in Finnish diabetic subjects due to alcohol, accidents and suicide: a nationwide study. <i>European Journal of Endocrinology</i> , 2018 , 179, 299-306	6.5	5
368	Prognostic factors of prostate cancer mortality in a Finnish randomized screening trial. <i>International Journal of Urology</i> , 2018 , 25, 270-276	2.3	3
367	The efficacy of prostate-specific antigen screening: Impact of key components in the ERSPC and PLCO trials. <i>Cancer</i> , 2018 , 124, 1197-1206	6.4	41
366	Prostate cancer screening: what can we learn from randomised trials?. <i>Translational Andrology and Urology</i> , 2018 , 7, 12-17	2.3	2
365	Antihypertensive drugs and prostate cancer risk in a Finnish population-based cohort. <i>Scandinavian Journal of Urology</i> , 2018 , 52, 321-327	1.6	5
364	Severity and bother of lower urinary tract symptoms among men aged 30-80 years: Tampere Ageing Male Urological Study (TAMUS). <i>Scandinavian Journal of Urology</i> , 2018 , 52, 296-301	1.6	
363	Long-term strategies for thyroid health monitoring after nuclear accidents: recommendations from an Expert Group convened by IARC. <i>Lancet Oncology</i> , 2018 , 19, 1280-1283	21.7	17
362	Synergistic Interaction of and Predisposes to Aggressive Prostate Cancer. <i>Clinical Cancer Research</i> , 2018 , 24, 6265-6276	12.9	10
361	Breast and cervical cancer incidence and mortality trends in Russia 1980-2013. <i>Cancer Epidemiology</i> , 2018 , 55, 73-80	2.8	23
360	Advanced parental age as risk factor for childhood acute lymphoblastic leukemia: results from studies of the Childhood Leukemia International Consortium. <i>European Journal of Epidemiology</i> , 2018 , 33, 965-976	12.1	26
359	Effects of incomplete residential histories on studies of environmental exposure with application to childhood leukaemia and background radiation. <i>Environmental Research</i> , 2018 , 166, 466-472	7.9	11
358	What explains the differences between centres in the European screening trial? A simulation study. <i>Cancer Epidemiology</i> , 2017 , 46, 14-19	2.8	3
357	Estimate of Opportunistic Prostate Specific Antigen Testing in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Journal of Urology</i> , 2017 , 198, 50-57	2.5	17
356	Antidiabetic drug use and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Scandinavian Journal of Urology</i> , 2017 , 51, 5-12	1.6	28
355	Outcomes of Prostate Cancer Screening by 5 α -Reductase Inhibitor Use. <i>Journal of Urology</i> , 2017 , 198, 305-309	2.5	2
354	Women treated for epilepsy during pregnancy: outcomes from a nationwide population-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 812-820	3.8	14
353	Estimation of occupational cosmic radiation exposure among airline personnel: Agreement between a job-exposure matrix, aggregate, and individual dose estimates. <i>American Journal of Industrial Medicine</i> , 2017 , 60, 386-393	2.7	2

352	The effect of non-steroidal anti-inflammatory drugs on risk of benign prostatic hyperplasia. <i>Prostate</i> , 2017 , 77, 1029-1035	4.2	7
351	Cancer risk among insulin users: comparing analogues with human insulin in the CARING five-country cohort study. <i>Diabetologia</i> , 2017 , 60, 1691-1703	10.3	41
350	Occupational solvent exposure and adult chronic lymphocytic leukemia: No risk in a population-based case-control study in four Nordic countries. <i>International Journal of Cancer</i> , 2017 , 141, 1140-1147	7.5	7
349	Diabetes and Breast Cancer Subtypes. <i>PLoS ONE</i> , 2017 , 12, e0170084	3.7	29
348	Cancer Screening: Theory and Applications 2017 , 389-405		
347	Risk of Cause-Specific Death in Individuals with Cancer-Modifying Role Diabetes, Statins and Metformin. <i>International Journal of Cancer</i> , 2017 , 141, 2437-2449	7.5	15
346	Reconciling the Effects of Screening on Prostate Cancer Mortality in the ERSPC and PLCO Trials. <i>Annals of Internal Medicine</i> , 2017 , 167, 449-455	8	108
345	A randomized trial of early detection of clinically significant prostate cancer (ProScreen): study design and rationale. <i>European Journal of Epidemiology</i> , 2017 , 32, 521-527	12.1	16
344	Costs of Robotic-Assisted Versus Traditional Laparoscopy in Endometrial Cancer. <i>International Journal of Gynecological Cancer</i> , 2017 , 27, 1788-1793	3.5	6
343	Impact of cause of death adjudication on the results of the European prostate cancer screening trial. <i>British Journal of Cancer</i> , 2017 , 116, 141-148	8.7	9
342	National economic and development indicators and international variation in prostate cancer incidence and mortality: an ecological analysis. <i>World Journal of Urology</i> , 2017 , 35, 851-858	4	14
341	Statin Use and Prostate Cancer Survival in the Finnish Randomized Study of Screening for Prostate Cancer. <i>European Urology Focus</i> , 2017 , 3, 212-220	5.1	27
340	Prostate cancer-specific survival among warfarin users in the Finnish Randomized Study of Screening for Prostate Cancer. <i>BMC Cancer</i> , 2017 , 17, 585	4.8	6
339	Absolute Effect of Prostate Cancer Screening: Balance of Benefits and Harms by Center within the European Randomized Study of Prostate Cancer Screening. <i>Clinical Cancer Research</i> , 2016 , 22, 243-9	12.9	24
338	Estimating bias in causes of death ascertainment in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Cancer Epidemiology</i> , 2016 , 45, 1-5	2.8	8
337	Warfarin use and prostate cancer risk in the Finnish Randomized Study of Screening for Prostate Cancer. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 413-419	1.6	12
336	Background radiation and childhood leukemia: A nationwide register-based case-control study. <i>International Journal of Cancer</i> , 2016 , 139, 1975-82	7.5	30
335	The Intracranial Distribution of Gliomas in Relation to Exposure From Mobile Phones: Analyses From the INTERPHONE Study. <i>American Journal of Epidemiology</i> , 2016 , 184, 818-828	3.8	19

334	Digoxin and prostate cancer survival in the Finnish Randomized Study of Screening for Prostate Cancer. <i>British Journal of Cancer</i> , 2016 , 115, 1289-1295	8.7	9
333	Prostate Cancer and Socioeconomic Status in the Finnish Randomized Study of Screening for Prostate Cancer. <i>American Journal of Epidemiology</i> , 2016 , 184, 720-731	3.8	28
332	Incidence and Remission of Nocturia: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 372-81	10.2	17
331	Residential mobility and the risk of childhood leukemia. <i>Cancer Causes and Control</i> , 2016 , 27, 433-43	2.8	6
330	Incidence of Pediatric Inflammatory Bowel Disease in Finland: An Environmental Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 63, 65-70	2.8	6
329	Prostate cancer risk among users of digoxin and other antiarrhythmic drugs in the Finnish Prostate Cancer Screening Trial. <i>Cancer Causes and Control</i> , 2016 , 27, 157-64	2.8	10
328	Re: Thyroid Cancer Among Young People in Fukushima. <i>Epidemiology</i> , 2016 , 27, e20-1	3.1	21
327	Postscreening follow-up of the Finnish Prostate Cancer Screening Trial on putative prostate cancer risk factors: vitamin and mineral use, male pattern baldness, pubertal development and non-steroidal anti-inflammatory drug use. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 267-73	1.6	22
326	Epilepsy, excess deaths and years of life lost from external causes. <i>European Journal of Epidemiology</i> , 2016 , 31, 445-53	12.1	13
325	Non-Steroidal Anti-Inflammatory Drugs and Cancer Death in the Finnish Prostate Cancer Screening Trial. <i>PLoS ONE</i> , 2016 , 11, e0153413	3.7	15
324	5-Alpha reductase inhibitor use and prostate cancer survival in the Finnish Prostate Cancer Screening Trial. <i>International Journal of Cancer</i> , 2016 , 138, 2820-8	7.5	12
323	Prostate cancer: Prudent practice optimizes screening outcomes. <i>Nature Reviews Urology</i> , 2016 , 13, 376-385		
322	Antiepileptic drugs with histone deacetylase inhibition activity and prostate cancer risk: a population-based case-control study. <i>Cancer Causes and Control</i> , 2016 , 27, 637-45	2.8	11
321	Insulin glargine use and breast cancer risk: Associations with cumulative exposure. <i>Acta Oncologica</i> , 2016 , 55, 851-8	3.2	10
320	Population-level and Individual-level Burden of Lower Urinary Tract Symptoms Among 30- to 80-year-old Men. <i>Urology</i> , 2016 , 95, 164-70	1.6	5
319	Number of Screening Rounds and Postscreening Prostate Cancer Incidence: Results from the Finnish Section of the European Randomized Study of Screening for Prostate Cancer Study. <i>European Urology</i> , 2016 , 70, 499-505	10.2	5
318	Correlation between stage shift and differences in mortality in the European Randomised study of Screening for Prostate Cancer (ERSPC). <i>BJU International</i> , 2016 , 118, 677-680	5.6	8
317	Estimating the harms and benefits of prostate cancer screening as used in common practice versus recommended good practice: A microsimulation screening analysis. <i>Cancer</i> , 2016 , 122, 3386-3393	6.4	14

316	Cost-effectiveness of prostate cancer screening: a simulation study based on ERSPC data. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 366	9.7	86
315	European Code against Cancer 4th Edition: Ionising and non-ionising radiation and cancer. <i>Cancer Epidemiology</i> , 2015 , 39 Suppl 1, S93-100	2.8	31
314	European Code against Cancer 4th Edition: 12 ways to reduce your cancer risk. <i>Cancer Epidemiology</i> , 2015 , 39 Suppl 1, S1-10	2.8	114
313	European Code against Cancer 4th Edition: Ultraviolet radiation and cancer. <i>Cancer Epidemiology</i> , 2015 , 39 Suppl 1, S75-83	2.8	63
312	Pituitary tumor risk in relation to mobile phone use: A case-control study. <i>Acta Oncologica</i> , 2015 , 54, 1159-65	3.2	6
311	Prostate cancer screening in Europe - Authors Reply. <i>Lancet, The</i> , 2015 , 385, 1507-8	4.0	3
310	Metastatic Prostate Cancer Incidence and Prostate-specific Antigen Testing: New Insights from the European Randomized Study of Screening for Prostate Cancer. <i>European Urology</i> , 2015 , 68, 885-90	10.2	77
309	Polymorphisms of Genes Involved in Glucose and Energy Metabolic Pathways and Prostate Cancer: Interplay with Metformin. <i>European Urology</i> , 2015 , 68, 1089-97	10.2	6
308	Low-dose ionising radiation and cardiovascular diseases--Strategies for molecular epidemiological studies in Europe. <i>Mutation Research - Reviews in Mutation Research</i> , 2015 , 764, 90-100	7	45
307	European Code against Cancer 4th Edition: Medical exposures, including hormone therapy, and cancer. <i>Cancer Epidemiology</i> , 2015 , 39 Suppl 1, S107-19	2.8	31
306	Population attitudes towards research use of health care registries: a population-based survey in Finland. <i>BMC Medical Ethics</i> , 2015 , 16, 48	2.9	10
305	Cancer Incidence and Mortality in Patients Treated Either With RAI or Thyroidectomy for Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 3710-7	5.6	39
304	Reducing overdiagnosis by polygenic risk-stratified screening: findings from the Finnish section of the ERSPC. <i>British Journal of Cancer</i> , 2015 , 113, 1086-93	8.7	21
303	Application of the ELDO approach to assess cumulative eye lens doses for interventional cardiologists. <i>Radiation Protection Dosimetry</i> , 2015 , 164, 84-8	0.9	11
302	The Finnish prostate cancer screening trial: analyses on the screening failures. <i>International Journal of Cancer</i> , 2015 , 136, 2437-43	7.5	9
301	Family history in the Finnish Prostate Cancer Screening Trial. <i>International Journal of Cancer</i> , 2015 , 136, 2172-7	7.5	18
300	Chernobyl cleanup workers from Estonia: cohort description and related epidemiological research. <i>Journal of Radiological Protection</i> , 2015 , 35, R35-45	1.2	6
299	Prostate cancer screening using risk stratification based on a multi-state model of genetic variants. <i>Prostate</i> , 2015 , 75, 825-35	4.2	2

298	Use of non-steroidal anti-inflammatory drugs and prostate cancer survival in the Finnish prostate cancer screening trial. <i>Prostate</i> , 2015 , 75, 1394-402	4.2	17
297	Eye Lens Opacities Among Physicians Occupationally Exposed to Ionizing Radiation. <i>Annals of Occupational Hygiene</i> , 2015 , 59, 945-8		9
296	Sotalol, but not digoxin is associated with decreased prostate cancer risk: A population-based case-control study. <i>International Journal of Cancer</i> , 2015 , 137, 1187-95	7.5	19
295	Mortality from cancer and other causes in commercial airline crews: a joint analysis of cohorts from 10 countries. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 313-22	2.1	54
294	Screening and prostate cancer mortality: results of the European Randomised Study of Screening for Prostate Cancer (ERSPC) at 13 years of follow-up. <i>Lancet, The</i> , 2014 , 384, 2027-35	40	910
293	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014 , 46, 1103-9	36.3	331
292	Autoimmunity-related immunological serum markers and survival in a tertiary care cohort of adult patients with epilepsy. <i>Epilepsy Research</i> , 2014 , 108, 1675-9	3	4
291	Health-related quality of life in the Finnish trial of screening for prostate cancer. <i>European Urology</i> , 2014 , 65, 39-47	10.2	15
290	A different method of evaluation of the ERSPC trial confirms that prostate-specific antigen testing has a significant impact on prostate cancer mortality. <i>European Urology</i> , 2014 , 66, 401-3	10.2	11
289	Non-cancer morbidity among Estonian Chernobyl cleanup workers: a register-based cohort study. <i>BMJ Open</i> , 2014 , 4, e004516	3	13
288	Assessing interactions of two loci (rs4242382 and rs10486567) in familial prostate cancer: statistical evaluation of epistasis. <i>PLoS ONE</i> , 2014 , 9, e89508	3.7	5
287	A framework for estimating radiation-related cancer risks in Japan from the 2011 Fukushima nuclear accident. <i>Radiation Research</i> , 2014 , 182, 556-72	3.1	20
286	Chernobyl fallout and cancer incidence in Finland. <i>International Journal of Cancer</i> , 2014 , 134, 2253-63	7.5	7
285	Prostate cancer risk and nonsteroidal antiinflammatory drug use in the Finnish prostate cancer screening trial. <i>British Journal of Cancer</i> , 2014 , 111, 1421-31	8.7	18
284	Cardiovascular morbidity and mortality in surgically treated hyperthyroidism - a nation-wide cohort study with a long-term follow-up. <i>Clinical Endocrinology</i> , 2014 , 80, 743-50	3.4	21
283	Outcomes of medical and surgical treatment for lower urinary tract symptoms (benign prostatic obstruction)--a population-based cohort study. <i>International Journal of Clinical Practice</i> , 2014 , 68, 349-55 ^{2,9}		
282	Epilepsy-related clinical characteristics and mortality: a systematic review and meta-analysis. <i>Neurology</i> , 2014 , 83, 1968-77	6.5	99
281	RE: Prostate-specific antigen screening trials and prostate cancer deaths: the androgen deprivation connection. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	4

280	Childhood leukaemia risks: from unexplained findings near nuclear installations to recommendations for future research. <i>Journal of Radiological Protection</i> , 2014 , 34, R53-68	1.2	11
279	Effect of intervention on decision making of treatment for disease progression, prostate-specific antigen biochemical failure and prostate cancer death. <i>Health Expectations</i> , 2014 , 17, 776-83	3.7	1
278	What is the most bothersome lower urinary tract symptom? Individual- and population-level perspectives for both men and women. <i>European Urology</i> , 2014 , 65, 1211-7	10.2	132
277	Natural course of lower urinary tract symptoms in men not requiring treatment--a 5-year longitudinal population-based study. <i>Urology</i> , 2014 , 83, 411-5	1.6	7
276	PD31-03 STATIN USE AND SURVIVAL AFTER PROSTATE CANCER DIAGNOSIS IN THE FINNISH PROSTATE CANCER SCREENING TRIAL. <i>Journal of Urology</i> , 2014 , 191,	2.5	1
275	Malignant Tumors of the Central Nervous System 2014 , 481-495		
274	Impact of obesity on urinary storage symptoms: results from the FINNO study. <i>Journal of Urology</i> , 2013 , 189, 1377-82	2.5	28
273	Long-term mortality risk by cause of death in newly diagnosed patients with epilepsy in Finland: a nationwide register-based study. <i>European Journal of Epidemiology</i> , 2013 , 28, 981-90	12.1	27
272	Fine mapping of 11q13.5 identifies regions associated with prostate cancer and prostate cancer death. <i>European Journal of Cancer</i> , 2013 , 49, 3335-43	7.5	5
271	State of the art in research into the risk of low dose radiation exposure--findings of the fourth MELODI workshop. <i>Journal of Radiological Protection</i> , 2013 , 33, 589-603	1.2	8
270	Fallout from the Chernobyl accident and overall cancer incidence in Finland. <i>Cancer Epidemiology</i> , 2013 , 37, 585-92	2.8	7
269	Site-specific cancer risk in the Baltic cohort of Chernobyl cleanup workers, 1986-2007. <i>European Journal of Cancer</i> , 2013 , 49, 2926-33	7.5	19
268	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013 , 45, 385-91, 391e1-2	36.3	413
267	Use of aspirin, but not other non-steroidal anti-inflammatory drugs is associated with decreased prostate cancer risk at the population level. <i>European Journal of Cancer</i> , 2013 , 49, 938-45	7.5	57
266	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013 , 22, 408-15	5.6	109
265	Chernobyl cleanup workers from Estonia: follow-up for cancer incidence and mortality. <i>Journal of Radiological Protection</i> , 2013 , 33, 395-411	1.2	16
264	Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. <i>Journal of Medical Screening</i> , 2013 , 20, 33-8	1.4	18
263	Prostate cancer mortality in the Finnish randomized screening trial. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 719-25	9.7	70

262	Effects of prostate cancer screening on health-related quality of life: results of the Finnish arm of the European randomized screening trial (ERSPC). <i>Acta Oncologica</i> , 2013 , 52, 1615-21	3.2	14
261	Risk factors for skin cancer among Finnish airline cabin crew. <i>Annals of Occupational Hygiene</i> , 2013 , 57, 695-704		5
260	HOXB13 G84E mutation in Finland: population-based analysis of prostate, breast, and colorectal cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 452-60	4	67
259	Excess all-cause mortality in the evaluation of a screening trial to account for selective participation. <i>Journal of Medical Screening</i> , 2013 , 20, 39-45	1.4	9
258	A correlation study of eye lens dose and personal dose equivalent for interventional cardiologists. <i>Radiation Protection Dosimetry</i> , 2013 , 157, 561-9	0.9	57
257	Empirical evaluation of grouping of lower urinary tract symptoms: principal component analysis of Tampere Ageing Male Urological Study data. <i>BJU International</i> , 2013 , 111, 467-73	5.6	8
256	Histological inflammation and risk of subsequent prostate cancer among men with initially elevated serum prostate-specific antigen (PSA) concentration in the Finnish prostate cancer screening trial. <i>BJU International</i> , 2013 , 112, 735-41	5.6	48
255	CARING (CANCer Risk and INSulin analogues): the association of diabetes mellitus and cancer risk with focus on possible determinants - a systematic review and a meta-analysis. <i>Current Drug Safety</i> , 2013 , 8, 296-332	1.4	40
254	Use of insulin and insulin analogs and risk of cancer - systematic review and meta-analysis of observational studies. <i>Current Drug Safety</i> , 2013 , 8, 333-48	1.4	77
253	Smoking cessation intervention in rural Kerala, India: findings of a randomised controlled trial. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 6797-802	1.7	18
252	Multiple approaches and participation rate for a community based smoking cessation intervention trial in rural Kerala, India. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 2891-6	1.7	11
251	TU-A-116-10: Dosimetry Approach for a Retrospective Epidemiological Study On Eye Lens Dose to Interventional Cardiologists and the Occurrence of Radiation-Induced Lens Opacities. <i>Medical Physics</i> , 2013 , 40, 428-428	4.4	
250	Impacts of a population-based prostate cancer screening programme on excess total mortality rates in men with prostate cancer: a randomized controlled trial. <i>Journal of Medical Screening</i> , 2013 , 20, 33-38	1.4	3
249	The impact of interscreening interval and age on prostate cancer screening with prostate-specific antigen. <i>European Urology</i> , 2012 , 61, 1011-8	10.2	13
248	Prevalence of hesitancy in 30-80-year-old Finnish men: Tampere Ageing Male Urological Study (TAMUS). <i>BJU International</i> , 2012 , 109, 1360-4	5.6	7
247	A stochastic model for survival of early prostate cancer with adjustments for leadtime, length bias, and over-detection. <i>Biometrical Journal</i> , 2012 , 54, 20-44	1.5	9
246	Quality-of-life effects of prostate-specific antigen screening. <i>New England Journal of Medicine</i> , 2012 , 367, 595-605	59.2	279
245	Screening for prostate cancer decreases the risk of developing metastatic disease: findings from the European Randomized Study of Screening for Prostate Cancer (ERSPC). <i>European Urology</i> , 2012 , 62, 745-52	10.2	153

244	Prevalence and bother of postmicturition dribble in Finnish men aged 30-80 years: Tampere Ageing Male Urologic Study (TAMUS). <i>Scandinavian Journal of Urology and Nephrology</i> , 2012 , 46, 418-23		9
243	Panel discussion does not improve reliability of peer review for medical research grant proposals. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 47-52	5.7	45
242	Health coaching by telephony to support self-care in chronic diseases: clinical outcomes from The TERVA randomized controlled trial. <i>BMC Health Services Research</i> , 2012 , 12, 147	2.9	34
241	Mortality by clinical characteristics in a tertiary care cohort of adult patients with chronic epilepsy. <i>Epilepsia</i> , 2012 , 53, e212-4	6.4	35
240	Prostate-cancer mortality at 11 years of follow-up. <i>New England Journal of Medicine</i> , 2012 , 366, 981-90	59.2	875
239	Loss of SUFU function in familial multiple meningioma. <i>American Journal of Human Genetics</i> , 2012 , 91, 520-6	11	103
238	Number of screens for overdetection as an indicator of absolute risk of overdiagnosis in prostate cancer screening. <i>International Journal of Cancer</i> , 2012 , 131, 1367-75	7.5	14
237	Cancer incidence among Nordic airline cabin crew. <i>International Journal of Cancer</i> , 2012 , 131, 2886-97	7.5	39
236	Systematic review of wireless phone use and brain cancer and other head tumors. <i>Bioelectromagnetics</i> , 2012 , 33, 187-206	1.6	60
235	A nationwide cohort study on the incidence of meningioma in women using postmenopausal hormone therapy in Finland. <i>American Journal of Epidemiology</i> , 2012 , 175, 309-14	3.8	29
234	Mobile phone use and incidence of glioma in the Nordic countries 1979-2008: consistency check. <i>Epidemiology</i> , 2012 , 23, 301-7	3.1	81
233	Association of repeated exposure to antibiotics with the development of pediatric Crohn's disease--a nationwide, register-based Finnish case-control study. <i>American Journal of Epidemiology</i> , 2012 , 175, 775-84	3.8	121
232	False-positive screening results in the European randomized study of screening for prostate cancer. <i>European Journal of Cancer</i> , 2011 , 47, 2698-705	7.5	36
231	Number needed to screen--how can we project outside context?. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 1275-6	5.7	0
230	Smoking and bladder symptoms in women. <i>Obstetrics and Gynecology</i> , 2011 , 118, 643-648	4.9	36
229	No excess mortality after prostate biopsy: results from the European Randomized Study of Screening for Prostate Cancer. <i>BJU International</i> , 2011 , 107, 1912-7	5.6	26
228	The prevalence of clinically meaningful overactive bladder: bother and quality of life results from the population-based FINNO study. <i>European Urology</i> , 2011 , 59, 629-36	10.2	62
227	The association between antihypertensive drug use and incidence of prostate cancer in Finland: a population-based case-control study. <i>Cancer Causes and Control</i> , 2011 , 22, 1445-52	2.8	19

226	Validation of exposure assessment and assessment of recruitment methods for a prospective cohort study of mobile phone users (COSMOS) in Finland: a pilot study. <i>Environmental Health</i> , 2011 , 10, 14	6	11
225	Incidence trends of pediatric inflammatory bowel disease in Finland, 1987-2003, a nationwide study. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 1778-83	4.5	97
224	An international prospective cohort study of mobile phone users and health (Cosmos): design considerations and enrolment. <i>Cancer Epidemiology</i> , 2011 , 35, 37-43	2.8	51
223	Location of gliomas in relation to mobile telephone use: a case-case and case-specular analysis. <i>American Journal of Epidemiology</i> , 2011 , 174, 2-11	3.8	32
222	Prostate cancer screening: a survey of attitudes and practices among Finnish physicians in 1999 and 2007. <i>Journal of Medical Screening</i> , 2011 , 18, 46-9	1.4	6
221	Incidence trends of vestibular schwannomas in Denmark, Finland, Norway and Sweden in 1987-2007. <i>British Journal of Cancer</i> , 2011 , 105, 1069-75	8.7	22
220	Lens opacities among physicians occupationally exposed to ionizing radiation--a pilot study in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011 , 37, 237-43	4.3	51
219	False-positive screening results in the Finnish prostate cancer screening trial. <i>British Journal of Cancer</i> , 2010 , 102, 469-74	8.7	31
218	Why do men opt out of prostate-cancer screening? Attitudes and perception among participants and non-participants of a screening trial. <i>BJU International</i> , 2010 , 106, 472-7	5.6	8
217	Radiation doses from global fallout and cancer incidence among reindeer herders and Sami in Northern Finland. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 737-43	2.1	6
216	Response: Re: Time Trends in Brain Tumor Incidence Rates in Denmark, Finland, Norway, and Sweden, 1974-2003. <i>Journal of the National Cancer Institute</i> , 2010 , 102, 742-743	9.7	2
215	Author@ Response: Response to commentary: Meningioma and mobile phone use--a collaborative case-control study in five North European countries. <i>International Journal of Epidemiology</i> , 2010 , 39, 1115-1119	7.8	119
214	Interaction between 5 genetic variants and allergy in glioma risk. <i>American Journal of Epidemiology</i> , 2010 , 171, 1165-73	3.8	44
213	Prostate cancer and deprivation. <i>BMJ, The</i> , 2010 , 340, c2043	5.9	
212	A comprehensive study of the association between the EGFR and ERBB2 genes and glioma risk. <i>Acta Oncologica</i> , 2010 , 49, 767-75	3.2	59
211	Prostate cancer incidence and mortality trends in 37 European countries: an overview. <i>European Journal of Cancer</i> , 2010 , 46, 3040-52	7.5	225
210	Lead-time in the European Randomised Study of Screening for Prostate Cancer. <i>European Journal of Cancer</i> , 2010 , 46, 3102-8	7.5	49
209	Foreword: meeting the challenge of prostate cancer. <i>European Journal of Cancer</i> , 2010 , 46, 3037-9	7.5	2

208	Vitamin D supplementation for the prevention of acute respiratory tract infection: a randomized, double-blinded trial among young Finnish men. <i>Journal of Infectious Diseases</i> , 2010 , 202, 809-14	7	138
207	Evaluation of breast cancer service screening programme with a Bayesian approach: mortality analysis in a Finnish region. <i>Breast Cancer Research and Treatment</i> , 2010 , 121, 671-8	4.4	12
206	Estimation of natural history parameters of breast cancer based on non-randomized organized screening data: subsidiary analysis of effects of inter-screening interval, sensitivity, and attendance rate on reduction of advanced cancer. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 553-66	4.4	20
205	Cancer incidence in the vicinity of Finnish nuclear power plants: an emphasis on childhood leukemia. <i>Cancer Causes and Control</i> , 2010 , 21, 587-95	2.8	13
204	Exogenous sex hormone use and risk of meningioma: a population-based case-control study in Finland. <i>Cancer Causes and Control</i> , 2010 , 21, 2149-56	2.8	39
203	Nocturia frequency, bother, and quality of life: how often is too often? A population-based study in Finland. <i>European Urology</i> , 2010 , 57, 488-96	10.2	240
202	Balancing the harms and benefits of early detection of prostate cancer. <i>Cancer</i> , 2010 , 116, 4857-65	6.4	29
201	Prostate cancer and PSA among statin users in the Finnish prostate cancer screening trial. <i>International Journal of Cancer</i> , 2010 , 127, 1650-9	7.5	79
200	Results of the three rounds of the Finnish Prostate Cancer Screening Trial--the incidence of advanced cancer is decreased by screening. <i>International Journal of Cancer</i> , 2010 , 127, 1699-705	7.5	8
199	Time trends in brain tumor incidence rates in Denmark, Finland, Norway, and Sweden, 1974-2003. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1721-4	9.7	101
198	Prostate cancer incidence among finasteride and alpha-blocker users in the Finnish Prostate Cancer Screening Trial. <i>British Journal of Cancer</i> , 2009 , 101, 843-8	8.7	42
197	A systematic evaluation of factors associated with nocturia--the population-based FINNO study. <i>American Journal of Epidemiology</i> , 2009 , 170, 361-8	3.8	123
196	Test sensitivity in the European prostate cancer screening trial: results from Finland, Sweden, and the Netherlands. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2000-5	4	9
195	Prostate cancer mortality reduction by prostate-specific antigen-based screening adjusted for nonattendance and contamination in the European Randomised Study of Screening for Prostate Cancer (ERSPC). <i>European Urology</i> , 2009 , 56, 584-91	10.2	146
194	Long-term health outcomes in pediatric inflammatory bowel disease: a population-based study. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, 56-62	4.5	69
193	Biological aggressiveness of prostate cancer in the Finnish screening trial. <i>International Journal of Cancer</i> , 2009 , 124, 547-52	7.5	7
192	MNS16A minisatellite genotypes in relation to risk of glioma and meningioma and to glioblastoma outcome. <i>International Journal of Cancer</i> , 2009 , 125, 968-72	7.5	25
191	Mobile phone use and location of glioma: a case-case analysis. <i>Bioelectromagnetics</i> , 2009 , 30, 176-82	1.6	13

190	Identification of seven new prostate cancer susceptibility loci through a genome-wide association study. <i>Nature Genetics</i> , 2009 , 41, 1116-21	36.3	360
189	Retention rates of new antiepileptic drugs in localization-related epilepsy: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2009 , 119, 55-60	3.8	17
188	Determinants of mobile phone output power in a multinational study: implications for exposure assessment. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 664-71	2.1	51
187	CASP8 D302H and meningioma risk: an analysis of five case-control series. <i>Cancer Letters</i> , 2009 , 273, 312-5	9.9	15
186	More study needed on morning erections and erectile dysfunction. <i>American Journal of Medicine</i> , 2009 , 122, e7-8	2.4	
185	Quantifying the impact of selection bias caused by nonparticipation in a case-control study of mobile phone use. <i>Annals of Epidemiology</i> , 2009 , 19, 33-41	6.4	50
184	HER-2 positive breast cancer: decreasing proportion but stable incidence in Finnish population from 1982 to 2005. <i>Breast Cancer Research</i> , 2009 , 11, R37	8.3	20
183	Screening and prostate-cancer mortality in a randomized European study. <i>New England Journal of Medicine</i> , 2009 , 360, 1320-8	59.2	2828
182	Is the incidence of meningiomas underestimated? A regional survey. <i>British Journal of Cancer</i> , 2008 , 99, 182-4	8.7	31
181	Increased long-term cardiovascular morbidity among patients treated with radioactive iodine for hyperthyroidism. <i>Clinical Endocrinology</i> , 2008 , 68, 450-7	3.4	35
180	Diagnostic value of free prostate-specific antigen among men with a prostate-specific antigen level of . <i>European Urology</i> , 2008 , 54, 362-70	10.2	35
179	Asbestos-related pleural and lung fibrosis in patients with retroperitoneal fibrosis. <i>Orphanet Journal of Rare Diseases</i> , 2008 , 3, 29	4.2	7
178	Ionizing radiation and risk of chronic lymphocytic leukemia in the 15-country study of nuclear industry workers. <i>Radiation Research</i> , 2008 , 170, 661-5	3.1	30
177	Regular intercourse protects against erectile dysfunction: Tampere Aging Male Urologic Study. <i>American Journal of Medicine</i> , 2008 , 121, 592-6	2.4	37
176	Seizure-freedom with combination therapy in localization-related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2008 , 17, 276-80	3.2	11
175	Onset, prognosis and risk factors for widespread pain in schoolchildren: a prospective 4-year follow-up study. <i>Pain</i> , 2008 , 138, 681-687	8	82
174	Early detection of skin cancer as public health policy: comparison of campaign and routine activity. <i>Preventive Medicine</i> , 2008 , 46, 160-5	4.3	1
173	Cancer screening: evidence and practice in Europe 2008. <i>European Journal of Cancer</i> , 2008 , 44, 1404-13	7.5	83

172	Depressive symptoms increase the incidence of nocturia: Tampere Aging Male Urologic Study (TAMUS). <i>Journal of Urology</i> , 2008 , 179, 1897-901	2.5	44
171	The effects of lifestyle factors on the incidence of nocturia. <i>Journal of Urology</i> , 2008 , 180, 2059-62	2.5	36
170	Reproductive factors and risk of meningioma and glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2663-70	4	70
169	Functional polymorphisms in folate metabolism genes influence the risk of meningioma and glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1195-202	4	43
168	Comprehensive analysis of DNA repair gene variants and risk of meningioma. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 270-6	9.7	50
167	The common D302H variant of CASP8 is associated with risk of glioma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 987-9	4	39
166	Comprehensive analysis of the role of DNA repair gene polymorphisms on risk of glioma. <i>Human Molecular Genetics</i> , 2008 , 17, 800-5	5.6	64
165	Antidiabetic medication and prostate cancer risk: a population-based case-control study. <i>American Journal of Epidemiology</i> , 2008 , 168, 925-31	3.8	84
164	Meningioma and mobile phone use--a collaborative case-control study in five North European countries. <i>International Journal of Epidemiology</i> , 2008 , 37, 1304-13	7.8	54
163	XRCC1 and XRCC3 variants and risk of glioma and meningioma. <i>Journal of Neuro-Oncology</i> , 2008 , 88, 135-42	4.8	68
162	Reliability and validity of a bioimpedance measurement device in the assessment of UVR damage to the skin. <i>Archives of Dermatological Research</i> , 2008 , 300, 253-61	3.3	4
161	Assessment of causes of death in a prostate cancer screening trial. <i>International Journal of Cancer</i> , 2008 , 122, 413-7	7.5	39
160	Reducing overestimation in reported mobile phone use associated with epidemiological studies. <i>Bioelectromagnetics</i> , 2008 , 29, 559-63	1.6	24
159	Reproductive factors associated with nocturia and urinary urgency in women: a population-based study in Finland. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 153.e1-12	6.4	28
158	Clinical predictors in patients with refractory epilepsy exposed to levetiracetam: a single-center study. <i>Acta Neurologica Scandinavica</i> , 2008 , 117, 332-6	3.8	2
157	Bidirectional relationship between depression and erectile dysfunction. <i>Journal of Urology</i> , 2007 , 177, 669-73	2.5	86
156	Is the prevalence of overactive bladder overestimated? A population-based study in Finland. <i>PLoS ONE</i> , 2007 , 2, e195	3.7	51
155	Medical history, cigarette smoking and risk of acoustic neuroma: an international case-control study. <i>International Journal of Cancer</i> , 2007 , 120, 103-10	7.5	27

154	Mobile phone use and risk of glioma in 5 North European countries. <i>International Journal of Cancer</i> , 2007 , 120, 1769-75	7.5	113
153	Increased cancer incidence after radioiodine treatment for hyperthyroidism. <i>Cancer</i> , 2007 , 109, 1972-9	6.4	94
152	Specificity of serum prostate-specific antigen determination in the Finnish prostate cancer screening trial. <i>British Journal of Cancer</i> , 2007 , 96, 56-60	8.7	17
151	Angiosarcoma after radiotherapy: a cohort study of 332,163 Finnish cancer patients. <i>British Journal of Cancer</i> , 2007 , 97, 115-7	8.7	64
150	Risk factors for development of non-specific musculoskeletal pain in preteens and early adolescents: a prospective 1-year follow-up study. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 46	2.8	81
149	Impact of LUTS using bother index in DAN-PSS-1 questionnaire. <i>European Urology</i> , 2007 , 51, 473-7; discussion 477-8	10.2	22
148	KLF6 IVS1 -27G>A variant and the risk of prostate cancer in Finland. <i>European Urology</i> , 2007 , 52, 1076-81	10.2	12
147	Genetic variation in p53 and ATM haplotypes and risk of glioma and meningioma. <i>Journal of Neuro-Oncology</i> , 2007 , 82, 229-37	4.8	48
146	The INTERPHONE study: design, epidemiological methods, and description of the study population. <i>European Journal of Epidemiology</i> , 2007 , 22, 647-64	12.1	189
145	An international case-control study of interleukin-4Ralpha, interleukin-13, and cyclooxygenase-2 polymorphisms and glioblastoma risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2448-54 [†]	4	49
144	Cardiovascular drug use and the incidence of erectile dysfunction. <i>International Journal of Impotence Research</i> , 2007 , 19, 208-12	2.3	37
143	Incidence of gliomas by anatomic location. <i>Neuro-Oncology</i> , 2007 , 9, 319-25	1	175
142	An international case-control study of glutathione transferase and functionally related polymorphisms and risk of primary adult brain tumors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 559-65	4	49
141	Erectile dysfunction influences the subsequent incidence of lower urinary tract symptoms and bother. <i>International Journal of Impotence Research</i> , 2007 , 19, 317-20	2.3	24
140	Increased cardiovascular and cancer mortality after radioiodine treatment for hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2190-6	5.6	113
139	Mortality from diseases other than cancer following low doses of ionizing radiation: results from the 15-Country Study of nuclear industry workers. <i>International Journal of Epidemiology</i> , 2007 , 36, 1126-35 [†]	7.8	110
138	Interpreting trends in prostate cancer incidence and mortality in the five Nordic countries. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1881-7	9.7	142
137	Cholesterol-lowering drugs and prostate cancer risk: a population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 2226-32	4	148

136	Allergic conditions and brain tumor risk. <i>American Journal of Epidemiology</i> , 2007 , 166, 941-50	3.8	97
135	Sensitivity in cancer screening. <i>Journal of Medical Screening</i> , 2007 , 14, 174-7	1.4	44
134	An association of serum vitamin D concentrations American Journal of Clinical Nutrition, 2007 , 86, 714-77		301
133	Estimating the cosmic radiation dose for a cabin crew with flight timetables. <i>Journal of Occupational and Environmental Medicine</i> , 2007 , 49, 540-5	2	10
132	Prostate cancer risk among users of finasteride and alpha-blockers - a population based case-control study. <i>European Journal of Cancer</i> , 2007 , 43, 775-81	7.5	10
131	The 15-Country Collaborative Study of Cancer Risk Among Radiation Workers in the Nuclear Industry: design, epidemiological methods and descriptive results. <i>Radiation Research</i> , 2007 , 167, 361-79 ^{3.1}		100
130	The 15-Country Collaborative Study of Cancer Risk among Radiation Workers in the Nuclear Industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 2007 , 167, 396-416	3.1	1025
129	Kidney toxicity of ingested uranium from drinking water. <i>American Journal of Kidney Diseases</i> , 2006 , 47, 972-82	7.4	149
128	Risk factors for traumatic and non-traumatic lower limb pain among preadolescents: a population-based study of Finnish schoolchildren. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 3	2.8	23
127	Incidence of bone and soft tissue sarcoma after radiotherapy: a cohort study of 295,712 Finnish cancer patients. <i>International Journal of Cancer</i> , 2006 , 118, 1017-21	7.5	59
126	Cancer risk among Chernobyl cleanup workers in Estonia and Latvia, 1986-1998. <i>International Journal of Cancer</i> , 2006 , 119, 162-8	7.5	36
125	Nocturia and obesity: a population-based study in Finland. <i>American Journal of Epidemiology</i> , 2006 , 163, 1003-11	3.8	49
124	Validation of short term recall of mobile phone use for the Interphone study. <i>Occupational and Environmental Medicine</i> , 2006 , 63, 237-43	2.1	103
123	Congenital structural anomalies in offspring of women with epilepsy--a population-based cohort study in Finland. <i>International Journal of Epidemiology</i> , 2006 , 35, 280-7	7.8	32
122	Effect of nonsteroidal anti-inflammatory drug use on the incidence of erectile dysfunction. <i>Journal of Urology</i> , 2006 , 175, 1812-5; discussion 1815-6	2.5	42
121	Is nocturia equally common among men and women? A population based study in Finland. <i>Journal of Urology</i> , 2006 , 175, 596-600	2.5	107
120	Incidence of nocturia in 50 to 80-year-old Finnish men. <i>Journal of Urology</i> , 2006 , 176, 2541-5; discussion 2545	2.5	39
119	Population exposure to ultraviolet radiation in Finland 1920-1995: Exposure trends and a time-series analysis of exposure and cutaneous melanoma incidence. <i>Environmental Research</i> , 2006 , 101, 123-31	7.9	21

118	Well water radioactivity and risk of cancers of the urinary organs. <i>Environmental Research</i> , 2006 , 102, 333-8	7.9	53
117	No increase in thyroid cancer among children and adolescents in Finland due to Chernobyl accident. <i>European Journal of Cancer</i> , 2006 , 42, 1167-71	7.5	14
116	Smoking causes erectile dysfunction through vascular disease. <i>Urology</i> , 2006 , 68, 1318-22	1.6	12
115	Antiepileptic drug use and birth rate in patients with epilepsy--a population-based cohort study in Finland. <i>Human Reproduction</i> , 2006 , 21, 2290-5	5.7	29
114	Epidemiological risk assessment of mobile phones and cancer: where can we improve?. <i>European Journal of Cancer Prevention</i> , 2006 , 15, 516-23	2	19
113	Reply: Mobile phone use and acoustic neuroma in five North European countries. <i>British Journal of Cancer</i> , 2006 , 94, 1352-1353	8.7	2
112	Vitamin D fortification as public health policy: significant improvement in vitamin D status in young Finnish men. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 1035-8	5.2	79
111	Incidence of inflammatory bowel disease in Finnish children, 1987-2003. <i>Inflammatory Bowel Diseases</i> , 2006 , 12, 677-83	4.5	137
110	Female predominance in meningiomas can not be explained by differences in progesterone, estrogen, or androgen receptor expression. <i>Journal of Neuro-Oncology</i> , 2006 , 80, 1-7	4.8	88
109	Cancer incidence among physicians occupationally exposed to ionizing radiation in Finland. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 368-73	4.3	16
108	Meta-analysis of mobile phone use and intracranial tumors. <i>Scandinavian Journal of Work, Environment and Health</i> , 2006 , 32, 171-7	4.3	35
107	Prevalence of clinically confirmed interstitial cystitis in women: a population based study in Finland. <i>Journal of Urology</i> , 2005 , 174, 581-3	2.5	69
106	Effect of lower urinary tract symptoms on the incidence of erectile dysfunction. <i>Journal of Urology</i> , 2005 , 174, 205-9; discussion 209	2.5	39
105	Serum IgA, IgG, and IgM concentrations in patients with epilepsy and matched controls: a cohort-based cross-sectional study. <i>Epilepsy and Behavior</i> , 2005 , 6, 191-5	3.2	22
104	Celiac disease-related antibodies in an epilepsy cohort and matched reference population. <i>Epilepsy and Behavior</i> , 2005 , 6, 388-92	3.2	33
103	Antimitochondrial antibodies in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2005 , 7, 95-7	3.2	9
102	Retention rate of oxcarbazepine monotherapy in an unselected population of adult epileptics. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2005 , 14, 72-4	3.2	9
101	Selection bias due to differential participation in a case-control study of mobile phone use and brain tumors. <i>Annals of Epidemiology</i> , 2005 , 15, 321-5	6.4	46

100	Urine, hair, and nails as indicators for ingestion of uranium in drinking water. <i>Health Physics</i> , 2005 , 88, 229-42	2.3	54
99	Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries. <i>British Journal of Cancer</i> , 2005 , 93, 842-8	8.7	148
98	Relationship between smoking and erectile dysfunction. <i>International Journal of Impotence Research</i> , 2005 , 17, 164-9	2.3	19
97	Association between the bothersomeness of lower urinary tract symptoms and the prevalence of erectile dysfunction. <i>Journal of Sexual Medicine</i> , 2005 , 2, 438-44	1.1	23
96	Radon and other natural radionuclides in drinking water and risk of stomach cancer: a case-cohort study in Finland. <i>International Journal of Cancer</i> , 2005 , 114, 109-13	7.5	62
95	Incidence of intracranial meningiomas in Denmark, Finland, Norway and Sweden, 1968-1997. <i>International Journal of Cancer</i> , 2005 , 117, 996-1001	7.5	76
94	Validity and reliability of the proposed American College of Rheumatology neuropsychological battery for systemic lupus erythematosus: comment on the article by Kozora et al. <i>Arthritis and Rheumatism</i> , 2005 , 53, 478-9; author reply 479-80		0
93	Antiepileptic drug use of women with epilepsy and congenital malformations in offspring. <i>Neurology</i> , 2005 , 64, 1874-8	6.5	239
92	Bone as a possible target of chemical toxicity of natural uranium in drinking water. <i>Environmental Health Perspectives</i> , 2005 , 113, 68-72	8.4	174
91	Treatment delay and the risk of prolonged status epilepticus. <i>Neurology</i> , 2005 , 65, 1316-8	6.5	115
90	Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. <i>BMJ, The</i> , 2005 , 330, 223	5.9	970
89	Lower limb pain in a preadolescent population: prognosis and risk factors for chronicity--a prospective 1- and 4-year follow-up study. <i>Pediatrics</i> , 2005 , 116, 673-81	7.4	59
88	Breast cancer risk among Finnish cabin attendants: a nested case-control study. <i>Occupational and Environmental Medicine</i> , 2005 , 62, 488-93	2.1	48
87	Changes in prevalence of urinary symptoms in Finnish men--a population-based 5-year follow-up study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004 , 38, 378-84		15
86	Second round results of the Finnish population-based prostate cancer screening trial. <i>Clinical Cancer Research</i> , 2004 , 10, 2231-6	12.9	33
85	Birth rate among patients with epilepsy: a nationwide population-based cohort study in Finland. <i>American Journal of Epidemiology</i> , 2004 , 159, 1057-63	3.8	54
84	A randomized trial of choice of treatment in prostate cancer: the effect of intervention on the treatment chosen. <i>BJU International</i> , 2004 , 93, 52-6; discussion 56	5.6	67
83	Effect of life-style factors on incidence of erectile dysfunction. <i>International Journal of Impotence Research</i> , 2004 , 16, 389-94	2.3	54

82	Effects of age, comorbidity and lifestyle factors on erectile function: Tampere Ageing Male Urological Study (TAMUS). <i>European Urology</i> , 2004 , 45, 628-33	10.2	39
81	Cosmic radiation and cancer mortality among airline pilots: results from a European cohort study (ESCAPE). <i>Radiation and Environmental Biophysics</i> , 2004 , 42, 247-56	2	62
80	CHEK2 1100delC is not a risk factor for male breast cancer population. <i>International Journal of Cancer</i> , 2004 , 108, 475-6	7.5	46
79	Incidence trends of adult primary intracerebral tumors in four Nordic countries. <i>International Journal of Cancer</i> , 2004 , 108, 450-5	7.5	83
78	Algorithms based on prostate-specific antigen (PSA), free PSA, digital rectal examination and prostate volume reduce false-positive PSA results in prostate cancer screening. <i>International Journal of Cancer</i> , 2004 , 111, 310-5	7.5	57
77	Frequent amplification and overexpression of CCND1 in male breast cancer. <i>International Journal of Cancer</i> , 2004 , 111, 968-71	7.5	22
76	Test sensitivity of prostate-specific antigen in the Finnish randomised prostate cancer screening trial. <i>International Journal of Cancer</i> , 2004 , 111, 940-3	7.5	15
75	Anticardiolipin and antinuclear antibodies in epilepsy--a population-based cross-sectional study. <i>Epilepsy Research</i> , 2004 , 58, 13-8	3	36
74	BRCA2 mutations in 154 finnish male breast cancer patients. <i>Neoplasia</i> , 2004 , 6, 541-5	6.4	31
73	Prognosis of non-specific musculoskeletal pain in preadolescents: a prospective 4-year follow-up study till adolescence. <i>Pain</i> , 2004 , 110, 550-559	8	160
72	Asbestos exposure as a risk factor for retroperitoneal fibrosis. <i>Lancet, The</i> , 2004 , 363, 1422-6	40	129
71	Occupational radiation dose estimation for Finnish aircraft cabin attendants. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004 , 30, 157-63	4.3	9
70	Hereditary minisatellite mutations among the offspring of Estonian Chernobyl cleanup workers. <i>Radiation Research</i> , 2003 , 159, 651-5	3.1	43
69	Androgen receptor gene alterations in Finnish male breast cancer. <i>Breast Cancer Research and Treatment</i> , 2003 , 77, 167-70	4.4	27
68	Mortality from cancer and other causes among male airline cockpit crew in Europe. <i>International Journal of Cancer</i> , 2003 , 106, 946-52	7.5	84
67	The rationale for the ERSPC trial: will it improve the knowledge base on prostate cancer screening?. <i>BJU International</i> , 2003 , 92 Suppl 2, 14-6	5.6	4
66	Prevalence and severity of erectile dysfunction in 50 to 75-year-old Finnish men. <i>Journal of Urology</i> , 2003 , 170, 2342-4	2.5	42
65	Effect of chronic diseases on incidence of erectile dysfunction. <i>Urology</i> , 2003 , 62, 1097-102	1.6	36

64	Interstitial cystitis-like urinary symptoms among patients with Sjögren's syndrome: a population-based study in Finland. <i>American Journal of Medicine</i> , 2003 , 115, 62-5	2.4	109
63	Geographical differences in the prevalence of hypospadias in Finland. <i>Environmental Research</i> , 2003 , 92, 118-23	7.9	12
62	Cognitive impairment in systemic lupus erythematosus and neuropsychiatric systemic lupus erythematosus: a population-based neuropsychological study. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 145-51	2.1	49
61	Reliability and validity of prostate-specific antigen. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 1705; author reply 1705-6	27.4	
60	Mortality from cancer and other causes among airline cabin attendants in Europe: a collaborative cohort study in eight countries. <i>American Journal of Epidemiology</i> , 2003 , 158, 35-46	3.8	70
59	Tumor characteristics in a population-based prostate cancer screening trial with prostate-specific antigen. <i>Clinical Cancer Research</i> , 2003 , 9, 2435-9	12.9	17
58	Cancer incidence among 10,211 airline pilots: a Nordic study. <i>Aviation, Space, and Environmental Medicine</i> , 2003 , 74, 699-706		41
57	Renal effects of uranium in drinking water. <i>Environmental Health Perspectives</i> , 2002 , 110, 337-42	8.4	296
56	Estimation of prostate cancer risk on the basis of total and free prostate-specific antigen, prostate volume and digital rectal examination. <i>European Urology</i> , 2002 , 41, 619-26; discussion 626-7	10.2	40
55	Large-scale randomized prostate cancer screening trials: program performances in the European Randomized Screening for Prostate Cancer trial and the Prostate, Lung, Colorectal and Ovary cancer trial. <i>International Journal of Cancer</i> , 2002 , 97, 237-44	7.5	200
54	Should we start population screening for prostate cancer? Randomised trials are still needed. <i>International Journal of Cancer</i> , 2002 , 97, 377-8	7.5	12
53	Haemophilus influenzae type b vaccine formulation and risk of childhood leukaemia. <i>British Journal of Cancer</i> , 2002 , 87, 511-2	8.7	8
52	Lead-time in prostate cancer screening (Finland). <i>Cancer Causes and Control</i> , 2002 , 13, 279-85	2.8	49
51	Uranium and other natural radionuclides in drinking water and risk of leukemia: a case-cohort study in Finland. <i>Cancer Causes and Control</i> , 2002 , 13, 825-9	2.8	43
50	Incidence of cancer among Nordic airline pilots over five decades: occupational cohort study. <i>BMJ, The</i> , 2002 , 325, 567	5.9	109
49	Brain tumors and salivary gland cancers among cellular telephone users. <i>Epidemiology</i> , 2002 , 13, 356-9	3.1	179
48	Family history and prostate cancer screening with prostate-specific antigen. <i>Journal of Clinical Oncology</i> , 2002 , 20, 2658-63	2.2	35
47	Risk of subsequent cancer following breast cancer in men. <i>Journal of the National Cancer Institute</i> , 2002 , 94, 1330-2	9.7	64

46	Cancer incidence among Finnish nuclear reactor workers. <i>Journal of Occupational and Environmental Medicine</i> , 2002 , 44, 634-8	2	9
45	Acceptability and complications of prostate biopsy in population-based PSA screening versus routine clinical practice: a prospective, controlled study. <i>Urology</i> , 2002 , 60, 846-50	1.6	62
44	Prevalence of Symptoms Related to Interstitial Cystitis in Women: A Population Based Study in Finland. <i>Journal of Urology</i> , 2002 , 168, 139-143	2.5	99
43	Randomized screening trial for prostate cancer in Finland. <i>European Urology</i> , 2001 , 39 Suppl 4, 32	10.2	4
42	A randomized trial of the choice of treatment in prostate cancer: design and baseline characteristics. <i>BJU International</i> , 2001 , 88, 708-15	5.6	21
41	Validity of the new American College of Rheumatology criteria for neuropsychiatric lupus syndromes: a population-based evaluation. <i>Arthritis and Rheumatism</i> , 2001 , 45, 419-23		228
40	Mortality after cerebral angiography with or without radioactive Thorotrast: an international cohort of 3,143 two-year survivors. <i>Radiation Research</i> , 2001 , 156, 136-50	3.1	20
39	Three-year results of the Finnish prostate cancer screening trial. <i>Journal of the National Cancer Institute</i> , 2001 , 93, 552-3	9.7	36
38	PREDICTORS OF BIOLOGICAL AGGRESSIVENESS OF PROSTATE SPECIFIC ANTIGEN SCREENING DETECTED PROSTATE CANCER. <i>Journal of Urology</i> , 2001 , 165, 1569-1574	2.5	8
37	Prostate cancer screening. <i>Lancet, The</i> , 2001 , 357, 1201; author reply 1201-2	4.0	1
36	Epidemiologic studies of pilots and aircrew. <i>Health Physics</i> , 2000 , 79, 576-84	2.3	40
35	Haemophilus influenzae type B vaccination and risk of childhood leukaemia in a vaccine trial in Finland. <i>British Journal of Cancer</i> , 2000 , 83, 956-8	8.7	25
34	Extremely low-frequency magnetic fields and childhood acute lymphoblastic leukemia: an exploratory analysis of alternative exposure metrics. <i>American Journal of Epidemiology</i> , 2000 , 152, 20-31	3.8	28
33	Antiphospholipid and antinuclear antibodies in patients with epilepsy or new-onset seizure disorders. <i>American Journal of Medicine</i> , 2000 , 109, 712-7	2.4	77
32	Predicting the outcome of prostate biopsy in screen-positive men by a multilayer perceptron network. <i>Urology</i> , 2000 , 56, 418-22	1.6	120
31	USE OF THE COMPLEX BETWEEN PROSTATE SPECIFIC ANTIGEN AND β -PROTEASE INHIBITOR FOR SCREENING PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 164, 1956-1960	2.5	26
30	Insulin-Like Growth Factor I Is Not a Useful Marker of Prostate Cancer in Men with Elevated Levels of Prostate-Specific Antigen. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 2744-2747	5.6	55
29	Do confounding or selection factors of residential wiring codes and magnetic fields distort findings of electromagnetic fields studies?. <i>Epidemiology</i> , 2000 , 11, 189-98	3.1	62

28	USE OF THE COMPLEX BETWEEN PROSTATE SPECIFIC ANTIGEN AND ??1-PROTEASE INHIBITOR FOR SCREENING PROSTATE CANCER. <i>Journal of Urology</i> , 2000 , 1956-1960	2.5	2
27	Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland. <i>Environmental Health Perspectives</i> , 1999 , 107, 705-10	8.4	173
26	European randomized study of prostate cancer screening: first-year results of the Finnish trial. <i>British Journal of Cancer</i> , 1999 , 79, 1210-4	8.7	60
25	Cancer risk following radiotherapy for infertility or menstrual disorders. <i>International Journal of Cancer</i> , 1999 , 82, 795-8	7.5	8
24	Rationale for randomised trials of prostate cancer screening. The International Prostate Screening Trial Evaluation Group. <i>European Journal of Cancer</i> , 1999 , 35, 262-71	7.5	49
23	Temporal and Other Exposure Aspects of Residential Magnetic Fields Measurement in Relation to Acute Lymphoblastic Leukaemia in Children: The National Cancer Institute Children's Cancer Group Study. <i>Radiation Protection Dosimetry</i> , 1999 , 83, 53-60	0.9	3
22	Do Recorded Doses Overestimate True Doses Received by Chernobyl Cleanup Workers? Results of Cytogenetic Analyses of Estonian Workers by Fluorescence In Situ Hybridization. <i>Radiation Research</i> , 1998 , 150, 237	3.1	40
21	Measuring social class differences in cancer patient survival: is it necessary to control for social class differences in general population mortality? A Finnish population-based study. <i>Journal of Epidemiology and Community Health</i> , 1998 , 52, 727-34	5.1	47
20	Hysterectomy and subsequent risk of cancer. <i>International Journal of Epidemiology</i> , 1997 , 26, 476-83	7.8	22
19	Haematological toxicity: a marker of adjuvant chemotherapy efficacy in stage II and III breast cancer. <i>British Journal of Cancer</i> , 1997 , 75, 301-5	8.7	106
18	Biodosimetry of Chernobyl Cleanup Workers from Estonia and Latvia Using the Glycophorin A In Vivo Somatic Cell Mutation Assay. <i>Radiation Research</i> , 1997 , 147, 215	3.1	32
17	Thyroid Nodularity and Cancer among Chernobyl Cleanup Workers from Estonia. <i>Radiation Research</i> , 1997 , 147, 225	3.1	32
16	The Estonian Study of Chernobyl Cleanup Workers: I. Design and Questionnaire Data. <i>Radiation Research</i> , 1997 , 147, 641	3.1	13
15	The Estonian Study of Chernobyl Cleanup Workers: II. Incidence of Cancer and Mortality. <i>Radiation Research</i> , 1997 , 147, 653	3.1	47
14	Prospective evaluation plan for randomised trials of prostate cancer screening. The International Prostate Cancer Screening Trial Evaluation Group. <i>Journal of Medical Screening</i> , 1996 , 3, 97-104	1.4	85
13	Lung cancer risk from indoor radon. <i>Lancet, The</i> , 1996 , 348, 1662-3	4.0	0
12	Retrospective dose estimates in Estonian Chernobyl clean-up workers by means of FISH. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1996 , 369, 7-12		15
11	Screening for prostate cancer using serum prostate-specific antigen: a randomised, population-based pilot study in Finland. <i>British Journal of Cancer</i> , 1996 , 74, 568-72	8.7	23

10	Prevalence of symptoms among patients with advanced cancer: an international collaborative study. Symptom Prevalence Group. <i>Journal of Pain and Symptom Management</i> , 1996 , 12, 3-10	4.8	376
9	Breast self-examination and survival from breast cancer: a prospective follow-up study. <i>Breast Cancer Research and Treatment</i> , 1996 , 38, 161-8	4.4	23
8	Cancer consequences of the Chernobyl accident in Europe outside the former USSR: a review. <i>International Journal of Cancer</i> , 1996 , 67, 343-52	7.5	36
7	Indoor radon exposure and risk of lung cancer: a nested case-control study in Finland. <i>Journal of the National Cancer Institute</i> , 1996 , 88, 966-72	9.7	83
6	Glycophorin A biodosimetry in Chernobyl cleanup workers from the Baltic countries. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1078-9		18
5	Social class and cancer patient survival in Finland. <i>American Journal of Epidemiology</i> , 1995 , 142, 1089-1023.8		67
4	Incidence of cancer among Finnish airline cabin attendants, 1967-92. <i>BMJ: British Medical Journal</i> , 1995 , 311, 649-52		150
3	Overexpression of p53 and long-term survival in colon carcinoma. <i>British Journal of Cancer</i> , 1994 , 70, 293-6	8.7	70
2	Colon cancer survival in Finland. <i>Cancer</i> , 1993 , 71, 2884-5	6.4	
1	Social class and colon cancer survival in Finland. <i>Cancer</i> , 1992 , 70, 402-9	6.4	48