

# Mario Gennaro Mazza

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/771990/publications.pdf>

Version: 2024-02-01

31  
papers

2,739  
citations

471371

17  
h-index

414303

32  
g-index

33  
all docs

33  
docs citations

33  
times ranked

3239  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anxiety and depression in COVID-19 survivors: Role of inflammatory and clinical predictors. <i>Brain, Behavior, and Immunity</i> , 2020, 89, 594-600.	2.0	1,118
2	Persistent psychopathology and neurocognitive impairment in COVID-19 survivors: Effect of inflammatory biomarkers at three-month follow-up. <i>Brain, Behavior, and Immunity</i> , 2021, 94, 138-147.	2.0	299
3	Mental disorders and risk of COVID-19-related mortality, hospitalisation, and intensive care unit admission: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2021, 8, 797-812.	3.7	202
4	Neutrophil/lymphocyte ratio and platelet/lymphocyte ratio in mood disorders: A meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 84, 229-236.	2.5	183
5	Residual clinical damage after COVID-19: A retrospective and prospective observational cohort study. <i>PLoS ONE</i> , 2020, 15, e0239570.	1.1	129
6	Neutrophil-lymphocyte ratio, monocyte-lymphocyte ratio and platelet-lymphocyte ratio in non-affective psychosis: A meta-analysis and systematic review. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 326-338.	1.3	95
7	Prevalence of co-occurring psychiatric disorders in adults and adolescents with intellectual disability: A systematic review and meta-analysis. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2020, 33, 126-138.	1.3	86
8	Post-COVID-19 Depressive Symptoms: Epidemiology, Pathophysiology, and Pharmacological Treatment. <i>CNS Drugs</i> , 2022, 36, 681-702.	2.7	83
9	Uric acid levels in subjects with bipolar disorder: A comparative meta-analysis. <i>Journal of Psychiatric Research</i> , 2016, 81, 133-139.	1.5	68
10	Long-term consequences of COVID-19 on cognitive functioning up to 6 months after discharge: role of depression and impact on quality of life. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 773-782.	1.8	67
11	Brain correlates of depression, post-traumatic distress, and inflammatory biomarkers in COVID-19 survivors: A multimodal magnetic resonance imaging study. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2021, 18, 100387.	1.3	57
12	One-year mental health outcomes in a cohort of COVID-19 survivors. <i>Journal of Psychiatric Research</i> , 2022, 145, 118-124.	1.5	57
13	A peripheral inflammatory signature discriminates bipolar from unipolar depression: A machine learning approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 105, 110136.	2.5	49
14	Cross-sectional study of neutrophil-lymphocyte, platelet-lymphocyte and monocyte-lymphocyte ratios in mood disorders. <i>General Hospital Psychiatry</i> , 2019, 58, 7-12.	1.2	46
15	Rapid response to selective serotonin reuptake inhibitors in post-COVID depression. <i>European Neuropsychopharmacology</i> , 2022, 54, 1-6.	0.3	37
16	Monocyte count in schizophrenia and related disorders: a systematic review and meta-analysis. <i>Acta Neuropsychiatrica</i> , 2020, 32, 229-236.	1.0	28
17	Higher baseline interleukin-1 $\beta$ and TNF- $\alpha$ hamper antidepressant response in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2021, 42, 35-44.	0.3	25
18	Antidepressant psychopharmacology: is inflammation a future target?. <i>International Clinical Psychopharmacology</i> , 2022, 37, 79-81.	0.9	17

#	ARTICLE	IF	CITATIONS
19	Proinflammatory Cytokines Predict Brain Metabolite Concentrations in the Anterior Cingulate Cortex of Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 590095.	1.3	16
20	Lower levels of glutathione in the anterior cingulate cortex associate with depressive symptoms and white matter hyperintensities in COVID-19 survivors. <i>European Neuropsychopharmacology</i> , 2022, 61, 71-77.	0.3	13
21	White matter alterations associate with onset symptom dimension in obsessive-compulsive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2018, 72, 13-27.	1.0	10
22	Vortioxetine overdose in a suicidal attempt. <i>Medicine (United States)</i> , 2018, 97, e10788.	0.4	8
23	Cognitive remediation therapy for post-acute persistent cognitive deficits in COVID-19 survivors: A proof-of-concept study. <i>Neuropsychological Rehabilitation</i> , 2023, 33, 1207-1224.	1.0	8
24	A single nucleotide polymorphism in SLC1A1 gene is associated with age of onset of obsessive-compulsive disorder. <i>European Psychiatry</i> , 2014, 29, 301-303.	0.1	7
25	Machine learning approaches for prediction of bipolar disorder based on biological, clinical and neuropsychological markers: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 135, 104552.	2.9	7
26	Neutrophil-lymphocyte, monocyte-lymphocyte and platelet-lymphocyte ratio in schizoaffective disorder compared to schizophrenia. <i>General Hospital Psychiatry</i> , 2019, 61, 86-87.	1.2	6
27	Mood-congruent negative thinking styles and cognitive vulnerability in depressed COVID-19 survivors: A comparison with major depressive disorder. <i>Journal of Affective Disorders</i> , 2022, 308, 554-561.	2.0	6
28	Higher Interleukin 13 differentiates patients with a positive history of suicide attempts in major depressive disorder. <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100254.	0.9	5
29	A Nomogram-Based Model to Predict Respiratory Dysfunction at 6 Months in Non-Critical COVID-19 Survivors. <i>Frontiers in Medicine</i> , 2022, 9, 781410.	1.2	3
30	Antipsychotics and COVID-19: the debate goes on – Authors' reply. <i>Lancet Psychiatry</i> , 2021, 8, 1030-1031.	3.7	2
31	Comment on: ‘Fluvoxamine for the Early Treatment of SARS-CoV-2 Infection: A Review of Current Evidence’. <i>Drugs</i> , 2022, 82, 349.	4.9	1