Dorde Jevtovic

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7720713/dorde-jevtovic-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64 669 13 24 g-index

68 788 3.8 3.38 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
64	Helicobacter pylori infection rates in dyspeptic Serbian HIV-infected patients compared to HIV-negative controls. <i>PLoS ONE</i> , 2021 , 16, e0248041	3.7	2
63	Correlation between metabolic syndrome and relative telomere length shortening in HIV/AIDS patients on combined antiretroviral therapy. <i>Experimental Gerontology</i> , 2021 , 147, 111269	4.5	1
62	The treatment outcome of chronic HBV infection among HBV/HIV co-infected and HBV mono-infected patients. <i>International Journal of STD and AIDS</i> , 2020 , 31, 38-45	1.4	2
61	Influence of SLCO1B1 polymorphisms on lopinavir C in Serbian HIV/AIDS patients. <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 1289-1295	3.8	3
60	Severe hepatotoxicity induced by efavirenz in a treatment-nalle, low body mass index HIV-infected, female patient with no hepatitis and other virus co-infections. <i>Ultrastructural Pathology</i> , 2019 , 43, 220	-2 2 3	2
59	Exploring Evolutionary and Transmission Dynamics of HIV Epidemic in Serbia: Bridging Socio-Demographic With Phylogenetic Approach. <i>Frontiers in Microbiology</i> , 2019 , 10, 287	5.7	5
58	Analysis of variability of urinary excreted JC virus strains in patients infected with HIV and healthy donors. <i>Journal of NeuroVirology</i> , 2018 , 24, 305-313	3.9	2
57	Uptake of tenofovir-based antiretroviral therapy among HIV-HBV-coinfected patients in the EuroSIDA study. <i>Antiviral Therapy</i> , 2018 , 23, 405-413	1.6	2
56	Oral teicoplanin versus oral vancomycin for the treatment of severe Clostridium difficile infection: a prospective observational study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2018 , 37, 745-754	5.3	12
55	Higher Levels of Cystatin C in HIV/AIDS Patients with Metabolic Syndrome. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 396-401	3.1	6
54	Association of tuberculosis and tricuspid valve endocarditis in AIDS patient with Ebstein heart anomaly. <i>Journal of Infection in Developing Countries</i> , 2018 , 11, 967-970	2.3	
53	Influenza A H1N1 virus infection among pregnant women in a tertiary hospital in Belgrade, Serbia. <i>Journal of Infection in Developing Countries</i> , 2018 , 12, 380-384	2.3	0
52	Aging and the evolution of comorbidities among HIV-positive individuals in a European cohort. <i>Aids</i> , 2018 , 32, 2405-2416	3.5	43
51	Correlation between PAI-1, leptin and ferritin with HOMA in HIV/AIDS patients. <i>Experimental and Molecular Pathology</i> , 2018 , 105, 115-119	4.4	1
50	Ageing with HIV - a periodontal perspective. <i>New Microbiologica</i> , 2018 , 41, 61-66	1.1	2
49	Correlation of Leptin, Adiponectin, and Resistin Levels in Different Types of Lipodystrophy in HIV/AIDS Patients. <i>Metabolic Syndrome and Related Disorders</i> , 2017 , 15, 153-159	2.6	4
48	Lower levels of IL-4 and IL-10 influence lipodystrophy in HIV/AIDS patients under antiretroviral therapy. <i>Experimental and Molecular Pathology</i> , 2017 , 102, 210-214	4.4	4

(2014-2017)

47	Forensic application of phylogenetic analyses - Exploration of suspected HIV-1 transmission case. <i>Forensic Science International: Genetics</i> , 2017 , 27, 100-105	4.3	7
46	Intravenous drug use - an independent predictor for HCV genotypes 3 and 4 infection among HIV/HCV co-infected patients. <i>Archives of Medical Science</i> , 2017 , 13, 652-658	2.9	12
45	High Frequency of Human Leukocyte Antigen-B*57:01 Allele Carriers among HIV-Infected Patients in Serbia. <i>Intervirology</i> , 2017 , 60, 43-47	2.5	
44	The increasing prevalence of HIV/ co-infection over time, along with the evolution of antiretroviral therapy (ART). <i>PeerJ</i> , 2017 , 5, e3392	3.1	2
43	The Importance of Haematological and Biochemical Findings in Patients with West Nile Virus Neuroinvasive Disease. <i>Journal of Medical Biochemistry</i> , 2016 , 35, 451-457	1.9	3
42	Molecular characterization of BK virus in patients infected with human immunodeficiency virus. <i>Medical Microbiology and Immunology</i> , 2016 , 205, 185-93	4	5
41	Treatment outcomes of first-line antiretroviral therapy in HIV-1-positive patients in Serbia. <i>Journal of Virus Eradication</i> , 2016 , 2, 32-5	2.8	
40	Choice of first-line antiretroviral therapy regimen and treatment outcomes for HIV in a middle income compared to a high income country: a cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 106	4	10
39	Rubella immune status of neonates - a window towards seroprevalence among childbearing women. <i>BMC Public Health</i> , 2016 , 16, 838	4.1	1
38	Clostridium difficile infection: a Serbian single-center experience. <i>Journal of Infection in Developing Countries</i> , 2015 , 9, 136-40	2.3	5
37	Comparison of four international cardiovascular disease prediction models and the prevalence of eligibility for lipid lowering therapy in HIV infected patients on antiretroviral therapy. <i>Croatian Medical Journal</i> , 2015 , 56, 14-23	1.6	18
36	Oral teicoplanin for successful treatment of severe refractory Clostridium difficile infection. Journal of Infection in Developing Countries, 2015 , 9, 1062-7	2.3	11
35	Distribution of JC virus genotypes among Serbian patients infected with HIV and in healthy donors. <i>Journal of Medical Virology</i> , 2014 , 86, 411-8	19.7	6
34	HIV/AIDS mortality in a south east European country versus a west European country. <i>Journal of the International AIDS Society</i> , 2014 , 17, 19620	5.4	1
33	Lipodystrophy induced by combination antiretroviral therapy in HIV/AIDS patients: a Belgrade cohort study. <i>Vojnosanitetski Pregled</i> , 2014 , 71, 746-50	0.1	6
32	Nosocomial infections in the Intesive Care Unit, Univerisity Hospital for Infectious and Tropical Diseases, Belgrade, Serbia. <i>Vojnosanitetski Pregled</i> , 2014 , 71, 131-6	0.1	1
31	Ten years survey of primary HIV-1 resistance in Serbia: the occurrence of multiclass resistance. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 634-41	1.6	11
30	Clinical and immunologic outcomes of HAART-treated HIV-infected women in resource constrain settings: the Belgrade Study. <i>Women and Health</i> , 2014 , 54, 35-47	1.7	3

29	CYP2B6 516G>T (rs3745274) and smoking status are associated with efavirenz plasma concentration in a Serbian cohort of HIV patients. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 734-8	3.2	10
28	Treatment outcome of HAART-treated patients in a resource-limited setting: the Belgrade Cohort Study. <i>Biomedicine and Pharmacotherapy</i> , 2014 , 68, 391-5	7.5	6
27	Immuno-virological discordance and the risk of non-AIDS and AIDS events in a large observational cohort of HIV-patients in Europe. <i>PLoS ONE</i> , 2014 , 9, e87160	3.7	28
26	Non-specific inflammatory parameters in patients with pandemic H1N1 influenza. <i>Biomedicine and Pharmacotherapy</i> , 2013 , 67, 218-20	7.5	3
25	The significance of hepatitis B virus (HBV) genotypes for the disease and treatment outcome among patients with chronic hepatitis B in Serbia. <i>Journal of Clinical Virology</i> , 2013 , 58, 54-8	14.5	15
24	Molecular typing of the local HIV-1 epidemic in Serbia. <i>Infection, Genetics and Evolution</i> , 2013 , 19, 378-8	3 5 4.5	11
23	The frequency of poststroke infections and their impact on early stroke outcome. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013 , 22, 424-9	2.8	38
22	CD4 cell count and viral load-specific rates of AIDS, non-AIDS and deaths according to current antiretroviral use. <i>Aids</i> , 2013 , 27, 907-918	3.5	12
21	The role of nucleoside reverse transcriptase inhibitors usage in the incidence of hyperlactatemia and lactic acidosis in HIV/AIDS patients. <i>Biomedicine and Pharmacotherapy</i> , 2012 , 66, 308-11	7.5	19
20	Predicting HIV treatment response in Romania - Comment. <i>Germs</i> , 2012 , 2, 23-4	2	2
19	Alveolar granulocytic sarcoma of the mandible in a patient with HIV. <i>Oncology Research and Treatment</i> , 2011 , 34, 55-8	2.8	5
18	Highlights from the 13th European AIDS Conference (EACS). <i>Germs</i> , 2011 , 1, 9-11	2	2
17	The prognosis of patients with dissociated virological and immunological responses to HAART. <i>Biomedicine and Pharmacotherapy</i> , 2010 , 64, 692-6	7.5	5
16	The prognosis of pediatric AIDS in serbia. <i>Current HIV Research</i> , 2009 , 7, 287-92	1.3	3
15	The metabolic syndrome, an epidemic among HIV-infected patients on HAART. <i>Biomedicine and Pharmacotherapy</i> , 2009 , 63, 337-42	7.5	24
14	The prognosis of late presenters in the era of highly active antiretroviral therapy in serbia. <i>The Open Virology Journal</i> , 2009 , 3, 84-8	1.9	4
13	The prevalence and risk of hepatitis flares in a Serbian cohort of HIV and HCV co-infected patients treated with HAART. <i>Biomedicine and Pharmacotherapy</i> , 2008 , 62, 21-5	7.5	4
12	Serbian lymphoma study group (SLG): the prognosis of AIDS-related non-Hodgkin's lymphoma. <i>Biomedicine and Pharmacotherapy</i> , 2008 , 62, 12-5	7.5	

LIST OF PUBLICATIONS

11	Pharmacotherapy, 2008 , 62, 443-7	7.5	3
10	Long-term survival of HIV-infected patients treated with highly active antiretroviral therapy in Serbia and Montenegro. <i>HIV Medicine</i> , 2007 , 8, 75-9	2.7	9
9	Hepatitis C virus genotypes in Serbia and Montenegro: the prevalence and clinical significance. <i>World Journal of Gastroenterology</i> , 2007 , 13, 355-60	5.6	34
8	Herpes simplex virus resistance to acyclovir in routine virological laboratory practice. <i>Biomedicine and Pharmacotherapy</i> , 2005 , 59, 135-6	7.5	1
7	The dissociation between virological and immunological responses to HAART. <i>Biomedicine and Pharmacotherapy</i> , 2005 , 59, 446-51	7.5	28
6	The prevalence and risk of immune restoration disease in HIV-infected patients treated with highly active antiretroviral therapy. <i>HIV Medicine</i> , 2005 , 6, 140-3	2.7	126
5	Herpes zoster as an immune restoration disease in AIDS patients during therapy including protease inhibitors. <i>International Journal of STD and AIDS</i> , 2005 , 16, 475-8	1.4	25
4	Nucleoside reverse transcriptase inhibitor usage and the incidence of peripheral neuropathy in HIV/AIDS patients. <i>Antiviral Chemistry and Chemotherapy</i> , 2003 , 14, 281-4	3.5	27
3	HIV-1 subtypes in Yugoslavia. AIDS Research and Human Retroviruses, 2002, 18, 519-22	1.6	22
2	CMV DNA in blood and CSF of HIV infected patients. <i>Virus Research</i> , 2002 , 85, 117-22	6.4	3
1	Risk for toxoplasmic encephalitis in AIDS patients in Yugoslavia. <i>International Journal of Infectious Diseases</i> , 1997 , 2, 74-78	10.5	4