

Lars Hansson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7720732/publications.pdf>

Version: 2024-02-01

52
papers

1,870
citations

331670
21
h-index

265206
42
g-index

52
all docs

52
docs citations

52
times ranked

2081
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative and Qualitative Aspects of the Social Network in Schizophrenic Patients Living in the Community. Relationship To Sociodemographic Characteristics and Clinical Factors and Subjective Quality of Life. <i>International Journal of Social Psychiatry</i> , 2001, 47, 67-77.	3.1	159
2	Mental health professionals' attitudes towards people with mental illness: Do they differ from attitudes held by people with mental illness?. <i>International Journal of Social Psychiatry</i> , 2013, 59, 48-54.	3.1	147
3	The Importance of Work as Compared to Other Forms of Daily Occupations for Wellbeing and Functioning Among Persons with Long-Term Mental Illness. <i>Community Mental Health Journal</i> , 2004, 40, 465-477.	2.0	120
4	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.3	113
5	The effectiveness of an anti-stigma intervention in a basic police officer training programme: a controlled study. <i>BMC Psychiatry</i> , 2014, 14, 55.	2.6	95
6	The relationship of needs and quality of life in persons with schizophrenia living in the community. A Nordic multi-center study. <i>Nordic Journal of Psychiatry</i> , 2003, 57, 5-11.	1.3	94
7	The validity of Antonovsky's Sense of Coherence measure in a sample of schizophrenic patients living in the community. <i>Journal of Advanced Nursing</i> , 2001, 33, 432-438.	3.3	90
8	Comparison of key worker and patient assessment of needs in schizophrenic patients living in the community: a Nordic multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 45-51.	4.5	78
9	What is Important in Psychiatric Inpatient Care? Quality of Care from the Patient's Perspective. <i>International Journal for Quality in Health Care</i> , 1993, 5, 41-47.	1.8	71
10	Appraisal of caregiving, burden and psychological distress in relatives of psychiatric inpatients. <i>European Psychiatry</i> , 2004, 19, 402-407.	0.2	64
11	Effectiveness of Mental Health First Aid Training in Sweden. A Randomized Controlled Trial with a Six-Month and Two-Year Follow-Up. <i>PLoS ONE</i> , 2014, 9, e100911.	2.5	63
12	Quality of life in depression and anxiety. <i>International Review of Psychiatry</i> , 2002, 14, 185-189.	2.8	62
13	The relationship of personality dimensions as measured by the temperament and character inventory and quality of life in individuals with schizophrenia or schizoaffective disorder living in the community. <i>Quality of Life Research</i> , 2001, 10, 133-139.	3.1	57
14	Are factors associated with subjective quality of life in people with severe mental illness consistent over time? A 6-year follow-up study. <i>Quality of Life Research</i> , 2007, 16, 9-16.	3.1	50
15	How mental health literacy and experience of mental illness relate to stigmatizing attitudes and social distance towards people with depression or psychosis: A cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 309-313.	1.3	50
16	The effectiveness of narrative enhancement and cognitive therapy: a randomized controlled study of a self-stigma intervention. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1415-1423.	3.1	49
17	Long-term effectiveness of Basic Body Awareness Therapy in psychiatric outpatient care. A randomized controlled study. <i>Advances in Physiotherapy</i> , 2009, 11, 2-12.	0.2	46
18	Perceived and anticipated discrimination in people with mental illness: An interview study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 100-106.	1.3	36

#	ARTICLE	IF	CITATIONS
19	Comparison of key worker and patient assessment of needs in schizophrenic patients living in the community:a Nordic multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 45-51.	4.5	34
20	Ward atmosphere, client satisfaction, and client motivation in a psychiatric work rehabilitation unit. , 2001, 37, 169-177.		28
21	Satisfaction with mental health services. A user participation approach. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 365-371.	1.3	27
22	Psychometric evaluation of the Swedish version of Rosenberg's self-esteem scale. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 318-324.	1.3	25
23	A Psychometric Study of the Multidimensional Fatigue Inventory to Assess Fatigue in Patients with Schizophrenia Spectrum Disorders. <i>Community Mental Health Journal</i> , 2015, 51, 377-382.	2.0	22
24	Dynamic accumulation of neutrophils in lungs and visceral organs during early abdominal sepsis in the pig. <i>World Journal of Surgery</i> , 1994, 18, 811-816.	1.6	21
25	Effectiveness and Usability of a Web-Based Mindfulness Intervention for Families Living with Mental Illness. <i>Mindfulness</i> , 2017, 8, 751-764.	2.8	21
26	A Web-Based Supportive Intervention for Families Living With Depression: Content Analysis and Formative Evaluation. <i>JMIR Research Protocols</i> , 2014, 3, e8.	1.0	20
27	What influences a sustainable implementation of evidence-based interventions in community mental health services? Development and pilot testing of a tool for mapping core components. <i>Journal of Mental Health</i> , 2018, 27, 395-401.	1.9	19
28	Outcomes of clients in need of intensive team care in Flexible Assertive Community Treatment in Sweden. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 226-231.	1.3	18
29	User value and usability of a web-based mindfulness intervention for families living with mental health problems. <i>Health and Social Care in the Community</i> , 2017, 25, 700-709.	1.6	17
30	Self-esteem in persons with schizophrenia. A Nordic multicentre study. <i>Journal of Mental Health</i> , 2002, 11, 405-415.	1.9	16
31	What matters when implementing Flexible Assertive Community Treatment in a Swedish healthcare context: A two-year implementation study. <i>International Journal of Mental Health</i> , 2017, 46, 284-298.	1.3	15
32	Interaction Between Patient and Physiotherapist in Psychiatric Care ? the Physiotherapist's Perspective. <i>Advances in Physiotherapy</i> , 2000, 2, 157-167.	0.2	14
33	Outcome of a web-based mindfulness intervention for families living with mental illness – A feasibility study. <i>Informatics for Health and Social Care</i> , 2017, 42, 97-108.	2.6	14
34	Effectiveness and usability of a web-based mindfulness intervention for caregivers of people with mental or somatic illness. A randomized controlled trial. <i>Internet Interventions</i> , 2018, 12, 46-56.	2.7	13
35	Stability of Improvement in Patients Receiving Psychiatric Occupational Therapy – A One-year Follow-up. <i>Scandinavian Journal of Occupational Therapy</i> , 1997, 4, 15-22.	1.7	12
36	Clients' experiences of the Boston Psychiatric Rehabilitation Approach: A qualitative study. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2014, 9, 22916.	1.6	12

#	ARTICLE	IF	CITATIONS
37	Need for support and participation in treatment differences among subgroups of relatives to compulsorily and voluntarily admitted mentally ill individuals. <i>European Psychiatry</i> , 1999, 14, 379-385.	0.2	11
38	Narrative enhancement and cognitive therapy: A pilot study of outcomes of a self-stigma intervention in a Swedish clinical context.. <i>Stigma and Health</i> , 2016, 1, 280-286.	1.7	10
39	Assessing movement quality in persons with severe mental illness – Reliability and validity of the Body Awareness Scale Movement Quality and Experience. <i>Physiotherapy Theory and Practice</i> , 2016, 32, 296-306.	1.3	9
40	A Qualitative Study of Caregivers’s Experiences, Motivation and Challenges Using a Web-Based Mindfulness Intervention. <i>Community Mental Health Journal</i> , 2020, 56, 416-425.	2.0	9
41	Mental health first aid for the elderly: A pilot study of a training program adapted for helping elderly people. <i>Aging and Mental Health</i> , 2017, 21, 595-601.	2.8	8
42	Patterns of Care in Patients Utilizing both Primary Health Care and Psychiatric Care in a Swedish Health District. <i>Scandinavian Journal of Primary Health Care</i> , 1990, 8, 173-178.	1.5	5
43	Exploring the service and knowledge gap between rehabilitation professionals and employers in the return-to-work process of people with mental health problems in Sweden. <i>Work</i> , 2019, 64, 495-506.	1.1	5
44	Mental Health and Stigma’s Aspects of Anti-Stigma Interventions. , 2017, , 71-78.		5
45	Patients with mental illness in primary health care.: A long-term follow-up of health care utilization and contact patterns with psychiatric care. <i>Scandinavian Journal of Primary Health Care</i> , 1997, 15, 129-133.	1.5	4
46	The Nordic comparative study on sectorized psychiatry: Clinical and social patient characteristics predicting use of psychiatric services during a 1-year follow-up study. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 433-442.	1.3	3
47	Effect of mesocaval interposition shunting and repeated sclerotherapy on blood levels of gastrointestinal regulatory peptides, amino acids, and lysosomal enzymes - a prospective randomised trial. <i>Liver International</i> , 1999, 19, 3-11.	3.9	3
48	Relatives’s experiences of the Boston Psychiatric Rehabilitation approach: A qualitative study. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2014, 9, 22918.	1.6	2
49	Changes in rehabilitation actors’s mental health literacy and support to employers: An evaluation of the SEAM intervention. <i>Work</i> , 2021, 69, 1053-1061.	1.1	2
50	The epidemiology of mental disorders in Sweden. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 45-53.	1.3	1
51	Psychopathological Symptoms and Satisfaction with Mental Health in Patients with Schizophrenia. <i>Psychopathology</i> , 2018, 51, 192-197.	1.5	1
52	Mental Health Problems in Primary Care before and after Sectorization of Psychiatric Care: A study of patients utilizing both primary health care and psychiatric care. <i>Scandinavian Journal of Primary Health Care</i> , 1991, 9, 292-296.	1.5	0