

Lars Hansson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7720732/publications.pdf>

Version: 2024-02-01

52
papers

1,870
citations

331538

21
h-index

265120

42
g-index

52
all docs

52
docs citations

52
times ranked

2081
citing authors

#	ARTICLE	IF	CITATIONS
1	Changes in rehabilitation actors' mental health literacy and support to employers: An evaluation of the SEAM intervention. <i>Work</i> , 2021, 69, 1053-1061.	0.6	2
2	A Qualitative Study of Caregivers' Experiences, Motivation and Challenges Using a Web-Based Mindfulness Intervention. <i>Community Mental Health Journal</i> , 2020, 56, 416-425.	1.1	9
3	Exploring the service and knowledge gap between rehabilitation professionals and employers in the return-to-work process of people with mental health problems in Sweden. <i>Work</i> , 2019, 64, 495-506.	0.6	5
4	Effectiveness and usability of a web-based mindfulness intervention for caregivers of people with mental or somatic illness. A randomized controlled trial. <i>Internet Interventions</i> , 2018, 12, 46-56.	1.4	13
5	What influences a sustainable implementation of evidence-based interventions in community mental health services? Development and pilot testing of a tool for mapping core components. <i>Journal of Mental Health</i> , 2018, 27, 395-401.	1.0	19
6	Outcomes of clients in need of intensive team care in Flexible Assertive Community Treatment in Sweden. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 226-231.	0.7	18
7	Psychometric evaluation of the Swedish version of Rosenberg's self-esteem scale. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 318-324.	0.7	25
8	Psychopathological Symptoms and Satisfaction with Mental Health in Patients with Schizophrenia. <i>Psychopathology</i> , 2018, 51, 192-197.	1.1	1
9	Outcome of a web-based mindfulness intervention for families living with mental illness – A feasibility study. <i>Informatics for Health and Social Care</i> , 2017, 42, 97-108.	1.4	14
10	Mental health first aid for the elderly: A pilot study of a training program adapted for helping elderly people. <i>Aging and Mental Health</i> , 2017, 21, 595-601.	1.5	8
11	User value and usability of a web-based mindfulness intervention for families living with mental health problems. <i>Health and Social Care in the Community</i> , 2017, 25, 700-709.	0.7	17
12	Effectiveness and Usability of a Web-Based Mindfulness Intervention for Families Living with Mental Illness. <i>Mindfulness</i> , 2017, 8, 751-764.	1.6	21
13	What matters when implementing Flexible Assertive Community Treatment in a Swedish healthcare context: A two-year implementation study. <i>International Journal of Mental Health</i> , 2017, 46, 284-298.	0.5	15
14	The effectiveness of narrative enhancement and cognitive therapy: a randomized controlled study of a self-stigma intervention. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1415-1423.	1.6	49
15	Mental Health and Stigma – Aspects of Anti-Stigma Interventions. , 2017, , 71-78.		5
16	Assessing movement quality in persons with severe mental illness – Reliability and validity of the Body Awareness Scale Movement Quality and Experience. <i>Physiotherapy Theory and Practice</i> , 2016, 32, 296-306.	0.6	9
17	How mental health literacy and experience of mental illness relate to stigmatizing attitudes and social distance towards people with depression or psychosis: A cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 309-313.	0.7	50
18	Narrative enhancement and cognitive therapy: A pilot study of outcomes of a self-stigma intervention in a Swedish clinical context.. <i>Stigma and Health</i> , 2016, 1, 280-286.	1.2	10

#	ARTICLE	IF	CITATIONS
19	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015, 25, 249-254.	0.1	113
20	A Psychometric Study of the Multidimensional Fatigue Inventory to Assess Fatigue in Patients with Schizophrenia Spectrum Disorders. <i>Community Mental Health Journal</i> , 2015, 51, 377-382.	1.1	22
21	Effectiveness of Mental Health First Aid Training in Sweden. A Randomized Controlled Trial with a Six-Month and Two-Year Follow-Up. <i>PLoS ONE</i> , 2014, 9, e100911.	1.1	63
22	Relatives' experiences of the Boston Psychiatric Rehabilitation approach: A qualitative study. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2014, 9, 22918.	0.6	2
23	Perceived and anticipated discrimination in people with mental illness: An interview study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 100-106.	0.7	36
24	The effectiveness of an anti-stigma intervention in a basic police officer training programme: a controlled study. <i>BMC Psychiatry</i> , 2014, 14, 55.	1.1	95
25	Clients' experiences of the Boston Psychiatric Rehabilitation Approach: A qualitative study. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2014, 9, 22916.	0.6	12
26	A Web-Based Supportive Intervention for Families Living With Depression: Content Analysis and Formative Evaluation. <i>JMIR Research Protocols</i> , 2014, 3, e8.	0.5	20
27	Mental health professionals' attitudes towards people with mental illness: Do they differ from attitudes held by people with mental illness?. <i>International Journal of Social Psychiatry</i> , 2013, 59, 48-54.	1.6	147
28	Long-term effectiveness of Basic Body Awareness Therapy in psychiatric outpatient care. A randomized controlled study. <i>Advances in Physiotherapy</i> , 2009, 11, 2-12.	0.2	46
29	Are factors associated with subjective quality of life in people with severe mental illness consistent over time? A 6-year follow-up study. <i>Quality of Life Research</i> , 2007, 16, 9-16.	1.5	50
30	Satisfaction with mental health services. A user participation approach. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 365-371.	0.7	27
31	The Importance of Work as Compared to Other Forms of Daily Occupations for Wellbeing and Functioning Among Persons with Long-Term Mental Illness. <i>Community Mental Health Journal</i> , 2004, 40, 465-477.	1.1	120
32	Appraisal of caregiving, burden and psychological distress in relatives of psychiatric inpatients. <i>European Psychiatry</i> , 2004, 19, 402-407.	0.1	64
33	The relationship of needs and quality of life in persons with schizophrenia living in the community. A Nordic multi-center study. <i>Nordic Journal of Psychiatry</i> , 2003, 57, 5-11.	0.7	94
34	Quality of life in depression and anxiety. <i>International Review of Psychiatry</i> , 2002, 14, 185-189.	1.4	62
35	Self-esteem in persons with schizophrenia. A Nordic multicentre study. <i>Journal of Mental Health</i> , 2002, 11, 405-415.	1.0	16
36	The validity of Antonovsky's Sense of Coherence measure in a sample of schizophrenic patients living in the community. <i>Journal of Advanced Nursing</i> , 2001, 33, 432-438.	1.5	90

#	ARTICLE	IF	CITATIONS
37	The relationship of personality dimensions as measured by the temperament and character inventory and quality of life in individuals with schizophrenia or schizoaffective disorder living in the community. <i>Quality of Life Research</i> , 2001, 10, 133-139.	1.5	57
38	Ward atmosphere, client satisfaction, and client motivation in a psychiatric work rehabilitation unit. , 2001, 37, 169-177.		28
39	Quantitative and Qualitative Aspects of the Social Network in Schizophrenic Patients Living in the Community. Relationship To Sociodemographic Characteristics and Clinical Factors and Subjective Quality of Life. <i>International Journal of Social Psychiatry</i> , 2001, 47, 67-77.	1.6	159
40	Comparison of key worker and patient assessment of needs in schizophrenic patients living in the community:a Nordic multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 45-51.	2.2	34
41	Comparison of key worker and patient assessment of needs in schizophrenic patients living in the community: a Nordic multicentre study. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 45-51.	2.2	78
42	Interaction Between Patient and Physiotherapist in Psychiatric Care ? the Physiotherapist's Perspective. <i>Advances in Physiotherapy</i> , 2000, 2, 157-167.	0.2	14
43	Effect of mesocaval interposition shunting and repeated sclerothrapy on blood levels of gastrointestinal regulatory peptides, amino acids, and lysosomal enzymes - a prospective randomised trial. <i>Liver International</i> , 1999, 19, 3-11.	1.9	3
44	Need for support and participation in treatment differences among subgroups of relatives to compulsorily and voluntarily admitted mentally ill individuals. <i>European Psychiatry</i> , 1999, 14, 379-385.	0.1	11
45	Stability of Improvement in Patients Receiving Psychiatric Occupational Therapy”A One-year Follow-up. <i>Scandinavian Journal of Occupational Therapy</i> , 1997, 4, 15-22.	1.1	12
46	Patients with mental illness in primary health care.: A long-term follow-up of health care utilization and contact patterns with psychiatric care. <i>Scandinavian Journal of Primary Health Care</i> , 1997, 15, 129-133.	0.6	4
47	The Nordic comparative study on sectorized psychiatry: Clinical and social patient characteristics predicting use of psychiatric services during a 1-year follow-up study. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 433-442.	0.7	3
48	The epidemiology of mental disorders in Sweden. <i>Nordic Journal of Psychiatry</i> , 1996, 50, 45-53.	0.7	1
49	Dynamic accumulation of neutrophils in lungs and visceral organs during early abdominal sepsis in the pig. <i>World Journal of Surgery</i> , 1994, 18, 811-816.	0.8	21
50	What is Important in Psychiatric Inpatient Care? Quality of Care from the Patient's Perspective. <i>International Journal for Quality in Health Care</i> , 1993, 5, 41-47.	0.9	71
51	Mental Health Problems in Primary Care before and after Sectorization of Psychiatric Care: A study of patients utilizing both primary health care and psychiatric care. <i>Scandinavian Journal of Primary Health Care</i> , 1991, 9, 292-296.	0.6	0
52	Patterns of Care in Patients Utilizing both Primary Health Care and Psychiatric Care in a Swedish Health District. <i>Scandinavian Journal of Primary Health Care</i> , 1990, 8, 173-178.	0.6	5