

Janet Hardy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7720885/publications.pdf>

Version: 2024-02-01

98
papers

2,532
citations

186265

28
h-index

206112

48
g-index

107
all docs

107
docs citations

107
times ranked

2489
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Does Cannabidiol Have a Benefit as a Supportive Care Drug in Cancer?. Current Treatment Options in Oncology, 2022, 23, 514-525. | 3.0 | 5 |
| 2 | Association of polymorphisms in <i>ARRB2</i> and clinical response to methadone for pain in advanced cancer. Pharmacogenomics, 2022, 23, 281-289. | 1.3 | 2 |
| 3 | Corticosteroids for the management of cancer-related pain in adults. The Cochrane Library, 2021, 2021, CD010756. | 2.8 | 43 |
| 4 | Emotionally reflexive labour in end-of-life communication. Social Science and Medicine, 2021, 291, 112928. | 3.8 | 14 |
| 5 | The Management of Nausea and Vomiting Not Related to Anticancer Therapy in Patients with Cancer. Current Treatment Options in Oncology, 2021, 22, 17. | 3.0 | 2 |
| 6 | A Theoretically Informed Approach to Support the Implementation of Pre-Operative Anemia and Iron Deficiency Screening, Evaluation, and Management Pathways: Protocol for a Type Two Hybrid-Effectiveness Study. Journal of Multidisciplinary Healthcare, 2021, Volume 14, 1037-1044. | 2.7 | 1 |
| 7 | Practice review: Evidence-based quality use of corticosteroids in the palliative care of patients with advanced cancer. Palliative Medicine, 2021, 35, 461-472. | 3.1 | 11 |
| 8 | Interests and conflicts when writing, reviewing and editing papers on voluntary assisted dying. Internal Medicine Journal, 2021, 51, 1563-1566. | 0.8 | 0 |
| 9 | Assessing quality of life in palliative care settings: head-to-head comparison of four patient-reported outcome measures (EORTC QLQ-C15-PAL, FACT-Pal, FACT-Pal-14, FACT-G7). Supportive Care in Cancer, 2020, 28, 141-153. | 2.2 | 16 |
| 10 | Prevalence of QTc Prolongation in Patients With Advanced Cancer Receiving Palliative Care—A Cause for Concern?. Journal of Pain and Symptom Management, 2020, 59, 856-863. | 1.2 | 7 |
| 11 | An Open-Label Pilot Study Testing the Feasibility of Assessing Total Symptom Burden in Trials of Cannabinoid Medications in Palliative Care. Journal of Palliative Medicine, 2020, 23, 650-655. | 1.1 | 22 |
| 12 | Preoperative Anemia Screening and Treatment Practices in Patients Having Total Joint Replacement Surgery: A Retrospective, Observational Audit. Journal of Blood Medicine, 2020, Volume 11, 259-265. | 1.7 | 7 |
| 13 | Stringent Control of Opioids: Sound Public Health Measures, but a Step Too Far in Palliative Care?. Current Oncology Reports, 2020, 22, 34. | 4.0 | 2 |
| 14 | Oral medicinal cannabinoids to relieve symptom burden in the palliative care of patients with advanced cancer: a double-blind, placebo-controlled, randomised clinical trial of efficacy and safety of 1:1 delta-9-tetrahydrocannabinol (THC) and cannabidiol (CBD). Trials, 2020, 21, 611. | 1.6 | 21 |
| 15 | Overcoming barriers to evidence-based patient blood management: a restricted review. Implementation Science, 2020, 15, 6. | 6.9 | 20 |
| 16 | Preoperative Anemia and Iron Deficiency Screening, Evaluation and Management: Barrier Identification and Implementation Strategy Mapping. Journal of Multidisciplinary Healthcare, 2020, Volume 13, 1759-1770. | 2.7 | 8 |
| 17 | Quality use of medicines: Oral corticosteroids in advanced cancer. Palliative Medicine, 2019, 33, 1325-1326. | 3.1 | 4 |
| 18 | Assessing transfusion practice in elective surgical patients: a baseline audit. ISBT Science Series, 2019, 14, 415-422. | 1.1 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Harms From Haloperidol for Symptom Management in Palliative Care—a Post Hoc Pooled Analysis of Three Randomized Controlled Studies and Two Consecutive Cohort Studies. <i>Journal of Pain and Symptom Management</i> , 2019, 58, e6-e8. | 1.2 | 4 |
| 20 | Methotrimeprazine versus haloperidol in palliative care patients with cancer-related nausea: a randomised, double-blind controlled trial. <i>BMJ Open</i> , 2019, 9, e029942. | 1.9 | 13 |
| 21 | Oral medicinal cannabinoids to relieve symptom burden in the palliative care of patients with advanced cancer: a double-blind, placebo controlled, randomised clinical trial of efficacy and safety of cannabidiol (CBD). <i>BMC Palliative Care</i> , 2019, 18, 110. | 1.8 | 31 |
| 22 | Economic evaluation of the randomised, double-blind, placebo-controlled study of subcutaneous ketamine in the management of chronic cancer pain. <i>Palliative Medicine</i> , 2019, 33, 74-81. | 3.1 | 2 |
| 23 | Castrate-resistant prostate cancer: lessons learnt from a pilot study in the palliative care research population. <i>International Journal of Palliative Nursing</i> , 2018, 24, 96-98. | 0.5 | 0 |
| 24 | Impact of Opioid Therapy on Sleep and Respiratory Patterns in Adults With Advanced Cancer Receiving Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 962-967. | 1.2 | 12 |
| 25 | A randomized open-label study of guideline-driven antiemetic therapy versus single agent antiemetic therapy in patients with advanced cancer and nausea not related to anticancer treatment. <i>BMC Cancer</i> , 2018, 18, 510. | 2.6 | 22 |
| 26 | Integration of oncology and palliative care: setting a benchmark. <i>Supportive Care in Cancer</i> , 2017, 25, 3253-3259. | 2.2 | 4 |
| 27 | Opioid addiction and misuse in adult and adolescent patients with cancer. <i>Internal Medicine Journal</i> , 2017, 47, 632-636. | 0.8 | 33 |
| 28 | Neuropathic pain in cancer: systematic review, performance of screening tools and analysis of symptom profiles. <i>British Journal of Anaesthesia</i> , 2017, 119, 765-774. | 3.4 | 38 |
| 29 | Can Saliva and Plasma Methadone Concentrations Be Used for Enantioselective Pharmacokinetic and Pharmacodynamic Studies in Patients With Advanced Cancer?. <i>Clinical Therapeutics</i> , 2017, 39, 1840-1848. | 2.5 | 6 |
| 30 | Corticosteroids as Co-analgesics With Opioids for Cancer-Related Pain: A Feasibility Study. <i>Journal of Pain and Symptom Management</i> , 2017, 54, e1-e2. | 1.2 | 3 |
| 31 | Symptom Clusters in Men With Castrate-Resistant Prostate Cancer. <i>Journal of Pain and Symptom Management</i> , 2017, 54, e1-e3. | 1.2 | 9 |
| 32 | An open-label pilot study of oral vitamin C as an opioid-sparing agent in patients with chronic pain secondary to cancer. <i>Supportive Care in Cancer</i> , 2017, 25, 341-343. | 2.2 | 9 |
| 33 | Exposure to Fentanyl After Transdermal Patch Administration for Cancer Pain Management. <i>Journal of Clinical Pharmacology</i> , 2016, 56, 705-713. | 2.0 | 5 |
| 34 | Potential economic impact on hospitalisations of the Palliative Care Clinical Studies Collaborative (PaCCSC) ketamine randomised controlled trial. <i>Australian Health Review</i> , 2016, 40, 100. | 1.1 | 7 |
| 35 | Interventional options for the management of refractory cancer pain—what is the evidence?. <i>Supportive Care in Cancer</i> , 2016, 24, 1429-1438. | 2.2 | 34 |
| 36 | A randomised, double-blind controlled trial of intranasal midazolam for the palliation of dyspnoea in patients with life-limiting disease. <i>Supportive Care in Cancer</i> , 2016, 24, 3069-76. | 2.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Quantitative determination of the enantiomers of methadone in human plasma and saliva by chiral column chromatography coupled with mass spectrometric detection. <i>Talanta</i> , 2016, 149, 142-148. | 5.5 | 19 |
| 38 | CYP2B6*6 allele and age substantially reduce steady-state ketamine clearance in chronic pain patients: impact on adverse effects. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 276-284. | 2.4 | 51 |
| 39 | Double-Blind, Placebo-Controlled, Randomized Trial of Octreotide in Malignant Bowel Obstruction. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 814-821. | 1.2 | 83 |
| 40 | Validation of a Fentanyl Transdermal Adhesion Scoring Tool for Use in Clinical Practice. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 934-938. | 1.2 | 3 |
| 41 | The Effect of Methylphenidate on Fatigue in Advanced Cancer: An Aggregated N-of-1 Trial. <i>Journal of Pain and Symptom Management</i> , 2015, 50, 289-296. | 1.2 | 40 |
| 42 | Pharmacological options for the management of refractory cancer pain—what is the evidence?. <i>Supportive Care in Cancer</i> , 2015, 23, 1473-1481. | 2.2 | 53 |
| 43 | Saliva versus Plasma for Pharmacokinetic and Pharmacodynamic Studies of Fentanyl in Patients with Cancer. <i>Clinical Therapeutics</i> , 2015, 37, 2468-2475. | 2.5 | 16 |
| 44 | Palliation of nausea and vomiting. , 2015, , 661-674. | | 7 |
| 45 | Preliminary Development and Validation of a New End-of-Life Patient-Reported Outcome Measure Assessing the Ability of Patients to Finalise Their Affairs at the End of Life. <i>PLoS ONE</i> , 2014, 9, e94316. | 2.5 | 12 |
| 46 | Therapeutic Challenges in Cancer Pain Management: A Systematic Review of Methadone. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2014, 28, 197-205. | 0.8 | 33 |
| 47 | Should the dosage of controlled-release oxycodone in advanced cancer be modified on the basis of patient characteristics?. <i>Supportive Care in Cancer</i> , 2014, 22, 325-330. | 2.2 | 9 |
| 48 | Can the LANSS scale be used to classify pain in chronic cancer pain trials?. <i>Supportive Care in Cancer</i> , 2013, 21, 3387-3391. | 2.2 | 20 |
| 49 | Placebo and Nocebo Effects in Randomized Controlled Trials: The Implications for Research and Practice. <i>Journal of Pain and Symptom Management</i> , 2013, 46, 722-730. | 1.2 | 31 |
| 50 | Reply to K. Jackson et al and W. Leppert. <i>Journal of Clinical Oncology</i> , 2013, 31, 1375-1376. | 1.6 | 5 |
| 51 | Designing and conducting randomized controlled trials in palliative care: A summary of discussions from the 2010 clinical research forum of the Australian Palliative Care Clinical Studies Collaborative. <i>Palliative Medicine</i> , 2012, 26, 1042-1047. | 3.1 | 31 |
| 52 | Defining Refractory Pain in Cancer for Clinicians and Researchers. <i>Journal of Palliative Medicine</i> , 2012, 15, 5-6. | 1.1 | 21 |
| 53 | Randomized, Double-Blind, Placebo-Controlled Study to Assess the Efficacy and Toxicity of Subcutaneous Ketamine in the Management of Cancer Pain. <i>Journal of Clinical Oncology</i> , 2012, 30, 3611-3617. | 1.6 | 189 |
| 54 | Is saliva a valid substitute for plasma in pharmacokinetic studies of oxycodone and its metabolites in patients with cancer?. <i>Supportive Care in Cancer</i> , 2012, 20, 767-772. | 2.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Is levomepromazine stable over time?. Palliative Medicine, 2011, 25, 284-285. | 3.1 | 0 |
| 56 | Progressing an Evidence-Base Beyond Case Series. Journal of Palliative Medicine, 2011, 14, 1283-1283. | 1.1 | 3 |
| 57 | Symptom management in the last days of life. , 2011, , 398-404. | | 0 |
| 58 | What do palliative care patients and their relatives think about research in palliative care?â€”a systematic review. Supportive Care in Cancer, 2010, 18, 905-911. | 2.2 | 80 |
| 59 | Planning phase III multi-site clinical trials in palliative care: the role of consecutive cohort audits to identify potential participant populations. Supportive Care in Cancer, 2010, 18, 1571-1579. | 2.2 | 24 |
| 60 | The Efficacy of Haloperidol in the Management of Nausea and Vomiting in Patients with Cancer. Journal of Pain and Symptom Management, 2010, 40, 111-116. | 1.2 | 50 |
| 61 | Central Sleep Apnea in Cancer Patients on Opioids. Journal of Pain and Symptom Management, 2010, 40, e3-e5. | 1.2 | 5 |
| 62 | Using National Health Policies to Improve Access to Palliative Care Medications in the Community. Journal of Pain and Symptom Management, 2009, 37, 395-402. | 1.2 | 30 |
| 63 | Attitudes of Patients with Advanced Cancer Toward Research. Journal of Pain and Symptom Management, 2009, 38, e5-e6. | 1.2 | 7 |
| 64 | Opioids in renal failure. , 2009, , 69-80. | | 1 |
| 65 | The lipophilic opioids: fentanyl, alfentanil, sufentanil, and remifentanil. , 2009, , 175-192. | | 3 |
| 66 | Opioids in the terminal phase. , 2009, , 455-460. | | 2 |
| 67 | Diamorphine. , 2009, , 263-268. | | 2 |
| 68 | Codeine. , 2009, , 81-88. | | 0 |
| 69 | Opioid rotation. , 2009, , 301-312. | | 1 |
| 70 | Treatment of Nausea and Vomiting in Terminally Ill Cancer Patients. Drugs, 2008, 68, 2575-2590. | 10.9 | 52 |
| 71 | Randomised controlled trials of palliative care â€” a survey of the views of advanced cancer patients and their relatives. European Journal of Cancer, 2008, 44, 1820-1828. | 2.8 | 43 |
| 72 | Letter to the editor: Subcutaneous sufentanil for palliative care patients in a hospital setting. Palliative Medicine, 2008, 22, 89-90. | 3.1 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Barriers to the Best Care of the Dying in Queensland, Australia. <i>Journal of Palliative Medicine</i> , 2008, 11, 1325-1329. | 1.1 | 12 |
| 74 | Gatekeeping from palliative care research trials. <i>Progress in Palliative Care</i> , 2008, 16, 167-171. | 1.2 | 16 |
| 75 | Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. <i>Medical Journal of Australia</i> , 2007, 186, S77-S105. | 1.7 | 254 |
| 76 | An open study of methotrimeprazine in the management of nausea and vomiting in patients with advanced cancer. <i>Supportive Care in Cancer</i> , 2005, 13, 715-721. | 2.2 | 33 |
| 77 | Acetaminophen in Cancer Pain. <i>Journal of Clinical Oncology</i> , 2005, 23, 1586-1586. | 1.6 | 3 |
| 78 | Creating a palliative care research network in Queensland, Australia – is this the answer?. <i>Progress in Palliative Care</i> , 2005, 13, 277-281. | 1.2 | 3 |
| 79 | Palliative care in paediatric oncology. , 2004, , 684-703. | | 0 |
| 80 | Insurance cover for research in independent hospices. <i>Palliative Medicine</i> , 2003, 17, 648-649. | 3.1 | 1 |
| 81 | Novel consent process for research in dying patients unable to give consent. <i>BMJ: British Medical Journal</i> , 2003, 327, 198-0. | 2.3 | 46 |
| 82 | Palliative care in breast cancer. , 2003, , 357-385. | | 0 |
| 83 | A double-blind, randomised, parallel group, multinational, multicentre study comparing a single dose of ondansetron 24Åmg p.o. with placebo and metoclopramide 10Åmg t.d.s. p.o. in the treatment of opioid-induced nausea and emesis in cancer patients. <i>Supportive Care in Cancer</i> , 2002, 10, 231-236. | 2.2 | 64 |
| 84 | A prospective survey of the use of dexamethasone on a palliative care unit. <i>Palliative Medicine</i> , 2001, 15, 3-8. | 3.1 | 111 |
| 85 | A Review of the COX-2 Inhibitors. <i>Progress in Palliative Care</i> , 2001, 9, 47-52. | 1.2 | 0 |
| 86 | Outcome of Malignant Spinal Cord Compression at a Cancer Center. <i>Journal of Pain and Symptom Management</i> , 2000, 19, 257-264. | 1.2 | 35 |
| 87 | Correspondence. <i>International Journal of Palliative Nursing</i> , 2000, 6, 358-359. | 0.5 | 0 |
| 88 | What influences participation in clinical trials in palliative care in a cancer centre?. <i>European Journal of Cancer</i> , 2000, 36, 621-626. | 2.8 | 118 |
| 89 | Sedation in terminally ill patients. <i>Lancet, The</i> , 2000, 356, 1866-1867. | 13.7 | 29 |
| 90 | Consent for trials in palliative care. <i>Lancet, The</i> , 2000, 356, S44. | 13.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 91 | Fatigue in patients with cancer. <i>European Journal of Cancer</i> , 1998, 34, 1670-1676. | 2.8 | 217 |
| 92 | The use of the Edmonton Symptom Assessment Scale (ESAS) within a palliative care unit in the UK. <i>Palliative Medicine</i> , 1998, 12, 75-82. | 3.1 | 80 |
| 93 | Palliative medicine in cancer. <i>Lancet</i> , The, 1997, 350, 296. | 13.7 | 0 |
| 94 | Can transdermal fentanyl cause diarrhea?. <i>Journal of Pain and Symptom Management</i> , 1997, 13, 188-189. | 1.2 | 1 |
| 95 | An audit of morphine prescribing in a specialist cancer hospital. <i>Palliative Medicine</i> , 1994, 8, 5-10. | 3.1 | 11 |
| 96 | Lymphoedema - prevention rather than cure. <i>Annals of Oncology</i> , 1991, 2, 532-533. | 1.2 | 10 |
| 97 | The value of computed tomographic (CT) scan surveillance in the detection and management of brain metastases in patients with small cell lung cancer. <i>British Journal of Cancer</i> , 1990, 62, 684-686. | 6.4 | 47 |
| 98 | Chemoprevention of breast cancer. <i>Breast Cancer Research and Treatment</i> , 1989, 14, 23-31. | 2.5 | 32 |