

Xuewen Yin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7721960/xuewen-yin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

1,601
citations

20
h-index

39
g-index

48
ext. papers

1,833
ext. citations

6.1
avg, IF

4.8
L-index

#	Paper	IF	Citations
48	Vibration Transmission from a Machine with Three Degree of Freedoms to Beam Structures by Dynamic Stiffness Method. <i>Shock and Vibration</i> , 2022 , 2022, 1-18	1.1	
47	Dynamic stiffness formulation for transverse and in-plane vibration of rectangular plates with arbitrary boundary conditions based on a generalized superposition method. <i>International Journal of Mechanics and Materials in Design</i> , 2021 , 17, 119-135	2.5	2
46	Improved phase stability of CsPbI ₃ perovskite nanocrystals using the interface effect using iodine modified graphene oxide. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 2569-2578	7.1	8
45	Dynamic stiffness approach to vibration transmission within a beam structure carrying spring-mass systems. <i>International Journal of Mechanics and Materials in Design</i> , 2020 , 16, 279-288	2.5	3
44	Improved Moisture Stability of Perovskite Solar Cells Using N719 Dye Molecules. <i>Solar Rrl</i> , 2019 , 3, 1900345	3.45	21
43	High Efficient Large-area Perovskite Solar Cells Based on Paintable Carbon Electrode with NiO Nanocrystal-carbon Intermediate Layer. <i>Chemistry Letters</i> , 2019 , 48, 734-737	1.7	4
42	All Solution-Processed Cu ₂ ZnSnS ₄ Solar Cell by Using High-Boiling-Point Solvent Treated Ball-Milling Process with Efficiency Exceeding 6%. <i>ChemistrySelect</i> , 2019 , 4, 982-989	1.8	3
41	Critical roles of potassium in charge-carrier balance and diffusion induced defect passivation for efficient inverted perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 5666-5676	13	35
40	Enhancing electron transport via graphene quantum dot/SnO ₂ composites for efficient and durable flexible perovskite photovoltaics. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 1878-1888	13	48
39	All-Layer Sputtering-Free Cu ₂ Zn _{1-x} CdxSnS ₄ Solar Cell with Efficiency Exceeding 7.5%. <i>ChemistrySelect</i> , 2019 , 4, 5979-5983	1.8	1
38	An Excellent Modifier: Carbon Quantum Dots for Highly Efficient Carbon-Electrode-Based Methylammonium Lead Iodide Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1900146	7.1	18
37	Perovskite solar cell-thermoelectric tandem system with a high efficiency of over 23%. <i>Materials Today Energy</i> , 2019 , 12, 363-370	7	16
36	Spectral element method for vibration analysis of three-dimensional pipes conveying fluid. <i>International Journal of Mechanics and Materials in Design</i> , 2019 , 15, 345-360	2.5	8
35	In situ formation of a 2D/3D heterostructure for efficient and stable CsPbI ₂ Br solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 22675-22682	13	37
34	Synergistic effect of charge separation and defect passivation using zinc porphyrin dye incorporation for efficient and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 26334-26341	13	29
33	Improved Moisture Stability of Perovskite Solar Cells Using N719 Dye Molecules. <i>Solar Rrl</i> , 2019 , 3, 1900115	7.15	1
32	Reduced Graphene Oxide/CZTS _x Se _{1-x} Composites as a Novel Hole-Transport Functional Layer in Perovskite Solar Cells. <i>ChemElectroChem</i> , 2019 , 6, 1500-1507	4.3	8

31	Efficient Inorganic Cesium Lead Mixed-Halide Perovskite Solar Cells Prepared by Flash-Evaporation Printing. <i>Energy Technology</i> , 2019 , 7, 1800986	3.5	4
30	A generalized superposition method for accurate free vibration analysis of rectangular plates and assemblies. <i>Journal of the Acoustical Society of America</i> , 2019 , 145, 185	2.2	4
29	Economically synthesized NiCo2S4/reduced graphene oxide composite as efficient counter electrode in dye-sensitized solar cell. <i>Applied Surface Science</i> , 2018 , 437, 227-232	6.7	16
28	Bifacial Modified Charge Transport Materials for Highly Efficient and Stable Inverted Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 17861-17870	9.5	21
27	Solution-processed Kesterite Cu ₂ ZnSnS ₄ as Efficient Hole Extraction Layer for Inverted Perovskite Solar Cells. <i>Chemistry Letters</i> , 2018 , 47, 817-820	1.7	8
26	Dynamic stiffness formulation for in-plane and bending vibrations of plates with two opposite edges simply supported. <i>JVC/Journal of Vibration and Control</i> , 2018 , 24, 1652-1669	2	14
25	Power flow analysis of built-up plate structures using the dynamic stiffness method. <i>JVC/Journal of Vibration and Control</i> , 2018 , 24, 2815-2831	2	9
24	Dynamic stiffness formulation for the vibrations of stiffened plate structures with consideration of in-plane deformation. <i>JVC/Journal of Vibration and Control</i> , 2018 , 24, 4825-4838	2	10
23	Laser-Induced Flash-Evaporation Printing CH ₃ NH ₃ PbI ₃ Thin Films for High-Performance Planar Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 26206-26212	9.5	7
22	Role of alkyl chain length in diaminoalkane linked 2D Ruddlesden-Popper halide perovskites. <i>CrystEngComm</i> , 2018 , 20, 6704-6712	3.3	17
21	Efficiently Improving the Stability of Inverted Perovskite Solar Cells by Employing Polyethylenimine-Modified Carbon Nanotubes as Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 31384-31393	9.5	54
20	Perovskite/Poly[bis(4-phenyl)(2,4,6-trimethylphenyl)amine] Bulk Heterojunction for High-Efficient Carbon-Based Large-Area Solar Cells by Gradient Engineering. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 42328-42334	9.5	22
19	Highly efficient inverted perovskite solar cells based on self-assembled graphene derivatives. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20702-20711	13	17
18	Inverted Perovskite Solar Cells with Efficient Mixed-Fullerene Derivative Charge Extraction Layers. <i>ChemistrySelect</i> , 2018 , 3, 6802-6809	1.8	12
17	Hybrid PbS Quantum-Dot-in-Perovskite for High-Efficiency Perovskite Solar Cell. <i>Small</i> , 2018 , 14, e1801016	11.6	77
16	CH ₃ NH ₃ PbI ₃ grain growth and interfacial properties in meso-structured perovskite solar cells fabricated by two-step deposition. <i>Science and Technology of Advanced Materials</i> , 2017 , 18, 253-262	7.1	36
15	Vertically aligned ZnO/ZnTe core/shell heterostructures on an AZO substrate for improved photovoltaic performance. <i>RSC Advances</i> , 2017 , 7, 14837-14845	3.7	9
14	Hematite electron-transporting layers for environmentally stable planar perovskite solar cells with enhanced energy conversion and lower hysteresis. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1434-1441	13	77

13	High Efficiency Inverted Planar Perovskite Solar Cells with Solution-Processed NiO Hole Contact. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 2439-2448	9.5	126
12	Rational Design of Solution-Processed Ti-Fe-O Ternary Oxides for Efficient Planar CH ₃ NH ₃ PbI ₃ Perovskite Solar Cells with Suppressed Hysteresis. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 34833-34843	9.5	30
11	Enhancing the Performance of Perovskite Solar Cells by Hybridizing SnS Quantum Dots with CH ₃ NH ₃ PbI ₃ . <i>Small</i> , 2017 , 13, 1700953	11	64
10	Vibration Transmission within Beam-stiffened Plate Structures Using Dynamic Stiffness Method. <i>Procedia Engineering</i> , 2017 , 199, 411-416		3
9	Cross-stacked superaligned carbon nanotube electrodes for efficient hole conductor-free perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 5569-5577	13	82
8	Site Occupancy Preference, Enhancement Mechanism, and Thermal Resistance of Mn ⁴⁺ Red Luminescence in Sr ₄ Al ₁₄ O ₂₅ : Mn ⁴⁺ for Warm WLEDs. <i>Chemistry of Materials</i> , 2015 , 27, 2938-2945	9.6	277
7	Orderly-Layered Tetravalent Manganese-Doped Strontium Aluminate Sr ₄ Al ₁₄ O ₂₅ :Mn ⁴⁺ : An Efficient Red Phosphor for Warm White Light Emitting Diodes. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 2870-2876	3.8	143
6	Multiple red blood cell flows through microvascular bifurcations: cell free layer, cell trajectory, and hematocrit separation. <i>Microvascular Research</i> , 2013 , 89, 47-56	3.7	58
5	Modeling the dynamic flow-fiber interaction for microscopic biofluid systems. <i>Journal of Biomechanics</i> , 2013 , 46, 314-8	2.9	4
4	Temperature dependent red luminescence from a distorted Mn ⁴⁺ site in CaAl ₄ O ₇ :Mn ⁴⁺ . <i>Optics Express</i> , 2013 , 21, 18943-8	3.3	69
3	An improved bounce-back scheme for complex boundary conditions in lattice Boltzmann method. <i>Journal of Computational Physics</i> , 2012 , 231, 4295-4303	4.1	71
2	Cell-free layer and wall shear stress variation in microvessels. <i>Biorheology</i> , 2012 , 49, 261-70	1.7	13
1	Active vibration isolation and underwater sound radiation control. <i>Journal of Sound and Vibration</i> , 2008 , 318, 725-736	3.9	15