

# Samuel Chun-lap Lo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7724164/samuel-chun-lap-lo-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23  
papers

450  
citations

13  
h-index

21  
g-index

26  
ext. papers

499  
ext. citations

4.3  
avg, IF

3.27  
L-index

#	Paper	IF	Citations
23	Rapidly Deployable Algae Cleaning System for Applications in Freshwater Reservoirs and Water Bodies. <i>Phycology</i> , <b>2022</b> , 2, 60-75		
22	Production of Paralytic Shellfish Toxins (PSTs) in Toxic is Intertwined with Photosynthesis and Energy Production. <i>Toxins</i> , <b>2020</b> , 12,	4.9	3
21	Chronic Methylmercury Exposure Induces Production of Prostaglandins: Evidence From A Population Study and A Rat Dosing Experiment. <i>Environmental Science &amp; Technology</i> , <b>2019</b> , 53, 7782-7791	10.2	4
20	Comparative proteomic studies of a <i>Scrippsiella acuminata</i> bloom with its laboratory-grown culture using a N-metabolic labeling approach. <i>Harmful Algae</i> , <b>2017</b> , 67, 26-35	5.3	4
19	Identification of peptides released from hot water insoluble fraction of edible bird's nest under simulated gastro-intestinal conditions. <i>Food Research International</i> , <b>2016</b> , 85, 19-25	7	8
18	MALDI-TOF MS analysis of the extracellular polysaccharides released by the diatom <i>Thalassiosira pseudonana</i> under various nutrient conditions. <i>Journal of Applied Phycology</i> , <b>2015</b> , 27, 673-684	3.2	15
17	Chronic exposure of adult rats to low doses of methylmercury induced a state of metabolic deficit in the somatosensory cortex. <i>Journal of Proteome Research</i> , <b>2013</b> , 12, 5233-45	5.6	34
16	Daily changes in the phosphoproteome of the dinoflagellate <i>Lingulodinium</i> . <i>Protist</i> , <b>2012</b> , 163, 746-54	2.5	13
15	Authentication of the proteins expression profiles (PEPs) identification methodology in a bloom of <i>Karenia digitata</i> , the most damaging harmful algal bloom causative agent in the history of Hong Kong. <i>Harmful Algae</i> , <b>2011</b> , 12, 1-10	5.3	9
14	Pain Controlling and Cytokine-regulating Effects of Lyprinol, a Lipid Extract of <i>Perna Canaliculus</i> , in a Rat Adjuvant-induced Arthritis Model. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2009</b> , 6, 239-45	2.3	12
13	Identification of two plastid proteins in the dinoflagellate <i>Alexandrium affine</i> that are substantially down-regulated by nitrogen-depletion. <i>Journal of Proteome Research</i> , <b>2009</b> , 8, 5080-92	5.6	21
12	Rapid identification of dinoflagellates using protein profiling with matrix-assisted laser desorption/ionization mass spectrometry. <i>Harmful Algae</i> , <b>2008</b> , 7, 551-559	5.3	17
11	Detecting nitrated proteins by proteomic technologies. <i>Methods in Enzymology</i> , <b>2008</b> , 440, 17-31	1.7	14
10	The use of Trizol reagent (phenol/guanidine isothiocyanate) for producing high quality two-dimensional gel electrophoretograms (2-DE) of dinoflagellates. <i>Journal of Microbiological Methods</i> , <b>2008</b> , 73, 26-32	2.8	57
9	Discovery of diagnostic serum biomarkers of gastric cancer using proteomics. <i>Proteomics - Clinical Applications</i> , <b>2008</b> , 2, 219-28	3.1	26
8	Sodium nitroprusside affects the level of photosynthetic enzymes and glucose metabolism in <i>Phaseolus aureus</i> (mung bean). <i>Nitric Oxide - Biology and Chemistry</i> , <b>2005</b> , 12, 220-30	5	36
7	Use of two-dimensional gel electrophoresis to differentiate morphospecies of <i>Alexandrium minutum</i> , a paralytic shellfish poisoning toxin-producing dinoflagellate of harmful algal blooms. <i>Proteomics</i> , <b>2005</b> , 5, 1580-93	4.8	41

6	Identification of the heterogeneous nuclear ribonucleoprotein A2/B1 as the antigen for the gastrointestinal cancer specific monoclonal antibody MG7. <i>Proteomics</i> , <b>2005</b> , 5, 1160-6	4.8	42
5	Use of two-dimensional gel electrophoresis proteome reference maps of dinoflagellates for species recognition of causative agents of harmful algal blooms. <i>Proteomics</i> , <b>2004</b> , 4, 180-92	4.8	35
4	Proteomic study of a model causative agent of harmful algal blooms, <i>Prorocentrum triestinum</i> II: the use of differentially expressed protein profiles under different growth phases and growth conditions for bloom prediction. <i>Proteomics</i> , <b>2004</b> , 4, 3214-26	4.8	32
3	"Two-in-one" gel for spot matching after two-dimensional electrophoresis. <i>Proteomics</i> , <b>2003</b> , 3, 580-3	4.8	6
2	Adaptive responses of 25-hydroxyvitamin D3 1-alpha hydroxylase expression to dietary phosphate restriction in young and adult rats. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2003</b> , 1639, 34-42	6.9	6
1	Analysis of Ling Zhi ( <i>Ganoderma lucidum</i> ) using dynamic reaction cell ICP-MS and ICP-AES. <i>Journal of Analytical Atomic Spectrometry</i> , <b>2003</b> , 18, 146-150	3.7	15