

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7725368/publications.pdf>

Version: 2024-02-01

193  
papers

10,923  
citations

22099

59  
h-index

40881

93  
g-index

193  
all docs

193  
docs citations

193  
times ranked

10206  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Fe <sub>3</sub> O <sub>4</sub> magnetic nanoparticles/reduced graphene oxide nanosheets as a novel electrochemical and bioelectrochemical sensing platform. <i>Biosensors and Bioelectronics</i> , 2013, 49, 1-8.   | 5.3 | 479       |
| 2  | Nanomolar detection of hydrogen peroxide on glassy carbon electrode modified with electrodeposited cobalt oxide nanoparticles. <i>Analytica Chimica Acta</i> , 2007, 594, 24-31.  | 2.6 | 292       |
| 3  | Glucose biosensor prepared by glucose oxidase encapsulated sol-gel and carbon-nanotube-modified basal plane pyrolytic graphite electrode. <i>Analytical Biochemistry</i> , 2004, 333, 49-56.  | 1.1 | 255       |
| 4  | Immobilization of glucose oxidase on electrodeposited nickel oxide nanoparticles: Direct electron transfer and electrocatalytic activity. <i>Biosensors and Bioelectronics</i> , 2007, 22, 3146-3153.   | 5.3 | 225       |
| 5  | Electrochemical detection of trace amount of arsenic(III) at glassy carbon electrode modified with cobalt oxide nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2008, 129, 246-254.   | 4.0 | 215       |
| 6  | Ultrasensitive electrochemical immunosensor for PSA biomarker detection in prostate cancer cells using gold nanoparticles/PAMAM dendrimer loaded with enzyme linked aptamer as integrated triple signal amplification strategy. <i>Biosensors and Bioelectronics</i> , 2015, 74, 915-923. | 5.3 | 210       |
| 7  | A highly sensitive prostate-specific antigen immunosensor based on gold nanoparticles/PAMAM dendrimer loaded on MWCNTS/chitosan/ionic liquid nanocomposite. <i>Biosensors and Bioelectronics</i> , 2014, 52, 20-28.   | 5.3 | 188       |
| 8  | An amplified comparative fluorescence resonance energy transfer immunosensing of CA125 tumor marker and ovarian cancer cells using green and economic carbon dots for bio-applications in labeling, imaging and sensing. <i>Biosensors and Bioelectronics</i> , 2017, 96, 308-316.        | 5.3 | 169       |
| 9  | Catalytic oxidation of thiols at preheated glassy carbon electrode modified with abrasive immobilization of multiwall carbon nanotubes: applications to amperometric detection of thiocytosine, -cysteine and glutathione. <i>Talanta</i> , 2005, 66, 967-975.                            | 2.9 | 156       |
| 10 | Enhancement of the analytical properties and catalytic activity of a nickel hexacyanoferrate modified carbon ceramic electrode prepared by two-step sol-gel technique: application to amperometric detection of hydrazine and hydroxyl amine. <i>Talanta</i> , 2004, 63, 475-483.         | 2.9 | 143       |
| 11 | Abrasive immobilization of carbon nanotubes on a basal plane pyrolytic graphite electrode: application to the detection of epinephrine. <i>Analyst</i> , The, 2004, 129, 225.   | 1.7 | 141       |
| 12 | Highly sensitive bioaffinity electrochemiluminescence sensors: Recent advances and future directions. <i>Biosensors and Bioelectronics</i> , 2019, 142, 111530.   | 5.3 | 137       |
| 13 | Renewable sol-gel carbon ceramic electrodes modified with a Ru-complex for the amperometric detection of $\gamma$ -cysteine and glutathione. <i>Talanta</i> , 2003, 60, 205-214.  | 2.9 | 134       |
| 14 | Direct voltammetry and electrocatalytic properties of hemoglobin immobilized on a glassy carbon electrode modified with nickel oxide nanoparticles. <i>Electrochemistry Communications</i> , 2006, 8, 1499-1508.  | 2.3 | 134       |
| 15 | Simultaneous determination of ascorbic acid, uric acid and neurotransmitters with a carbon ceramic electrode prepared by sol-gel technique. <i>Talanta</i> , 2006, 70, 823-832.   | 2.9 | 133       |
| 16 | Low potential detection of NADH based on Fe <sub>3</sub> O <sub>4</sub> nanoparticles/multiwalled carbon nanotubes composite: Fabrication of integrated dehydrogenase-based lactate biosensor. <i>Biosensors and Bioelectronics</i> , 2012, 33, 60-68.                                    | 5.3 | 133       |
| 17 | Direct electrochemistry and electrocatalytic activity of catalase immobilized onto electrodeposited nano-scale islands of nickel oxide. <i>Biophysical Chemistry</i> , 2007, 125, 540-548.  | 1.5 | 131       |
| 18 | Highly sensitive immunosensing of prostate-specific antigen based on ionic liquid-carbon nanotubes modified electrode: Application as cancer biomarker for prostatebiopsies. <i>Biosensors and Bioelectronics</i> , 2013, 42, 439-446.  | 5.3 | 131       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Non-enzymatic glucose detection free of ascorbic acid interference using nickel powder and nafion solâ€gel dispersed renewable carbon ceramic electrode. <i>Electrochemistry Communications</i> , 2005, 7, 879-887.  | 2.3 | 130       |
| 20 | Efficient amine functionalization of graphene oxide through the Bucherer reaction: an extraordinary metal-free electrocatalyst for the oxygen reduction reaction. <i>RSC Advances</i> , 2015, 5, 59874-59880.  | 1.7 | 124       |
| 21 | A molecularly imprinted electrochemiluminescence sensor for ultrasensitive HIV-1 gene detection using EuS nanocrystals as luminophore. <i>Biosensors and Bioelectronics</i> , 2018, 117, 332-339.  | 5.3 | 124       |
| 22 | Label-free electrochemical IgE aptasensor based on covalent attachment of aptamer onto multiwalled carbon nanotubes/ionic liquid/chitosan nanocomposite modified electrode. <i>Biosensors and Bioelectronics</i> , 2013, 43, 218-225.  | 5.3 | 123       |
| 23 | Amperometric and voltammetric detection of hydrazine using glassy carbon electrodes modified with carbon nanotubes and catechol derivatives. <i>Talanta</i> , 2007, 75, 147-56.  | 2.9 | 121       |
| 24 | An ultrasensitive detection of miRNA-155 in breast cancer via direct hybridization assay using two-dimensional molybdenum disulfide field-effect transistor biosensor. <i>Biosensors and Bioelectronics</i> , 2018, 105, 6-13.   | 5.3 | 121       |
| 25 | Amplified fluorescent sensing of DNA using luminescent carbon dots and AuNPs/GO as a sensing platform: A novel coupling of FRET and DNA hybridization for homogeneous HIV-1 gene detection at femtomolar level. <i>Biosensors and Bioelectronics</i> , 2017, 89, 773-780.          | 5.3 | 120       |
| 26 | Ultrasensitive flexible FET-type aptasensor for CA 125 cancer marker detection based on carboxylated multiwalled carbon nanotubes immobilized onto reduced graphene oxide film. <i>Analytica Chimica Acta</i> , 2018, 1000, 273-282.   | 2.6 | 119       |
| 27 | Graphene nanosheets modified glassy carbon electrode for simultaneous detection of heroine, morphine and noscapine. <i>Biosensors and Bioelectronics</i> , 2012, 31, 205-211.  | 5.3 | 116       |
| 28 | Ultrasensitive electrochemiluminescence immunoassay for simultaneous determination of CA125 and CA15-3 tumor markers based on PAMAM-sulfanilic acid-Ru(bpy) <sub>3</sub> <sup>2+</sup> and PAMAM-CdTe@CdS nanocomposite. <i>Biosensors and Bioelectronics</i> , 2018, 99, 353-360. | 5.3 | 114       |
| 29 | Direct electrochemistry and electrocatalytic activity of catalase incorporated onto multiwall carbon nanotubes-modified glassy carbon electrode. <i>Analytical Biochemistry</i> , 2005, 344, 16-24.  | 1.1 | 113       |
| 30 | Current advances of carbon dots based biosensors for tumor marker detection, cancer cells analysis and bioimaging. <i>TrAC - Trends in Analytical Chemistry</i> , 2019, 115, 83-99.  | 5.8 | 110       |
| 31 | Au nanoparticles/PAMAM dendrimer functionalized wired ethyleneamineâ€viologen as highly efficient interface for ultra-sensitive Î±-fetoprotein electrochemical immunosensor. <i>Biosensors and Bioelectronics</i> , 2014, 59, 389-396.   | 5.3 | 108       |
| 32 | Amperometric Detection of Morphine at Preheated Glassy Carbon Electrode Modified with Multiwall Carbon Nanotubes. <i>Electroanalysis</i> , 2005, 17, 873-879.  | 1.5 | 102       |
| 33 | Amperometric detection of nitrite, iodate and periodate at glassy carbon electrode modified with catalase and multi-wall carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2007, 123, 530-537.  | 4.0 | 102       |
| 34 | Immobilization of hemoglobin on electrodeposited cobalt-oxide nanoparticles: Direct voltammetry and electrocatalytic activity. <i>Biophysical Chemistry</i> , 2007, 130, 122-131.  | 1.5 | 100       |
| 35 | Modification of glassy carbon electrode with multi-walled carbon nanotubes and iron(III)-porphyrin film: Application to chlorate, bromate and iodate detection. <i>Electrochimica Acta</i> , 2007, 52, 6097-6105.  | 2.6 | 97        |
| 36 | Switchable electrochemiluminescence aptasensor coupled with resonance energy transfer for selective attomolar detection of Hg <sup>2+</sup> via CdTe@CdS/dendrimer probe and Au nanoparticle quencher. <i>Biosensors and Bioelectronics</i> , 2018, 102, 328-335.                  | 5.3 | 97        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Electrocatalytic Reduction of Dioxygen at the Surface of Glassy Carbon Electrodes Modified by Some Anthraquinone Substituted Podands. <i>Electroanalysis</i> , 1999, 11, 114-119.  | 1.5 | 92        |
| 38 | A highly sensitive electrochemical immunosensor for hepatitis B virus surface antigen detection based on Hemin/G-quadruplex horseradish peroxidase-mimicking DNAzyme-signal amplification. <i>Biosensors and Bioelectronics</i> , 2017, 94, 184-192.                           | 5.3 | 91        |
| 39 | A FRET immunosensor for sensitive detection of CA 15-3 tumor marker in human serum sample and breast cancer cells using antibody functionalized luminescent carbon-dots and AuNPs-dendrimer aptamer as donor-acceptor pair. <i>Analytical Biochemistry</i> , 2018, 557, 18-26. | 1.1 | 86        |
| 40 | Functionalized fluorescent carbon nanostructures for targeted imaging of cancer cells: A review. <i>Mikrochimica Acta</i> , 2019, 186, 231.  | 2.5 | 81        |
| 41 | Boron doped diamond electrode modified with iridium oxide for amperometric detection of ultra trace amounts of arsenic(III). <i>Analyst</i> , 2004, 129, 9.  | 1.7 | 80        |
| 42 | Mimicking peroxidase-like activity of Co <sub>3</sub> O <sub>4</sub> -CeO <sub>2</sub> nanosheets integrated paper-based analytical devices for detection of glucose with smartphone. <i>Sensors and Actuators B: Chemical</i> , 2019, 288, 44-52.                             | 4.0 | 79        |
| 43 | Highly sensitive sensor for picomolar detection of insulin at physiological pH, using GC electrode modified with guanine and electrodeposited nickel oxide nanoparticles. <i>Biosensors and Bioelectronics</i> , 2008, 24, 792-798.  | 5.3 | 77        |
| 44 | Fabrication of electrochemical theophylline sensor based on manganese oxide nanoparticles/ionic liquid/chitosan nanocomposite modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2013, 108, 707-716.   | 2.6 | 77        |
| 45 | Manganese oxide nanoflakes/multi-walled carbon nanotubes/chitosan nanocomposite modified glassy carbon electrode as a novel electrochemical sensor for chromium (III) detection. <i>Electrochimica Acta</i> , 2015, 156, 207-215.  | 2.6 | 76        |
| 46 | Picomolar Detection of Insulin at Renewable Nickel Powder-Doped Carbon Composite Electrode. <i>Analytical Chemistry</i> , 2007, 79, 7431-7438.   | 3.2 | 72        |
| 47 | Fabrication of a Sensitive Cholesterol Biosensor Based on Cobalt Oxide Nanostructures Electrodeposited onto Glassy Carbon Electrode. <i>Electroanalysis</i> , 2009, 21, 2693-2700.   | 1.5 | 72        |
| 48 | One-pot hydrothermal synthesis of zirconium dioxide nanoparticles decorated reduced graphene oxide composite as high performance electrochemical sensing and biosensing platform. <i>Electrochimica Acta</i> , 2014, 143, 196-206.   | 2.6 | 72        |
| 49 | One dimensional CdS nanowire@TiO <sub>2</sub> nanoparticles core-shell as high performance photocatalyst for fast degradation of dye pollutants under visible and sunlight irradiation. <i>Journal of Colloid and Interface Science</i> , 2016, 479, 43-54.                    | 5.0 | 72        |
| 50 | Simultaneous Determination of Ranitidine and Metronidazole at Glassy Carbon Electrode Modified with Single Wall Carbon Nanotubes. <i>Electroanalysis</i> , 2007, 19, 1668-1676.  | 1.5 | 71        |
| 51 | Fabrication of a highly sensitive adenosine aptasensor based on covalent attachment of aptamer onto chitosan-carbon nanotubes-ionic liquid nanocomposite. <i>Biosensors and Bioelectronics</i> , 2013, 48, 100-107.  | 5.3 | 67        |
| 52 | Shape-dependent electron transfer kinetics and catalytic activity of NiO nanoparticles immobilized onto DNA modified electrode: Fabrication of highly sensitive enzymeless glucose sensor. <i>Biosensors and Bioelectronics</i> , 2014, 56, 313-319.                           | 5.3 | 67        |
| 53 | Electrochemical properties and electrocatalytic activity of FAD immobilized onto cobalt oxide nanoparticles: Application to nitrite detection. <i>Journal of Electroanalytical Chemistry</i> , 2008, 619-620, 31-38.   | 1.9 | 66        |
| 54 | Mimicking peroxidase activity of Co <sub>2</sub> (OH) <sub>2</sub> CO <sub>3</sub> -CeO <sub>2</sub> nanocomposite for smartphone based detection of tumor marker using paper-based microfluidic immunodevice. <i>Talanta</i> , 2018, 189, 100-110.                            | 2.9 | 66        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Development of DNA electrochemical biosensor based on immobilization of ssDNA on the surface of nickel oxide nanoparticles modified glassy carbon electrode. <i>Biosensors and Bioelectronics</i> , 2011, 30, 188-196.  | 5.3 | 65        |
| 56 | Ultrasonic effects on the electro-reduction of oxygen at a glassy carbon anthraquinone-modified electrode. The Kouteckyâ€“Levich equation applied to insonated electro-catalytic reactions. <i>Physical Chemistry Chemical Physics</i> , 2003, 5, 3988-3993.  | 1.3 | 62        |
| 57 | Electrooxidation of insulin at silicon carbide nanoparticles modified glassy carbon electrode. <i>Electrochemistry Communications</i> , 2009, 11, 1116-1119.  | 2.3 | 62        |
| 58 | Highly selective and sensitive adenosine aptasensor based on platinum nanoparticles as catalytical label for amplified detection of biorecognition events through H <sub>2</sub> O <sub>2</sub> reduction. <i>Biosensors and Bioelectronics</i> , 2014, 53, 355-362.                                | 5.3 | 62        |
| 59 | Multienzymes activity of metals and metal oxide nanomaterials: applications from biotechnology to medicine and environmental engineering. <i>Journal of Nanobiotechnology</i> , 2021, 19, 26.   | 4.2 | 62        |
| 60 | Electrocatalytic activity of nickel oxide nanoparticles as mediatorless system for NADH and ethanol sensing at physiological pH solution. <i>Biosensors and Bioelectronics</i> , 2013, 45, 260-266.   | 5.3 | 61        |
| 61 | Renewable Surface Sol-gel Derived Carbon Ceramic Electrode Modified with Copper Complex and Its Application as an Amperometric Sensor for Bromate Detection. <i>Electroanalysis</i> , 2004, 16, 1984-1991.  | 1.5 | 60        |
| 62 | Amperometric detection of hydrogen peroxide at nano-nickel oxide/thionine and celestine blue nanocomposite-modified glassy carbon electrodes. <i>Electrochimica Acta</i> , 2009, 54, 6312-6321.   | 2.6 | 60        |
| 63 | Nickel nanoclusters as a novel emitter for molecularly imprinted electrochemiluminescence based sensor toward nanomolar detection of creatinine. <i>Biosensors and Bioelectronics</i> , 2018, 107, 272-279.   | 5.3 | 60        |
| 64 | SiC nanoparticles-modified glassy carbon electrodes for simultaneous determination of purine and pyrimidine DNA bases. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3864-3869.  | 5.3 | 59        |
| 65 | Electrocatalytic oxidation of NADH at electrogenerated NAD <sup>+</sup> oxidation product immobilized onto multiwalled carbon nanotubes/ionic liquid nanocomposite: Application to ethanol biosensing. <i>Talanta</i> , 2012, 90, 91-98.  | 2.9 | 59        |
| 66 | A 3D hydrogel based on chitosan and carbon dots for sensitive fluorescence detection of microRNA-21 in breast cancer cells. <i>Talanta</i> , 2021, 224, 121895.   | 2.9 | 56        |
| 67 | Sol-gel derived carbon ceramic composite electrode containing a ruthenium complex for amperometric detection of insulin at physiological pH. <i>Journal of Electroanalytical Chemistry</i> , 2003, 542, 39-49.  | 1.9 | 54        |
| 68 | Amperometric Detection of Dopamine in the Presence of Ascorbic Acid Using a Nafion Coated Glassy Carbon Electrode Modified with Catechin Hydrate as a Natural Antioxidant. <i>Mikrochimica Acta</i> , 2004, 144, 161-169.   | 2.5 | 54        |
| 69 | Electrocatalysis of O <sub>2</sub> Reduction at Glassy Carbon Electrodes Modified with Adsorbed 1,4-Dihydroxy-9,10-anthraquinone Derivatives. <i>Bulletin of the Chemical Society of Japan</i> , 1999, 72, 2121-2127.   | 2.0 | 53        |
| 70 | CuO/WO <sub>3</sub> nanoparticles decorated graphene oxide nanosheets with enhanced peroxidase-like activity for electrochemical cancer cell detection and targeted therapeutics. <i>Materials Science and Engineering C</i> , 2019, 99, 1374-1383.   | 3.8 | 53        |
| 71 | Intrinsic Enzyme-like Activities of Cerium Oxide Nanocomposite and Its Application for Extracellular H <sub>2</sub> O <sub>2</sub> Detection Using an Electrochemical Microfluidic Device. <i>ACS Omega</i> , 2020, 5, 11883-11894.   | 1.6 | 53        |
| 72 | Ultrasensitive electrochemiluminescence immunosensor for determination of hepatitis B virus surface antigen using CdTe@CdS-PAMAM dendrimer as luminescent labels and Fe <sub>3</sub> O <sub>4</sub> nanoparticles as magnetic beads. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 551-560. | 4.0 | 52        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Graphene oxide/CuFe <sub>2</sub> O <sub>4</sub> nanocomposite as a novel scaffold for the immobilization of laccase and its application as a recyclable nanobiocatalyst for the green synthesis of arylsulfonyl benzenediols. <i>Biochemical Engineering Journal</i> , 2018, 133, 1-11.                     | 1.8 | 51        |
| 74 | Ni-hemin metal-organic framework with highly efficient peroxidase catalytic activity: toward colorimetric cancer cell detection and targeted therapeutics. <i>Journal of Nanobiotechnology</i> , 2018, 16, 93.  | 4.2 | 50        |
| 75 | A novel non-enzymatic hydrogen peroxide sensor based on single walled carbon nanotubes-manganese complex modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2011, 56, 3387-3394.  | 2.6 | 49        |
| 76 | Renewable-surface sol-gel derived carbon ceramic electrode fabricated by [Ru(bpy)(tpy)Cl]PF <sub>6</sub> and its application as an amperometric sensor for sulfide and sulfur oxoanions. <i>Analyst</i> , 2002, 127, 1649-1656.   | 1.7 | 45        |
| 77 | Electrocatalytic Oxidation of Sulfur Containing Amino Acids at Renewable Ni-Powder Doped Carbon Ceramic Electrode: Application to Amperometric Detection L-Cystine, L-Cysteine and L-Methionine. <i>Electroanalysis</i> , 2006, 18, 2129-2136.  | 1.5 | 44        |
| 78 | Immobilization of [Cu(bpy) <sub>2</sub> ]Br <sub>2</sub> complex onto a glassy carbon electrode modified with SiMo <sub>12</sub> O <sub>40</sub> and single walled carbon nanotubes: Application to nanomolar detection of hydrogen peroxide and bromate. <i>Analytica Chimica Acta</i> , 2009, 635, 63-70. | 2.6 | 44        |
| 79 | Highly sensitive electrocatalytic detection of nitrite based on SiC nanoparticles/amine terminated ionic liquid modified glassy carbon electrode integrated with flow injection analysis. <i>Sensors and Actuators B: Chemical</i> , 2014, 205, 136-142.  | 4.0 | 44        |
| 80 | Highly sensitive electrochemical aptasensor for immunoglobulin E detection based on sandwich assay using enzyme-linked aptamer. <i>Analytical Biochemistry</i> , 2014, 466, 89-97.  | 1.1 | 44        |
| 81 | Preparation and electrocatalytic oxidation properties of a nickel pentacyanonitrosylferrate modified carbon composite electrode by two-step sol-gel technique: improvement of the catalytic activity. <i>Electrochimica Acta</i> , 2004, 49, 413-422.   | 2.6 | 43        |
| 82 | Fabrication of Glucose Biosensor Based on Encapsulation of Glucose Oxidase on Sol-Gel Composite at the Surface of Glassy Carbon Electrode Modified with Carbon Nanotubes and Celestine Blue. <i>Electroanalysis</i> , 2008, 20, 1788-1797.  | 1.5 | 43        |
| 83 | Carbon Nanotubes-Ionic Liquid and Chlorpromazine Modified Electrode for Determination of NADH and Fabrication of Ethanol Biosensor. <i>Electroanalysis</i> , 2010, 22, 1707-1716.   | 1.5 | 43        |
| 84 | DNA/nickel oxide nanoparticles/osmium(III)-complex modified electrode toward selective oxidation of l-cysteine and simultaneous detection of l-cysteine and homocysteine. <i>Bioelectrochemistry</i> , 2012, 86, 9-21.  | 2.4 | 43        |
| 85 | Adsorption and Reactivity of Chlorogenic Acid at a Hydrophobic Carbon Ceramic Composite Electrode: Application for the Amperometric Detection of Hydrazine. <i>Electroanalysis</i> , 2004, 16, 1964-1971.   | 1.5 | 41        |
| 86 | Micromolar determination of sulfur oxoanions and sulfide at a renewable sol-gel carbon ceramic electrode modified with nickel powder. <i>Electrochimica Acta</i> , 2006, 51, 1952-1959.   | 2.6 | 41        |
| 87 | Layer by layer assembly of glucose oxidase and thiourea onto glassy carbon electrode: Fabrication of glucose biosensor. <i>Electrochimica Acta</i> , 2011, 56, 6097-6105.   | 2.6 | 41        |
| 88 | CuO nanorods as a laccase mimicking enzyme for highly sensitive colorimetric and electrochemical dual biosensor: Application in living cell epinephrine analysis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 195, 111228.  | 2.5 | 41        |
| 89 | Electrosorption of Os(III)-complex at single-wall carbon nanotubes immobilized on a glassy carbon electrode: Application to nanomolar detection of bromate, periodate and iodate. <i>Analytica Chimica Acta</i> , 2008, 618, 43-53.   | 2.6 | 40        |
| 90 | Electrocatalytic Reduction of H <sub>2</sub> O <sub>2</sub> and Oxygen on the Surface of Thionin Incorporated onto MWCNTs Modified Glassy Carbon Electrode: Application to Glucose Detection. <i>Electroanalysis</i> , 2007, 19, 1100-1108.   | 1.5 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Fabrication of an Electrochemical Cysteine Sensor Based on Graphene Nanosheets Decorated Manganese Oxide Nanocomposite Modified Glassy Carbon Electrode. <i>Electroanalysis</i> , 2013, 25, 2201-2210.   | 1.5 | 39        |
| 92  | Electrocatalytic properties of [Ru(bpy)(tpy)Cl]PF <sub>6</sub> at carbon ceramic electrode modified with nafion sol-gel composite: application to amperometric detection of l-cysteine. <i>Analytica Chimica Acta</i> , 2005, 534, 335-342.  | 2.6 | 38        |
| 93  | Modification of carbon ceramic electrode prepared with sol-gel technique by a thin film of chlorogenic acid: application to amperometric detection of NADH. <i>Talanta</i> , 2005, 65, 888-894.  | 2.9 | 38        |
| 94  | Covalent attachment of thionine onto gold electrode modified with cadmium sulfide nanoparticles: Improvement of electrocatalytic and photoelectrocatalytic reduction of hydrogen peroxide. <i>Electrochimica Acta</i> , 2013, 95, 60-70.   | 2.6 | 38        |
| 95  | Amperometric detection of hydrogen peroxide at nano-ruthenium oxide/riboflavin nanocomposite-modified glassy carbon electrodes. <i>Electrochimica Acta</i> , 2013, 113, 134-140.   | 2.6 | 38        |
| 96  | Fluorometric determination of microRNA-155 in cancer cells based on carbon dots and MnO <sub>2</sub> nanosheets as a donor-acceptor pair. <i>Mikrochimica Acta</i> , 2018, 185, 372.   | 2.5 | 38        |
| 97  | Electrochemical properties of modified carbon paste electrodes containing some amino derivatives of 9,10-anthraquinone. <i>Journal of Solid State Electrochemistry</i> , 2001, 5, 68-73.   | 1.2 | 37        |
| 98  | Hierarchical Co(OH) <sub>2</sub> /FeOOH/WO <sub>3</sub> ternary nanoflowers as a dual-function enzyme with pH-switchable peroxidase and catalase mimic activities for cancer cell detection and enhanced photodynamic therapy. <i>Chemical Engineering Journal</i> , 2021, 417, 129134.              | 6.6 | 37        |
| 99  | Electrocatalytic activity of cobaloxime complexes adsorbed on glassy carbon electrodes toward the reduction of dioxygen. <i>Journal of Electroanalytical Chemistry</i> , 2001, 517, 37-44.   | 1.9 | 36        |
| 100 | Cobalt oxide nanostructure-modified glassy carbon electrode as a highly sensitive flow injection amperometric sensor for the picomolar detection of insulin. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 1239-1246.   | 1.2 | 36        |
| 101 | Graphene-supported pyrene-functionalized amino-carbon nanotube: a novel hybrid architecture of laccase immobilization as effective bioelectrocatalyst for oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7623-7630.   | 5.2 | 36        |
| 102 | Enhanced visible light driven photoelectrocatalytic oxidation of ethanol at reduced graphene oxide/CdS nanowires decorated with Pt nanoparticles. <i>Catalysis Science and Technology</i> , 2016, 6, 3485-3496.  | 2.1 | 36        |
| 103 | FAD-based glucose dehydrogenase immobilized on thionine/AuNPs frameworks grafted on amino-CNTs: Development of high power glucose biofuel cell and biosensor. <i>Journal of Electroanalytical Chemistry</i> , 2018, 815, 105-113.  | 1.9 | 36        |
| 104 | Magnetoimmunosensor for simultaneous electrochemical detection of carcinoembryonic antigen and Î±-fetoprotein using multifunctionalized Au nanotags. <i>Journal of Electroanalytical Chemistry</i> , 2018, 811, 8-15.  | 1.9 | 35        |
| 105 | Simultaneous biosensing of CA125 and CA15-3 tumor markers and imaging of OVCAR-3 and MCF-7 cells lines via bi-color FRET phenomenon using dual blue-green luminescent carbon dots with single excitation wavelength. <i>International Journal of Biological Macromolecules</i> , 2018, 118, 617-628. | 3.6 | 35        |
| 106 | Electrodeposition of guanine oxidation product onto zinc oxide nanoparticles: Application to nanomolar detection of l-cysteine. <i>Sensors and Actuators B: Chemical</i> , 2009, 135, 632-641.   | 4.0 | 34        |
| 107 | Electrochemical and Photoelectrochemical Sensing of Dihyronicotinamide Adenine Dinucleotide and Glucose Based on Noncovalently Functionalized Reduced Graphene Oxide-Cadmium Sulfide Quantum Dots/Poly-Nile Blue Nanocomposite. <i>Electroanalysis</i> , 2014, 26, 1782-1793.                        | 1.5 | 34        |
| 108 | Amplified fluorescence resonance energy transfer sensing of prostate specific antigen based on aggregation of CdTe QDs/antibody and aptamer decorated of AuNPs-PAMAM dendrimer. <i>Journal of Luminescence</i> , 2018, 204, 368-374.   | 1.5 | 34        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Polymer dots as a novel probe for fluorescence sensing of dopamine and imaging in single living cell using droplet microfluidic platform. <i>Analytica Chimica Acta</i> , 2019, 1091, 40-49.  | 2.6 | 34        |
| 110 | Ratiometric fluorescence resonance energy transfer aptasensor for highly sensitive and selective detection of <i>Acinetobacter baumannii</i> bacteria in urine sample using carbon dots as optical nanoprobos. <i>Talanta</i> , 2021, 221, 121619.  | 2.9 | 34        |
| 111 | Amperometric detection of insulin at renewable sol-gel derived carbon ceramic electrode modified with nickel powder and potassium octacyanomolybdate(IV). <i>Biosensors and Bioelectronics</i> , 2006, 22, 220-226.   | 5.3 | 33        |
| 112 | Synthesis of Iridium Oxide Nanotubes by Electrodeposition into Polycarbonate Template: Fabrication of Chromium(III) and Arsenic(III) Electrochemical Sensor. <i>Electroanalysis</i> , 2011, 23, 2429-2437.  | 1.5 | 33        |
| 113 | A self-enhanced ECL-RET immunosensor for the detection of CA19-9 antigen based on Ru(bpy) <sub>2</sub> (phen-NH <sub>2</sub> ) <sub>2</sub> <sup>+</sup> - Amine-rich nitrogen-doped carbon nanodots as probe and graphene oxide grafted hyperbranched aromatic polyamide as platform. <i>Analytica Chimica Acta</i> , 2020, 1132, 55-65. | 2.6 | 33        |
| 114 | Graphdiyne nanosheet as a novel sensing platform for self-enhanced electrochemiluminescence of MOF enriched ruthenium (II) in the presence of dual co-reactants for detection of tumor marker. <i>Biosensors and Bioelectronics</i> , 2022, 195, 113657.  | 5.3 | 33        |
| 115 | Immobilization of glucose oxidase onto a novel platform based on modified TiO <sub>2</sub> and graphene oxide, direct electrochemistry, catalytic and photocatalytic activity. <i>Materials Science and Engineering C</i> , 2017, 73, 417-424.  | 3.8 | 32        |
| 116 | Development of a New Label-free, Indicator-free Strategy toward Ultrasensitive Electrochemical DNA Biosensing Based on Fe <sub>3</sub> O <sub>4</sub> Nanoparticles/Reduced Graphene Oxide Composite. <i>Electroanalysis</i> , 2017, 29, 409-414.   | 1.5 | 32        |
| 117 | Direct electron transfer and electrocatalytic properties of immobilized hemoglobin onto glassy carbon electrode modified with ionic-liquid/titanium-nitride nanoparticles: Application to nitrite detection. <i>Sensors and Actuators B: Chemical</i> , 2014, 191, 625-633.   | 4.0 | 31        |
| 118 | Electrocatalytic Reduction of Dioxygen on a Glassy Carbon Electrode Modified with Adsorbed Cobaloxime Complex.. <i>Analytical Sciences</i> , 2001, 17, 1165-1170.   | 0.8 | 30        |
| 119 | Fabrication of High performance bioanode based on fruitful association of dendrimer and carbon nanotube used for design O <sub>2</sub> /glucose membrane-less biofuel cell with improved bilirubine oxidase biocathode. <i>Biosensors and Bioelectronics</i> , 2013, 50, 186-193.   | 5.3 | 30        |
| 120 | Potential-resolved electrochemiluminescence immunoassay for simultaneous determination of CEA and AFP tumor markers using dendritic nanoclusters and Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> nanoparticles. <i>Mikrochimica Acta</i> , 2017, 184, 3613-3623.   | 2.5 | 30        |
| 121 | Facile one-pot synthesis of platinum nanoparticles decorated nitrogen-graphene with high electrocatalytic performance for oxygen reduction and anodic fuels oxidation. <i>Journal of Power Sources</i> , 2015, 277, 268-276.  | 4.0 | 29        |
| 122 | Preparation and characterization of laccases immobilized on magnetic nanoparticles and their application as a recyclable nanobiocatalyst for the aerobic oxidation of alcohols in the presence of TEMPO. <i>RSC Advances</i> , 2016, 6, 26709-26718.  | 1.7 | 29        |
| 123 | The development of radio frequency magnetron sputtered p-type nickel oxide thin film field-effect transistor device combined with nucleic acid probe for ultrasensitive label-free HIV-1 gene detection. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 178-186.   | 4.0 | 29        |
| 124 | Electroless Deposition of Thionin onto Glassy Carbon Electrode Modified with Single Wall and Multiwall Carbon Nanotubes: Improvement of the Electrochemical Reversibility and Stability. <i>Electroanalysis</i> , 2006, 18, 703-711.  | 1.5 | 28        |
| 125 | Layer by layer assembly of catalase and amine-terminated ionic liquid onto titanium nitride nanoparticles modified glassy carbon electrode: Study of direct voltammetry and bioelectrocatalytic activity. <i>Analytica Chimica Acta</i> , 2012, 753, 32-41.   | 2.6 | 28        |
| 126 | Controlling of morphology and electrocatalytic properties of cobalt oxide nanostructures prepared by potentiodynamic deposition method. <i>Applied Surface Science</i> , 2013, 276, 512-520.  | 3.1 | 28        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Zeptomolar detection of Hg <sup>2+</sup> based on label-free electrochemical aptasensor: One step closer to the dream of single atom detection. <i>Electrochemistry Communications</i> , 2017, 78, 21-25.   | 2.3 | 28        |
| 128 | Electrochemical and Photoelectrochemical Sensing of NADH and Ethanol Based on Immobilization of Electrogenerated Chlorpromazine Sulfoxide onto Graphene/CdS Quantum Dot/Ionic Liquid Nanocomposite. <i>Electroanalysis</i> , 2014, 26, 530-540.   | 1.5 | 27        |
| 129 | Amine-functionalized graphene as an effective electrochemical platform toward easily miRNA hybridization detection. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019, 143, 191-198.  | 2.5 | 27        |
| 130 | Fabrication of a Highly Sensitive Glucose Biosensor Based on Immobilization of Osmium Complex and Glucose Oxidase onto Carbon Nanotubes Modified Electrode. <i>Electroanalysis</i> , 2009, 21, 909-917.   | 1.5 | 25        |
| 131 | Carbon dots hybrid for dual fluorescent detection of microRNA-21 integrated bioimaging of MCF-7 using a microfluidic platform. <i>Journal of Nanobiotechnology</i> , 2022, 20, 73.  | 4.2 | 25        |
| 132 | Hydrogen peroxide sensor based on riboflavin immobilized at the nickel oxide nanoparticle-modified glassy carbon electrode. <i>Journal of Applied Electrochemistry</i> , 2013, 43, 1175-1183.   | 1.5 | 24        |
| 133 | Novel voltammetric and impedimetric sensor for femtomolar determination of lysozyme based on metal-chelate affinity immobilized onto gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2015, 74, 270-276.  | 5.3 | 24        |
| 134 | Label-free attomolar detection of lactate based on radio frequency sputtered of nickel oxide thin film field effect transistor. <i>Biosensors and Bioelectronics</i> , 2017, 92, 733-740.   | 5.3 | 24        |
| 135 | CuO/Cu-MOF nanocomposite for highly sensitive detection of nitric oxide released from living cells using an electrochemical microfluidic device. <i>Mikrochimica Acta</i> , 2021, 188, 240.   | 2.5 | 24        |
| 136 | Modification of Glassy Carbon Electrode With Single-Walled Carbon Nanotubes and Silicomolybdate: Application to Sb(III) Detection. <i>Electroanalysis</i> , 2008, 20, 2509-2517.  | 1.5 | 23        |
| 137 | Sensitive Superoxide Biosensor Based on Silicon Carbide Nanoparticles. <i>Electroanalysis</i> , 2010, 22, 1599-1606.  | 1.5 | 23        |
| 138 | Sensitive amperometric detection of omeprazole and pantoperazole at electrodeposited nickel oxide nanoparticles modified glassy carbon electrode. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 1369-1375.   | 1.2 | 23        |
| 139 | Sulfur doped-copper oxide nanoclusters synthesized through a facile electroplating process assisted by thiourea for selective photoelectrocatalytic reduction of CO <sub>2</sub> . <i>Journal of Colloid and Interface Science</i> , 2017, 505, 241-252.  | 5.0 | 23        |
| 140 | Ultrasensitive and highly selective FRET aptasensor for Hg <sup>2+</sup> measurement in fish samples using carbon dots/AuNPs as donor/acceptor platform. <i>New Journal of Chemistry</i> , 2018, 42, 16027-16035.   | 1.4 | 23        |
| 141 | High performance glucose/O <sub>2</sub> compartment-less biofuel cell using DNA/CNTs as platform for immobilizing bilirubin oxidase as novel biocathode and integrated NH <sub>2</sub> -CNTs/dendrimer/glucose dehydrogenase/nile blue as bioanode. <i>Electrochimica Acta</i> , 2015, 185, 90-100. | 2.6 | 22        |
| 142 | Highly sensitive and ultra-selective amperometric nitrite sensor using cyclometalated Rh(III)-complex/CNTs modified glassy carbon electrode integrated with flow injection analysis. <i>Sensors and Actuators B: Chemical</i> , 2016, 233, 107-119.   | 4.0 | 22        |
| 143 | A strategy for visual optical determination of glucose based on a smartphone device using fluorescent boron-doped carbon nanoparticles as a light-up probe. <i>Mikrochimica Acta</i> , 2020, 187, 14.   | 2.5 | 22        |
| 144 | Transport Properties of a Molybdenum Disulfide and Carbon Dot Nanohybrid Transistor and Its Applications as a Hg <sup>2+</sup> Aptasensor. <i>ACS Applied Electronic Materials</i> , 2020, 2, 635-645.  | 2.0 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Picomolar Detection of Hydrogen Peroxide at Glassy Carbon Electrode Modified with NAD <sup>+</sup> and Single Walled Carbon Nanotubes. <i>Electroanalysis</i> , 2008, 20, 1760-1768.   | 1.5 | 21        |
| 146 | Highly sensitive and selective amperometric sensors for nanomolar detection of iodate and periodate based on glassy carbon electrode modified with iridium oxide nanoparticles. <i>Analytica Chimica Acta</i> , 2010, 661, 28-34.  | 2.6 | 21        |
| 147 | Anodic platinum dissolution, entrapping by amine functionalized-reduced graphene oxide: a simple approach to derive the uniform distribution of platinum nanoparticles with efficient electrocatalytic activity for durable hydrogen evolution and ethanol oxidation. <i>Electrochimica Acta</i> , 2016, 211, 322-330. | 2.6 | 21        |
| 148 | Dual Amplified Electrochemical Immunosensor for Hepatitis B Virus Surface Antigen Detection Using Hemin/G-Quadruplex Immobilized onto Fe <sub>3</sub> O <sub>4</sub> -AuNPs or (Hemin-Amino-GO-Au).5 Nanohybrid. <i>Electroanalysis</i> , 2018, 30, 402-414.   | 1.5 | 21        |
| 149 | Ultrasensitive Bioaffinity Electrochemical Sensors: Advances and New Perspectives. <i>Electroanalysis</i> , 2018, 30, 2803-2840.   | 1.5 | 21        |
| 150 | Nickel-phenedione complex covalently attached onto carbon nanotube/cross linked glucose dehydrogenase as bioanode for glucose/oxygen compartment-less biofuel cell. <i>Journal of Power Sources</i> , 2015, 282, 586-595.  | 4.0 | 20        |
| 151 | Disposable Amperometric Sensor for Neurotransmitters Based on Screen-Printed Electrodes Modified with a Thin Iridium Oxide Film. <i>Analytical Sciences</i> , 2005, 21, 1275-1280.   | 0.8 | 19        |
| 152 | Amperometric detection of ultra trace amounts of Hg(II) at the surface boron doped diamond electrode modified with iridium oxide. <i>Talanta</i> , 2006, 68, 1610-1616.  | 2.9 | 19        |
| 153 | Electrocatalytic Reduction of Chromium(VI) by Thionin: Electrochemical Properties and Mechanistic Study. <i>Electroanalysis</i> , 2006, 18, 1664-1671.   | 1.5 | 19        |
| 154 | N-hydroxysuccinimide-mediated photoelectrooxidation of aliphatic alcohols based on cadmium telluride nanoparticles decorated graphene nanosheets. <i>Electrochimica Acta</i> , 2013, 105, 230-238.   | 2.6 | 19        |
| 155 | Bimetallic Fe 15 Pt 85 nanoparticles as an effective anodic electrocatalyst for non-enzymatic glucose/oxygen biofuel cell. <i>Electrochimica Acta</i> , 2016, 208, 325-333.  | 2.6 | 19        |
| 156 | Polymer nanocomposite film for dual colorimetric and fluorescent ascorbic acid detection integrated single-cell bioimaging with droplet microfluidic platform. <i>Dyes and Pigments</i> , 2020, 173, 107875.   | 2.0 | 19        |
| 157 | Electrocatalytic reduction of NAD <sup>+</sup> at glassy carbon electrode modified with single-walled carbon nanotubes and Ru(III) complexes. <i>Journal of Solid State Electrochemistry</i> , 2009, 13, 485-496.  | 1.2 | 18        |
| 158 | Hemin/G-Quadruplex Horseradish Peroxidase-Mimicking DNAzyme: Principle and Biosensing Application. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2017, 170, 85-106.   | 0.6 | 18        |
| 159 | Graphdiyne/graphene quantum dots for development of FRET ratiometric fluorescent assay toward sensitive detection of miRNA in human serum and bioimaging of living cancer cells. <i>Journal of Luminescence</i> , 2021, 239, 118371.   | 1.5 | 18        |
| 160 | A High Performance Electrochemical Biosensing Platform for Glucose Detection and IgE Aptasensing Based on Fe <sub>3</sub> O <sub>4</sub> /Reduced Graphene Oxide Nanocomposite. <i>Electroanalysis</i> , 2014, 26, 129-138.  | 1.5 | 17        |
| 161 | Electrochemical Pretreatment of Amino-Carbon Nanotubes on Graphene Support as a Novel Platform for Bilirubin Oxidase with Improved Bioelectrocatalytic Activity towards Oxygen Reduction. <i>Chemistry - A European Journal</i> , 2015, 21, 4949-4953.   | 1.7 | 17        |
| 162 | Immunoreaction-triggered diagnostic device using reduced graphene oxide/CuO NPs/chitosan ternary nanocomposite, toward enhanced electrochemical detection of albumin. <i>Journal of Electroanalytical Chemistry</i> , 2020, 877, 114642.   | 1.9 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Development of three-dimensional semi-solid hydrogel matrices for ratiometric fluorescence sensing of Amyloid $\beta$ peptide and imaging in SH-SY5 cells: Improvement of point of care diagnosis of Alzheimer's disease biomarker. <i>Biosensors and Bioelectronics</i> , 2022, 199, 113895. | 5.3 | 17        |
| 164 | Deposition of $[Ru(bipyridine)(terpyridine)Cl]^+$ multilayer film on single wall carbon nanotube modified glassy carbon electrode: Improvement of the electrochemical properties and chemical stability. <i>Thin Solid Films</i> , 2010, 518, 5304-5310.                                      | 0.8 | 16        |
| 165 | Facile Synthesis of Ultra-wide Two Dimensional $Bi_{2-x}S_{3-x}$ Nanosheets: Characterizations, Properties and Applications in Hydrogen Peroxide Sensing and Hydrogen Storage. <i>Electroanalysis</i> , 2017, 29, 2027-2035.  | 1.5 | 15        |
| 166 | Direct Enzymatic Glucose/O <sub>2</sub> Biofuel Cell based on Poly-Thiophene Carboxylic Acid alongside Gold Nanostructures Substrates Derived through Bipolar Electrochemistry. <i>Scientific Reports</i> , 2018, 8, 15103.   | 1.6 | 15        |
| 167 | Ultrasensitive molecularly imprinted fluorescence sensor for simultaneous determination of CA125 and CA153 in human serum and OVCAR-3 and MCF-7 cells lines using Cd and Ni nanoclusters as new emitters. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 4049-4061.               | 1.9 | 14        |
| 168 | Bipolar electrochemistry as a powerful technique for rapid synthesis of ultrathin graphdiyne nanosheets: Improvement of photoelectrocatalytic activity toward both hydrogen and oxygen evolution. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 12906-12914.                    | 3.8 | 13        |
| 169 | Guanine/Ionic Liquid Derived Ordered Mesoporous Carbon Decorated with AuNPs as Efficient NADH Biosensor and Suitable Platform for Enzymes Immobilization and Biofuel Cell Design. <i>Electroanalysis</i> , 2017, 29, 2646-2655.   | 1.5 | 12        |
| 170 | Light-Driven Photocatalytic Hydrogen Evolution on Spindle-like $MoS_x$ Nanostructures Grown on Poly-Salicylic Acid Synthesized through Bipolar Electrochemistry. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 9784-9792.   | 3.2 | 12        |
| 171 | A Novel Immunosensing Method Based on the Capture and Enzymatic Release of Sandwich-Type Covalently Conjugated Thionine-Gold Nanoparticles as a New Fluorescence Label Used for Ultrasensitive Detection of Hepatitis B Virus Surface Antigen. <i>ACS Omega</i> , 2019, 4, 15323-15336.       | 1.6 | 12        |
| 172 | Ratiometric enhanced fluorometric determination and imaging of intracellular microRNA-155 by using carbon dots, gold nanoparticles and rhodamine B for signal amplification. <i>Mikrochimica Acta</i> , 2019, 186, 469.   | 2.5 | 12        |
| 173 | Triiodide Ion-Selective Electrode Based on Charge-Transfer Complex of 4,7,13,16,21,24-Hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane. <i>Journal of the Chinese Chemical Society</i> , 2006, 53, 1133-1139.   |     | 11        |
| 174 | Photoelectrocatalytic enzymeless detection of glucose at reduced graphene oxide/CdS nanocomposite decorated with finny ball CoOx nanostructures. <i>Journal of Electroanalytical Chemistry</i> , 2016, 783, 233-241.  | 1.9 | 11        |
| 175 | DNA-functionalized dye-loaded carbon dots: ultrabright FRET platform for ratiometric detection of Hg(II) in serum samples and cell microenvironment. <i>Ionics</i> , 2019, 25, 4469-4479.   | 1.2 | 11        |
| 176 | An eco-friendly MIP-solid surface fluorescence immunosensor for detection of CA 19-9 tumor marker using Ni nanocluster as an emitter labels. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 2283-2291.  | 1.2 | 11        |
| 177 | Charge-Transfer Triiodide Ion-Selective Electrode Based on 7,16-Dibenzyl-1,4,10,13-tetraoxa-7,16-diazacyclooctadecane. <i>Analytical Sciences</i> , 2005, 21, 297-302.  | 0.8 | 10        |
| 178 | Nanomolar detection of guanine based on a novel cobalt oxide nanostructure-modified glassy carbon electrode. <i>Analytical Methods</i> , 2011, 3, 911.  | 1.3 | 9         |
| 179 | Solid surface fluorescence immunosensor for ultrasensitive detection of hepatitis B virus surface antigen using PAMAM/CdTe@CdS QDs nanoclusters. <i>Methods and Applications in Fluorescence</i> , 2018, 6, 035013.   | 1.1 | 9         |
| 180 | Enzyme-based electrochemical biosensors. , 2019, , 167-211.   |     | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Dual-emission carbon dots as biocompatible nanocarrier for in vitro/in vivo cell microenvironment ratiometric pH sensing in broad range. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 2081-2092.   | 1.2 | 9         |
| 182 | Construction of a ternary nano-architecture based graphene oxide sheets, toward electrocatalytic determination of tumor-associated anti-p53 autoantibodies in human serum. <i>Talanta</i> , 2021, 230, 122276.   | 2.9 | 9         |
| 183 | Glucose Biosensor Based on Silicon Nitride Nanoparticles. <i>Electroanalysis</i> , 2010, 22, 2434-2442.  | 1.5 | 7         |
| 184 | Specific anion effects on copper surface through electrochemical treatment: Enhanced photoelectrochemical CO <sub>2</sub> reduction activity of derived nanostructures induced by chaotropic anions. <i>Applied Surface Science</i> , 2018, 440, 897-906.      | 3.1 | 7         |
| 185 | Direct Voltammetry of Copper, Zinc and Superoxide Dismutase Immobilized onto Electrodeposited Nickel Oxide Nanoparticles: Fabrication of Amperometric Superoxide Biosensor. <i>Electroanalysis</i> , 2011, 23, 683-691.  | 1.5 | 6         |
| 186 | Electrochemical Derivatization of Acetaminophen for Indirect Determination of Eflornithine Using Pd-CD Modified Glassy Carbon Electrode. <i>Electroanalysis</i> , 2019, 31, 1719-1727.   | 1.5 | 6         |
| 187 | Manganese Oxide Nanoparticles/Reduced Graphene Oxide as Novel Electrochemical Platform for Immobilization of FAD and its Application as Highly Sensitive Persulfate Sensor. <i>Electroanalysis</i> , 2016, 28, 493-502.  | 1.5 | 5         |
| 188 | Experimental and theoretical studies on electrocatalytic oxidation of arsenic (III) and iron (II) using chlorpromazine: Electrochemical and mechanistic study by digital simulation in liquid phase. <i>Journal of Molecular Liquids</i> , 2017, 233, 100-105. | 2.3 | 5         |
| 189 | Ultrasensitive fluorescence immunosensor based on mesoporous silica and magnetic nanoparticles: Capture and release strategy. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 257, 119749.                                | 2.0 | 5         |
| 190 | Renewable Surface Sol-Gel Derived Carbon Ceramic Electrode Modified with [Ru(NH <sub>3</sub> ) <sub>5</sub> Cl](PF <sub>6</sub> ) <sub>2</sub> Complex : Application to Amperometric Detection of Chlorate. <i>Electroanalysis</i> , 2005, 17, 2273-2280.      | 1.5 | 4         |
| 191 | Nickel-cysteine nanoparticles: Synthesis, characterization and application for direct electron transfer studies. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018, 165, 135-143.   | 2.5 | 4         |
| 192 | Electrochemical atomic layer deposition of cadmium telluride for Pt decoration: Application as novel photoelectrocatalyst for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2019, 321, 134651.   | 2.6 | 4         |
| 193 | A Chelation-enhanced Fluorescence Assay using Thiourea Capped Carbonaceous Fluorescent Nanoparticles for As (III) Detection in Water Samples. <i>Journal of Fluorescence</i> , 2022, 32, 145-153.  | 1.3 | 3         |