

Jaana I Halonen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7727677/jaana-i-halonen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,764
citations

24
h-index

40
g-index

78
ext. papers

2,142
ext. citations

5.1
avg, IF

4.54
L-index

#	Paper	IF	Citations
76	Particulate air pollution and acute cardiorespiratory hospital admissions and mortality among the elderly. <i>Epidemiology</i> , 2009 , 20, 143-53	3.1	175
75	Road traffic noise is associated with increased cardiovascular morbidity and mortality and all-cause mortality in London. <i>European Heart Journal</i> , 2015 , 36, 2653-61	9.5	135
74	Relationship between outdoor temperature and blood pressure. <i>Occupational and Environmental Medicine</i> , 2011 , 68, 296-301	2.1	93
73	Associations between outdoor temperature and markers of inflammation: a cohort study. <i>Environmental Health</i> , 2010 , 9, 42	6	86
72	Quantifying neighbourhood socioeconomic effects in clustering of behaviour-related risk factors: a multilevel analysis. <i>PLoS ONE</i> , 2012 , 7, e32937	3.7	59
71	Associations between nighttime traffic noise and sleep: the Finnish public sector study. <i>Environmental Health Perspectives</i> , 2012 , 120, 1391-6	8.4	59
70	Outdoor temperature is associated with serum HDL and LDL. <i>Environmental Research</i> , 2011 , 111, 281-7	7.9	58
69	Ozone and cause-specific cardiorespiratory morbidity and mortality. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 814-20	5.1	55
68	Long-term traffic air and noise pollution in relation to mortality and hospital readmission among myocardial infarction survivors. <i>International Journal of Hygiene and Environmental Health</i> , 2016 , 219, 72-8	6.9	53
67	Childhood Psychosocial Adversity and Adult Neighborhood Disadvantage as Predictors of Cardiovascular Disease: A Cohort Study. <i>Circulation</i> , 2015 , 132, 371-9	16.7	51
66	Neighbourhood socioeconomic disadvantage, risk factors, and diabetes from childhood to middle age in the Young Finns Study: a cohort study. <i>Lancet Public Health</i> , 2018 , 3, e365-e373	22.4	51
65	Proximity to a tobacco store and smoking cessation: a cohort study. <i>Tobacco Control</i> , 2014 , 23, 146-51	5.3	51
64	Changes in physical activity during transition to retirement: a cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 51	8.4	50
63	Elemental concentrations of ambient particles and cause specific mortality in Santiago, Chile: a time series study. <i>Environmental Health</i> , 2012 , 11, 82	6	47
62	Association between blood pressure and DNA methylation of retrotransposons and pro-inflammatory genes. <i>International Journal of Epidemiology</i> , 2013 , 42, 270-80	7.8	45
61	Association of ozone and particulate air pollution with out-of-hospital cardiac arrest in Helsinki, Finland: evidence for two different etiologies. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013 , 23, 281-8	6.7	43
60	Green and blue areas as predictors of overweight and obesity in an 8-year follow-up study. <i>Obesity</i> , 2014 , 22, 1910-7	8	40

59	Fast-food outlets and grocery stores near school and adolescents' eating habits and overweight in Finland. <i>European Journal of Public Health</i> , 2015 , 25, 650-5	2.1	36
58	Association Between Distance From Home to Tobacco Outlet and Smoking Cessation and Relapse. <i>JAMA Internal Medicine</i> , 2016 , 176, 1512-1519	11.5	34
57	Patterns of weight gain in middle-aged and older US adults, 1992-2010. <i>Epidemiology</i> , 2015 , 26, 165-8	3.1	28
56	Living in proximity of a bar and risky alcohol behaviours: a longitudinal study. <i>Addiction</i> , 2013 , 108, 320-8	4.6	27
55	Associations of traffic noise with self-rated health and psychotropic medication use. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 235-43	4.3	27
54	Proximity of off-premise alcohol outlets and heavy alcohol consumption: a cohort study. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 295-300	4.9	24
53	Is change in availability of sports facilities associated with change in physical activity? A prospective cohort study. <i>Preventive Medicine</i> , 2015 , 73, 10-4	4.3	24
52	Trajectories of risky drinking around the time of statutory retirement: a longitudinal latent class analysis. <i>Addiction</i> , 2017 , 112, 1163-1170	4.6	21
51	Socioeconomic characteristics of residential areas and risk of death: is variation in spatial units for analysis a source of heterogeneity in observed associations?. <i>BMJ Open</i> , 2013 , 3,	3	21
50	Childhood adversity, adult socioeconomic status and risk of work disability: a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 659-666	2.1	20
49	Change in Job Strain as a Predictor of Change in Insomnia Symptoms: Analyzing Observational Data as a Non-randomized Pseudo-Trial. <i>Sleep</i> , 2017 , 40,	1.1	19
48	Long-term exposure to traffic pollution and hospital admissions in London. <i>Environmental Pollution</i> , 2016 , 208, 48-57	9.3	18
47	Associations of night-time road traffic noise with carotid intima-media thickness and blood pressure: The Whitehall II and SABRE study cohorts. <i>Environment International</i> , 2017 , 98, 54-61	12.9	18
46	Is long-term exposure to traffic pollution associated with mortality? A small-area study in London. <i>Environmental Pollution</i> , 2016 , 208, 25-32	9.3	16
45	Effectiveness of legislative changes obligating notification of prolonged sickness absence and assessment of remaining work ability on return to work and work participation: a natural experiment in Finland. <i>Occupational and Environmental Medicine</i> , 2016 , 73, 42-50	2.1	15
44	Waterborne outbreak of gastroenteritis: effects on sick leaves and cost of lost workdays. <i>PLoS ONE</i> , 2012 , 7, e33307	3.7	15
43	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , 2019 , 55, 43-50	4.6	15
42	Collaboration between employers and occupational health service providers: a systematic review of key characteristics. <i>BMC Public Health</i> , 2017 , 17, 22	4.1	14

41	Adverse experiences in childhood, adulthood neighbourhood disadvantage and health behaviours. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 741-6	5.1	14
40	Change in Neighborhood Disadvantage and Change in Smoking Behaviors in Adults: A Longitudinal, Within-individual Study. <i>Epidemiology</i> , 2016 , 27, 803-9	3.1	13
39	Mental health by gender-specific occupational groups: Profiles, risks and dominance of predictors. <i>Journal of Affective Disorders</i> , 2018 , 238, 311-316	6.6	12
38	Association of the availability of beer, wine, and liquor outlets with beverage-specific alcohol consumption: a cohort study. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1086-93	3.7	12
37	A call for urgent action to safeguard our planet and our health in line with the helsinki declaration. <i>Environmental Research</i> , 2021 , 193, 110600	7.9	12
36	Childhood adversity as a predictor of non-adherence to statin therapy in adulthood. <i>PLoS ONE</i> , 2015 , 10, e0127638	3.7	11
35	Commuting time to work and behaviour-related health: a fixed-effect analysis. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 77-83	2.1	9
34	Risk and Prognostic Factors of Low Back Pain: Repeated Population-based Cohort Study in Sweden. <i>Spine</i> , 2019 , 44, 1248-1255	3.3	9
33	Change in organizational justice as a predictor of insomnia symptoms: longitudinal study analysing observational data as a non-randomized pseudo-trial. <i>International Journal of Epidemiology</i> , 2017 , 46, 1277-1284	7.8	8
32	Sustained return to work and work participation after a new legislation obligating employers to notify prolonged sickness absence. <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 65-73	3	8
31	Physical activity and peripheral artery disease: Two prospective cohort studies and a systematic review. <i>Atherosclerosis</i> , 2019 , 286, 114-120	3.1	7
30	Distinctive use of newer and older antidepressants in major geographical areas: A nationally representative register-based study. <i>Journal of Affective Disorders</i> , 2018 , 229, 358-363	6.6	7
29	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 1021-1029	4.5	7
28	Long working hours and change in body weight: analysis of individual-participant data from 19 cohort studies. <i>International Journal of Obesity</i> , 2020 , 44, 1368-1375	5.5	7
27	The Helsinki Declaration 2020: Europe that protects. <i>Lancet Planetary Health</i> , 2020 , 4, e503-e505	9.8	7
26	Associations between onset of effort-reward imbalance at work and onset of musculoskeletal pain: analyzing observational longitudinal data as pseudo-trials. <i>Pain</i> , 2018 , 159, 1477-1483	8	6
25	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
24	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 421-432	3.2	6

23	Physical Activity across Retirement Transition by Occupation and Mode of Commute. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 1900-1907	1.2	6
22	Cross-sectional associations of neighbourhood socioeconomic disadvantage and greenness with accelerometer-measured leisure-time physical activity in a cohort of ageing workers. <i>BMJ Open</i> , 2020 , 10, e038673	3	5
21	Changes in drinking as predictors of changes in sickness absence: a case-crossover study. <i>Journal of Epidemiology and Community Health</i> , 2018 , 72, 61-67	5.1	5
20	Recurrent back pain during working life and exit from paid employment: a 28-year follow-up of the Whitehall II Study. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 786-791	2.1	5
19	Commuting distance and behavior-related health: A longitudinal study. <i>Preventive Medicine</i> , 2021 , 150, 106665	4.3	5
18	Bi-directional relation between effort-reward imbalance and risk of neck-shoulder pain: assessment of mediation through depressive symptoms using occupational longitudinal data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019 , 45, 126-133	4.3	4
17	Prediction of Asthma Hospitalizations for the Common Cold Using Google Trends: Infodemiology Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e27044	7.6	4
16	Pathways from parental mental disorders to offspring work disability due to depressive or anxiety disorders in early adulthood-The 1987 Finnish Birth Cohort. <i>Depression and Anxiety</i> , 2019 , 36, 305-312	8.4	4
15	Psychological distress and sickness absence: Within- versus between-individual analysis. <i>Journal of Affective Disorders</i> , 2020 , 264, 333-339	6.6	3
14	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. <i>BMJ Open</i> , 2019 , 9, e031564	3	3
13	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019 , 29, 555-561	2.1	3
12	Determinants of long-term unemployment in early adulthood: A Finnish birth cohort study. <i>SSM - Population Health</i> , 2019 , 8, 100410	3.8	2
11	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 181-190	4.3	2
10	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 141-148	3	2
9	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
8	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , 2020 , 30, 158-163	2.1	1
7	Shift work, work time control, and informal caregiving as risk factors for sleep disturbances in an ageing municipal workforce. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021 , 47, 181-190	4.3	1
6	Contexts of sedentary time and physical activity among ageing workers and recent retirees: cross-sectional GPS and accelerometer study. <i>BMJ Open</i> , 2021 , 11, e042600	3	1

5	Changes in Smoking During Retirement Transition: A Longitudinal Cohort Study. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 876-884	3	1
4	Home and Workplace Neighborhood Socioeconomic Status and Behavior-related Health: A Within-individual Analysis. <i>Annals of Behavioral Medicine</i> , 2021 , 55, 779-790	4.5	1
3	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , 2020 , 1403494820971497	3	0
2	Interrelationships between job demands, low back pain and depression: A four-way decomposition analysis of direct and indirect effects of job demands through mediation and/or interaction. <i>Journal of Affective Disorders</i> , 2021 , 282, 219-226	6.6	0
1	Transportation noise and cardiovascular health: role of multiple noise sources. <i>Occupational and Environmental Medicine</i> , 2019 , 76, 199-200	2.1	