
Dagmar Amtmann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7728126/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005–2008. Journal of Clinical Epidemiology, 2010, 63, 1179-1194.	2.4	3,521
2	Development of a PROMIS item bank to measure pain interference. Pain, 2010, 150, 173-182.	2.0	787
3	Having a fit: impact of number of items and distribution of data on traditional criteria for assessing IRT's unidimensionality assumption. Quality of Life Research, 2009, 18, 447-460.	1.5	234
4	Comparing CESD-10, PHQ-9, and PROMIS depression instruments in individuals with multiple sclerosis Rehabilitation Psychology, 2014, 59, 220-229.	0.7	202
5	Development and psychometric analysis of the PROMIS pain behavior item bank. Pain, 2009, 146, 158-169.	2.0	190
6	Construct Validity of the Prosthetic Limb Users Survey of Mobility (PLUS-M) in Adults With Lower Limb Amputation. Archives of Physical Medicine and Rehabilitation, 2017, 98, 277-285.	0.5	135
7	Comparison of the psychometric properties of two fatigue scales in multiple sclerosis Rehabilitation Psychology, 2012, 57, 159-166.	0.7	131
8	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	2.4	113
9	Upper-Extremity and Mobility Subdomains From the Patient-Reported Outcomes Measurement Information System (PROMIS) Adult Physical Functioning Item Bank. Archives of Physical Medicine and Rehabilitation, 2013, 94, 2291-2296.	0.5	107
10	Minimally important differences for Patient Reported Outcomes Measurement Information System pain interference for individuals with back pain. Journal of Pain Research, 2016, 9, 251.	0.8	107
11	University of Washington Self-Efficacy Scale: A New Self-Efficacy Scale for People With Disabilities. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1757-1765.	0.5	99
12	Efficacy of a Telephone-Delivered Self-Management Intervention for Persons With Multiple Sclerosis: A Randomized Controlled Trial With a One-Year Follow-Up. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1945-1958.e2.	0.5	96
13	The PROMIS Initiative: Involvement of Rehabilitation Stakeholders in Development and Examples of Applications in Rehabilitation Research. Archives of Physical Medicine and Rehabilitation, 2011, 92, S12-S19.	0.5	95
14	Using item response theory to enrich and expand the PROMIS® pediatric self report banks. Health and Quality of Life Outcomes, 2014, 12, 160.	1.0	92
15	Health-Related Profiles of People With Lower Limb Loss. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1474-1483.	0.5	88
16	Development and validation of an interpretive guide for PROMIS scores. Journal of Patient-Reported Outcomes, 2020, 4, 16.	0.9	86
17	People with multiple sclerosis report significantly worse symptoms and health related quality of life than the US general population as measured by PROMIS and NeuroQoL outcome measures. Disability and Health Journal, 2018, 11, 99-107.	1.6	79
18	Developing a Contemporary Patient-Reported Outcomes Measure for Spinal Cord Injury. Archives of Physical Medicine and Rehabilitation, 2011, 92, S44-S51.	0.5	75

#	Article	IF	CITATIONS
19	Six Patient-Reported Outcome Measurement Information System Short Form Measures Have Negligible Age- or Diagnosis-Related Differential Item Functioning in Individuals With Disabilities. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1289-1291.	0.5	61
20	Psychometric Evaluation of the Perceived Stress Scale in Multiple Sclerosis. ISRN Rehabilitation, 2013, 2013, 1-9.	0.6	54
21	Communicative participation restrictions in multiple sclerosis: Associated variables and correlation with social functioning. Journal of Communication Disorders, 2014, 52, 196-206.	0.8	54
22	Resilience and Function in Adults With Physical Disabilities: An Observational Study. Archives of Physical Medicine and Rehabilitation, 2017, 98, 1158-1164.	0.5	54
23	The National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System. Journal of Burn Care and Research, 2017, 38, e240-e253.	0.2	53
24	A PROMIS fatigue short form for use by individuals who have multiple sclerosis. Quality of Life Research, 2012, 21, 1021-1030.	1.5	50
25	Characterizing mobility from the prosthetic limb user's perspective. Prosthetics and Orthotics International, 2016, 40, 582-590.	0.5	49
26	Cross-Sectional Assessment of Factors Related to Pain Intensity and Pain Interference in Lower Limb Prosthesis Users. Archives of Physical Medicine and Rehabilitation, 2017, 98, 105-113.	0.5	49
27	Life impact of caregiving for severe childhood epilepsy: Results of expert panels and caregiver focus groups. Epilepsy and Behavior, 2017, 74, 135-143.	0.9	48
28	Letting the CAT out of the Bag. Spine, 2008, 33, 1378-1383.	1.0	46
29	mHealth and patient generated health data: stakeholder perspectives on opportunities and barriers for transforming healthcare. MHealth, 2020, 6, 8-8.	0.9	45
30	Clinical outcome assessment in clinical trials of chronic pain treatments. Pain Reports, 2021, 6, e784.	1.4	42
31	Use of and confidence in administering outcome measures among clinical prosthetists. Prosthetics and Orthotics International, 2015, 39, 314-321.	0.5	39
32	A PROMIS Measure of Neuropathic Pain Quality. Value in Health, 2016, 19, 623-630.	0.1	39
33	Mixture growth models of RAN and RAS row by row: insight into the reading system at work over time. Reading and Writing, 2007, 20, 785-813.	1.0	38
34	Prevalence and Impact of Pain in Adults Aging With a Physical Disability. Clinical Journal of Pain, 2014, 30, 307-315.	0.8	38
35	Symptoms and quality of life indicators among children with chronic medical conditions. Disability and Health Journal, 2014, 7, 96-104.	1.6	33
36	Focus Article Report of the NIH Task Force on Research Standards for Chronic Low Back Pain. Clinical Journal of Pain, 2014, 30, 701-712.	0.8	31

#	Article	IF	CITATIONS
37	Use of cognitive interviews in the development of the PLUS-M item bank. Quality of Life Research, 2014, 23, 1767-1775.	1.5	31
38	Report of the National Institutes of Health Task Force on Research Standards for Chronic Low Back Pain. Journal of Manipulative and Physiological Therapeutics, 2014, 37, 449-467.	0.4	29
39	Satisfaction with participation in multiple sclerosis and spinal cord injury. Disability and Rehabilitation, 2012, 34, 747-753.	0.9	27
40	Self-Efficacy as a Longitudinal Predictor of Perceived Cognitive Impairment in Individuals With Multiple Sclerosis. Archives of Physical Medicine and Rehabilitation, 2015, 96, 913-919.	0.5	27
41	A comparison of multiple patient reported outcome measures in identifying major depressive disorder in people with multiple sclerosis. Journal of Psychosomatic Research, 2015, 79, 550-557.	1.2	26
42	Variables Associated With Communicative Participation After Head and Neck Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2016, 142, 1145.	1.2	26
43	Reduced Postburn Hypertrophic Scarring and Improved Physical Recovery With Yearlong Administration of Oxandrolone and Propranolol. Annals of Surgery, 2018, 268, 431-441.	2.1	26
44	Negative Affect and Sleep Disturbance May Be Associated With Response to Epidural Steroid Injections for Spine-Related Pain. Archives of Physical Medicine and Rehabilitation, 2014, 95, 309-315.	0.5	24
45	Measuring Pain Catastrophizing and Pain-Related Self-Efficacy: Expert Panels, Focus Groups, and Cognitive Interviews. Patient, 2018, 11, 107-117.	1.1	24
46	Psychometric Properties of the Satisfaction With Life Scale in People With Traumatic Brain, Spinal Cord, or Burn Injury: A National Institute on Disability, Independent Living, and Rehabilitation Research Model System Study. Assessment, 2019, 26, 695-705.	1.9	24
47	National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System: Review of Program and Database. Archives of Physical Medicine and Rehabilitation, 2020, 101, S5-S15.	0.5	23
48	Do measures of depressive symptoms function differently in people with spinal cord injury versus primary care patients: the CES-D, PHQ-9, and PROMIS®-D. Quality of Life Research, 2017, 26, 139-148.	1.5	21
49	Trends 10 years after burn injury: A Burn Model System National Database study. Burns, 2018, 44, 1882-1886.	1.1	21
50	Hospital-acquired complications alter quality of life in adult burn survivors: Report from a burn model system. Burns, 2019, 45, 42-47.	1.1	21
51	Obesity and symptoms and quality of life indicators of individuals with disabilities. Disability and Health Journal, 2014, 7, 124-130.	1.6	20
52	A psychometric examination of multimorbidity and mental health in older adults. Aging and Mental Health, 2016, 20, 309-317.	1.5	20
53	Use of patient-generated health data across healthcare settings: implications for health systems. JAMIA Open, 2020, 3, 70-76.	1.0	20
54	Modifying and Validating a Measure of Chronic Stress for People With Aphasia. Journal of Speech, Language, and Hearing Research, 2018, 61, 2934-2949.	0.7	19

#	Article	IF	CITATIONS
55	What Do Healthcare Providers Advise Women with Multiple Sclerosis Regarding Pregnancy?. Multiple Sclerosis International, 2014, 2014, 1-5.	0.4	18
56	Self-Reported Cognitive Concerns in People With Lower Limb Loss. Archives of Physical Medicine and Rehabilitation, 2016, 97, 912-918.	0.5	18
57	The Concerns About Pain (CAP) Scale: A Patient-Reported Outcome Measure of Pain Catastrophizing. Journal of Pain, 2020, 21, 1198-1211.	0.7	17
58	Personal Experiences of Pregnancy and Fertility in Individuals with Spinal Cord Injury. Sexuality and Disability, 2014, 32, 65-74.	0.4	16
59	A comparison of computerized adaptive testing and fixed-length short forms for the Prosthetic Limb Users Survey of Mobility (PLUS-MTM). Prosthetics and Orthotics International, 2018, 42, 476-482.	0.5	16
60	Impact of Burn-Related Amputations on Return to Work: Findings From the Burn Injury Model System National Database. Journal of Burn Care and Research, 2019, 40, 21-28.	0.2	16
61	Validation of PROMIS-29 domain scores among adult burn survivors: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Trauma and Acute Care Surgery, 2022, 92, 213-222.	1.1	16
62	Development of a resilience item bank and short forms Rehabilitation Psychology, 2020, 65, 145-157.	0.7	16
63	Testing the measurement invariance of the University of Washington Self-Efficacy Scale short form across four diagnostic subgroups. Quality of Life Research, 2016, 25, 2559-2564.	1.5	15
64	Psychometric Properties of the Modified 5-D Itch Scale in a Burn Model System Sample of People With Burn Injury. Journal of Burn Care and Research, 2017, 38, e402-e408.	0.2	15
65	Reproductive Health in Women with Physical Disability: A Conceptual Framework for the Development of New Patient-Reported Outcome Measures. Journal of Women's Health, 2020, 29, 1427-1436.	1.5	15
66	Comparison of Self-Report Sleep Measures for Individuals With Multiple Sclerosis and Spinal CordAInjury. Archives of Physical Medicine and Rehabilitation, 2015, 96, 478-483.	0.5	14
67	Association Between Sleep Problems and Perceived Cognitive Dysfunction Over 12 Months in Individuals with Multiple Sclerosis. Behavioral Sleep Medicine, 2018, 16, 79-91.	1.1	14
68	Satisfaction With Life Over Time in People With Burn Injury: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Archives of Physical Medicine and Rehabilitation, 2020, 101, S63-S70.	0.5	14
69	Association of self-reported cognitive concerns with mobility in people with lower limb loss. Disability and Rehabilitation, 2018, 40, 96-103.	0.9	13
70	Factors Associated with Attrition of Adult Participants in a Longitudinal Database: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Burn Care and Research, 2020, 41, 270-279.	0.2	12
71	Mobility with a lower limb prosthesis: experiences of users with high levels ofÂfunctional ability. Disability and Rehabilitation, 2022, 44, 3236-3244.	0.9	11
72	Cross-lagged longitudinal analysis of pain intensity and sleep disturbance. Disability and Health Journal, 2020, 13, 100908.	1.6	11

#	Article	IF	CITATIONS
73	Agreement between proxy- and self-report scores on PROMIS health-related quality of life domains in pediatric burn survivors: a National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Quality of Life Research, 2021, 30, 2071-2080.	1.5	11
74	Why Disability and Rehabilitation Specialists Should Lead the Way in Patient-Reported Outcomes. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1419-1422.	0.5	10
75	Standardizing fatigue measurement in multiple sclerosis: the validity, responsiveness and score interpretation of the PROMIS SF v1.0 – Fatigue (MS) 8a. Multiple Sclerosis and Related Disorders, 2021, 54, 103117.	0.9	10
76	Fenfluramine treatment for dravet syndrome: Real-world benefits on quality of life from the caregiver perspective. Epilepsy Research, 2022, 185, 106976.	0.8	10
77	Comparison of Sleep Problems in Individuals with Spinal Cord Injury and Multiple Sclerosis. Journal of Clinical Sleep Medicine, 2016, 12, 695-701.	1.4	9
78	Factors associated with disease self-efficacy in individuals aging with a disability. Psychology, Health and Medicine, 2019, 24, 1171-1181.	1.3	7
79	Development and validation of the University of Washington caregiver stress and benefit scales for caregivers of children with or without serious health conditions. Quality of Life Research, 2020, 29, 1361-1371.	1.5	7
80	" <i>Living Well</i> ―After Burn Injury: Using Case Reports to Illustrate Significant Contributions From the Burn Model System Research Program. Journal of Burn Care and Research, 2021, 42, 398-407.	0.2	7
81	A comparison of the measurement properties of the PROMIS-Fatigue (MS) 8a against legacy fatigue questionnaires. Multiple Sclerosis and Related Disorders, 2022, , 104048.	0.9	6
82	Grooming a CAT: customizing CAT administration rules to increase response efficiency in specific research and clinical settings. Quality of Life Research, 2018, 27, 2403-2413.	1.5	5
83	The Internet and information technologies and consumer empowerment. Technology and Disability, 1998, 8, 107-113.	0.3	4
84	BMS Letter to the Editor #1: Introduction to the Burn Model System Centers Program. Burns, 2016, 42, 944-946.	1.1	4
85	Pain across traumatic injury groups: A National Institute on Disability, Independent Living, and Rehabilitation Research model systems study. Journal of Trauma and Acute Care Surgery, 2020, 89, 829-833.	1.1	4
86	Clinical Resources for Assessing Mobility of People with Lower-Limb Amputation: Interviews with Rehabilitation Clinicians. Journal of Prosthetics and Orthotics, 2022, 34, 69-78.	0.2	4
87	Differential item function analysis of a scale measuring worry about affording healthcare in multiple sclerosis Rehabilitation Psychology, 2016, 61, 430-434.	0.7	3
88	25 Social Integration in the First 2 Years After Moderate to Severe Burn Injury: A Burn Model System National Database Study. Journal of Burn Care and Research, 2020, 41, S19-S20.	0.2	3
89	Increasing access to higher education through the use of the Internet. Technology and Disability, 1998, 8, 133-139.	0.3	2
90	Symptom Profiles in Individuals Aging with Postâ€Polio Syndrome. Journal of the American Geriatrics Society, 2013, 61, 1813-1815.	1.3	2

#	Article	IF	CITATIONS
91	Experiences and Perspectives of Pregnancy in Women with Multiple Sclerosis. Sexuality and Disability, 2015, 33, 47-52.	0.4	2
92	Satisfaction with social role participation in adults living with chronic conditions: Comparison to a US general population sample. Cogent Psychology, 2019, 6, 1588696.	0.6	2
93	Mortality prognostication scores do not predict long-term, health-related quality of life after burn: A burn model system national database study. Burns, 2021, 47, 42-51.	1.1	2
94	Psychometric examination of short forms from the University of Washington pain-related self-efficacy and concerns about pain item banks in patients with low back pain. Quality of Life Research, 2022, 31, 621-631.	1.5	2
95	Linking scores on the 4- and 5-item versions of the Satisfaction with Life Scale in people with traumatic brain, spinal cord, or burn injury: a National Institute on Disability, Independent Living, and Rehabilitation Research Model System study. Journal of Patient-Reported Outcomes, 2021, 5, 59.	0.9	2
96	The validity, responsiveness, and score interpretation of the PROMISnq Physical Function – Multiple Sclerosis 15a short form in multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 62, 103753.	0.9	2
97	Letter to the Editor #2: Description of the Burn Model System National Database sample. Burns, 2016, 42, 704-705.	1.1	1
98	Extension and Evaluation of the PROMIS Sexual Function and Satisfaction Measures for Use in Adults Living with Multiple Sclerosis. Journal of Sexual Medicine, 2022, 19, 719-728.	0.3	1
99	637 Disparities in Discharge Disposition: A Burn Model Systems National Database Study. Journal of Burn Care and Research, 2020, 41, S163-S164.	0.2	0
100	110 Self-reported Health Measures in Burn Survivors Undergoing Burn Surgery Following Acute Hospitalization. Journal of Burn Care and Research, 2020, 41, S73-S74.	0.2	0
101	Development of Proxy and Self-report Burn Model System Pediatric Itch Interference Scales: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Burn Care and Research, 2021, 42, 212-219.	0.2	0
102	4 Validation of PROMIS-29 Among Adult Burn Survivors. Journal of Burn Care and Research, 2021, 42, S8-S9.	0.2	0
103	Evaluation of the Psychometric Properties of the Burn Specific Health Scale-Brief: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. Journal of Burn Care and Research, 2021, , .	0.2	0
104	Translation and cultural validation of the University of Washington Caregiver Stress and Benefit Scales. Journal of Patient-Reported Outcomes, 2021, 5, 113.	0.9	0
105	80 Validation of PROMIS-25 Among Children Living with Burn Injuries. Journal of Burn Care and Research, 2022, 43, S53-S53.	0.2	Ο

7