

Dagmar Amtmann

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7728126/dagmar-amtmann-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

5,397
citations

28
h-index

73
g-index

107
ext. papers

6,705
ext. citations

2.4
avg, IF

5.31
L-index

#	Paper	IF	Citations
95	The Patient-Reported Outcomes Measurement Information System (PROMIS) developed and tested its first wave of adult self-reported health outcome item banks: 2005-2008. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 1179-94	5.7	2437
94	Development of a PROMIS item bank to measure pain interference. <i>Pain</i> , 2010 , 150, 173-182	8	550
93	Having a fit: impact of number of items and distribution of data on traditional criteria for assessing IRTs unidimensionality assumption. <i>Quality of Life Research</i> , 2009 , 18, 447-60	3.7	189
92	Development and psychometric analysis of the PROMIS pain behavior item bank. <i>Pain</i> , 2009 , 146, 158-69		156
91	Comparing CESD-10, PHQ-9, and PROMIS depression instruments in individuals with multiple sclerosis. <i>Rehabilitation Psychology</i> , 2014 , 59, 220-229	2.7	155
90	Comparison of the psychometric properties of two fatigue scales in multiple sclerosis. <i>Rehabilitation Psychology</i> , 2012 , 57, 159-66	2.7	108
89	Upper-extremity and mobility subdomains from the Patient-Reported Outcomes Measurement Information System (PROMIS) adult physical functioning item bank. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 2291-6	2.8	89
88	The PROMIS initiative: involvement of rehabilitation stakeholders in development and examples of applications in rehabilitation research. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, S12-9	2.8	81
87	University of Washington self-efficacy scale: a new self-efficacy scale for people with disabilities. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1757-65	2.8	79
86	Efficacy of a Telephone-Delivered Self-Management Intervention for Persons With Multiple Sclerosis: A Randomized Controlled Trial With a One-Year Follow-Up. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1945-58.e2	2.8	71
85	Minimally important differences for Patient Reported Outcomes Measurement Information System pain interference for individuals with back pain. <i>Journal of Pain Research</i> , 2016 , 9, 251-5	2.9	69
84	Construct Validity of the Prosthetic Limb Users Survey of Mobility (PLUS-M) in Adults With Lower Limb Amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 277-285	2.8	67
83	Developing a contemporary patient-reported outcomes measure for spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, S44-51	2.8	66
82	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020 , 122, 115-128.e1	5.7	58
81	Health-related profiles of people with lower limb loss. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1474-83	2.8	56
80	Using item response theory to enrich and expand the PROMIS pediatric self report banks. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 160	3	52
79	People with multiple sclerosis report significantly worse symptoms and health related quality of life than the US general population as measured by PROMIS and NeuroQoL outcome measures. <i>Disability and Health Journal</i> , 2018 , 11, 99-107	4.2	50

78	Six patient-reported outcome measurement information system short form measures have negligible age- or diagnosis-related differential item functioning in individuals with disabilities. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012 , 93, 1289-91	2.8	49
77	Communicative participation restrictions in multiple sclerosis: associated variables and correlation with social functioning. <i>Journal of Communication Disorders</i> , 2014 , 52, 196-206	1.9	41
76	The National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System: Twenty Years of Contributions to Clinical Service and Research. <i>Journal of Burn Care and Research</i> , 2017 , 38, e240-e253	0.8	40
75	Letting the CAT out of the bag: comparing computer adaptive tests and an 11-item short form of the Roland-Morris Disability Questionnaire. <i>Spine</i> , 2008 , 33, 1378-83	3.3	37
74	Resilience and Function in Adults With Physical Disabilities: An Observational Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 1158-1164	2.8	36
73	A PROMIS fatigue short form for use by individuals who have multiple sclerosis. <i>Quality of Life Research</i> , 2012 , 21, 1021-30	3.7	34
72	Psychometric Evaluation of the Perceived Stress Scale in Multiple Sclerosis. <i>ISRN Rehabilitation</i> , 2013 , 2013, 1-9		34
71	Mixture growth models of RAN and RAS row by row: insight into the reading system at work over time. <i>Reading and Writing</i> , 2007 , 20, 785-813	2.1	33
70	Cross-Sectional Assessment of Factors Related to Pain Intensity and Pain Interference in Lower Limb Prosthesis Users. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 105-113	2.8	32
69	Characterizing mobility from the prosthetic limb user's perspective: Use of focus groups to guide development of the Prosthetic Limb Users Survey of Mobility. <i>Prosthetics and Orthotics International</i> , 2016 , 40, 582-90	1.5	29
68	Prevalence and impact of pain in adults aging with a physical disability: comparison to a US general population sample. <i>Clinical Journal of Pain</i> , 2014 , 30, 307-15	3.5	28
67	Life impact of caregiving for severe childhood epilepsy: Results of expert panels and caregiver focus groups. <i>Epilepsy and Behavior</i> , 2017 , 74, 135-143	3.2	27
66	Use of and confidence in administering outcome measures among clinical prosthetists: Results from a national survey and mixed-methods training program. <i>Prosthetics and Orthotics International</i> , 2015 , 39, 314-21	1.5	26
65	Variables Associated With Communicative Participation After Head and Neck Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016 , 142, 1145-1151	3.9	25
64	Symptoms and quality of life indicators among children with chronic medical conditions. <i>Disability and Health Journal</i> , 2014 , 7, 96-104	4.2	25
63	Satisfaction with participation in multiple sclerosis and spinal cord injury. <i>Disability and Rehabilitation</i> , 2012 , 34, 747-53	2.4	24
62	Negative affect and sleep disturbance may be associated with response to epidural steroid injections for spine-related pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 309-15	2.8	23
61	Report of the National Institutes of Health task force on research standards for chronic low back pain. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 449-67	1.3	21

60	A comparison of multiple patient reported outcome measures in identifying major depressive disorder in people with multiple sclerosis. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 550-7	4.1	20
59	Use of cognitive interviews in the development of the PLUS-M item bank. <i>Quality of Life Research</i> , 2014 , 23, 1767-75	3.7	20
58	A PROMIS Measure of Neuropathic Pain Quality. <i>Value in Health</i> , 2016 , 19, 623-30	3.3	20
57	Self-efficacy as a longitudinal predictor of perceived cognitive impairment in individuals with multiple sclerosis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 913-9	2.8	19
56	Reduced Postburn Hypertrophic Scarring and Improved Physical Recovery With Yearlong Administration of Oxandrolone and Propranolol. <i>Annals of Surgery</i> , 2018 , 268, 431-441	7.8	18
55	Obesity and symptoms and quality of life indicators of individuals with disabilities. <i>Disability and Health Journal</i> , 2014 , 7, 124-30	4.2	18
54	Focus article report of the NIH task force on research standards for chronic low back pain. <i>Clinical Journal of Pain</i> , 2014 , 30, 701-12	3.5	18
53	Psychometric Properties of the Satisfaction With Life Scale in People With Traumatic Brain, Spinal Cord, or Burn Injury: A National Institute on Disability, Independent Living, and Rehabilitation Research Model System Study. <i>Assessment</i> , 2019 , 26, 695-705	3.7	18
52	Do measures of depressive symptoms function differently in people with spinal cord injury versus primary care patients: the CES-D, PHQ-9, and PROMIS-D. <i>Quality of Life Research</i> , 2017 , 26, 139-148	3.7	17
51	mHealth and patient generated health data: stakeholder perspectives on opportunities and barriers for transforming healthcare. <i>MHealth</i> , 2020 , 6, 8	2.2	16
50	A psychometric examination of multimorbidity and mental health in older adults. <i>Aging and Mental Health</i> , 2016 , 20, 309-17	3.5	15
49	Development and validation of an interpretive guide for PROMIS scores. <i>Journal of Patient-Reported Outcomes</i> , 2020 , 4, 16	2.6	15
48	Trends 10 years after burn injury: A Burn Model System National Database study. <i>Burns</i> , 2018 , 44, 1882-1886	3.9	15
47	Self-Reported Cognitive Concerns in People With Lower Limb Loss. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 912-8	2.8	14
46	Personal experiences of pregnancy and fertility in individuals with spinal cord injury. <i>Sexuality and Disability</i> , 2014 , 32, 65-74	1.3	14
45	What do healthcare providers advise women with multiple sclerosis regarding pregnancy?. <i>Multiple Sclerosis International</i> , 2014 , 2014, 819216	1.1	14
44	Hospital-acquired complications alter quality of life in adult burn survivors: Report from a burn model system. <i>Burns</i> , 2019 , 45, 42-47	2.3	13
43	Measuring Pain Catastrophizing and Pain-Related Self-Efficacy: Expert Panels, Focus Groups, and Cognitive Interviews. <i>Patient</i> , 2018 , 11, 107-117	3.7	12

42	Comparison of self-report sleep measures for individuals with multiple sclerosis and spinal cord injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 478-83	2.8	12
41	Psychometric Properties of the Modified 5-D Itch Scale in a Burn Model System Sample of People With Burn Injury. <i>Journal of Burn Care and Research</i> , 2017 , 38, e402-e408	0.8	11
40	Testing the measurement invariance of the University of Washington Self-Efficacy Scale short form across four diagnostic subgroups. <i>Quality of Life Research</i> , 2016 , 25, 2559-2564	3.7	11
39	National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System: Review of Program and Database. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, S5-S15	2.8	11
38	Clinical outcome assessment in clinical trials of chronic pain treatments. <i>Pain Reports</i> , 2021 , 6, e784	3.5	11
37	Association of self-reported cognitive concerns with mobility in people with lower limb loss. <i>Disability and Rehabilitation</i> , 2018 , 40, 96-103	2.4	9
36	Modifying and Validating a Measure of Chronic Stress for People With Aphasia. <i>Journal of Speech, Language, and Hearing Research</i> , 2018 , 61, 2934-2949	2.8	9
35	Impact of Burn-Related Amputations on Return to Work: Findings From the Burn Injury Model System National Database. <i>Journal of Burn Care and Research</i> , 2019 , 40, 21-28	0.8	9
34	Association Between Sleep Problems and Perceived Cognitive Dysfunction Over 12 Months in Individuals with Multiple Sclerosis. <i>Behavioral Sleep Medicine</i> , 2018 , 16, 79-91	4.2	8
33	A comparison of computerized adaptive testing and fixed-length short forms for the Prosthetic Limb Users Survey of Mobility (PLUS-M). <i>Prosthetics and Orthotics International</i> , 2018 , 42, 476-482	1.5	8
32	Use of patient-generated health data across healthcare settings: implications for health systems. <i>JAMIA Open</i> , 2020 , 3, 70-76	2.9	8
31	Satisfaction With Life Over Time in People With Burn Injury: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020 , 101, S63-S70	2.8	7
30	Factors associated with disease self-efficacy in individuals aging with a disability. <i>Psychology, Health and Medicine</i> , 2019 , 24, 1171-1181	2.1	6
29	Comparison of Sleep Problems in Individuals with Spinal Cord Injury and Multiple Sclerosis. <i>Journal of Clinical Sleep Medicine</i> , 2016 , 12, 695-701	3.1	5
28	Reproductive Health in Women with Physical Disability: A Conceptual Framework for the Development of New Patient-Reported Outcome Measures. <i>Journal of Women's Health</i> , 2020 , 29, 1427-1436	3.4	5
27	Cross-lagged longitudinal analysis of pain intensity and sleep disturbance. <i>Disability and Health Journal</i> , 2020 , 13, 100908	4.2	5
26	Development of a resilience item bank and short forms. <i>Rehabilitation Psychology</i> , 2020 , 65, 145-157	2.7	5
25	Factors Associated with Attrition of Adult Participants in a Longitudinal Database: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. <i>Journal of Burn Care and Research</i> , 2020 , 41, 270-279	0.8	5

24	The Internet and information technologies and consumer empowerment. <i>Technology and Disability</i> , 1998 , 8, 107-113	0.7	4
23	Mobility with a lower limb prosthesis: experiences of users with high levels of functional ability. <i>Disability and Rehabilitation</i> , 2020 , 1-9	2.4	3
22	Grooming a CAT: customizing CAT administration rules to increase response efficiency in specific research and clinical settings. <i>Quality of Life Research</i> , 2018 , 27, 2403-2413	3.7	3
21	Development and validation of the University of Washington caregiver stress and benefit scales for caregivers of children with or without serious health conditions. <i>Quality of Life Research</i> , 2020 , 29, 1361-1371	3.7	3
20	The Concerns About Pain (CAP) Scale: A Patient-Reported Outcome Measure of Pain Catastrophizing. <i>Journal of Pain</i> , 2020 , 21, 1198-1211	5.2	3
19	Validation of PROMIS-29 domain scores among adult burn survivors: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. <i>Journal of Trauma and Acute Care Surgery</i> , 2021 , 92,	3.3	3
18	Differential item function analysis of a scale measuring worry about affording healthcare in multiple sclerosis. <i>Rehabilitation Psychology</i> , 2016 , 61, 430-434	2.7	3
17	Standardizing fatigue measurement in multiple sclerosis: the validity, responsiveness and score interpretation of the PROMIS SF v1.0 - Fatigue (MS) 8a. <i>Multiple Sclerosis and Related Disorders</i> , 2021 , 54, 103117	4	3
16	Satisfaction with social role participation in adults living with chronic conditions: Comparison to a US general population sample. <i>Cogent Psychology</i> , 2019 , 6, 1588696	1	2
15	Increasing access to higher education through the use of the Internet. <i>Technology and Disability</i> , 1998 , 8, 133-139	0.7	2
14	Clinical Resources for Assessing Mobility of People with Lower-Limb Amputation: Interviews with Rehabilitation Clinicians.. <i>Journal of Prosthetics and Orthotics</i> , 2022 , 34, 69-78	0.7	2
13	BMS Letter to the Editor #1: Introduction to the Burn Model System Centers Program. <i>Burns</i> , 2016 , 42, 944-6	2.3	2
12	Agreement between proxy- and self-report scores on PROMIS health-related quality of life domains in pediatric burn survivors: a National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. <i>Quality of Life Research</i> , 2021 , 30, 2071-2080	3.7	2
11	Experiences and Perspectives of Pregnancy in Women with Multiple Sclerosis. <i>Sexuality and Disability</i> , 2015 , 33, 47-52	1.3	1
10	Symptom profiles in individuals aging with post-polio syndrome. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 1813-5	5.6	1
9	Letter to the Editor #2: Description of the Burn Model System National Database sample. <i>Burns</i> , 2016 , 42, 704-5	2.3	1
8	Linking scores on the 4- and 5-item versions of the Satisfaction with Life Scale in people with traumatic brain, spinal cord, or burn injury: a National Institute on Disability, Independent Living, and Rehabilitation Research Model System study. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 59	2.6	1
7	Pain across traumatic injury groups: A National Institute on Disability, Independent Living, and Rehabilitation Research model systems study. <i>Journal of Trauma and Acute Care Surgery</i> , 2020 , 89, 829-833	3.3	0

6	Psychometric examination of short forms from the University of Washington pain-related self-efficacy and concerns about pain item banks in patients with low back pain. <i>Quality of Life Research</i> , 2021 , 1	3.7	0
5	Mortality prognostication scores do not predict long-term, health-related quality of life after burn: A burn model system national database study. <i>Burns</i> , 2021 , 47, 42-51	2.3	0
4	"Living Well" After Burn Injury: Using Case Reports to Illustrate Significant Contributions From the Burn Model System Research Program. <i>Journal of Burn Care and Research</i> , 2021 , 42, 398-407	0.8	0
3	Translation and cultural validation of the University of Washington Caregiver Stress and Benefit Scales. <i>Journal of Patient-Reported Outcomes</i> , 2021 , 5, 113	2.6	
2	Development of Proxy and Self-report Burn Model System Pediatric Itch Interference Scales: A National Institute on Disability, Independent Living, and Rehabilitation Research Burn Model System Study. <i>Journal of Burn Care and Research</i> , 2021 , 42, 212-219	0.8	
1	The validity, responsiveness, and score interpretation of the PROMIS [®] Physical Function \square Multiple Sclerosis 15a short form in multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022 , 103753	4	