

Mustafa Cikirikcioglu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7728311/mustafa-cikirikcioglu-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

749

citations

17

h-index

25

g-index

67

ext. papers

829

ext. citations

2.4

avg, IF

3.44

L-index

#	Paper	IF	Citations
66	In Vivo Tissue-Engineered Vascular Grafts 2020 , 187-206		
65	In Vivo Tissue-Engineered Vascular Grafts 2020 , 1-21		
64	Percutaneous coronary intervention under temporary peripheral veno-arterial extracorporeal membrane oxygenation. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, NP3-NP5	4.3	1
63	Myocardial Protection by Glucose-Insulin-Potassium in Moderate- to High-Risk Patients Undergoing Elective On-Pump Cardiac Surgery: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2018 , 126, 1133-1141	3.9	17
62	Conduction disorders using the Evolut R prosthesis compared with the CoreValve: has anything changed?. <i>Open Heart</i> , 2018 , 5, e000770	3	11
61	Thirty-day Outcome Following CoreValve Evolut R Transcatheter Aortic Valve Implantation: An All-comers Prospective Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017 , 70, 713-719	0.7	4
60	Evaluation of Infection Resistance of Biodegradable versus Conventional Annuloplasty Rings in an in vivo Rat Subcutaneous Model. <i>European Surgical Research</i> , 2017 , 58, 169-179	1.1	1
59	Seguimiento a 30 días tras el implante percutáneo de válvula aórtica CoreValve Evolut R: estudio prospectivo de pacientes no seleccionados. <i>Revista Espanola De Cardiologia</i> , 2017 , 70, 713-719	1.5	9
58	Surgical Treatment of Constrictive Pericarditis. <i>Texas Heart Institute Journal</i> , 2017 , 44, 101-106	0.8	29
57	Risk factors of postcardiotomy ventricular dysfunction in moderate-to-high risk patients undergoing open-heart surgery. <i>Annals of Cardiac Anaesthesia</i> , 2017 , 20, 287-296	1.3	12
56	The peak of blood lactate during the first 24h predicts mortality in acute coronary syndrome patients under extracorporeal membrane oxygenation. <i>International Journal of Cardiology</i> , 2016 , 221, 741-5	3.2	18
55	Leaflet migration in an aortic bileaflet mechanical prosthesis. <i>European Heart Journal</i> , 2016 , 37, 854	9.5	
54	Shot to the heart: retained left ventricular bullet. <i>European Heart Journal</i> , 2016 , 37, 1003	9.5	3
53	Management of vascular complications following transcatheter aortic valve implantation. <i>Archives of Cardiovascular Diseases</i> , 2015 , 108, 491-501	2.7	14
52	Relapse of <i>Tropheryma whipplei</i> endocarditis treated by trimethoprim/sulfamethoxazole, cured by hydroxychloroquine plus doxycycline. <i>International Journal of Infectious Diseases</i> , 2015 , 30, 17-9	10.5	9
51	Left ventricular free wall rupture contained by an apical pseudo-aneurysm. <i>European Heart Journal</i> , 2015 , 36, 2897	9.5	0
50	Mitral Annuloplasty Using A Biodegradable Annuloplasty Ring. <i>Operative Techniques in Thoracic and Cardiovascular Surgery</i> , 2015 , 20, 124-134	0.9	2

49	Biodegradable materials for surgical management of infective endocarditis: new solution or a dead end street?. <i>BMC Surgery</i> , 2014 , 14, 48	2.3	6
48	Porcine carotid artery replacement with biodegradable electrospun poly-e-caprolactone vascular prosthesis. <i>Journal of Vascular Surgery</i> , 2014 , 59, 210-9	3.5	72
47	Sutureless repair of ventricular free wall rupture. <i>Journal of Cardiac Surgery</i> , 2014 , 29, 804	1.3	1
46	Biodegradable materials for tricuspid valve repair in infective endocarditis. <i>European Journal of Cardio-thoracic Surgery</i> , 2013 , 43, 873	3	1
45	First do no harm: postoperative thromboprophylaxis following open heart surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2013 , 44, 184	3	6
44	Massive aortic regurgitation following paravalvular balloon valvuloplasty of an Edwards SAPIEN valve treated by emergent CoreValve implantation: never cross a transcatheter aortic valve without a pigtail. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, E609-12	2.7	3
43	Late erosion of an Amplatzer septal occluder device. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2012 , 143, 760-1; author reply 761	1.5	
42	Biodegradable ring annuloplasty for valve repair in children with endocarditis. <i>Journal of Cardiac Surgery</i> , 2012 , 27, 393; author reply 394	1.3	4
41	Clinical review: management of weaning from cardiopulmonary bypass after cardiac surgery. <i>Annals of Cardiac Anaesthesia</i> , 2012 , 15, 206-23	1.3	44
40	Mitral annuloplasty using an intra-annular ring. <i>Multimedia Manual of Cardiothoracic Surgery: MMCTS / European Association for Cardio-Thoracic Surgery</i> , 2012 , 2012, mms019	0.2	2
39	Early failure secondary to noncoronary leaflet prolapse in a stentless aortic bioprosthesis. <i>Texas Heart Institute Journal</i> , 2012 , 39, 676-9	0.8	1
38	Triple valve repair in children with rheumatic heart disease: long-term experience. <i>Journal of Heart Valve Disease</i> , 2012 , 21, 650-4		1
37	Regarding "The EVEREST II Trial: design and rationale for a randomized study of the Evalve MitraClip system compared with mitral valve surgery for mitral regurgitation". <i>American Heart Journal</i> , 2011 , 162, e11-2; author reply e13	4.9	2
36	Late tamponade secondary to aortic root perforation by BioSTAR septal closure device. <i>Annals of Thoracic Surgery</i> , 2011 , 91, 604-6	2.7	9
35	Rapid progression of left main coronary disease causing acute coronary syndrome. <i>Annals of Thoracic Surgery</i> , 2011 , 91, 1625	2.7	2
34	Surgical treatment of complications associated with the Angio-Seal vascular closure device. <i>Annals of Vascular Surgery</i> , 2011 , 25, 557.e1-4	1.7	4
33	Morphologic and angiographic analysis to assess the safety of a biodegradable mitral annuloplasty ring. <i>Journal of Heart Valve Disease</i> , 2011 , 20, 199-204		4
32	Dynamic human cadaver model for testing the feasibility of new endovascular techniques and tools. <i>Annals of Vascular Surgery</i> , 2010 , 24, 419-22	1.7	20

31	Modèle dynamique sur cadavre humain pour tester la faisabilité de nouvelles techniques et d'outils endovasculaires. <i>Annales De Chirurgie Vasculaire</i> , 2010 , 24, 458-461		
30	Preoperative diastolic function predicts the onset of left ventricular dysfunction following aortic valve replacement in high-risk patients with aortic stenosis. <i>Critical Care</i> , 2010 , 14, R101	10.8	26
29	Aortic valve repair by cusp extension for rheumatic aortic insufficiency in children: Long-term results and impact of extension material. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 140, 836-44	1.5	45
28	Leaflet suspension to the contralateral annulus to address restriction or tethering-induced mitral and tricuspid regurgitation in children: results of a case-control study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 140, 1110-6	1.5	6
27	No-patch technique for complete atrioventricular canal repair. <i>Annals of Thoracic Surgery</i> , 2010 , 90, 317-27	2.7	14
26	Midterm results of valve repair with a biodegradable annuloplasty ring for acute endocarditis. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 1180-5	2.7	20
25	Anterior leaflet augmentation to address tethering-induced functional tricuspid regurgitation. <i>European Journal of Cardio-thoracic Surgery</i> , 2009 , 35, 194-5; author reply 195-6	3	3
24	Beating heart mitral valve surgery: how to test mitral valve competence after repair?. <i>Journal of Cardiac Surgery</i> , 2009 , 24, 223-4	1.3	
23	Alcohol pretreatment of small-diameter expanded polytetrafluoroethylene grafts: quantitative analysis of graft healing characteristics in the rat abdominal aorta interposition model. <i>Artificial Organs</i> , 2009 , 33, 532-7	2.6	12
22	Rescue circumflex artery stenting for major right ventricular dysfunction after Ross-Konno operation. <i>Heart Surgery Forum</i> , 2009 , 12, E208-10	0.7	2
21	Subaortic aneurysm caused by Paecilomyces lilacinus endocarditis. <i>Archives of Cardiovascular Diseases</i> , 2008 , 101, 803-4	2.7	15
20	Mitral valve repair for rheumatic valve disease in children: midterm results and impact of the use of a biodegradable mitral ring. <i>Annals of Thoracic Surgery</i> , 2008 , 86, 161-8; discussion 168-9	2.7	43
19	Pediatric mitral valve repair with the novel annuloplasty ring: Kalangos-Bioring. <i>Asian Cardiovascular and Thoracic Annals</i> , 2008 , 16, 515-6	0.6	3
18	Total endovascular aortic arch reconstruction via fenestration in situ with cerebral circulatory support: an acute experimental study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2008 , 7, 535-8	1.8	32
17	New technology: valve repair using biodegradable rings. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2008 , 23, 556-61	1.1	3
16	Use of biodegradable annuloplasty ring for pediatric valvuloplasty operations. <i>Journal of Cardiac Surgery</i> , 2008 , 23, 182-3	1.3	0
15	Submitral left ventricular aneurysm: a rare but challenging pathology to treat. <i>Journal of Cardiac Surgery</i> , 2008 , 23, 533-5	1.3	8
14	Surgical repair of a congenital left ventricular aneurysm. <i>Journal of Cardiac Surgery</i> , 2007 , 22, 62-5	1.3	3

13	Enhanced intimal thickening of expanded polytetrafluoroethylene grafts coated with fibrin or fibrin-releasing vascular endothelial growth factor in the pig carotid artery interposition model. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 133, 1163-70	1.5	54
12	Does harvesting of an internal thoracic artery with an ultrasonic scalpel have an effect on sternal perfusion?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007 , 134, 442-7	1.5	7
11	Long-term outcome after surgical intervention and interventional procedures for the management of Takayasu's arteritis in children. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 132, 656-64	1.5	29
10	Harmonic scalpel has acute beneficial effects during radial artery harvesting. <i>Asian Cardiovascular and Thoracic Annals</i> , 2006 , 14, 89-90	0.6	1
9	Analysis of C-reactive protein and biochemical parameters in pericardial fluid. <i>Yonsei Medical Journal</i> , 2006 , 47, 372-6	3	11
8	Operative correction of cor triatriatum sinister with systemic venous return anomaly (inferior vena cava-left atrium). <i>Journal of Cardiac Surgery</i> , 2006 , 21, 578-9	1.3	
7	Pre-clinical validation of a new intra-operative "dual beam Doppler" blood flowmeter in an artificial circuit. <i>Heart Surgery Forum</i> , 2006 , 9, E499-505; discussion E505	0.7	1
6	Annuloplasty for valve repair with a new biodegradable ring: an experimental study. <i>Journal of Heart Valve Disease</i> , 2006 , 15, 783-90		35
5	Aneurysmal circumflex coronary artery with fistulous connection to the coronary sinus. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 580-1	1.5	17
4	The importance of intrapericardial drain selection in cardiac surgery. <i>Chest</i> , 2004 , 126, 1559-62	5.3	22
3	Autogenous arterial radial-basilic forearm looped transposition. <i>Journal of Vascular Surgery</i> , 2003 , 38, 864-5	3.5	1
2	Single-stage transpericardial repair of acute aortic dissection associated with recoarctation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 121, 987-9	1.5	3
1	The effects of the Harmonic Scalpel on the vasoreactivity and endothelial integrity of the radial artery: a comparison of two different techniques. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001 , 122, 624-6	1.5	21