
Enric Valor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7728686/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evapotranspiration Retrieval Using S-SEBI Model with Landsat-8 Split-Window Land Surface Temperature Products over Two European Agricultural Crops. Remote Sensing, 2022, 14, 2723.	1.8	3
2	Validation of Sentinel-3 SLSTR Land Surface Temperature Retrieved by the Operational Product and Comparison with Explicitly Emissivity-Dependent Algorithms. Remote Sensing, 2021, 13, 2228.	1.8	14
3	Angular variations of brightness surface temperatures derived from dual-view measurements of the Advanced Along-Track Scanning Radiometer using a new single band atmospheric correction method. Remote Sensing of Environment, 2019, 223, 274-290.	4.6	23
4	Laboratory calibration and field measurement of land surface temperature and emissivity using thermal infrared multiband radiometers. International Journal of Applied Earth Observation and Geoinformation, 2019, 78, 227-239.	1.4	11
5	Evaluation of Six Directional Canopy Emissivity Models in the Thermal Infrared Using Emissivity Measurements. Remote Sensing, 2019, 11, 3011.	1.8	2
6	On the thermodynamic origin of metabolic scaling. Scientific Reports, 2018, 8, 1448.	1.6	35
7	Evaluation of the S-NPP VIIRS land surface temperature product using ground data acquired by an autonomous system at a rice paddy. ISPRS Journal of Photogrammetry and Remote Sensing, 2018, 135, 1-12.	4.9	22
8	Comparison of Canopy Emissivity Parametric Models With TES Emissivity Measurements. , 2018, , .		0
9	Comparison of in Situ Land Surface Temperatures Measured with Radiometers and Pyrgeometers: Consequences for Calibration and Validation of Thermal Infrared Sensors. , 2018, , .		1
10	Predictive Power of the Emissivity Angular Variation of Soils in the Thermal Infrared (8–14) Tj ETQqO 0 0 rgBT Mie-Based Emissivity Theoretical Models. IEEE Geoscience and Remote Sensing Letters, 2018, 15, 1115-1119.	Overlock 1.4	10 Tf 50 387 2
11	Comparison and Evaluation of the TES and ANEM Algorithms for Land Surface Temperature and Emissivity Separation over the Area of Valencia, Spain. Remote Sensing, 2017, 9, 1251.	1.8	10
12	Validation and comparison of two models based on the Mie theory to predict 8–14 µm emissivity spectra of mineral surfaces. Journal of Geophysical Research: Solid Earth, 2016, 121, 1739-1757.	1.4	7
13	Single band atmospheric correction tool for thermal infrared data: application to Landsat 7 ETM+. Proceedings of SPIE, 2016, , .	0.8	3
14	Physics Demos for All UVEG Degrees: A Unique Project in Spain. Procedia, Social and Behavioral Sciences, 2016, 228, 628-632.	0.5	1
15	SMOS Level-2 Soil Moisture Product Evaluation in Rain-Fed Croplands of the Pampean Region of Argentina. IEEE Transactions on Geoscience and Remote Sensing, 2016, 54, 499-512.	2.7	14
16	Analyzing the anisotropy of thermal infrared emissivity over arid regions using a new MODIS land surface temperature and emissivity product (MOD21). Remote Sensing of Environment, 2015, 169, 212-221.	4.6	29
17	Thermal-Infrared Spectral and Angular Characterization of Crude Oil and Seawater Emissivities for Oil Slick Identification. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 5387-5395.	2.7	30
18	Effect of Soil Moisture on the Angular Variation of Thermal Infrared Emissivity of Inorganic Soils. IEEE Geoscience and Remote Sensing Letters, 2014, 11, 1091-1095.	1.4	16

#	Article	IF	CITATIONS
19	Pixelâ€oriented land use classification in energy balance modelling. Hydrological Processes, 2014, 28, 25-36.	1.1	9
20	Evaluation of Different Methods to Retrieve the Hemispherical Downwelling Irradiance in the Thermal Infrared Region for Field Measurements. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 2155-2165.	2.7	19
21	Long-term accuracy assessment of land surface temperatures derived from the Advanced Along-Track Scanning Radiometer. Remote Sensing of Environment, 2012, 116, 211-225.	4.6	58
22	Comparison between different sources of atmospheric profiles for land surface temperature retrieval from single channel thermal infrared data. Remote Sensing of Environment, 2012, 117, 199-210.	4.6	80
23	Automatic classification-based generation of thermal infrared land surface emissivity maps using AATSR data over Europe. Remote Sensing of Environment, 2012, 124, 321-333.	4.6	29
24	Estimation of atmospheric water vapour content from direct measurements of radiance in the thermal infrared region. Remote Sensing Letters, 2012, 3, 31-38.	0.6	4
25	On the angular variation of thermal infrared emissivity of inorganic soils. Journal of Geophysical Research, 2012, 117, .	3.3	45
26	Thermal Infrared Emissivity Dependence on Soil Moisture in Field Conditions. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 4652-4659.	2.7	31
27	Automatic Generation of Land Surface Emissivity Maps. , 2011, , .		2
28	Analysis of ASTER Emissivity Product Over an Arid Area in Southern New Mexico, USA. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 1316-1324.	2.7	7
29	Soil Moisture Effect on Thermal Infrared (8–13-μm) Emissivity. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 2251-2260.	2.7	53
30	An enhanced vegetation cover method for automatic generation of land surface emissivity maps. Proceedings of SPIE, 2009, , .	0.8	1
31	Automatic generation of emissivity maps on a European scale. , 2009, , .		0
32	Angular dependence of the emissivity of bare soils in the thermal infrared. , 2009, , .		3
33	Comparison of Thermal Infrared Emissivities Retrieved With the Two-Lid Box and the TES Methods With Laboratory Spectra. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 1012-1021.	2.7	22
34	A simple equation for determining sea surface emissivity in the 3–15Â <i>µ</i> m region. International Journal of Remote Sensing, 2009, 30, 1603-1619.	1.3	16
35	An Atmospheric Radiosounding Database for Generating Land Surface Temperature Algorithms. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 1547-1557.	2.7	79
36	Monitoring daily evapotranspiration at a regional scale from Landsat-TM and ETM+ data: Application to the Basilicata region. Journal of Hydrology, 2008, 351, 58-70.	2.3	65

#	Article	IF	CITATIONS
37	Comparison of Split-Window and Single-Channel Methods for Land Surface Temperature Retrieval from MODIS and AATSR Data. , 2008, , .		3
38	Emissivity errors in the vegetation cover method caused by the lack of atmospheric correction. International Journal of Remote Sensing, 2008, 29, 1825-1832.	1.3	2
39	Comparison of field emissivities with laboratory measurements and ASTER data. Proceedings of SPIE, 2008, , .	0.8	0
40	Improvement of the thermal emissivity calculated with the vegetation cover method by using optical atmospherically corrected images. , 2007, , .		1
41	A Cloudless land atmosphere radiosounding database for generating land surface temperature retrieval algorithms. , 2007, , .		0
42	Evaluation of the Bâ€method for determining actual evapotranspiration in a boreal forest from MODIS data. International Journal of Remote Sensing, 2007, 28, 1231-1250.	1.3	16
43	Foam effect on the sea surface emissivity in the 8–14 <i>μ</i> m region. Journal of Geophysical Research, 2007, 112, .	3.3	16
44	Influence of soil water content on the thermal infrared emissivity of bare soils: Implication for land surface temperature determination. Journal of Geophysical Research, 2007, 112, .	3.3	117
45	Determination of sea surface temperature at large observation angles using an angular and emissivity-dependent split-window equation. Remote Sensing of Environment, 2007, 111, 107-121.	4.6	38
46	Temperature and emissivity separation from ASTER data for low spectral contrast surfaces. Remote Sensing of Environment, 2007, 110, 162-175.	4.6	93
47	וחוّ¬,uence of the soil moisture effect on the thermal infrared emissivity. Tethys, 2007, 4, .	0.0	7
48	Simulation and validation of land surface temperature algorithms for MODIS and AATSR data. Tethys, 2007, 4, .	0.0	8
49	CO2 Prices, Energy and Weather. Energy Journal, 2007, 28, 73-92.	0.9	306
50	Evaluation of split-window and dual-angle correction methods for land surface temperature retrieval from Envisat/Advanced Along Track Scanning Radiometer (AATSR) data. Journal of Geophysical Research, 2006, 111, .	3.3	32
51	Ground measurements for the validation of land surface temperatures derived from AATSR and MODIS data. Remote Sensing of Environment, 2005, 97, 288-300.	4.6	261
52	In situ angular measurements of thermal infrared sea surface emissivity—Validation of models. Remote Sensing of Environment, 2005, 94, 83-93.	4.6	47
53	In situ surface temperature retrieval in a boreal forest under variable cloudiness conditions. International Journal of Remote Sensing, 2005, 26, 3985-4000.	1.3	5
54	Night-time cloud cover estimation. International Journal of Remote Sensing, 2004, 25, 2193-2205.	1.3	5

#	Article	IF	CITATIONS
55	Autonomous Measurements of Sea Surface Temperature Using In Situ Thermal Infrared Data. Journal of Atmospheric and Oceanic Technology, 2004, 21, 683-692.	0.5	17
56	Sea surface emissivity angular measurements: comparison with theoretical models. , 2004, , .		1
57	Validation of temperature-emissivity separation and split-window methods from TIMS data and ground measurements. Remote Sensing of Environment, 2003, 85, 232-242.	4.6	20
58	Spanish Stock Returns: Where is the Weather Effect?. European Financial Management, 2003, 9, 117-126.	1.7	82
59	Adjusted Normalized Emissivity Method for surface temperature and emissivity retrieval from optical and thermal infrared remote sensing data. Journal of Geophysical Research, 2003, 108, .	3.3	13
60	Thermal–infrared emissivities of natural surfaces: improvements on the experimental set-up and new measurements. International Journal of Remote Sensing, 2003, 24, 5379-5390.	1.3	87
61	Single Factor Stochastic Models with Seasonality Applied to Underlying Weather Derivatives Variables. Journal of Risk Finance, 2003, 4, 6-17.	3.6	16
62	Vicarious calibration and validation in the thermal region. , 2002, 4538, 189.		1
63	NEDT influence in the thermal band selection of satellite-borne instruments. International Journal of Remote Sensing, 2002, 23, 3493-3504.	1.3	2
64	Temperature and seasonality influences on Spanish electricity load. Energy Economics, 2002, 24, 55-70.	5.6	266
65	Temperature and emissivity extracted from airborne multi-channel data in the ReSeDA experiment. Agronomy for Sustainable Development, 2002, 22, 567-573.	0.8	10
66	Daily Air Temperature and Electricity Load in Spain. Journal of Applied Meteorology and Climatology, 2001, 40, 1413-1421.	1.7	222
67	Single Factor Stochastic Models with Seasonality Applied to Underlying Weather Derivatives Variables. SSRN Electronic Journal, 2001, , .	0.4	5
68	Temperature and emissivity separation from calibrated data of the Digital Airborne Imaging Spectrometer. Remote Sensing of Environment, 2001, 76, 250-259.	4.6	23
69	Analysis of thermal infrared data from the Digital Airborne Imaging Spectrometer. International Journal of Remote Sensing, 2001, 22, 3703-3718.	1.3	8
70	Simulation of a medium-scale-surface-temperature instrument from Thematic Mapper data. International Journal of Remote Sensing, 2000, 21, 3153-3159.	1.3	4
71	Thermal band selection for the PRISM instrument: 3. Optimal band configurations. Journal of Geophysical Research, 1998, 103, 17057-17067.	3.3	14
72	Effective wavenumber for thermal infrared bands-application to Landsat-TM. International Journal of Remote Sensing, 1998, 19, 2105-2117.	1.3	19

#	Article	IF	CITATIONS
73	Land surface emissivity and temperature determination in the whole HAPEX-Sahel area from AVHRR data. International Journal of Remote Sensing, 1997, 18, 1009-1027.	1.3	73
74	Thermal band selection for the PRISM instrument: 1. Analysis of emissivity-temperature separation algorithms. Journal of Geophysical Research, 1997, 102, 11145-11164.	3.3	47
75	Thermal band selection for the PRISM instrument: 2. Analysis and comparison of existing atmospheric and emissivity correction methods for land surface temperature recovery. Journal of Geophysical Research, 1997, 102, 19611-19627.	3.3	13
76	Mapping land surface emissivity from NDVI: Application to European, African, and South American areas. Remote Sensing of Environment, 1996, 57, 167-184.	4.6	631
77	Mapping land surface emissivity using AVHRR data application to La Mancha, Spain. International Journal of Remote Sensing, 1995, 12, 311-333.	1.1	26
78	On the atmospheric dependence of the split-window equation for land surface temperature. International Journal of Remote Sensing, 1994, 15, 105-122.	1.3	221
79	Atmospheric correction and determination of sea surface temperature in midlatitudes from NOAA-AVHRR data. Atmospheric Research, 1993, 30, 233-250.	1.8	7
80	Air-canopy temperature difference for fluorescence emission models. , 0, , .		0
81	The Adjusted Normalized Emissivity Method (ANEM) for land surface temperature and emissivity recovery. , 0, , .		4
82	High-accuracy sea surface temperature retrieval. , 0, , .		0
83	CO2 Prices, Energy and Weather. SSRN Electronic Journal, 0, , .	0.4	17
84	Determination of the surface temperature by remote sensing. Tethys, 0, , .	0.0	0