

Masataka Kinoshita

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7728800/masataka-kinoshita-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

2,601
citations

29
h-index

46
g-index

155
ext. papers

2,977
ext. citations

4.5
avg, IF

4.41
L-index

#	Paper	IF	Citations
136	Probable modern analogue of Kuroko-type massive sulphide deposits in the Okinawa Trough back-arc basin. <i>Nature</i> , 1989 , 338, 496-499	50.4	199
135	Tsunamigenic potential of the shallow subduction plate boundary inferred from slow seismic slip. <i>Nature Geoscience</i> , 2012 , 5, 414-418	18.3	104
134	NanTroSEIZE: The IODP Nankai Trough Seismogenic Zone Experiment. <i>Scientific Drilling</i> , 2 , 23-27		92
133	Thermal response of sediment with vertical fluid flow to periodic temperature variation at the surface. <i>Journal of Geophysical Research</i> , 2005 , 110,		90
132	Extremely high heat flow anomaly in the middle part of the Nankai Trough. <i>Physics and Chemistry of the Earth</i> , 2003 , 28, 487-497	3	77
131	Archaeal diversity and distribution along thermal and geochemical gradients in hydrothermal sediments at the Yonaguni Knoll IV hydrothermal field in the Southern Okinawa trough. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 1198-211	4.8	74
130	A discrete episode of seismic and aseismic deformation of the Nankai trough subduction zone accretionary prism and incoming Philippine Sea plate. <i>Earth and Planetary Science Letters</i> , 2006 , 242, 73-84	5.3	70
129	Runaway slip to the trench due to rupture of highly pressurized megathrust beneath the middle trench slope: The tsunamigenesis of the 2011 Tohoku earthquake off the east coast of northern Japan. <i>Earth and Planetary Science Letters</i> , 2012 , 339-340, 32-45	5.3	69
128	High magnetic susceptibility of fault gouge within Taiwan Chelungpu fault: Nondestructive continuous measurements of physical and chemical properties in fault rocks recovered from Hole B, TCDP. <i>Geophysical Research Letters</i> , 2006 , 33,	4.9	65
127	Submersible study of an oceanic megamullion in the central North Atlantic. <i>Journal of Geophysical Research</i> , 2001 , 106, 16145-16161		64
126	Extension of continental crust by anelastic deformation during the 2011 Tohoku-oki earthquake: The role of extensional faulting in the generation of a great tsunami. <i>Earth and Planetary Science Letters</i> , 2013 , 364, 44-58	5.3	60
125	Fluid, methane, and energy flux in an active margin gas hydrate province, offshore Costa Rica. <i>Earth and Planetary Science Letters</i> , 2000 , 179, 153-165	5.3	60
124	Present-day principal horizontal stress orientations in the Kumano forearc basin of the southwest Japan subduction zone determined from IODP NanTroSEIZE drilling Site C0009. <i>Geophysical Research Letters</i> , 2010 , 37, n/a-n/a	4.9	59
123	Hydrothermal fluid flow system around the Iheya North Knoll in the mid-Okinawa trough based on seismic reflection data. <i>Journal of Volcanology and Geothermal Research</i> , 2012 , 213-214, 41-50	2.8	57
122	Potential tsunamigenic faults of the 2011 off the Pacific coast of Tohoku Earthquake. <i>Earth, Planets and Space</i> , 2011 , 63, 831-834	2.9	56
121	Heat flow and fluid flow regime in the western Nankai accretionary prism. <i>Earth and Planetary Science Letters</i> , 1992 , 109, 451-462	5.3	51
120	Nondestructive continuous physical property measurements of core samples recovered from hole B, Taiwan Chelungpu-Fault Drilling Project. <i>Journal of Geophysical Research</i> , 2007 , 112,		40

119	NanTroSEIZE Stage 1 expeditions: introduction and synthesis of key results. <i>Proceedings of the Integrated Ocean Drilling Program Integrated Ocean Drilling Program</i> ,		40
118	Gas hydrate saturation at Site C0002, IODP Expeditions 314 and 315, in the Kumano Basin, Nankai trough. <i>Island Arc</i> , 2014 , 23, 142-156	2	39
117	Hydrothermal plumes imaged by high-resolution side-scan sonar on a cruising AUV, Urashima. <i>Geochemistry, Geophysics, Geosystems</i> , 2010 , 11, n/a-n/a	3.6	38
116	Investigations of seismogenesis at the Nankai Trough, Japan		38
115	Core Description and Characteristics of Fault Zones from Hole-A of the Taiwan Chelungpu-Fault Drilling Project. <i>Terrestrial, Atmospheric and Oceanic Sciences</i> , 2007 , 18, 327	1.8	38
114	A marine deep-towed DC resistivity survey in a methane hydrate area, Japan Sea. <i>Exploration Geophysics</i> , 2008 , 39, 52-59	1	35
113	A synthesis of heat flow determinations and thermal modeling along the Nankai Trough, Japan. <i>Journal of Geophysical Research: Solid Earth</i> , 2013 , 118, 2687-2702	3.6	34
112	Emergent topological spin structures in the centrosymmetric cubic perovskite SrFeO ₃ . <i>Physical Review B</i> , 2020 , 101,	3.3	31
111	Estimation of temperature rise in a shallow slip zone of the megasplay fault in the Nankai Trough. <i>Tectonophysics</i> , 2009 , 478, 215-220	3.1	30
110	Current stress state and principal stress rotations in the vicinity of the Chelungpu fault induced by the 1999 Chi-Chi, Taiwan, earthquake. <i>Geophysical Research Letters</i> , 2007 , 34,	4.9	30
109	Distribution of stress state in the Nankai subduction zone, southwest Japan and a comparison with Japan Trench. <i>Tectonophysics</i> , 2016 , 692, 120-130	3.1	30
108	Heat flow estimated from BSR and IODP borehole data: Implication of recent uplift and erosion of the imbricate thrust zone in the Nankai Trough off Kumano. <i>Geochemistry, Geophysics, Geosystems</i> , 2011 , 12, n/a-n/a	3.6	29
107	Heat flow distribution and thermal structure of the Nankai subduction zone off the Kii Peninsula. <i>Geochemistry, Geophysics, Geosystems</i> , 2011 , 12, n/a-n/a	3.6	27
106	Geological, chemical, and biological evidence for recent volcanism at 17.5°S: East Pacific Rise. <i>Earth and Planetary Science Letters</i> , 1998 , 163, 131-147	5.3	27
105	Low total and inorganic carbon contents within the Taiwan Chelungpu fault system. <i>Geochemical Journal</i> , 2007 , 41, 391-396	0.9	25
104	Thermal conductivities, thermal diffusivities, and volumetric heat capacities of core samples obtained from the Japan Trench Fast Drilling Project (JFAST). <i>Earth, Planets and Space</i> , 2014 , 66,	2.9	23
103	Recharge/discharge interface of a secondary hydrothermal circulation in the Suiyo Seamount of the Izu-Bonin arc, identified by submersible-operated heat flow measurements. <i>Earth and Planetary Science Letters</i> , 2006 , 245, 498-508	5.3	23
102	Response of submarine hydrologic monitoring instruments to formation pressure changes: Theory and application to Nankai advanced CORKs. <i>Journal of Geophysical Research</i> , 2008 , 113,		22

101	Near-trench slip potential of megaquakes evaluated from fault properties and conditions. <i>Scientific Reports</i> , 2016 , 6, 28184	4.9	21
100	Seismogenic zone temperatures and heat-flow anomalies in the To-nankai margin segment based on temperature data from IODP expedition 333 and thermal model. <i>Earth and Planetary Science Letters</i> , 2012 , 349-350, 171-185	5.3	21
99	Acoustic and mechanical properties of Nankai accretionary prism core samples. <i>Geochemistry, Geophysics, Geosystems</i> , 2011 , 12, n/a-n/a	3.6	21
98	Conductive heat flow at the TAG Active Hydrothermal Mound: Results from 1993-1995 submersible surveys. <i>Geophysical Research Letters</i> , 1996 , 23, 3463-3466	4.9	21
97	Tide-related variability of TAG hydrothermal activity observed by deep-sea monitoring system and OBSH. <i>Earth and Planetary Science Letters</i> , 1997 , 153, 239-250	5.3	20
96	Hydrothermal regime and constraints on reservoir depth of the Jade site in the Mid-Okinawa Trough inferred from heat flow measurements. <i>Journal of Geophysical Research</i> , 1997 , 102, 3183-3194		20
95	Possible kilometer-scale hydrothermal circulation within the Iheya-North field, mid-Okinawa Trough, as inferred from heat flow data. <i>JAMSTEC Report of Research and Development</i> , 2011 , 12, 1-12	0	20
94	Co-seismic and post-seismic pore-fluid pressure changes in the Philippine Sea plate and Nankai decollement in response to a seismogenic strain event off Kii Peninsula, Japan. <i>Earth, Planets and Space</i> , 2009 , 61, 649-657	2.9	19
93	Temperature limits to deep seafloor life in the Nankai Trough subduction zone. <i>Science</i> , 2020 , 370, 1230-1234	33.3	19
92	Re-evaluation of temperature at the updip limit of locked portion of Nankai megasplay inferred from IODP Site C0002 temperature observatory. <i>Earth, Planets and Space</i> , 2014 , 66,	2.9	18
91	Magnetic Reversal of Electric Polarization with Fixed Chirality of Magnetic Structure in a Chiral-Lattice Helimagnet MnSb_2O_6 . <i>Physical Review Letters</i> , 2016 , 117, 047201	7.4	17
90	Episodic deformation and inferred slow slip at the Nankai subduction zone during the first decade of CORK borehole pressure and VLFE monitoring. <i>Earth and Planetary Science Letters</i> , 2013 , 368, 110-118	5.3	17
89	Thermal conductivities under high pressure in core samples from IODP NanTroSEIZE drilling site C0001. <i>Geochemistry, Geophysics, Geosystems</i> , 2011 , 12, n/a-n/a	3.6	17
88	In situ stress state from walkaround VSP anisotropy in the Kumano basin southeast of the Kii Peninsula, Japan. <i>Geochemistry, Geophysics, Geosystems</i> , 2011 , 12, n/a-n/a	3.6	17
87	Stress state estimation by geophysical logs in NanTroSEIZE Expedition 319-Site C0009, Kumano Basin, southwest Japan. <i>Geophysical Research Letters</i> , 2012 , 39,	4.9	17
86	Expedition 314 summary. <i>Proceedings of the Integrated Ocean Drilling Program Integrated Ocean Drilling Program</i> ,		17
85	Sub-bottom temperature anomalies detected by long-term temperature monitoring at the TAG Hydrothermal Mound. <i>Geophysical Research Letters</i> , 1996 , 23, 3467-3470	4.9	16
84	Heat flow distribution on the floor of Nankai Trough off Kumano and implications for the geothermal regime of subducting sediments. <i>JAMSTEC Report of Research and Development</i> , 2008 , 8, 13-28	0	15

83	Possible correlation between geoelectric potential change in Izu-Oshima Island and the earthquake swarm off the east Izu Peninsula, Japan. <i>Tectonophysics</i> , 1993 , 224, 83-93	3.1	15
82	Anomalies of bottom CH ₄ and trace metal concentrations associated with high heat flow at the Calyptogena community off Hatsu-shima Island, Sagami Bay, Japan: A preliminary report of Tansei Maru KT-88-1 cruise Leg-1.. <i>Geochemical Journal</i> , 1988 , 22, 215-230	0.9	15
81	Tidally-driven effluent detected by long-term temperature monitoring at the TAG hydrothermal mound, Mid-Atlantic Ridge. <i>Physics of the Earth and Planetary Interiors</i> , 1998 , 108, 143-154	2.3	14
80	Glacial-interglacial changes in organic carbon, nitrogen and sulfur accumulation in Lake Baikal sediment over the past 250kyr. <i>Geochemical Journal</i> , 2003 , 37, 493-502	0.9	14
79	Estimation of thermal gradient and diffusivity by means of long- term measurements of subbottom temperatures at western Sagami Bay, Japan. <i>Earth and Planetary Science Letters</i> , 1996 , 141, 249-258	5.3	14
78	Geophysical observations around the northern Yap Trench: seismicity, gravity and heat flow. <i>Tectonophysics</i> , 1989 , 163, 93-104	3.1	14
77	Examination of gas hydrate-bearing deep ocean sediments by X-ray Computed Tomography and verification of physical property measurements of sediments. <i>Marine and Petroleum Geology</i> , 2019 , 108, 239-248	4.7	13
76	High heat flow anomalies on an old oceanic plate observed seaward of the Japan Trench. <i>International Journal of Earth Sciences</i> , 2008 , 97, 345-352	2.2	12
75	Stress field observation and modeling from the NanTroSEIZE scientific drillings in the Nankai Trough system, SW Japan. <i>Tectonophysics</i> , 2013 , 600, 99-107	3.1	11
74	Origin of low-chloride fluid in sediments from the eastern continental margin of India, results from the National Gas Hydrate Program Expedition 02. <i>Marine and Petroleum Geology</i> , 2019 , 108, 377-388	4.7	10
73	The Seismogenic Zone Experiment. <i>Oceanography</i> , 2006 , 19, 28-38	2.3	10
72	Strength characteristics of sediments from a gas hydrate deposit in the KrishnaGodavari Basin on the eastern margin of India. <i>Marine and Petroleum Geology</i> , 2019 , 108, 348-355	4.7	10
71	Seismogenic Zone Structures Revealed by Improved 3-D Seismic Images in the Nankai Trough off Kumano. <i>Geochemistry, Geophysics, Geosystems</i> , 2019 , 20, 2252	3.6	9
70	Geophysics. Dangers of being thin and weak. <i>Science</i> , 2013 , 342, 1178-80	33.3	9
69	Heat Flow Distribution around the Joetsu Gas Hydrate Field, Western Joetsu Basin, Eastern Margin of the Japan Sea. <i>Journal of Geography (Chigaku Zasshi)</i> , 2009 , 118, 986-1007	0.5	9
68	Estimate of heat flux and its temporal variation at the TAG hydrothermal mound, Mid-Atlantic Ridge 26°N. <i>Journal of Geophysical Research</i> , 2003 , 108,		9
67	NanTroSEIZE Stage 1: LWD Transect		9
66	NanTroSEIZE Stage 1 Expeditions 314, 315, and 316: First Drilling Program of the Nankai Trough Seismogenic Zone Experiment. <i>Scientific Drilling</i> , 8 , 4-17		9

65	Interseismic stress accumulation at the locked zone of Nankai Trough seismogenic fault off Kii Peninsula. <i>Tectonophysics</i> , 2013 , 600, 153-164	3.1	8
64	Development and Performance Tests of a Sensor Suite for a Long-Term Borehole Monitoring System in Seafloor Settings in the Nankai Trough, Japan. <i>IEEE Journal of Oceanic Engineering</i> , 2013 , 38, 383-395	3.3	8
63	Porosity, permeability, and grain size of sediment cores from gas-hydrate-bearing sites and their implication for overpressure in shallow argillaceous formations: Results from the national gas hydrate program expedition 02, Krishna-Godavari Basin, India. <i>Marine and Petroleum Geology</i> , 2019 , 108, 332-347	4.7	8
62	The vertical chloride ion profile at the IODP Site C0002, Kumano Basin, off coast of Japan. <i>Tectonophysics</i> , 2017 , 710-711, 88-96	3.1	7
61	In situ thermal excursions detected in the Nankai Trough forearc slope sediment at IODP NanTroSEIZE Site C0008. <i>Earth, Planets and Space</i> , 2015 , 67, 16	2.9	7
60	Characteristics of chlorites in seismogenic fault zones: the Taiwan Chelungpu Fault Drilling Project (TCDP) core sample. <i>EEarth</i> , 2008 , 3, 1-6		7
59	Indian Monsoonal Variations During the Past 80 Kyr Recorded in NGHP-02 Hole 19B, Western Bay of Bengal: Implications From Chemical and Mineral Properties. <i>Geochemistry, Geophysics, Geosystems</i> , 2019 , 20, 148-165	3.6	7
58	Constraints on the fluid supply rate into and through gas hydrate reservoir systems as inferred from pore-water chloride and in situ temperature profiles, Krishna-Godavari Basin, India. <i>Marine and Petroleum Geology</i> , 2019 , 108, 368-376	4.7	7
57	Repeated large-scale mass-transport deposits and consequent rapid sedimentation in the western part of the Bay of Bengal, India. <i>Geological Society Special Publication</i> , 2019 , 477, 183-193	1.7	7
56	Geological structure of the offshore Sumatra forearc region estimated from high-resolution MCS reflection survey. <i>Earth and Planetary Science Letters</i> , 2014 , 386, 41-51	5.3	6
55	High Heat Flow Anomaly around Hatsushima Biological Community in the Western Sagami Bay, Japan.. <i>Journal of Physics of the Earth</i> , 1991 , 39, 553-571		6
54	Geometrical dependence on the stress and slip tendency acting on the subduction megathrust of the Nankai seismogenic zone off Kumano. <i>Progress in Earth and Planetary Science</i> , 2019 , 6,	3.9	5
53	. <i>IEEE Journal of Oceanic Engineering</i> , 2013 , 38, 158-166	3.3	5
52	Long-term monitoring at C0002 seafloor borehole in Nankai Trough seismogenic zone 2013 ,		5
51	Geothermal constraints on the hydrological regime of the TAG active hydrothermal mound, inferred from long-term monitoring. <i>Earth and Planetary Science Letters</i> , 2002 , 203, 149-163	5.3	5
50	Thermal Structure of the Nankai Accretionary Prism and Effects of Advective Heat Transfer by Pore Fluid Flows.. <i>Journal of Geography (Chigaku Zasshi)</i> , 2000 , 109, 540-553	0.5	5
49	Settling of Earthquake-Induced Turbidity on the Accretionary Prism Slope of the Central Nankai Subduction Zone 2012 , 561-571		5
48	Seismo-Volcanic Catastrophe Happened in Western Sagami Bay, Central Japan. Results on R/V Tansei Maru KT 89-11 Cruise.. <i>Journal of Physics of the Earth</i> , 1991 , 39, 267-297		5

47	QP structure of the accretionary wedge in the Kumano Basin, Nankai Trough, Japan, revealed by long-offset walk-away VSP. <i>Earth, Planets and Space</i> , 2015 , 67, 7	2.9	4
46	Seismogenic Processes Revealed Through the Nankai Trough Seismogenic Zone Experiments. <i>Developments in Marine Geology</i> , 2014 , 7, 641-670		4
45	The development and evaluation of sensors for long-term borehole monitoring system 2011 ,		4
44	Methane hydrate occurrence estimated from downhole logging at IODP Site C0002, Kumano basin. <i>Journal of the Japanese Association for Petroleum Technology</i> , 2010 , 75, 54-58	0	4
43	New Scientific Underwater Cable System Tokai-SCANNER for Underwater Geophysical Monitoring Utilizing a Decommissioned Optical Underwater Telecommunication Cable. <i>IEEE Journal of Oceanic Engineering</i> , 2009 , 34, 539-547	3.3	4
42	Periodical changes of submarine fluid discharge from a deep seafloor, Suiyo Sea Mountain, Japan. <i>Geophysical Research Letters</i> , 2003 , 30,	4.9	4
41	Geothermal surveys on submarine hydrothermal systems using submersibles in Japan. <i>Marine Georesources and Geotechnology</i> , 1996 , 14, 65-75	2.2	4
40	Three-dimensional topographic relief of the oceanic crust may control the occurrence of shallow very-low-frequency earthquakes in the Nankai Trough off Kumano. <i>Earth, Planets and Space</i> , 2020 , 72,	2.9	4
39	Estimation of Grain Thermal Conductivity in the Turbidite Sediment of the Juan de Fuca Ridge		4
38	High density single-channel seismic profiles obtained during KY05-06 cruise in the Sagami Bay, Japan. <i>JAMSTEC Report of Research and Development</i> , 2005 , 2, 41-56	0	4
37	Hydrothermal regime of the Suiyo Seamount caldera inferred from detailed heat flow data. <i>Oceanography in Japan</i> , 2005 , 14, 165-175	0.5	4
36	Redistribution of Sediments by Submarine Landslides on the Eastern Nankai Accretionary Prism 2010 , 313-322		4
35	In-situ mechanical weakness of subducting sediments beneath a plate boundary décollement in the Nankai Trough. <i>Progress in Earth and Planetary Science</i> , 2018 , 5,	3.9	4
34	Equivalent formation strength as a proxy tool for exploring for the location and distribution of gas hydrates. <i>Marine and Petroleum Geology</i> , 2019 , 108, 356-367	4.7	3
33	Tracing geologically constrained fluid flow pathways using a combination of heat flow measurements, pore water chemistry, and acoustic imaging near the deformation front of the Nankai Trough off the Muroto Peninsula, Japan. <i>Tectonophysics</i> , 2014 , 618, 121-137	3.1	3
32	Localized High Heat Flow Anomaly at the Frontal Thrust in the Nankai Trough off Muroto: Relationship between Pressure and Permeability in a Deep Part of the Accretionary Prism. <i>Journal of Geography (Chigaku Zasshi)</i> , 2011 , 120, 224-236	0.5	3
31	Gas Chemistry of Pore Fluids from Oomine Ridge on the Nankai Accretionary Prism. <i>Modern Approaches in Solid Earth Sciences</i> , 2011 , 247-262	0.5	3
30	Drill pipe monitoring of vortex-induced vibration during IODP Expedition 332 observatory installations. <i>Proceedings of the Integrated Ocean Drilling Program Integrated Ocean Drilling Program</i> ,		3

29	High quality multi-frequency seismic profiles obtained during KY06-01 cruise in the Sagami Bay, Japan. <i>JAMSTEC Report of Research and Development</i> , 2006 , 4, 41-54	0	3
28	Thermal maturity structures in an accretionary wedge by a numerical simulation. <i>Progress in Earth and Planetary Science</i> , 2019 , 6,	3.9	2
27	Methane hydrate detection with marine electromagnetic surveys: Case studies off Japan coast 2009 ,		2
26	Scientific survey and monitoring of the off-shore seismogenic zone with Tokai SCANNER: submarine cabled network observatory for nowcast of earthquake recurrence in the Tokai region, Japan 2007 ,		2
25	Heat flux estimate of warm water flow in a low-temperature diffuse flow site, southern East Pacific Rise 17°25' S. <i>Marine Geophysical Researches</i> , 2003 , 24, 345-357	2.3	2
24	Warped temperature profiles observed in the sediment of geothermally active areas in the Japan Sea: A hypothesis of double diffusive sinking. <i>Progress in Oceanography</i> , 1988 , 21, 255-267	3.8	2
23	Sediment deformation in eastern Sagami Bay revealed by high-density seismic reflection survey. <i>JAMSTEC Report of Research and Development</i> , 2013 , 17, 1-10	0	2
22	Development of Oil Operated Virtual Environment Equipment (OOVEE). <i>JAMSTEC Report of Research and Development</i> , 2011 , 13, 65-74	0	2
21	High Fluid-Pressure Patches Beneath the Dōllement: A Potential Source of Slow Earthquakes in the Nankai Trough off Cape Muroto. <i>Journal of Geophysical Research: Solid Earth</i> , 2021 , 126, e2021JB021831	3.6	2
20	Contrasting Magnetic Behaviors in Rhodium- and Ruthenium-Doped Cubic Perovskite SrFeO : Nearly Ferromagnetic Metal versus Spin-Glass Insulator. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15292-15296	16.4	1
19	Stress state and its anomaly observations in the vicinity of a fault in NanTroSEIZE Expedition 322. <i>Geochemistry, Geophysics, Geosystems</i> , 2015 , 16, 4422-4432	3.6	1
18	Variations in the thermal conductivities of surface sediments in the Nankai subduction zone off Tokai, central Japan. <i>Marine Geophysical Researches</i> , 2012 , 33, 269-283	2.3	1
17	Thermal conductivity of rocks under high pressure conditions 2013 , 311-314		1
16	The role of compaction contrasts in sediments in dōllement initiation in an accretionary prism. <i>Marine Geology</i> , 2011 , 282, 188-200	3.3	1
15	Subbottom structures of Offshore Hatsushima in the western Sagami Bay. <i>JAMSTEC Report of Research and Development</i> , 2011 , 13, 1-15	0	1
14	Temporal variations in effluent fluid at Suiyo Seamount. <i>Oceanography in Japan</i> , 2005 , 14, 177-186	0.5	1
13	Long-term temperatures measurements at some onland and sub-seafloor boreholes. <i>JAMSTEC Report of Research and Development</i> , 2009 , 2009, 89-102	0	1
12	A new perspective of the subduction zone derived from the Ocean Drilling Program for the Nankai Trough Seismogenic Zone Experiment (NanTroSEIZE). <i>Journal of the Geological Society of Japan</i> , 2018 , 124, 47-65	0.6	0

11	Review of five years of activity at IFREE /JAMSTEC. <i>JAMSTEC Report of Research and Development</i> , 2009 , 9, 2_43-2_94	0	0
10	A cold seep triggered by a hot ridge subduction. <i>Scientific Reports</i> , 2021 , 11, 20923	4.9	0
9	Active deformation of Sagami Bay triggered by approach of the Izu island arc. <i>Geo-Marine Letters</i> , 2020 , 40, 741-753	1.9	0
8	Contrasting Magnetic Behaviors in Rhodium- and Ruthenium-Doped Cubic Perovskite SrFeO ₃ : Nearly Ferromagnetic Metal versus Spin-Glass Insulator. <i>Angewandte Chemie</i> , 2016 , 128, 15518-15522	3.6	
7	Proposed Method for Observing Seafloor Hydrothermal Flows Using an Acoustic Video Camera. <i>The Journal of the Marine Acoustics Society of Japan</i> , 2013 , 40, 149-156	0	
6	Water temperature variation and thermal conductivity in the Kuroshima Knoll area, southwestern part of the Ryukyu Arc. <i>JAMSTEC Report of Research and Development</i> , 2005 , 1, 13-22	0	
5	A case study of determining orientations of in-situ horizontal principal stresses based on electrical images of borehole failures at a deep drilling project 2006 , 625-630		
4	In situ measurements of formation temperature in scientific ocean drilling. <i>BUTSURI-TANSA(Geophysical Exploration)</i> , 2009 , 62, 585-595	0.3	
3	Development of the off-Toyohashi seafloor cabled observatory. <i>JAMSTEC Report of Research and Development</i> , 2009 , 2009, 149-161	0	
2	Recent progress of the Electro-Magnetic survey to investigate Earth's interior. <i>JAMSTEC Report of Research and Development</i> , 2009 , 2009, 103-110	0	
1	Subduction geometry controls on shallow very low frequency earthquakes.. <i>Scientific Reports</i> , 2022 , 12, 2677	4.9	