

Jaran Eriksen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7729839/publications.pdf>

Version: 2024-02-01

52
papers

1,161
citations

535685

17
h-index

466096

32
g-index

56
all docs

56
docs citations

56
times ranked

1929
citing authors

#	ARTICLE	IF	CITATIONS
1	Antimicrobial stewardship: Attitudes and practices of healthcare providers in selected health facilities in Uganda. PLoS ONE, 2022, 17, e0262993.	1.1	17
2	Antibiotic Prescribing in Connection to Childbirth: An Observational Study in Two Districts in Lao PDR. Antibiotics, 2022, 11, 448.	1.5	1
3	Swedish Efforts to Contain Antibiotic Resistance in the Environment—A Qualitative Study among Selected Stakeholders. Antibiotics, 2022, 11, 646.	1.5	0
4	Characteristics of antimicrobial stewardship programmes in hospitals of Uganda. PLoS ONE, 2022, 17, e0268032.	1.1	4
5	Perceptions and reported practices of pregnant women and mothers of children under two years of age regarding antibiotic use and resistance in Vientiane province, Lao PDR: a qualitative study. BMC Pregnancy and Childbirth, 2022, 22, .	0.9	3
6	Contagiousness in treated HIV-1 infection. Infectious Diseases, 2021, 53, 1-8.	1.4	8
7	Higher plasma drug levels in elderly people living with HIV treated with darunavir. PLoS ONE, 2021, 16, e0246171.	1.1	5
8	Policy Challenges Facing the Scale Up of Integrated Community Case Management (iCCM) in Uganda. International Journal of Health Policy and Management, 2021, , .	0.5	2
9	Exploring the One Health Perspective in Sweden’s Policies for Containing Antibiotic Resistance. Antibiotics, 2021, 10, 526.	1.5	11
10	Antibiotic use among children under five years with diarrhea in rural communities of Gulu, northern Uganda: a cross-sectional study. BMC Public Health, 2021, 21, 1254.	1.2	6
11	Validity of caregivers’s reports on prior use of antibacterials in children under five years presenting to health facilities in Gulu, northern Uganda. PLoS ONE, 2021, 16, e0257328.	1.1	2
12	Knowledge, Attitudes, Perception and Reported Practices of Healthcare Providers on Antibiotic Use and Resistance in Pregnancy, Childbirth and Children under Two in Lao PDR: A Mixed Methods Study. Antibiotics, 2021, 10, 1462.	1.5	5
13	The use of antibiotics in the intensive care unit of a tertiary hospital in Malawi. BMC Infectious Diseases, 2020, 20, 776.	1.3	12
14	Evaluating the effect of maternal mHealth text messages on uptake of maternal and child health care services in South Africa: a multicentre cohort intervention study. Reproductive Health, 2020, 17, 160.	1.2	22
15	The challenges of implementing national policies to contain antibiotic resistance in Swedish healthcare—A qualitative study of perceptions among healthcare professionals. PLoS ONE, 2020, 15, e0233236.	1.1	9
16	Use of antibacterials in the management of symptoms of acute respiratory tract infections among children under five years in Gulu, northern Uganda: Prevalence and determinants. PLoS ONE, 2020, 15, e0235164.	1.1	17
17	Antiretroviral treatment for HIV infection: Swedish recommendations 2019. Infectious Diseases, 2020, 52, 295-329.	1.4	13
18	Pretreatment HIV drug resistance predicts accumulation of new mutations in ART-naïve Ugandan children. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2706-2716.	0.7	5

#	ARTICLE	IF	CITATIONS
19	Animal Production With Restrictive Use of Antibiotics to Contain Antimicrobial Resistance in Sweden—A Qualitative Study. <i>Frontiers in Veterinary Science</i> , 2020, 7, 619030.	0.9	16
20	Containment of Antibiotic REsistance—measures to improve antibiotic use in pregnancy, childbirth and young children (CAREChild): a protocol of a prospective, quasiexperimental interventional study in Lao PDR. <i>BMJ Open</i> , 2020, 10, e040334.	0.8	6
21	The Mobile Alliance for Maternal Action Text Message—Based mHealth Intervention for Maternal Care in South Africa: Qualitative User Study. <i>JMIR Human Factors</i> , 2020, 7, e14078.	1.0	17
22	Tuberculosis following renal transplantation in England, Wales and Northern Ireland: a national registry-based cohort study. <i>European Respiratory Journal</i> , 2019, 54, 1802245.	3.1	6
23	Reported needs of information resources, research tools, connectivity and infrastructure among African Pharmacological Scientists to improve future patient care and health. <i>Expert Review of Clinical Pharmacology</i> , 2019, 12, 481-489.	1.3	2
24	Uptake of peer-led venue-based HIV testing sites in Sweden aimed at men who have sex with men (MSM) and trans persons: a cross-sectional survey. <i>Sexually Transmitted Infections</i> , 2019, 95, 575-579.	0.8	21
25	Primary care physicians report high trust in and usefulness of the Stockholm drug and therapeutic committee’s list of recommended essential medicines (the “Wise List”). <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 131-138.	0.8	17
26	Patients’ knowledge and attitudes to the Wise List - a drug formulary from the Stockholm Drug and Therapeutic committee. <i>BMC Health Services Research</i> , 2018, 18, 176.	0.9	0
27	Forecasting the Value for Money of Mobile Maternal Health Information Messages on Improving Utilization of Maternal and Child Health Services in Gauteng, South Africa: Cost-Effectiveness Analysis. <i>JMIR MHealth and UHealth</i> , 2018, 6, e153.	1.8	21
28	MULTIFACETED RESEARCH AND IMPLEMENTING APPROACHES TO CONTROL EMERGING RESISTANCE FOR HIV-, MALARIA- AND TB-THERAPY IN CHILDREN AND PREGNANT WOMEN. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, SY81-4.	0.0	0
29	High adherence to the “Wise List” treatment recommendations in Stockholm: a 15-year retrospective review of a multifaceted approach promoting rational use of medicines. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, OR8-2.	0.0	0
30	Effectiveness of an SMS-based maternal mHealth intervention to improve clinical outcomes of HIV-positive pregnant women. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017, 29, 890-897.	0.6	79
31	High adherence to the “Wise List” treatment recommendations in Stockholm: a 15-year retrospective review of a multifaceted approach promoting rational use of medicines. <i>BMJ Open</i> , 2017, 7, e014345.	0.8	81
32	Rebuilding research capacity in fragile states: the case of a Somali—Swedish global health initiative. <i>Global Health Action</i> , 2017, 10, 1348693.	0.7	13
33	Antiretroviral treatment for HIV infection: Swedish recommendations 2016. <i>Infectious Diseases</i> , 2017, 49, 1-34.	1.4	24
34	Genetic variants in CYP2B6 and CYP2A6 explain interindividual variation in efavirenz plasma concentrations of HIV-infected children with diverse ethnic origin. <i>PLoS ONE</i> , 2017, 12, e0181316.	1.1	13
35	Introduction and Utilization of High Priced HCV Medicines across Europe; Implications for the Future. <i>Frontiers in Pharmacology</i> , 2016, 7, 197.	1.6	26
36	Single Deranged Physiologic Parameters Are Associated With Mortality in a Low-Income Country. <i>Critical Care Medicine</i> , 2015, 43, 2171-2179.	0.4	44

#	ARTICLE	IF	CITATIONS
37	Vital Signs Directed Therapy: Improving Care in an Intensive Care Unit in a Low-Income Country. PLoS ONE, 2015, 10, e0144801.	1.1	51
38	A cross-sectional pilot study assessing needs and attitudes to implementation of Information and Communication Technology for rational use of medicines among healthcare staff in rural Tanzania. BMC Medical Informatics and Decision Making, 2014, 14, 78.	1.5	21
39	Emergency and critical care services in Tanzania: a survey of ten hospitals. BMC Health Services Research, 2013, 13, 140.	0.9	106
40	Seroepidemiology of mumps in Europe (1996-2008): why do outbreaks occur in highly vaccinated populations?. Epidemiology and Infection, 2013, 141, 651-666.	1.0	51
41	Mesalazine-induced renal calculi. American Journal of Case Reports, 2013, 14, 551-553.	0.3	7
42	Pharmacokinetics of the nonnucleoside reverse transcriptase inhibitor efavirenz among HIV-infected Ugandans. HIV Medicine, 2012, 13, 193-201.	1.0	11
43	Opt-out HIV testing during antenatal care: experiences of pregnant women in rural Uganda. Health Policy and Planning, 2012, 27, 69-75.	1.0	54
44	'How to know what you need to do': a cross-country comparison of maternal health guidelines in Burkina Faso, Ghana and Tanzania. Implementation Science, 2012, 7, 31.	2.5	28
45	CD4-T-Lymphocyte Reference Ranges in Uganda and Its Influencing Factors. Laboratory Medicine, 2011, 42, 94-101.	0.8	9
46	Challenges to ART scale-up in a rural district in Tanzania: stigma and distrust among Tanzanian health care workers, people living with HIV and community members. Tropical Medicine and International Health, 2010, 15, no-no.	1.0	25
47	Protective effect of BCG vaccination in a nursery outbreak in 2009: time to reconsider the vaccination threshold?. Thorax, 2010, 65, 1067-1071.	2.7	38
48	Process and effects of a community intervention on malaria in rural Burkina Faso: randomized controlled trial. Malaria Journal, 2008, 7, 50.	0.8	26
49	CYP3A5 genotype has significant effect on quinine 3-hydroxylation in Tanzanians, who have lower total CYP3A activity than a Swedish population. Pharmacogenetics and Genomics, 2006, 16, 637-645.	0.7	75
50	Assessing health worker performance in malaria case management of underfives at health facilities in a rural Tanzanian district. Tropical Medicine and International Health, 2006, 12, 061030012640004-???.	1.0	39
51	Adoption of the new antimalarial drug policy in Tanzania - a cross-sectional study in the community. Tropical Medicine and International Health, 2005, 10, 1038-1046.	1.0	37
52	Case management of malaria in under-fives at primary health care facilities in a Tanzanian district. Tropical Medicine and International Health, 2002, 7, 201-209.	1.0	55