## Leandro Wang Hantao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7729900/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evaluation of the retention profile in flow-modulated comprehensive two-dimensional gas chromatography and independent component analysis of weathered heavy oils. Microchemical Journal, 2022, 172, 106978.	2.3	8
2	The Role of Gas Chromatography in Bioanalysis. , 2022, , 361-376.		0
3	Disinfection byproducts in emerging countries. , 2022, , 241-266.		2
4	Advanced tuning of the ion management parameters in GC × GC-HRMS using a Fourier transform Orbitrap mass analyzer for pixel-based data handling and multivariate analysis. Analytical Methods, 2022, 14, 1646-1654.	1.3	6
5	Rapid evaporative ionization mass spectrometry (REIMS) combined with chemometrics for real-time beer analysis. Analytical Methods, 2022, 14, 1540-1546.	1.3	5
6	Profiling organic acids in produced water samples using vacuum-assisted sorbent extraction and gas chromatography coupled to Fourier transform Orbitrap mass spectrometry. Microchemical Journal, 2022, 180, 107581.	2.3	5
7	Petrochemical applications of gas chromatography. , 2021, , 655-673.		1
8	Drinking water nitrosamines in a large metropolitan region in Brazil. Environmental Science and Pollution Research, 2021, 28, 32823-32830.	2.7	6
9	Essential Oils of New Lippia alba Genotypes Analyzed by Flow-Modulated Comprehensive Two-Dimensional Gas Chromatography (GC×GC) and Chemometric Analysis. Molecules, 2021, 26, 2332.	1.7	7
10	Fast High–Resolution Mass Spectrometry and Chemometrics for Evaluation of Sensory Parameters of Commercial Coffee Blends. Brazilian Journal of Analytical Chemistry, 2021, 8, .	0.3	1
11	Improving selective channel occlusion of complex hydrocarbons and fatty acid methyl esters in urea crystals by using an expendable 3D-printed microfluidic device for sample preparation in untargeted petroleomics. Analytica Chimica Acta, 2021, 1160, 338425.	2.6	3
12	Fundamentals of and recent advances in sorbent-based headspace extractions. TrAC - Trends in Analytical Chemistry, 2021, 139, 116252.	5.8	40
13	Profiling naphthenic acids in produced water using hollow fiber liquid-phase microextraction combined with gas chromatography coupled to Fourier transform Orbitrap mass spectrometry. Journal of Chromatography A, 2021, 1655, 462485.	1.8	9
14	Use of color based chromatographic images obtained from comprehensive two-dimensional gas chromatography in authentication analyses. Talanta, 2021, 234, 122616.	2.9	10
15	Evidence of altitudinal gradient modifying genomic and chemical diversity in populations of Lychnophora pinaster Mart Phytochemistry, 2021, 192, 112898.	1.4	3
16	Practical Considerations in Method Development for Gas Chromatography-Based Metabolomic Profiling. Advances in Experimental Medicine and Biology, 2021, 1336, 139-157.	0.8	1
17	Naphthenic Acids: Formation, Role in Emulsion Stability, and Recent Advances in Mass Spectrometry-Based Analytical Methods. Journal of Analytical Methods in Chemistry, 2021, 2021, 1-15.	0.7	11
18	Simple and cost-effective determination of polychlorinated biphenyls in insulating oils using an ionic liquid-based stationary phase and flow modulated comprehensive two-dimensional gas chromatography with electron capture detection. Journal of Chromatography A, 2020, 1610, 460530.	1.8	24

#	Article	IF	CITATIONS
19	Exploring a public database to evaluate consumer preference and aroma profile of lager beers by comprehensive two-dimensional gas chromatography and partial least squares regression discriminant analysis. Journal of Chromatography A, 2020, 1630, 461529.	1.8	18
20	Chemical diversity of essential oils from the Brazilian medicinal plant Lychnophora pinaster Mart from different environments. Industrial Crops and Products, 2020, 156, 112856.	2.5	6
21	Sample Preparation for Solid Petroleum-Based Matrices Based on Direct Matrix Introduction Oriented to Hydrocarbon Profiling. Energy & Fuels, 2020, 34, 10705-10712.	2.5	9
22	Consumable-free Comprehensive Three-Dimensional Gas Chromatography and PARAFAC for Determination of Allergens in Perfumes. Chromatographia, 2020, 83, 581-592.	0.7	12
23	Metabolic Profiling of Varronia curassavica Jacq. Terpenoids by Flow Modulated Two-Dimensional Gas Chromatography Coupled to Mass Spectrometry. Separations, 2020, 7, 18.	1.1	10
24	A Bottom-Up Approach for Data Mining in Bioaromatization of Beers Using Flow-Modulated Comprehensive Two-Dimensional Gas Chromatography/Mass Spectrometry. Separations, 2019, 6, 46.	1.1	18
25	Polymeric ionic liquid open tubular capillary column for on-line in-tube SPME coupled with UHPLC-MS/MS to determine endocannabinoids in plasma samples. Analytica Chimica Acta, 2019, 1045, 108-116.	2.6	40
26	Characterization of the aroma profile of novel Brazilian wines by solid-phase microextraction using polymeric ionic liquid sorbent coatings. Analytical and Bioanalytical Chemistry, 2018, 410, 4749-4762.	1.9	31
27	The impact of comprehensive two-dimensional gas chromatography on oil & gas analysis: Recent advances and applications in petroleum industry. TrAC - Trends in Analytical Chemistry, 2018, 105, 202-217.	5.8	85
28	Microstructural characterization of nanocellulose foams prepared in the presence of cationic surfactants. Carbohydrate Polymers, 2018, 195, 153-162.	5.1	29
29	Opportunities for green microextractions in comprehensive two-dimensional gas chromatography / mass spectrometry-based metabolomics – A review. Analytica Chimica Acta, 2018, 1040, 1-18.	2.6	37
30	Acrylamide mitigation in French fries using native l-asparaginase from Aspergillus oryzae CCT 3940. LWT - Food Science and Technology, 2017, 76, 222-229.	2.5	39
31	Simple, Expendable, 3D-Printed Microfluidic Systems for Sample Preparation of Petroleum. Analytical Chemistry, 2017, 89, 3460-3467.	3.2	52
32	Thermal desorption modulation for comprehensive two-dimensional gas chromatography using a simple and inexpensive segmented-loop fluidic interface. Talanta, 2017, 164, 470-476.	2.9	18
33	Simple Solid-Phase Extraction Method for High Efficiency and Low-Cost Crude Oil Demulsification. Energy & Fuels, 2016, 30, 4667-4675.	2.5	11
34	Point-of-use electroanalytical platform based on homemade potentiostat and smartphone for multivariate data processing. Electrochimica Acta, 2016, 219, 170-177.	2.6	41
35	Identifying important structural features of ionic liquid stationary phases for the selective separation of nonpolar analytes by comprehensive two-dimensional gas chromatography. Journal of Chromatography A, 2015, 1386, 89-97.	1.8	32
36	IONIC LIQUID STATIONARY PHASES IN GAS CHROMATOGRAPHY: FUNDAMENTALS, RECENT ADVANCES, AND PERSPECTIVES. Quimica Nova, 2015, , .	0.3	3

#	ARTICLE	IF	CITATIONS
37	A chemometric approach toward the detection and quantification of coffee adulteration by solid-phase microextraction using polymeric ionic liquid sorbent coatings. Journal of Chromatography A, 2014, 1346, 1-7.	1.8	43
38	Tuning the Selectivity of Ionic Liquid Stationary Phases for Enhanced Separation of Nonpolar Analytes in Kerosene Using Multidimensional Gas Chromatography. Analytical Chemistry, 2014, 86, 3717-3721.	3.2	48
39	Intake of jaboticaba peel attenuates oxidative stress in tissues and reduces circulating saturated lipids of rats with high-fat diet-induced obesity. Journal of Functional Foods, 2014, 6, 450-461.	1.6	76
40	Ionic Liquids in Analytical Chemistry: Fundamentals, Advances, and Perspectives. Analytical Chemistry, 2014, 86, 262-285.	3.2	422
41	Chemical immobilization of crosslinked polymeric ionic liquids on nitinol wires produces highly robust sorbent coatings for solid-phase microextraction. Analytica Chimica Acta, 2014, 843, 18-26.	2.6	65
42	Metabolic profiling by ultra-performance liquid chromatography-mass spectrometry and parallel factor analysis for the determination of disease biomarkers in Eucalyptus. Metabolomics, 2014, 10, 1318-1325.	1.4	10
43	Quantitative analysis of biodiesel in blends of biodiesel and conventional diesel by comprehensive two-dimensional gas chromatography and multivariate curve resolution. Analytica Chimica Acta, 2013, 796, 130-136.	2.6	37
44	Detection of extraction artifacts in the analysis of honey volatiles using comprehensive two-dimensional gas chromatography. Food Chemistry, 2013, 141, 1828-1833.	4.2	35
45	Comprehensive two-dimensional gas chromatography combined to multivariate data analysis for detection of disease-resistant clones of Eucalyptus. Talanta, 2013, 116, 1079-1084.	2.9	39
46	New materials and trends in sorbents for solid-phase extraction. TrAC - Trends in Analytical Chemistry, 2013, 43, 14-23.	5.8	239
47	Determination of disease biomarkers in Eucalyptus by comprehensive two-dimensional gas chromatography and multivariate data analysis. Journal of Chromatography A, 2013, 1279, 86-91.	1.8	42
48	Determination of Fuel Origin by Comprehensive 2D GC-FID and Parallel Factor Analysis. Journal of the Brazilian Chemical Society, 2013, , .	0.6	1
49	Multivariate curve resolution combined with gas chromatography to enhance analytical separation in complex samples: A review. Analytica Chimica Acta, 2012, 731, 11-23.	2.6	64
50	Solidâ€phase microextraction combined with comprehensive twoâ€dimensional gas chromatography for fatty acid profiling of cell wall phospholipids. Journal of Separation Science, 2012, 35, 2438-2444.	1.3	23
51	Quantitative analysis by comprehensive two-dimensional gas chromatography using interval Multi-way Partial Least Squares calibration. Talanta, 2011, 83, 1302-1307.	2.9	21
52	Identification of volatiles from pineapple ( <i>Ananas comosus L.)</i> pulp by comprehensive twoâ€dimensional gas chromatography and gas chromatography/mass spectrometry. Journal of Separation Science, 2011, 34, 1547-1554.	1.3	23
53	Quantitative analysis of essential oils in perfume using multivariate curve resolution combined with comprehensive two-dimensional gas chromatography. Analytica Chimica Acta, 2011, 699, 120-125.	2.6	44