
Emmanuel Maheu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/773008/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Wearable transcutaneous electrical nerve stimulation (actiTENS®) is effective and safe for the treatment of knee osteoarthritis pain: a randomized controlled trial <i>versus</i> weak opioids. Therapeutic Advances in Musculoskeletal Disease, 2022, 14, 1759720X2110662.	1.2	8
2	Development of radiographic classification criteria for hand osteoarthritis: a methodological report (Phase 2). RMD Open, 2022, 8, e002024.	1.8	5
3	Effect of Transcutaneous Vagus Nerve Stimulation in Erosive Hand Osteoarthritis: Results from a Pilot Trial. Journal of Clinical Medicine, 2022, 11, 1087.	1.0	15
4	Transcutaneous vagus nerve stimulation in erosive hand osteoarthritis: protocol for the randomised, double-blind, sham-controlled ESTIVAL trial. BMJ Open, 2022, 12, e056169.	0.8	4
5	Cross-cultural adaptation and validation of the Thai version of the functional index for hand osteoarthritis (FIHOA). BMC Musculoskeletal Disorders, 2022, 23, .	0.8	0
6	The DIGICOD cohort: A hospital-based observational prospective cohort of patients with hand osteoarthritis–Âmethodology and baseline characteristics of the population. Joint Bone Spine, 2021, 88, 105171.	0.8	23
7	A retrospective observational study of glucosamine sulfate in addition to conventional therapy in hand osteoarthritis patients compared to conventional treatment alone. Aging Clinical and Experimental Research, 2020, 32, 1161-1172.	1.4	19
8	Cross-cultural translation, adaptation and validation of a Japanese version of the functional index for hand osteoarthritis (J-FIHOA). BMC Musculoskeletal Disorders, 2020, 21, 173.	0.8	6
9	Why we should definitely include intra-articular hyaluronic acid as a therapeutic option in the management of knee osteoarthritis: Results of an extensive critical literature review. Seminars in Arthritis and Rheumatism, 2019, 48, 563-572.	1.6	110
10	2018 update of the EULAR recommendations for the management of hand osteoarthritis. Annals of the Rheumatic Diseases, 2019, 78, 16-24.	0.5	273
11	A single intra-articular injection of 2.0% non-chemically modified sodium hyaluronate vs 0.8% hylan G-F 20 in the treatment of symptomatic knee osteoarthritis: A 6-month, multicenter, randomized, controlled non-inferiority trial. PLoS ONE, 2019, 14, e0226007.	1.1	15
12	Treat-to-target strategy for knee osteoarthritis. International technical expert panel consensus and good clinical practice statements. Therapeutic Advances in Musculoskeletal Disease, 2019, 11, 1759720X1989380.	1.2	34
13	Type 2 diabetes mellitus and osteoarthritis. Seminars in Arthritis and Rheumatism, 2019, 49, 9-19.	1.6	110
14	A new decision tree for diagnosis of osteoarthritis in primary care: international consensus of experts. Aging Clinical and Experimental Research, 2019, 31, 19-30.	1.4	31
15	Coronary heart disease is associated with a worse clinical outcome of hand osteoarthritis: a cross-sectional and longitudinal study. RMD Open, 2017, 3, e000344.	1.8	24
16	The challenge of the definition of early symptomatic knee osteoarthritis: a proposal of criteria and red flags from an international initiative promoted by the Italian Society for Rheumatology. Rheumatology International, 2017, 37, 1227-1236.	1.5	22
17	Increased prevalence and severity of radiographic hand osteoarthritis in patients with HIV-1 infection associated with metabolic syndrome: data from the cross-sectional METAFIB-OA study. Annals of the Rheumatic Diseases, 2016, 75, 2101-2107.	0.5	38
18	Response to: â€~Does the prevalence of radiographic hand osteoarthritis in patients with HIV-1 infection increase or not?' by Luo <i>et al</i> . Annals of the Rheumatic Diseases, 2016, 75, e52-e52.	0.5	0

Emmanuel Maheu

#	Article	IF	CITATIONS
19	Efficacy and safety of hyaluronic acid in the management of osteoarthritis: Evidence from real-life setting trials and surveys. Seminars in Arthritis and Rheumatism, 2016, 45, S28-S33.	1.6	138
20	Diacerein: Benefits, Risks and Place in the Management of Osteoarthritis. An Opinion-Based Report from the ESCEO. Drugs and Aging, 2016, 33, 75-85.	1.3	116
21	A consensus statement on the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO) algorithm for the management of knee osteoarthritis—From evidence-based medicine to the real-life setting. Seminars in Arthritis and Rheumatism, 2016, 45, S3-S11.	1.6	203
22	MRI and serum biomarkers correlate with radiographic features in painful hand osteoarthritis. Clinical and Experimental Rheumatology, 2016, 34, 991-998.	0.4	13
23	Aesthetic discomfort in hand osteoarthritis: results from the LIège Hand Osteoarthritis Cohort (LIHOC). Arthritis Research and Therapy, 2015, 17, 346.	1.6	11
24	Randomised, controlled trial of avocado–soybean unsaponifiable (Piascledine) effect on structure modification in hip osteoarthritis: the ERADIAS study. Annals of the Rheumatic Diseases, 2014, 73, 376-384.	0.5	71
25	Coxibs and traditional NSAIDs for pain relief. Lancet, The, 2014, 383, 121-122.	6.3	7
26	Assessment and determinants of aesthetic discomfort in hand osteoarthritis. Annals of the Rheumatic Diseases, 2012, 71, 45-49.	0.5	34
27	A randomised, double-blind, controlled trial comparing two intra-articular hyaluronic acid preparations differing by their molecular weight in symptomatic knee osteoarthritis. Annals of the Rheumatic Diseases, 2012, 71, 1454-1460.	0.5	111
28	Reproducibility and sensitivity to change of four scoring methods for the radiological assessment of osteoarthritis of the hand. Annals of the Rheumatic Diseases, 2006, 66, 464-469.	0.5	40
29	Reproducibility and sensitivity to change of various methods to measure joint space width in osteoarthritis of the hip: a double reading of three different radiographic views taken with a three-year interval. Arthritis Research and Therapy, 2005, 7, R1375.	1.6	37