Gianluca Trifir

List of Publications by Citations

224 papers	5,782 citations	41 h-index	63 g-index
244 ext. papers	7,036 ext. citations	4.4 avg, IF	5.77 L-index

#	Paper	IF	Citations
224	Clinical and economic burden of adverse drug reactions. *Journal of Pharmacology and Pharmacotherapeutics*, **2013**, 4, S73-7	0.2	217
223	Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. *Pharmacoepidemiology and Drug Safety*, **2011**, 20, 1-11	2.6	198
222	Epidemiology of gout and hyperuricaemia in Italy during the years 2005-2009: a nationwide population-based study. *Annals of the Rheumatic Diseases*, **2013**, 72, 694-700	2.4	185
221	Patterns of persistence with antihypertensive medications in newly diagnosed hypertensive patients in Italy: a retrospective cohort study in primary care. *Journal of Hypertension*, **2005**, 23, 2093-100	1.9	145
220	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. *Pharmacoepidemiology and Drug Safety*, **2009**, 18, 1176-84	2.6	138
219	Association of community-acquired pneumonia with antipsychotic drug use in elderly patients: a nested case-control study. *Annals of Internal Medicine*, **2010**, 152, 418-25, W139-40	8	110
218	Clinically significant drug interactions with newer antidepressants. *CNS Drugs*, **2012**, 26, 39-67	6.7	104
217	Policies for biosimilar uptake in Europe: An overview. *PLoS ONE*, **2017**, 12, e0190147	3.7	101
216	Age-related changes in pharmacodynamics: focus on drugs acting on central nervous and cardiovascular systems. *Current Drug Metabolism*, **2011**, 12, 611-20	3.5	95
215	Combining multiple healthcare databases for postmarketing drug and vaccine safety surveillance: why and how?. *Journal of Internal Medicine*, **2014**, 275, 551-61	10.8	86
214	Identification of acute myocardial infarction from electronic healthcare records using different disease coding systems: a validation study in three European countries. *BMJ Open*, **2013**, 3,	3	85
213	Use of antipsychotics in elderly patients with dementia: do atypical and conventional agents have a similar safety profile?. *Pharmacological Research*, **2009**, 59, 1-12	10.2	78
212	Risk of stroke with typical and atypical anti-psychotics: a retrospective cohort study including unexposed subjects. *Journal of Psychopharmacology*, **2008**, 22, 39-46	4.6	74
211	Postmarketing safety surveillance : where does signal detection using electronic healthcare records fit into the big picture?. *Drug Safety*, **2013**, 36, 183-97	5.1	70
210	Prescribing patterns of antiepileptic drugs in Italy: a nationwide population-based study in the years 2000-2005. *European Journal of Neurology*, **2007**, 14, 1317-21	6	70
209	High prevalence of poor quality drug prescribing in older individuals: a nationwide report from the Italian Medicines Agency (AIFA). *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2014**, 69, 430-7	6.4	68
208	The EU-ADR corpus: annotated drugs, diseases, targets, and their relationships. *Journal of Biomedical Informatics*, **2012**, 45, 879-84	10.2	68

207	The economic burden of preventable adverse drug reactions: a systematic review of observational studies. *Expert Opinion on Drug Safety*, **2018**, 17, 681-695	4.1	65
206	Using electronic health care records for drug safety signal detection: a comparative evaluation of statistical methods. *Medical Care*, **2012**, 50, 890-7	3.1	64
205	Systemic antibiotic prescribing to paediatric outpatients in 5 European countries: a population-based cohort study. *BMC Pediatrics*, **2014**, 14, 174	2.6	63
204	Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. *Pharmacoepidemiology and Drug Safety*, **2012**, 21, 611-21	2.6	63
203	Global epidemiology of Duchenne muscular dystrophy: an updated systematic review and meta-analysis. *Orphanet Journal of Rare Diseases*, **2020**, 15, 141	4.2	62
202	Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. *Journal of the American Medical Informatics Association: JAMIA*, **2013**, 20, 184-92	8.6	61
201	A reference standard for evaluation of methods for drug safety signal detection using electronic healthcare record databases. *Drug Safety*, **2013**, 36, 13-23	5.1	60
200	All-cause mortality associated with atypical and typical antipsychotics in demented outpatients. *Pharmacoepidemiology and Drug Safety*, **2007**, 16, 538-44	2.6	60
199	Azithromycin in COVID-19 Patients: Pharmacological Mechanism, Clinical Evidence and Prescribing Guidelines. *Drug Safety*, **2020**, 43, 691-698	5.1	59
198	Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. *Journal of Pediatrics*, **2017**, 182, 239-244.e1	3.6	58
197	Design and validation of an automated method to detect known adverse drug reactions in MEDLINE: a contribution from the EU-ADR project. *Journal of the American Medical Informatics Association: JAMIA*, **2013**, 20, 446-52	8.6	52
196	Antidepressant drugs: prevalence, incidence and indication of use in general practice of Southern Italy during the years 2003-2004. *Pharmacoepidemiology and Drug Safety*, **2007**, 16, 552-9	2.6	52
195	Antipsychotic prescribing pattern among Italian general practitioners: a population-based study during the years 1999-2002. *European Journal of Clinical Pharmacology*, **2005**, 61, 47-53	2.8	48
194	Antidepressant use in the elderly: the role of pharmacodynamics and pharmacokinetics in drug safety. *Expert Opinion on Drug Metabolism and Toxicology*, **2015**, 11, 883-92	5.5	46
193	Adverse drug reaction-related hospitalizations in persons aged 55 years and over: a population-based study in the Netherlands. *Drugs and Aging*, **2012**, 29, 225-232	4.7	46
192	Suboptimal gastroprotective coverage of NSAID use and the risk of upper gastrointestinal bleeding and ulcers: an observational study using three European databases. *Gut*, **2011**, 60, 1650-9	19.2	46
191	Management of Cancer-Associated Anemia With Erythropoiesis-Stimulating Agents: ASCO/ASH Clinical Practice Guideline Update. *Journal of Clinical Oncology*, **2019**, 37, 1336-1351	2.2	45
190	Association of individual non-steroidal anti-inflammatory drugs and chronic kidney disease: a population-based case control study. *PLoS ONE*, **2015**, 10, e0122899	3.7	45

189   Antipsychotic drug use and community-acquired pneumonia. *Current Infectious Disease Reports*, **2011**, 13, 262-8   3.9   45

188   Adverse drug events in emergency department population: a prospective Italian study. *Pharmacoepidemiology and Drug Safety*, **2005**, 14, 333-40   2.6   44

187   The risk of new onset heart failure associated with dopamine agonist use in Parkinson's disease. *Pharmacological Research*, **2012**, 65, 358-64   10.2   43

186   Risk of ischemic stroke associated with antidepressant drug use in elderly persons. *Journal of Clinical Psychopharmacology*, **2010**, 30, 252-8   1.7   42

185   Challenges for Drug Repurposing in the COVID-19 Pandemic Era. *Frontiers in Pharmacology*, **2020**, 11, 588654   5.6   41

184   Antipsychotic drug exposure and risk of pneumonia: a systematic review and meta-analysis of observational studies. *Pharmacoepidemiology and Drug Safety*, **2015**, 24, 812-20   2.6   41

183   Validation study in four health-care databases: upper gastrointestinal bleeding misclassification affects precision but not magnitude of drug-related upper gastrointestinal bleeding risk. *Journal of Clinical Epidemiology*, **2014**, 67, 921-31   5.7   40

182   Potential Role of Anti-interleukin (IL)-6 Drugs in the Treatment of COVID-19: Rationale, Clinical Evidence and Risks. *BioDrugs*, **2020**, 34, 415-422   7.9   39

181   Bridging islands of information to establish an integrated knowledge base of drugs and health outcomes of interest. *Drug Safety*, **2014**, 37, 557-67   5.1   39

180   The burden of nephrotoxic drug prescriptions in patients with chronic kidney disease: a retrospective population-based study in Southern Italy. *PLoS ONE*, **2014**, 9, e89072   3.7   39

179   Management of cancer-associated anemia with erythropoiesis-stimulating agents: ASCO/ASH clinical practice guideline update. *Blood Advances*, **2019**, 3, 1197-1210   7.8   39

178   Prescribing pattern of anti-epileptic drugs in an Italian setting of elderly outpatients: a population-based study during 2004-07. *British Journal of Clinical Pharmacology*, **2010**, 70, 514-22   3.8   38

177   The Role of European Healthcare Databases for Post-Marketing Drug Effectiveness, Safety and Value Evaluation: Where Does Italy Stand?. *Drug Safety*, **2019**, 42, 347-363   5.1   38

176   Data Extraction and Management in Networks of Observational Health Care Databases for Scientific Research: A Comparison of EU-ADR, OMOP, Mini-Sentinel and MATRICE Strategies. *EGEMS (Washington, DC)*, **2016**, 4, 1189   2.2   37

175   From Big Data to Smart Data for Pharmacovigilance: The Role of Healthcare Databases and Other Emerging Sources. *Drug Safety*, **2018**, 41, 143-149   5.1   37

174   Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study. *Drug Safety*, **2012**, 35, 159-71   5.1   37

173   Interaction risk with proton pump inhibitors in general practice: significant disagreement between different drug-related information sources. *British Journal of Clinical Pharmacology*, **2006**, 62, 582-90   3.8   37

172   Relation of Statin Use and Mortality in Community-Dwelling Frail Older Patients With Coronary Artery Disease. *American Journal of Cardiology*, **2016**, 118, 1624-1630   3   37

171 Use of azithromycin and risk of ventricular arrhythmia. *Cmaj*, **2017**, 189, E560-E568   3.5   36

170 How Much Are Biosimilars Used in Clinical Practice? A Retrospective Italian Population-Based Study of Erythropoiesis-Stimulating Agents in the Years 2009-2013. *BioDrugs*, **2015**, 29, 275-84   7.9   36

169 Trends in the prescription of antidiabetic medications from 2009 to 2012 in a general practice of Southern Italy: a population-based study. *Diabetes Research and Clinical Practice*, **2015**, 108, 157-63   7.4   35

168 Prescribing pattern of glucose lowering drugs in the United Kingdom in the last decade: a focus on the effects of safety warnings about rosiglitazone. *British Journal of Clinical Pharmacology*, **2013**, 75, 861-8   3.8   35

167 Drug-induced acute myocardial infarction: identifying Rprime suspectsRfrom electronic healthcare records-based surveillance system. *PLoS ONE*, **2013**, 8, e72148   3.7   35

166 Renin-Angiotensin-Aldosterone System Inhibitors and Risk of Death in Patients Hospitalised with COVID-19: A Retrospective Italian Cohort Study of 43,000 Patients. *Drug Safety*, **2020**, 43, 1297-1308   5.1   35

165 Useful Interplay Between Spontaneous ADR Reports and Electronic Healthcare Records in Signal Detection. *Drug Safety*, **2015**, 38, 1201-10   5.1   34

164 Prescribing pattern of drugs in the treatment of osteoarthritis in Italian general practice: the effect of rofecoxib withdrawal. *Arthritis and Rheumatism*, **2008**, 59, 568-74   34

163 Newer and older antiepileptic drug use in Southern Italy: a population-based study during the years 2003-2005. *Epilepsy Research*, **2009**, 85, 107-13   3   33

162 Pattern of statin use in southern italian primary care: can prescription databases be used for monitoring long-term adherence to the treatment?. *PLoS ONE*, **2014**, 9, e102146   3.7   33

161 Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. *Alzheimer's and Dementia*, **2018**, 14, 130-139   1.2   33

160 The EU-ADR project: preliminary results and perspective. *Studies in Health Technology and Informatics*, **2009**, 148, 43-9   0.5   33

159 EU-ADR healthcare database network vs. spontaneous reporting system database: preliminary comparison of signal detection. *Studies in Health Technology and Informatics*, **2011**, 166, 25-30   0.5   32

158 Using a multidimensional prognostic index (MPI) based on comprehensive geriatric assessment (CGA) to predict mortality in elderly undergoing transcatheter aortic valve implantation. *International Journal of Cardiology*, **2017**, 236, 381-386   3.2   31

157 Are the safety profiles of antipsychotic drugs used in dementia the same? An updated review of observational studies. *Drug Safety*, **2014**, 37, 501-20   5.1   31

156 Anticholinergic Medication Burden and 5-Year Risk of Hospitalization and Death in Nursing Home Elderly Residents With Coronary Artery Disease. *Journal of the American Medical Directors Association*, **2016**, 17, 1056-1059   5.9   30

155 Potential effects of vaccinations on the prevention of COVID-19: rationale, clinical evidence, risks, and public health considerations. *Expert Review of Vaccines*, **2020**, 19, 919-936   5.2   30

154 The Effect of Safety Warnings on Antipsychotic Drug Prescribing in Elderly Persons with Dementia in the United Kingdom and Italy: A Population-Based Study. *CNS Drugs*, **2016**, 30, 1097-1109   6.7   29

153	Safety profile of biological medicines as compared with non-biologicals: an analysis of the italian spontaneous reporting system database. *Drug Safety*, **2014**, 37, 961-70	5.1	29
152	Statin-macrolide interaction risk: a population-based study throughout a general practice database. *European Journal of Clinical Pharmacology*, **2005**, 61, 615-20	2.8	29
151	Pediatric drug safety surveillance in Italian pharmacovigilance network: an overview of adverse drug reactions in the years 2001 - 2012. *Expert Opinion on Drug Safety*, **2014**, 13 Suppl 1, S9-20	4.1	28
150	Prevalence and antihyperglycemic prescribing trends for patients with type 2 diabetes in Italy: a 4-year retrospective study from national primary care data. *Pharmacological Research*, **2008**, 57, 358-63	10.2	27
149	Indications of newer and older anti-epileptic drug use: findings from a southern Italian general practice setting from 2005-2011. *British Journal of Clinical Pharmacology*, **2015**, 79, 1010-9	3.8	26
148	Cost-Effectiveness and Budget Impact of Emicizumab Prophylaxis in Haemophilia A Patients with Inhibitors. *Thrombosis and Haemostasis*, **2020**, 120, 216-228	7	26
147	Warfarin Treatment and All-Cause Mortality in Community-Dwelling Older Adults with Atrial Fibrillation: A Retrospective Observational Study. *Journal of the American Geriatrics Society*, **2016**, 64, 1416-24	5.6	26
146	Changes in the prescribing pattern of antidepressant drugs in elderly patients: an Italian, nationwide, population-based study. *European Journal of Clinical Pharmacology*, **2014**, 70, 469-78	2.8	25
145	Risk minimization activities of centrally authorized products in the EU: a descriptive study. *Drug Safety*, **2012**, 35, 299-314	5.1	25
144	Burden of community-acquired pneumonia in Italian general practice. *European Respiratory Journal*, **2013**, 42, 1739-42	13.6	25
143	Prescribing pattern of anti-Parkinson drugs in Southern Italy: cross-sectional analysis in the years 2003-2005. *Parkinsonism and Related Disorders*, **2008**, 14, 420-5	3.6	25
142	Safety of Biologics, Including Biosimilars: Perspectives on Current Status and Future Direction. *Drug Safety*, **2018**, 41, 1013-1022	5.1	25
141	Antibiotic use varies substantially among adults: a cross-national study from five European Countries in the ARITMO project. *Infection*, **2015**, 43, 453-72	5.8	24
140	Risk of cardiac valvulopathy with use of bisphosphonates: a population-based, multi-country case-control study. *Osteoporosis International*, **2016**, 27, 1857-67	5.3	24
139	A nationwide prospective study on prescribing pattern of antidepressant drugs in Italian primary care. *European Journal of Clinical Pharmacology*, **2013**, 69, 227-36	2.8	24
138	Interchangeability of biosimilar and biological reference product: updated regulatory positions and pre- and post-marketing evidence. *Expert Opinion on Biological Therapy*, **2018**, 18, 309-315	5.4	24
137	Safety profiles of biologic agents for inflammatory bowel diseases: a prospective pharmacovigilance study in Southern Italy. *Current Medical Research and Opinion*, **2020**, 36, 1457-1463	2.5	23
136	Prescribing pattern of antipsychotic drugs during the years 1996-2010: a population-based database study in Europe with a focus on torsadogenic drugs. *British Journal of Clinical Pharmacology*, **2016**, 82, 487-97	3.8	23

135	Comparative Effectiveness of Biosimilar, Reference Product and Other Erythropoiesis-Stimulating Agents (ESAs) Still Covered by Patent in Chronic Kidney Disease and Cancer Patients: An Italian Population-Based Study. *PLoS ONE*, **2016**, 11, e0155805	3.7	22
134	Survival of Hospitalized COVID-19 Patients in Northern Italy: A Population-Based Cohort Study by the ITA-COVID-19 Network. *Clinical Epidemiology*, **2020**, 12, 1337-1346	5.9	22
133	How did the Introduction of Biosimilar Filgrastim Influence the Prescribing Pattern of Granulocyte Colony-Stimulating Factors? Results from a Multicentre, Population-Based Study, from Five Italian Centres in the Years 2009-2014. *BioDrugs*, **2016**, 30, 295-306	7.9	22
132	The role of electronic healthcare record databases in paediatric drug safety surveillance: a retrospective cohort study. *British Journal of Clinical Pharmacology*, **2015**, 80, 304-14	3.8	21
131	Using real-world healthcare data for pharmacovigilance signal detection - the experience of the EU-ADR project. *Expert Review of Clinical Pharmacology*, **2015**, 8, 95-102	3.8	21
130	Pharmacokinetics of new oral anticoagulants: implications for use in routine care. *Expert Opinion on Drug Metabolism and Toxicology*, **2018**, 14, 1057-1069	5.5	21
129	Antibiotic-Induced Liver Injury in Paediatric Outpatients: A Case-Control Study in Primary Care Databases. *Drug Safety*, **2017**, 40, 305-315	5.1	20
128	Risk of atrial fibrillation among bisphosphonate users: a multicenter, population-based, Italian study. *Osteoporosis International*, **2015**, 26, 1499-506	5.3	20
127	Evaluating performance of electronic healthcare records and spontaneous reporting data in drug safety signal detection. *International Journal of Clinical Pharmacy*, **2015**, 37, 94-104	2.3	20
126	Signal detection of potentially drug-induced acute liver injury in children using a multi-country healthcare database network. *Drug Safety*, **2014**, 37, 99-108	5.1	20
125	Prescribing pattern of antipsychotic drugs in the Italian general population 2000-2005: a focus on elderly with dementia. *International Clinical Psychopharmacology*, **2010**, 25, 22-8	2.2	19
124	Use and tolerability of newer antipsychotics and antidepressants: a chart review in a paediatric setting. *International Journal of Clinical Pharmacy*, **2008**, 30, 44-50		18
123	Idiopathic acute liver injury in paediatric outpatients: incidence and signal detection in two European countries. *Drug Safety*, **2013**, 36, 1007-16	5.1	17
122	Drug interactions with levothyroxine therapy in patients with hypothyroidism: observational study in general practice. *Clinical Drug Investigation*, **2015**, 35, 187-95	3.2	17
121	Additional risk minimisation measures in the EU - are they eligible for assessment?. *Pharmacoepidemiology and Drug Safety*, **2013**, 22, 1046-53	2.6	17
120	Effectiveness and Safety of Switching Originator and Biosimilar Epoetins in Patients with Chronic Kidney Disease in a Large-Scale Italian Cohort Study. *Drug Safety*, **2019**, 42, 1437-1447	5.1	16
119	Pattern of Use of Biosimilar and Originator Somatropin in Italy: A Population-Based Multiple Databases Study During the Years 2009-2014. *Frontiers in Endocrinology*, **2018**, 9, 95	5.7	16
118	New therapeutic strategies under development to halt the progression of renal failure. *Expert Opinion on Investigational Drugs*, **2014**, 23, 693-709	5.9	16

No.	Reference	IF	Cit.
117	Overuse of prescription and OTC non-steroidal anti-inflammatory drugs in patients with rheumatoid arthritis and osteoarthritis. *International Journal of Immunopathology and Pharmacology*, **2013**, 26, 279-81	3	16
116	A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. *Studies in Health Technology and Informatics*, **2009**, 150, 190-4	0.5	16
115	Treatment pattern and frequency of serum TSH measurement in users of different levothyroxine formulations: a population-based study during the years 2009-2015. *Endocrine*, **2017**, 58, 143-152	4	15
114	Inflammatory Bowel Disease Onset During Secukinumab Treatment: Real Concern or Just an Expression of Dysregulated Immune Response?. *Clinical Drug Investigation*, **2019**, 39, 799-803	3.2	15
113	Incretin-based therapy and acute cholecystitis: a review of case reports and EudraVigilance spontaneous adverse drug reaction reporting database. *Journal of Clinical Pharmacy and Therapeutics*, **2016**, 41, 116-8	2.2	15
112	The advent of biosimilars for the treatment of diabetes: current status and future directions. *Acta Diabetologica*, **2015**, 52, 423-31	3.9	15
111	Adherence to gastroprotection during cyclooxygenase 2 inhibitor treatment and the risk of upper gastrointestinal tract events: a population-based study. *Arthritis and Rheumatism*, **2012**, 64, 2792-802		15
110	Lipid-lowering drug use in Italian primary care: effects of reimbursement criteria revision. *European Journal of Clinical Pharmacology*, **2008**, 64, 619-25	2.8	15
109	Epidemiology of acromegaly in Italy: analysis from a large longitudinal primary care database. *Endocrine*, **2018**, 61, 533-541	4	15
108	Detecting adverse drug reactions following long-term exposure in longitudinal observational data: The exposure-adjusted self-controlled case series. *Statistical Methods in Medical Research*, **2016**, 25, 2577-2592	2.3	14
107	Biological substantiation of antipsychotic-associated pneumonia: Systematic literature review and computational analyses. *PLoS ONE*, **2017**, 12, e0187034	3.7	14
106	Choosing Among Common Data Models for Real-World Data Analyses Fit for Making Decisions About the Effectiveness of Medical Products. *Clinical Pharmacology and Therapeutics*, **2020**, 107, 827-833	6.1	14
105	Treatment of Medication-Related Osteonecrosis of the Jaw and its Impact on a Patient's Quality of Life: A Single-Center, 10-Year Experience from Southern Italy. *Drug Safety*, **2018**, 41, 111-123	5.1	14
104	Overview of the Safety of Anti-VEGF Drugs: Analysis of the Italian Spontaneous Reporting System. *Drug Safety*, **2017**, 40, 1131-1140	5.1	13
103	How much are biosimilars used in southern Italy?: a retrospective analysis of epoetin utilization in the local health unit of Messina in the years 2010-2011. *BioDrugs*, **2012**, 26, 113-20	7.9	13
102	Design and evaluation of a semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European EU-ADR project. *Studies in Health Technology and Informatics*, **2010**, 160, 1085-9	0.5	13
101	Medication is an additional source of phosphate intake in chronic kidney disease patients. *Nutrition, Metabolism and Cardiovascular Diseases*, **2015**, 25, 959-67	4.5	12
100	Different Strategies to Execute Multi-Database Studies for Medicines Surveillance in Real-World Setting: A Reflection on the European Model. *Clinical Pharmacology and Therapeutics*, **2020**, 108, 228-235	6.1	12

99	Association of Antidementia Drugs and Mortality in Community-Dwelling Frail Older Patients With Dementia: The Role of Mortality Risk Assessment. *Journal of the American Medical Directors Association*, **2018**, 19, 162-168	5.9	12
98	Two-dimensional correlation analysis and multivariate time series analysis as innovative tools for the study and the comparison of the hydrocarbon distributions in marine antarctic cores. *Marine Chemistry*, **2014**, 159, 9-18	3.7	12
97	Cyclo-oxygenase-2 inhibitors or nonselective NSAIDs plus gastroprotective agents: what to prescribe in daily clinical practice?. *Alimentary Pharmacology and Therapeutics*, **2013**, 38, 178-89	6.1	12
96	Chronic kidney disease requiring healthcare services: a new approach to evaluate epidemiology of renal disease. *BioMed Research International*, **2014**, 2014, 268362	3	12
95	Statins for the primary prevention of cardiovascular events in elderly patients: a picture from clinical practice without strong evidence from clinical trials. *Journal of the American Geriatrics Society*, **2008**, 56, 175-7	5.6	12
94	COVID-19 Vaccination in Pregnancy, Paediatrics, Immunocompromised Patients, and Persons with History of Allergy or Prior SARS-CoV-2 Infection: Overview of Current Recommendations and Pre- and Post-Marketing Evidence for Vaccine Efficacy and Safety. *Drug Safety*, **2021**, 44, 1247-1269	5.1	12
93	Exposure to statins is associated to fracture risk reduction in elderly people with cardiovascular disease: evidence from the AIFA-I-GrADE observational project. *Pharmacoepidemiology and Drug Safety*, **2017**, 26, 775-784	2.6	11
92	An overview of experimental and early investigational therapies for the treatment of polycystic kidney disease. *Expert Opinion on Investigational Drugs*, **2015**, 24, 1199-218	5.9	11
91	Monoclonal antibodies for renal diseases: current concepts and ongoing treatments. *Expert Opinion on Biological Therapy*, **2015**, 15, 1119-43	5.4	11
90	Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. *Clinical Epidemiology*, **2018**, 10, 31-39	5.9	11
89	The Management of Diabetes Mellitus in Patients with Chronic Kidney Disease: A Population-Based Study in Southern Italy. *Clinical Drug Investigation*, **2016**, 36, 203-12	3.2	11
88	Use of oral contraceptives in three European countries: a population-based multi-database study. *European Journal of Contraception and Reproductive Health Care*, **2016**, 21, 81-7	1.8	11
87	Can Electronic Health Records Databases Complement Spontaneous Reporting System Databases? A Historical-Reconstruction of the Association of Rofecoxib and Acute Myocardial Infarction. *Frontiers in Pharmacology*, **2018**, 9, 594	5.6	11
86	Use of antihistamines and risk of ventricular tachyarrhythmia: a nested case-control study in five European countries from the ARITMO project. *European Journal of Clinical Pharmacology*, **2017**, 73, 1499-1510	2.8	11
85	Role of healthcare databases and registries for surveillance of orphan drugs in the real-world setting: the Italian case study. *Expert Opinion on Drug Safety*, **2019**, 18, 497-509	4.1	10
84	Gender Differences in Outpatient Pediatric Drug Utilization: A Cohort Study From Southern Italy. *Frontiers in Pharmacology*, **2019**, 10, 11	5.6	10
83	Erythropoiesis-stimulating agents: dose and mortality risk. *Journal of Renal Nutrition*, **2015**, 25, 164-8	3	10
82	RUse of antipsychotics in children and adolescents: a picture from the ARITMO population-based European cohort studyR *Epidemiology and Psychiatric Sciences*, **2020**, 29, e117	5.1	9

81	NSAIDs utilization for musculoskeletal indications in elderly patients with cerebro/cardiovascular disease. *European Journal of Clinical Pharmacology*, **2018**, 74, 637-643	2.8	9
80	Improvement in the management of chronic obstructive pulmonary disease following a clinical educational program: results from a prospective cohort study in the Sicilian general practice setting. *Npj Primary Care Respiratory Medicine*, **2018**, 28, 10	3.2	9
79	Trends in paediatric macrolide use in five European countries-a population-based study. *European Journal of Clinical Pharmacology*, **2015**, 71, 991-9	2.8	9
78	Effects of L'Aquila earthquake on the prescribing pattern of antidepressant and antipsychotic drugs. *International Journal of Clinical Pharmacy*, **2013**, 35, 1053-62	2.3	9
77	Oral anticoagulant therapy in Italy: prescribing prevalence and clinical reasons. *Pharmacological Research*, **2004**, 50, 601-3	10.2	9
76	Antipsychotic utilization patterns among patients with schizophrenic disorder: a cross-national analysis in four countries. *European Journal of Clinical Pharmacology*, **2019**, 75, 1005-1015	2.8	8
75	Adverse drug reactions associated with off-label use of ketorolac, with particular focus on elderly patients. An analysis of the Italian pharmacovigilance database and a population based study. *Expert Opinion on Drug Safety*, **2016**, 15, 61-67	4.1	8
74	How healthy is community-dwelling elderly population? Results from Southern Italy. *Translational Medicine @ UniSa*, **2015**, 13, 59-64	0.5	8
73	In search of potential predictors of erythropoiesis-stimulating agents (ESAs) hyporesponsiveness: a population-based study. *BMC Nephrology*, **2019**, 20, 359	2.7	7
72	Real-world insights on the management of migraine patients: an Italian nationwide study. *Current Medical Research and Opinion*, **2019**, 35, 1545-1554	2.5	7
71	Acute cerebellar ataxia following meningococcal group C conjugate vaccination. *Journal of Child Neurology*, **2014**, 29, 128-30	2.5	7
70	Drug safety information through the internet: the experience of an Italian website. *Drug Safety*, **2009**, 32, 245-53	5.1	7
69	Healthcare Database Networks for Drug Regulatory Policies: International Workshop on the Canadian, US and Spanish Experience and Future Steps for Italy. *Drug Safety*, **2020**, 43, 1-5	5.1	7
68	Kidney Disease in Diabetic Patients: From Pathophysiology to Pharmacological Aspects with a Focus on Therapeutic Inertia. *International Journal of Molecular Sciences*, **2021**, 22,	6.3	7
67	Analgesic drug use in elderly persons: A population-based study in Southern Italy. *PLoS ONE*, **2019**, 14, e0222836	3.7	6
66	Measuring the Effectiveness of Safety Warnings on the Risk of Stroke in Older Antipsychotic Users: A Nationwide Cohort Study in Two Large Electronic Medical Records Databases in the United Kingdom and Italy. *Drug Safety*, **2019**, 42, 1471-1485	5.1	6
65	Effectiveness of risk minimization measures for cabergoline-induced cardiac valve fibrosis in clinical practice in Italy. *Journal of Neural Transmission*, **2015**, 122, 799-808	4.3	6
64	Effects of a computerized decision support system in improving pharmacological management in high-risk cardiovascular patients: A cluster-randomized open-label controlled trial. *Health Informatics Journal*, **2016**, 22, 232-47	3	6

63	Bleeding events attributable to concurrent use of warfarin and other medications in high-risk elderly: meta-analysis and Italian population-based investigation. *European Journal of Clinical Pharmacology*, **2018**, 74, 1061-1070	2.8	6
62	Parkinsonism and severe hypothyroidism in an elderly patient: a case of lithium toxicity due to pharmacological interactions. *Journal of Clinical Pharmacy and Therapeutics*, **2014**, 39, 452-4	2.2	6
61	Combining evidence from multiple electronic health care databases: performances of one-stage and two-stage meta-analysis in matched case-control studies. *Pharmacoepidemiology and Drug Safety*, **2017**, 26, 1213-1219	2.6	6
60	Global epidemiology of acromegaly: a systematic review and meta-analysis. *European Journal of Endocrinology*, **2021**, 185, 251-263	6.5	6
59	Development and Validation of a Score for Adjusting Health Care Costs in General Practice. *Value in Health*, **2015**, 18, 884-95	3.3	5
58	Antidepressants and the risk of arrhythmia in elderly affected by a previous cardiovascular disease: a real-life investigation from Italy. *European Journal of Clinical Pharmacology*, **2018**, 74, 119-129	2.8	5
57	Challenges in Post-marketing Studies of Biological Drugs in the Era of Biosimilars: A Report of the International Society for Pharmacoepidemiology 2019 Mid-Year Meeting in Rome, Italy. *BioDrugs*, **2019**, 33, 345-352	7.9	5
56	Burden of cardiovascular diseases in elderly with Parkinson's disease who start a dopamine agonist agent. *Journal of the American Geriatrics Society*, **2008**, 56, 371-3	5.6	5
55	Risk of coronavirus disease 2019 hospitalization and mortality in rheumatic patients treated with hydroxychloroquine or other conventional disease-modifying anti-rheumatic drugs in Italy. *Rheumatology*, **2021**, 60, SI25-SI36	3.9	5
54	Calcium Channel Blockers in Secondary Cardiovascular Prevention and Risk of Acute Events: Real-World Evidence from Nested Case-Control Studies on Italian Hypertensive Elderly. *Clinical Drug Investigation*, **2017**, 37, 1165-1174	3.2	4
53	Long-Term Intravitreal Ranibizumab as a Potential Additional Risk Factor for Neurodegeneration in Parkinson's Disease: A Case Report. *Frontiers in Pharmacology*, **2018**, 9, 608	5.6	4
52	Identifying Data Elements to Measure Frailty in a Dutch Nationwide Electronic Medical Record Database for Use in Postmarketing Safety Evaluation: An Exploratory Study. *Drug Safety*, **2019**, 42, 713-719	5.1	4
51	All-cause mortality and antipsychotic use among elderly persons with high baseline cardiovascular and cerebrovascular risk: a multi-center retrospective cohort study in Italy. *Expert Opinion on Drug Metabolism and Toxicology*, **2019**, 15, 179-188	5.5	4
50	Psoriasis and psoriasiform reactions secondary to immune checkpoint inhibitors. *Dermatologic Therapy*, **2021**, 34, e14830	2.2	4
49	Intravitreal Anti-VEGF Drugs and Signals of Dementia and Parkinson-Like Events: Analysis of the VigiBase Database of Spontaneous Reports. *Frontiers in Pharmacology*, **2020**, 11, 315	5.6	3
48	Academic output from EU-funded health research projects. *Lancet, The*, **2012**, 380, 1903-4	40	3
47	Real-world use of biological drugs in patients with psoriasis/psoriatic arthritis: a retrospective, population-based study of years 2010-2014 from Southern Italy. *Giornale Italiano Di Dermatologia E Venereologia*, **2020**, 155, 441-451	0.8	3
46	Drug-drug interactions and statin therapy. *Southern Medical Journal*, **2006**, 99, 1325-6	0.6	3

45	Characteristics and Absolute Survival of Metastatic Colorectal Cancer Patients Treated With Biologics: A Real-World Data Analysis From Three European Countries. *Frontiers in Oncology*, **2021**, 11, 630456	5.3	3
44	Direct healthcare costs of chronic kidney disease management in Italy: What cost-savings can be achieved with higher biosimilar uptake and more appropriate use of erythropoiesis-stimulating agents?. *Pharmacoepidemiology and Drug Safety*, **2021**, 30, 65-77	2.6	3
43	Are Patients with Psoriasis and Psoriatic Arthritis Undertreated? A Population-Based Study from Southern Italy. *Journal of Clinical Medicine*, **2021**, 10,	5.1	3
42	COVID-19 Patient Management in Outpatient Setting: A Population-Based Study from Southern Italy.. *Journal of Clinical Medicine*, **2021**, 11,	5.1	3
41	Real World Use of Antidiabetic Drugs in the Years 2011-2017: A Population-Based Study from Southern Italy. *International Journal of Environmental Research and Public Health*, **2020**, 17,	4.6	2
40	Association Between Intravitreal Aflibercept and Serious Non-ocular Haemorrhage Compared with Intravitreal Ranibizumab: A Multicentre Observational Cohort Study. *Drug Safety*, **2020**, 43, 943-952	5.1	2
39	Antipsychotic use in dementia patients in a general practice setting: a Dutch population-based study. *Epidemiology and Psychiatric Sciences*, **2016**, 25, 403-6	5.1	2
38	Electronic Health Record Databases **2019**, 241-289		2
37	Balancing the Need for Personalization of QT Correction and Generalization of Study Results: Going Beyond Thorough QT Studies. *Clinical Drug Investigation*, **2017**, 37, 985-988	3.2	2
36	Expert opinion of nephrologists about the effectiveness of low-protein diet in different stages of chronic kidney disease (CKD). *International Journal of Food Sciences and Nutrition*, **2014**, 65, 1027-32	3.7	2
35	Biosimilars in Italy: what do real-world data reveal?. *GaBI Journal*, **2017**, 6, 114-119	3.1	2
34	Anti-hypertensive drugs deprescribing: an updated systematic review of clinical trials. *BMC Family Practice*, **2021**, 22, 208	2.6	2
33	Anti-VEGF and Other Novel Therapies for Neovascular Age-Related Macular Degeneration: An Update. *BioDrugs*, **2021**, 35, 673-692	7.9	2
32	Traceability of Pediatric Antibiotic Purchasing Pathways in Italy: A Nationwide Real-World Drug Utilization Analysis. *Frontiers in Pharmacology*, **2020**, 11, 1232	5.6	2
31	Diagnostic Yield of 2 Strategies for Adult Celiac Disease Identification in Primary Care. *Journal of Clinical Gastroenterology*, **2019**, 53, 15-22	3	2
30	In Search of Predictors of Switching Between Erythropoiesis-Stimulating Agents in Clinical Practice: A Multi-Regional Cohort Study. *BioDrugs*, **2020**, 34, 55-64	7.9	2
29	Comparing safety information of biosimilars with their originators: a cross-sectional analysis of European risk management plans. *British Journal of Clinical Pharmacology*, **2018**, 84, 738-763	3.8	2
28	Efficacy of Systemic Biologic Drugs in Pediatric Psoriasis: Evidence From Five Selected Randomized Clinical Trials.. *Frontiers in Pharmacology*, **2022**, 13, 847308	5.6	2

27	Patterns and trends of utilization of incretin-based medicines between 2008 and 2014 in three Italian geographic areas. *BMC Endocrine Disorders*, **2019**, 19, 18	3.3	1
26	Gender differences in COPD management in a Sicilian general practice setting: a cohort study evaluating the impact of educational interventions. *ERJ Open Research*, **2020**, 6,	3.5	1
25	How Have Intravitreal Anti-VEGF and Dexamethasone Implant Been Used in Italy? A Multiregional, Population-Based Study in the Years 2010-2016. *BioMed Research International*, **2020**, 2020, 7582763	3	1
24	Response to comment on: "antibiotic use varies substantially among adults--a cross-national study from five European Countries in the ARITMO project". *Infection*, **2016**, 44, 135-41	5.8	1
23	The International Society for Pharmacoepidemiology℆ Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) - EMA Joint Big Data Task Force. *Pharmacoepidemiology and Drug Safety*, **2019**, 28, 1640-1641	2.6	1
22	Cerebellar stroke in elderly patient with basilar artery agenesia: a case report. *Journal of Stroke and Cerebrovascular Diseases*, **2010**, 19, 81-3	2.8	1
21	Overview of the EU PAS register post-authorization studies performed in Europe from September 2010 to December 2018.. *Pharmacoepidemiology and Drug Safety*, **2022**,	2.6	1
20	From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. *Clinical Pharmacology and Therapeutics*, **2021**, 111, 321	6.1	1
19	Large-Scale Postmarketing Surveillance of Biological Drugs for Immune-Mediated Inflammatory Diseases Through an Italian Distributed Multi-Database Healthcare Network: The VALORE Project. *BioDrugs*, **2021**, 35, 749-764	7.9	1
18	Diagnostic accuracy of faecal calprotectin in a symptom-based algorithm for early diagnosis of inflammatory bowel disease adjusting for differential verification bias using a Bayesian approach. *Scandinavian Journal of Gastroenterology*, **2020**, 55, 1176-1184	2.4	1
17	Association of Influenza Vaccination and Prognosis in Patients Testing Positive to SARS-CoV-2 Swab Test: A Large-Scale Italian Multi-Database Cohort Study. *Vaccines*, **2021**, 9,	5.3	1
16	Assessing intravitreal anti-VEGF drug safety using real-world data: methodological challenges in observational research. *Expert Opinion on Drug Safety*, **2021**, 1-10	4.1	1
15	Safety profile of immune checkpoint inhibitors: An analysis of the Italian spontaneous reporting system database. *British Journal of Clinical Pharmacology*, **2021**, 87, 527-541	3.8	1
14	A New Era of Pharmacovigilance: Future Challenges and Opportunities **2022**, 2,		1
13	A case of lung injury resembling diffuse pulmonary hemorrhage after the first administration of alemtuzumab in a patient with multiple sclerosis. Role of the HRCT. *Monaldi Archives for Chest Disease*, **2020**, 90,	2.7	0
12	The value of the polypill in cardiovascular disease: an Italian multidisciplinary Delphi panel consensus. *Journal of Cardiovascular Medicine*, **2021**, 22, 246-258	1.9	0
11	Workshop on the Italian Pharmacovigilance System in the International Context: Critical Issues and Perspectives. *Drug Safety*, **2019**, 42, 683-687	5.1	0
10	Point-of-Care test screening versus Case finding for paediatric coeliac disease: A pragmatic study in primary care. *Acta Paediatrica, International Journal of Paediatrics*, **2021**, 110, 337-339	3.1	0

9   Prevalence of Use and Cost of Biological and Non-Biological Targeted Therapies for Cancer Treatment: A 5-Year Picture from Southern Italy. *Clinical Drug Investigation*, **2018**, 38, 269-278   3.2   0

8   Data Mining and Other Informatics Approaches to Pharmacoepidemiology **2019**, 675-700

7   Assessment of intravitreal anti-VEGF drugs and dexamethasone for retinal diseases in real world setting: A multi-centre prospective study from Southern Italy.. *European Journal of Ophthalmology*, **2022**, 11206721211073402   1.9

6   Electronic Health Record Databases **2021**, 174-191

5   Leveraging Routinely Collected Healthcare Data to Scale Up Drug Safety Surveillance: The EU-ADR Experience439-451

4   The Role of Healthcare Databases in Pharmacovigilance of Psychotropic Drugs **2016**, 73-94

3   Chronic polytherapy after myocardial infarction: the trade-off between hospital and community-based providers in determining adherence to medication. *BMC Cardiovascular Disorders*, **2021**, 21, 180   2.3

2   Absorbable phosphate in medication. *Kidney International*, **2016**, 89, 721   9.9

1   Caserta Record Linkage Database. *Springer Series on Epidemiology and Public Health*, **2021**, 147-157   0.4