

Gianluca Trifir

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7730403/gianluca-trifiro-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

224
papers

5,782
citations

41
h-index

63
g-index

244
ext. papers

7,036
ext. citations

4.4
avg, IF

5.77
L-index

#	Paper	IF	Citations
224	Overview of the EU PAS register post-authorization studies performed in Europe from September 2010 to December 2018.. <i>Pharmacoepidemiology and Drug Safety</i> , 2022 ,	2.6	1
223	Assessment of intravitreal anti-VEGF drugs and dexamethasone for retinal diseases in real world setting: A multi-centre prospective study from Southern Italy.. <i>European Journal of Ophthalmology</i> , 2022 , 11206721211073402	1.9	
222	A New Era of Pharmacovigilance: Future Challenges and Opportunities 2022 , 2,		1
221	Efficacy of Systemic Biologic Drugs in Pediatric Psoriasis: Evidence From Five Selected Randomized Clinical Trials.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 847308	5.6	2
220	COVID-19 Vaccination in Pregnancy, Paediatrics, Immunocompromised Patients, and Persons with History of Allergy or Prior SARS-CoV-2 Infection: Overview of Current Recommendations and Pre- and Post-Marketing Evidence for Vaccine Efficacy and Safety. <i>Drug Safety</i> , 2021 , 44, 1247-1269	5.1	12
219	Electronic Health Record Databases 2021 , 174-191		
218	From Inception to ConcePTION: Genesis of a Network to Support Better Monitoring and Communication of Medication Safety During Pregnancy and Breastfeeding. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 111, 321	6.1	1
217	Anti-hypertensive drugs deprescribing: an updated systematic review of clinical trials. <i>BMC Family Practice</i> , 2021 , 22, 208	2.6	2
216	Large-Scale Postmarketing Surveillance of Biological Drugs for Immune-Mediated Inflammatory Diseases Through an Italian Distributed Multi-Database Healthcare Network: The VALORE Project. <i>BioDrugs</i> , 2021 , 35, 749-764	7.9	1
215	Anti-VEGF and Other Novel Therapies for Neovascular Age-Related Macular Degeneration: An Update. <i>BioDrugs</i> , 2021 , 35, 673-692	7.9	2
214	Characteristics and Absolute Survival of Metastatic Colorectal Cancer Patients Treated With Biologics: A Real-World Data Analysis From Three European Countries. <i>Frontiers in Oncology</i> , 2021 , 11, 630456	5.3	3
213	Chronic polytherapy after myocardial infarction: the trade-off between hospital and community-based providers in determining adherence to medication. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 180	2.3	
212	The value of the polypill in cardiovascular disease: an Italian multidisciplinary Delphi panel consensus. <i>Journal of Cardiovascular Medicine</i> , 2021 , 22, 246-258	1.9	0
211	Risk of coronavirus disease 2019 hospitalization and mortality in rheumatic patients treated with hydroxychloroquine or other conventional disease-modifying anti-rheumatic drugs in Italy. <i>Rheumatology</i> , 2021 , 60, SI25-SI36	3.9	5
210	Kidney Disease in Diabetic Patients: From Pathophysiology to Pharmacological Aspects with a Focus on Therapeutic Inertia. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
209	Association of Influenza Vaccination and Prognosis in Patients Testing Positive to SARS-CoV-2 Swab Test: A Large-Scale Italian Multi-Database Cohort Study. <i>Vaccines</i> , 2021 , 9,	5.3	1
208	Assessing intravitreal anti-VEGF drug safety using real-world data: methodological challenges in observational research. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-10	4.1	1

207	Safety profile of immune checkpoint inhibitors: An analysis of the Italian spontaneous reporting system database. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 527-541	3.8	1
206	Point-of-Care test screening versus Case finding for paediatric coeliac disease: A pragmatic study in primary care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 337-339	3.1	0
205	Direct healthcare costs of chronic kidney disease management in Italy: What cost-savings can be achieved with higher biosimilar uptake and more appropriate use of erythropoiesis-stimulating agents?. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 65-77	2.6	3
204	Psoriasis and psoriasiform reactions secondary to immune checkpoint inhibitors. <i>Dermatologic Therapy</i> , 2021 , 34, e14830	2.2	4
203	Are Patients with Psoriasis and Psoriatic Arthritis Undertreated? A Population-Based Study from Southern Italy. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
202	Global epidemiology of acromegaly: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2021 , 185, 251-263	6.5	6
201	Caserta Record Linkage Database. <i>Springer Series on Epidemiology and Public Health</i> , 2021 , 147-157	0.4	
200	COVID-19 Patient Management in Outpatient Setting: A Population-Based Study from Southern Italy.. <i>Journal of Clinical Medicine</i> , 2021 , 11,	5.1	3
199	Real World Use of Antidiabetic Drugs in the Years 2011-2017: A Population-Based Study from Southern Italy. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
198	Gender differences in COPD management in a Sicilian general practice setting: a cohort study evaluating the impact of educational interventions. <i>ERJ Open Research</i> , 2020 , 6,	3.5	1
197	Challenges for Drug Repurposing in the COVID-19 Pandemic Era. <i>Frontiers in Pharmacology</i> , 2020 , 11, 588654	5.6	41
196	Use of antipsychotics in children and adolescents: a picture from the ARITMO population-based European cohort study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e117	5.1	9
195	Safety profiles of biologic agents for inflammatory bowel diseases: a prospective pharmacovigilance study in Southern Italy. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1457-1463	2.5	23
194	Potential Role of Anti-interleukin (IL)-6 Drugs in the Treatment of COVID-19: Rationale, Clinical Evidence and Risks. <i>BioDrugs</i> , 2020 , 34, 415-422	7.9	39
193	Global epidemiology of Duchenne muscular dystrophy: an updated systematic review and meta-analysis. <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 141	4.2	62
192	Association Between Intravitreal Aflibercept and Serious Non-ocular Haemorrhage Compared with Intravitreal Ranibizumab: A Multicentre Observational Cohort Study. <i>Drug Safety</i> , 2020 , 43, 943-952	5.1	2
191	Different Strategies to Execute Multi-Database Studies for Medicines Surveillance in Real-World Setting: A Reflection on the European Model. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 108, 228-235	6.1	12
190	How Have Intravitreal Anti-VEGF and Dexamethasone Implant Been Used in Italy? A Multiregional, Population-Based Study in the Years 2010-2016. <i>BioMed Research International</i> , 2020 , 2020, 7582763	3	1

189	Intravitreal Anti-VEGF Drugs and Signals of Dementia and Parkinson-Like Events: Analysis of the VigiBase Database of Spontaneous Reports. <i>Frontiers in Pharmacology</i> , 2020 , 11, 315	5.6	3
188	Real-world use of biological drugs in patients with psoriasis/psoriatic arthritis: a retrospective, population-based study of years 2010-2014 from Southern Italy. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 441-451	0.8	3
187	Healthcare Database Networks for Drug Regulatory Policies: International Workshop on the Canadian, US and Spanish Experience and Future Steps for Italy. <i>Drug Safety</i> , 2020 , 43, 1-5	5.1	7
186	Cost-Effectiveness and Budget Impact of Emicizumab Prophylaxis in Haemophilia A Patients with Inhibitors. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 216-228	7	26
185	Azithromycin in COVID-19 Patients: Pharmacological Mechanism, Clinical Evidence and Prescribing Guidelines. <i>Drug Safety</i> , 2020 , 43, 691-698	5.1	59
184	A case of lung injury resembling diffuse pulmonary hemorrhage after the first administration of alemtuzumab in a patient with multiple sclerosis. Role of the HRCT. <i>Monaldi Archives for Chest Disease</i> , 2020 , 90,	2.7	0
183	Potential effects of vaccinations on the prevention of COVID-19: rationale, clinical evidence, risks, and public health considerations. <i>Expert Review of Vaccines</i> , 2020 , 19, 919-936	5.2	30
182	Renin-Angiotensin-Aldosterone System Inhibitors and Risk of Death in Patients Hospitalised with COVID-19: A Retrospective Italian Cohort Study of 43,000 Patients. <i>Drug Safety</i> , 2020 , 43, 1297-1308	5.1	35
181	Traceability of Pediatric Antibiotic Purchasing Pathways in Italy: A Nationwide Real-World Drug Utilization Analysis. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1232	5.6	2
180	Diagnostic accuracy of faecal calprotectin in a symptom-based algorithm for early diagnosis of inflammatory bowel disease adjusting for differential verification bias using a Bayesian approach. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 1176-1184	2.4	1
179	Survival of Hospitalized COVID-19 Patients in Northern Italy: A Population-Based Cohort Study by the ITA-COVID-19 Network. <i>Clinical Epidemiology</i> , 2020 , 12, 1337-1346	5.9	22
178	In Search of Predictors of Switching Between Erythropoiesis-Stimulating Agents in Clinical Practice: A Multi-Regional Cohort Study. <i>BioDrugs</i> , 2020 , 34, 55-64	7.9	2
177	Choosing Among Common Data Models for Real-World Data Analyses Fit for Making Decisions About the Effectiveness of Medical Products. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 827-833	6.1	14
176	Analgesic drug use in elderly persons: A population-based study in Southern Italy. <i>PLoS ONE</i> , 2019 , 14, e0222836	3.7	6
175	In search of potential predictors of erythropoiesis-stimulating agents (ESAs) hyporesponsiveness: a population-based study. <i>BMC Nephrology</i> , 2019 , 20, 359	2.7	7
174	Measuring the Effectiveness of Safety Warnings on the Risk of Stroke in Older Antipsychotic Users: A Nationwide Cohort Study in Two Large Electronic Medical Records Databases in the United Kingdom and Italy. <i>Drug Safety</i> , 2019 , 42, 1471-1485	5.1	6
173	Effectiveness and Safety of Switching Originator and Biosimilar Epoetins in Patients with Chronic Kidney Disease in a Large-Scale Italian Cohort Study. <i>Drug Safety</i> , 2019 , 42, 1437-1447	5.1	16
172	Inflammatory Bowel Disease Onset During Secukinumab Treatment: Real Concern or Just an Expression of Dysregulated Immune Response?. <i>Clinical Drug Investigation</i> , 2019 , 39, 799-803	3.2	15

171	Role of healthcare databases and registries for surveillance of orphan drugs in the real-world setting: the Italian case study. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 497-509	4.1	10
170	Antipsychotic utilization patterns among patients with schizophrenic disorder: a cross-national analysis in four countries. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1005-1015	2.8	8
169	Patterns and trends of utilization of incretin-based medicines between 2008 and 2014 in three Italian geographic areas. <i>BMC Endocrine Disorders</i> , 2019 , 19, 18	3.3	1
168	Management of Cancer-Associated Anemia With Erythropoiesis-Stimulating Agents: ASCO/ASH Clinical Practice Guideline Update. <i>Journal of Clinical Oncology</i> , 2019 , 37, 1336-1351	2.2	45
167	Real-world insights on the management of migraine patients: an Italian nationwide study. <i>Current Medical Research and Opinion</i> , 2019 , 35, 1545-1554	2.5	7
166	Gender Differences in Outpatient Pediatric Drug Utilization: A Cohort Study From Southern Italy. <i>Frontiers in Pharmacology</i> , 2019 , 10, 11	5.6	10
165	Challenges in Post-marketing Studies of Biological Drugs in the Era of Biosimilars: A Report of the International Society for Pharmacoepidemiology 2019 Mid-Year Meeting in Rome, Italy. <i>BioDrugs</i> , 2019 , 33, 345-352	7.9	5
164	Electronic Health Record Databases 2019 , 241-289		2
163	Data Mining and Other Informatics Approaches to Pharmacoepidemiology 2019 , 675-700		
162	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) - EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1640-1641	2.6	1
161	Management of cancer-associated anemia with erythropoiesis-stimulating agents: ASCO/ASH clinical practice guideline update. <i>Blood Advances</i> , 2019 , 3, 1197-1210	7.8	39
160	Workshop on the Italian Pharmacovigilance System in the International Context: Critical Issues and Perspectives. <i>Drug Safety</i> , 2019 , 42, 683-687	5.1	0
159	Identifying Data Elements to Measure Frailty in a Dutch Nationwide Electronic Medical Record Database for Use in Postmarketing Safety Evaluation: An Exploratory Study. <i>Drug Safety</i> , 2019 , 42, 713-719	5.1	4
158	All-cause mortality and antipsychotic use among elderly persons with high baseline cardiovascular and cerebrovascular risk: a multi-center retrospective cohort study in Italy. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2019 , 15, 179-188	5.5	4
157	The Role of European Healthcare Databases for Post-Marketing Drug Effectiveness, Safety and Value Evaluation: Where Does Italy Stand?. <i>Drug Safety</i> , 2019 , 42, 347-363	5.1	38
156	Diagnostic Yield of 2 Strategies for Adult Celiac Disease Identification in Primary Care. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, 15-22	3	2
155	Can information on functional and cognitive status improve short-term mortality risk prediction among community-dwelling older people? A cohort study using a UK primary care database. <i>Clinical Epidemiology</i> , 2018 , 10, 31-39	5.9	11
154	NSAIDs utilization for musculoskeletal indications in elderly patients with cerebro/cardiovascular disease. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 637-643	2.8	9

153	Improvement in the management of chronic obstructive pulmonary disease following a clinical educational program: results from a prospective cohort study in the Sicilian general practice setting. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 10	3.2	9
152	Antidepressants and the risk of arrhythmia in elderly affected by a previous cardiovascular disease: a real-life investigation from Italy. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 119-129	2.8	5
151	Association of Antidementia Drugs and Mortality in Community-Dwelling Frail Older Patients With Dementia: The Role of Mortality Risk Assessment. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 162-168	5.9	12
150	From Big Data to Smart Data for Pharmacovigilance: The Role of Healthcare Databases and Other Emerging Sources. <i>Drug Safety</i> , 2018 , 41, 143-149	5.1	37
149	Can Electronic Health Records Databases Complement Spontaneous Reporting System Databases? A Historical-Reconstruction of the Association of Rofecoxib and Acute Myocardial Infarction. <i>Frontiers in Pharmacology</i> , 2018 , 9, 594	5.6	11
148	Long-Term Intravitreal Ranibizumab as a Potential Additional Risk Factor for Neurodegeneration in Parkinson's Disease: A Case Report. <i>Frontiers in Pharmacology</i> , 2018 , 9, 608	5.6	4
147	Pattern of Use of Biosimilar and Originator Somatropin in Italy: A Population-Based Multiple Databases Study During the Years 2009-2014. <i>Frontiers in Endocrinology</i> , 2018 , 9, 95	5.7	16
146	Bleeding events attributable to concurrent use of warfarin and other medications in high-risk elderly: meta-analysis and Italian population-based investigation. <i>European Journal of Clinical Pharmacology</i> , 2018 , 74, 1061-1070	2.8	6
145	Comparing safety information of biosimilars with their originators: a cross-sectional analysis of European risk management plans. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 738-763	3.8	2
144	Interchangeability of biosimilar and biological reference product: updated regulatory positions and pre- and post-marketing evidence. <i>Expert Opinion on Biological Therapy</i> , 2018 , 18, 309-315	5.4	24
143	Prevalence of Use and Cost of Biological and Non-Biological Targeted Therapies for Cancer Treatment: A 5-Year Picture from Southern Italy. <i>Clinical Drug Investigation</i> , 2018 , 38, 269-278	3.2	0
142	Treatment of Medication-Related Osteonecrosis of the Jaw and its Impact on a Patient's Quality of Life: A Single-Center, 10-Year Experience from Southern Italy. <i>Drug Safety</i> , 2018 , 41, 111-123	5.1	14
141	Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. <i>Alzheimer's and Dementia</i> , 2018 , 14, 130-139	1.2	33
140	Pharmacokinetics of new oral anticoagulants: implications for use in routine care. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2018 , 14, 1057-1069	5.5	21
139	Safety of Biologics, Including Biosimilars: Perspectives on Current Status and Future Direction. <i>Drug Safety</i> , 2018 , 41, 1013-1022	5.1	25
138	Epidemiology of acromegaly in Italy: analysis from a large longitudinal primary care database. <i>Endocrine</i> , 2018 , 61, 533-541	4	15
137	The economic burden of preventable adverse drug reactions: a systematic review of observational studies. <i>Expert Opinion on Drug Safety</i> , 2018 , 17, 681-695	4.1	65
136	Using a multidimensional prognostic index (MPI) based on comprehensive geriatric assessment (CGA) to predict mortality in elderly undergoing transcatheter aortic valve implantation. <i>International Journal of Cardiology</i> , 2017 , 236, 381-386	3.2	31

135	Antibiotic-Induced Liver Injury in Paediatric Outpatients: A Case-Control Study in Primary Care Databases. <i>Drug Safety</i> , 2017 , 40, 305-315	5.1	20
134	Treatment pattern and frequency of serum TSH measurement in users of different levothyroxine formulations: a population-based study during the years 2009-2015. <i>Endocrine</i> , 2017 , 58, 143-152	4	15
133	Use of azithromycin and risk of ventricular arrhythmia. <i>Cmaj</i> , 2017 , 189, E560-E568	3.5	36
132	Overview of the Safety of Anti-VEGF Drugs: Analysis of the Italian Spontaneous Reporting System. <i>Drug Safety</i> , 2017 , 40, 1131-1140	5.1	13
131	Exposure to statins is associated to fracture risk reduction in elderly people with cardiovascular disease: evidence from the AIFA-I-GrADE observational project. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 775-784	2.6	11
130	Antibiotic Use in Children - A Cross-National Analysis of 6 Countries. <i>Journal of Pediatrics</i> , 2017 , 182, 239-244.e1	3.6	58
129	Calcium Channel Blockers in Secondary Cardiovascular Prevention and Risk of Acute Events: Real-World Evidence from Nested Case-Control Studies on Italian Hypertensive Elderly. <i>Clinical Drug Investigation</i> , 2017 , 37, 1165-1174	3.2	4
128	Use of antihistamines and risk of ventricular tachyarrhythmia: a nested case-control study in five European countries from the ARITMO project. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 1499-1510	2.8	11
127	Balancing the Need for Personalization of QT Correction and Generalization of Study Results: Going Beyond Thorough QT Studies. <i>Clinical Drug Investigation</i> , 2017 , 37, 985-988	3.2	2
126	Combining evidence from multiple electronic health care databases: performances of one-stage and two-stage meta-analysis in matched case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1213-1219	2.6	6
125	Biological substantiation of antipsychotic-associated pneumonia: Systematic literature review and computational analyses. <i>PLoS ONE</i> , 2017 , 12, e0187034	3.7	14
124	Policies for biosimilar uptake in Europe: An overview. <i>PLoS ONE</i> , 2017 , 12, e0190147	3.7	101
123	Biosimilars in Italy: what do real-world data reveal?. <i>GaBI Journal</i> , 2017 , 6, 114-119	3.1	2
122	Data Extraction and Management in Networks of Observational Health Care Databases for Scientific Research: A Comparison of EU-ADR, OMOP, Mini-Sentinel and MATRICE Strategies. <i>EGEMS (Washington, DC)</i> , 2016 , 4, 1189	2.2	37
121	Anticholinergic Medication Burden and 5-Year Risk of Hospitalization and Death in Nursing Home Elderly Residents With Coronary Artery Disease. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 1056-1059	5.9	30
120	Adverse drug reactions associated with off-label use of ketorolac, with particular focus on elderly patients. An analysis of the Italian pharmacovigilance database and a population based study. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 61-67	4.1	8
119	The Effect of Safety Warnings on Antipsychotic Drug Prescribing in Elderly Persons with Dementia in the United Kingdom and Italy: A Population-Based Study. <i>CNS Drugs</i> , 2016 , 30, 1097-1109	6.7	29
118	Antipsychotic use in dementia patients in a general practice setting: a Dutch population-based study. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 403-6	5.1	2

117	Risk of cardiac valvulopathy with use of bisphosphonates: a population-based, multi-country case-control study. <i>Osteoporosis International</i> , 2016 , 27, 1857-67	5.3	24
116	Effects of a computerized decision support system in improving pharmacological management in high-risk cardiovascular patients: A cluster-randomized open-label controlled trial. <i>Health Informatics Journal</i> , 2016 , 22, 232-47	3	6
115	Incretin-based therapy and acute cholecystitis: a review of case reports and EudraVigilance spontaneous adverse drug reaction reporting database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2016 , 41, 116-8	2.2	15
114	The Management of Diabetes Mellitus in Patients with Chronic Kidney Disease: A Population-Based Study in Southern Italy. <i>Clinical Drug Investigation</i> , 2016 , 36, 203-12	3.2	11
113	Detecting adverse drug reactions following long-term exposure in longitudinal observational data: The exposure-adjusted self-controlled case series. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 2577-2592 ¹⁴	2.3	14
112	Use of oral contraceptives in three European countries: a population-based multi-database study. <i>European Journal of Contraception and Reproductive Health Care</i> , 2016 , 21, 81-7	1.8	11
111	Response to comment on: "antibiotic use varies substantially among adults—a cross-national study from five European Countries in the ARITMO project". <i>Infection</i> , 2016 , 44, 135-41	5.8	1
110	Comparative Effectiveness of Biosimilar, Reference Product and Other Erythropoiesis-Stimulating Agents (ESAs) Still Covered by Patent in Chronic Kidney Disease and Cancer Patients: An Italian Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0155805	3.7	22
109	The Role of Healthcare Databases in Pharmacovigilance of Psychotropic Drugs 2016 , 73-94		
108	Warfarin Treatment and All-Cause Mortality in Community-Dwelling Older Adults with Atrial Fibrillation: A Retrospective Observational Study. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1416-24	5.6	26
107	Prescribing pattern of antipsychotic drugs during the years 1996-2010: a population-based database study in Europe with a focus on torsadogenic drugs. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 487-97	3.8	23
106	Absorbable phosphate in medication. <i>Kidney International</i> , 2016 , 89, 721	9.9	
105	How did the Introduction of Biosimilar Filgrastim Influence the Prescribing Pattern of Granulocyte Colony-Stimulating Factors? Results from a Multicentre, Population-Based Study, from Five Italian Centres in the Years 2009-2014. <i>BioDrugs</i> , 2016 , 30, 295-306	7.9	22
104	Relation of Statin Use and Mortality in Community-Dwelling Frail Older Patients With Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2016 , 118, 1624-1630	3	37
103	Antidepressant use in the elderly: the role of pharmacodynamics and pharmacokinetics in drug safety. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2015 , 11, 883-92	5.5	46
102	Effectiveness of risk minimization measures for cabergoline-induced cardiac valve fibrosis in clinical practice in Italy. <i>Journal of Neural Transmission</i> , 2015 , 122, 799-808	4.3	6
101	How Much Are Biosimilars Used in Clinical Practice? A Retrospective Italian Population-Based Study of Erythropoiesis-Stimulating Agents in the Years 2009-2013. <i>BioDrugs</i> , 2015 , 29, 275-84	7.9	36
100	Development and Validation of a Score for Adjusting Health Care Costs in General Practice. <i>Value in Health</i> , 2015 , 18, 884-95	3.3	5

99	An overview of experimental and early investigational therapies for the treatment of polycystic kidney disease. <i>Expert Opinion on Investigational Drugs</i> , 2015 , 24, 1199-218	5.9	11
98	Monoclonal antibodies for renal diseases: current concepts and ongoing treatments. <i>Expert Opinion on Biological Therapy</i> , 2015 , 15, 1119-43	5.4	11
97	Trends in the prescription of antidiabetic medications from 2009 to 2012 in a general practice of Southern Italy: a population-based study. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 157-63	7.4	35
96	Risk of atrial fibrillation among bisphosphonate users: a multicenter, population-based, Italian study. <i>Osteoporosis International</i> , 2015 , 26, 1499-506	5.3	20
95	Evaluating performance of electronic healthcare records and spontaneous reporting data in drug safety signal detection. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 94-104	2.3	20
94	Antibiotic use varies substantially among adults: a cross-national study from five European Countries in the ARITMO project. <i>Infection</i> , 2015 , 43, 453-72	5.8	24
93	Useful Interplay Between Spontaneous ADR Reports and Electronic Healthcare Records in Signal Detection. <i>Drug Safety</i> , 2015 , 38, 1201-10	5.1	34
92	Medication is an additional source of phosphate intake in chronic kidney disease patients. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 959-67	4.5	12
91	The role of electronic healthcare record databases in paediatric drug safety surveillance: a retrospective cohort study. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 304-14	3.8	21
90	Antipsychotic drug exposure and risk of pneumonia: a systematic review and meta-analysis of observational studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 812-20	2.6	41
89	Association of individual non-steroidal anti-inflammatory drugs and chronic kidney disease: a population-based case control study. <i>PLoS ONE</i> , 2015 , 10, e0122899	3.7	45
88	The advent of biosimilars for the treatment of diabetes: current status and future directions. <i>Acta Diabetologica</i> , 2015 , 52, 423-31	3.9	15
87	Trends in paediatric macrolide use in five European countries-a population-based study. <i>European Journal of Clinical Pharmacology</i> , 2015 , 71, 991-9	2.8	9
86	Indications of newer and older anti-epileptic drug use: findings from a southern Italian general practice setting from 2005-2011. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 1010-9	3.8	26
85	Erythropoiesis-stimulating agents: dose and mortality risk. <i>Journal of Renal Nutrition</i> , 2015 , 25, 164-8	3	10
84	Drug interactions with levothyroxine therapy in patients with hypothyroidism: observational study in general practice. <i>Clinical Drug Investigation</i> , 2015 , 35, 187-95	3.2	17
83	Using real-world healthcare data for pharmacovigilance signal detection - the experience of the EU-ADR project. <i>Expert Review of Clinical Pharmacology</i> , 2015 , 8, 95-102	3.8	21
82	How healthy is community-dwelling elderly population? Results from Southern Italy. <i>Translational Medicine @ UniSa</i> , 2015 , 13, 59-64	0.5	8

81	Signal detection of potentially drug-induced acute liver injury in children using a multi-country healthcare database network. <i>Drug Safety</i> , 2014 , 37, 99-108	5.1	20
80	Parkinsonism and severe hypothyroidism in an elderly patient: a case of lithium toxicity due to pharmacological interactions. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014 , 39, 452-4	2.2	6
79	Bridging islands of information to establish an integrated knowledge base of drugs and health outcomes of interest. <i>Drug Safety</i> , 2014 , 37, 557-67	5.1	39
78	Systemic antibiotic prescribing to paediatric outpatients in 5 European countries: a population-based cohort study. <i>BMC Pediatrics</i> , 2014 , 14, 174	2.6	63
77	Are the safety profiles of antipsychotic drugs used in dementia the same? An updated review of observational studies. <i>Drug Safety</i> , 2014 , 37, 501-20	5.1	31
76	Two-dimensional correlation analysis and multivariate time series analysis as innovative tools for the study and the comparison of the hydrocarbon distributions in marine antarctic cores. <i>Marine Chemistry</i> , 2014 , 159, 9-18	3.7	12
75	The burden of nephrotoxic drug prescriptions in patients with chronic kidney disease: a retrospective population-based study in Southern Italy. <i>PLoS ONE</i> , 2014 , 9, e89072	3.7	39
74	High prevalence of poor quality drug prescribing in older individuals: a nationwide report from the Italian Medicines Agency (AIFA). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 430-7	6.4	68
73	Expert opinion of nephrologists about the effectiveness of low-protein diet in different stages of chronic kidney disease (CKD). <i>International Journal of Food Sciences and Nutrition</i> , 2014 , 65, 1027-32	3.7	2
72	Safety profile of biological medicines as compared with non-biologicals: an analysis of the italian spontaneous reporting system database. <i>Drug Safety</i> , 2014 , 37, 961-70	5.1	29
71	Acute cerebellar ataxia following meningococcal group C conjugate vaccination. <i>Journal of Child Neurology</i> , 2014 , 29, 128-30	2.5	7
70	Chronic kidney disease requiring healthcare services: a new approach to evaluate epidemiology of renal disease. <i>BioMed Research International</i> , 2014 , 2014, 268362	3	12
69	New therapeutic strategies under development to halt the progression of renal failure. <i>Expert Opinion on Investigational Drugs</i> , 2014 , 23, 693-709	5.9	16
68	Combining multiple healthcare databases for postmarketing drug and vaccine safety surveillance: why and how?. <i>Journal of Internal Medicine</i> , 2014 , 275, 551-61	10.8	86
67	Pediatric drug safety surveillance in Italian pharmacovigilance network: an overview of adverse drug reactions in the years 2001 - 2012. <i>Expert Opinion on Drug Safety</i> , 2014 , 13 Suppl 1, S9-20	4.1	28
66	Validation study in four health-care databases: upper gastrointestinal bleeding misclassification affects precision but not magnitude of drug-related upper gastrointestinal bleeding risk. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 921-31	5.7	40
65	Changes in the prescribing pattern of antidepressant drugs in elderly patients: an Italian, nationwide, population-based study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 469-78	2.8	25
64	Pattern of statin use in southern italian primary care: can prescription databases be used for monitoring long-term adherence to the treatment?. <i>PLoS ONE</i> , 2014 , 9, e102146	3.7	33

63	A nationwide prospective study on prescribing pattern of antidepressant drugs in Italian primary care. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 227-36	2.8	24
62	Idiopathic acute liver injury in paediatric outpatients: incidence and signal detection in two European countries. <i>Drug Safety</i> , 2013 , 36, 1007-16	5.1	17
61	Postmarketing safety surveillance : where does signal detection using electronic healthcare records fit into the big picture?. <i>Drug Safety</i> , 2013 , 36, 183-97	5.1	70
60	Cyclo-oxygenase-2 inhibitors or nonselective NSAIDs plus gastroprotective agents: what to prescribe in daily clinical practice?. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 178-89	6.1	12
59	A reference standard for evaluation of methods for drug safety signal detection using electronic healthcare record databases. <i>Drug Safety</i> , 2013 , 36, 13-23	5.1	60
58	Effects of L'Aquila earthquake on the prescribing pattern of antidepressant and antipsychotic drugs. <i>International Journal of Clinical Pharmacy</i> , 2013 , 35, 1053-62	2.3	9
57	Overuse of prescription and OTC non-steroidal anti-inflammatory drugs in patients with rheumatoid arthritis and osteoarthritis. <i>International Journal of Immunopathology and Pharmacology</i> , 2013 , 26, 279-81	3	16
56	Harmonization process for the identification of medical events in eight European healthcare databases: the experience from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 184-92	8.6	61
55	Design and validation of an automated method to detect known adverse drug reactions in MEDLINE: a contribution from the EU-ADR project. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2013 , 20, 446-52	8.6	52
54	Identification of acute myocardial infarction from electronic healthcare records using different disease coding systems: a validation study in three European countries. <i>BMJ Open</i> , 2013 , 3,	3	85
53	Epidemiology of gout and hyperuricaemia in Italy during the years 2005-2009: a nationwide population-based study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 694-700	2.4	185
52	Burden of community-acquired pneumonia in Italian general practice. <i>European Respiratory Journal</i> , 2013 , 42, 1739-42	13.6	25
51	Clinical and economic burden of adverse drug reactions. <i>Journal of Pharmacology and Pharmacotherapeutics</i> , 2013 , 4, S73-7	0.2	217
50	Additional risk minimisation measures in the EU - are they eligible for assessment?. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1046-53	2.6	17
49	Prescribing pattern of glucose lowering drugs in the United Kingdom in the last decade: a focus on the effects of safety warnings about rosiglitazone. <i>British Journal of Clinical Pharmacology</i> , 2013 , 75, 861-8	3.8	35
48	Drug-induced acute myocardial infarction: identifying prime suspects from electronic healthcare records-based surveillance system. <i>PLoS ONE</i> , 2013 , 8, e72148	3.7	35
47	Academic output from EU-funded health research projects. <i>Lancet, The</i> , 2012 , 380, 1903-4	40	3
46	The EU-ADR corpus: annotated drugs, diseases, targets, and their relationships. <i>Journal of Biomedical Informatics</i> , 2012 , 45, 879-84	10.2	68

45	How much are biosimilars used in southern Italy?: a retrospective analysis of epoetin utilization in the local health unit of Messina in the years 2010-2011. <i>BioDrugs</i> , 2012 , 26, 113-20	7.9	13
44	Risk minimization activities of centrally authorized products in the EU: a descriptive study. <i>Drug Safety</i> , 2012 , 35, 299-314	5.1	25
43	Risk of cardiac valve regurgitation with dopamine agonist use in Parkinson's disease and hyperprolactinaemia: a multi-country, nested case-control study. <i>Drug Safety</i> , 2012 , 35, 159-71	5.1	37
42	The risk of new onset heart failure associated with dopamine agonist use in Parkinson's disease. <i>Pharmacological Research</i> , 2012 , 65, 358-64	10.2	43
41	Adverse drug reaction-related hospitalizations in persons aged 55 years and over: a population-based study in the Netherlands. <i>Drugs and Aging</i> , 2012 , 29, 225-232	4.7	46
40	Clinically significant drug interactions with newer antidepressants. <i>CNS Drugs</i> , 2012 , 26, 39-67	6.7	104
39	Electronic healthcare databases for active drug safety surveillance: is there enough leverage?. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 611-21	2.6	63
38	Adherence to gastroprotection during cyclooxygenase 2 inhibitor treatment and the risk of upper gastrointestinal tract events: a population-based study. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2792-802		15
37	Using electronic health care records for drug safety signal detection: a comparative evaluation of statistical methods. <i>Medical Care</i> , 2012 , 50, 890-7	3.1	64
36	Age-related changes in pharmacodynamics: focus on drugs acting on central nervous and cardiovascular systems. <i>Current Drug Metabolism</i> , 2011 , 12, 611-20	3.5	95
35	Antipsychotic drug use and community-acquired pneumonia. <i>Current Infectious Disease Reports</i> , 2011 , 13, 262-8	3.9	45
34	Combining electronic healthcare databases in Europe to allow for large-scale drug safety monitoring: the EU-ADR Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1-11	2.6	198
33	Suboptimal gastroprotective coverage of NSAID use and the risk of upper gastrointestinal bleeding and ulcers: an observational study using three European databases. <i>Gut</i> , 2011 , 60, 1650-9	19.2	46
32	EU-ADR healthcare database network vs. spontaneous reporting system database: preliminary comparison of signal detection. <i>Studies in Health Technology and Informatics</i> , 2011 , 166, 25-30	0.5	32
31	Prescribing pattern of anti-epileptic drugs in an Italian setting of elderly outpatients: a population-based study during 2004-07. <i>British Journal of Clinical Pharmacology</i> , 2010 , 70, 514-22	3.8	38
30	Association of community-acquired pneumonia with antipsychotic drug use in elderly patients: a nested case-control study. <i>Annals of Internal Medicine</i> , 2010 , 152, 418-25, W139-40	8	110
29	Cerebellar stroke in elderly patient with basilar artery agenesis: a case report. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2010 , 19, 81-3	2.8	1
28	Risk of ischemic stroke associated with antidepressant drug use in elderly persons. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 252-8	1.7	42

27	Prescribing pattern of antipsychotic drugs in the Italian general population 2000-2005: a focus on elderly with dementia. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 22-8	2.2	19
26	Design and evaluation of a semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European EU-ADR project. <i>Studies in Health Technology and Informatics</i> , 2010 , 160, 1085-9	0.5	13
25	Data mining on electronic health record databases for signal detection in pharmacovigilance: which events to monitor?. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 1176-84	2.6	138
24	Newer and older antiepileptic drug use in Southern Italy: a population-based study during the years 2003-2005. <i>Epilepsy Research</i> , 2009 , 85, 107-13	3	33
23	Use of antipsychotics in elderly patients with dementia: do atypical and conventional agents have a similar safety profile?. <i>Pharmacological Research</i> , 2009 , 59, 1-12	10.2	78
22	Drug safety information through the internet: the experience of an Italian website. <i>Drug Safety</i> , 2009 , 32, 245-53	5.1	7
21	The EU-ADR project: preliminary results and perspective. <i>Studies in Health Technology and Informatics</i> , 2009 , 148, 43-9	0.5	33
20	A semantic approach for the homogeneous identification of events in eight patient databases: a contribution to the European eu-ADR project. <i>Studies in Health Technology and Informatics</i> , 2009 , 150, 190-4	0.5	16
19	Statins for the primary prevention of cardiovascular events in elderly patients: a picture from clinical practice without strong evidence from clinical trials. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 175-7	5.6	12
18	Burden of cardiovascular diseases in elderly with Parkinson's disease who start a dopamine agonist agent. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 371-3	5.6	5
17	Prevalence and antihyperglycemic prescribing trends for patients with type 2 diabetes in Italy: a 4-year retrospective study from national primary care data. <i>Pharmacological Research</i> , 2008 , 57, 358-63	10.2	27
16	Prescribing pattern of anti-Parkinson drugs in Southern Italy: cross-sectional analysis in the years 2003-2005. <i>Parkinsonism and Related Disorders</i> , 2008 , 14, 420-5	3.6	25
15	Risk of stroke with typical and atypical anti-psychotics: a retrospective cohort study including unexposed subjects. <i>Journal of Psychopharmacology</i> , 2008 , 22, 39-46	4.6	74
14	Use and tolerability of newer antipsychotics and antidepressants: a chart review in a paediatric setting. <i>International Journal of Clinical Pharmacy</i> , 2008 , 30, 44-50		18
13	Lipid-lowering drug use in Italian primary care: effects of reimbursement criteria revision. <i>European Journal of Clinical Pharmacology</i> , 2008 , 64, 619-25	2.8	15
12	Prescribing pattern of drugs in the treatment of osteoarthritis in Italian general practice: the effect of rofecoxib withdrawal. <i>Arthritis and Rheumatism</i> , 2008 , 59, 568-74		34
11	Antidepressant drugs: prevalence, incidence and indication of use in general practice of Southern Italy during the years 2003-2004. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 552-9	2.6	52
10	All-cause mortality associated with atypical and typical antipsychotics in demented outpatients. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 538-44	2.6	60

9	Prescribing patterns of antiepileptic drugs in Italy: a nationwide population-based study in the years 2000-2005. <i>European Journal of Neurology</i> , 2007 , 14, 1317-21	6	70
8	Interaction risk with proton pump inhibitors in general practice: significant disagreement between different drug-related information sources. <i>British Journal of Clinical Pharmacology</i> , 2006 , 62, 582-90	3.8	37
7	Drug-drug interactions and statin therapy. <i>Southern Medical Journal</i> , 2006 , 99, 1325-6	0.6	3
6	Patterns of persistence with antihypertensive medications in newly diagnosed hypertensive patients in Italy: a retrospective cohort study in primary care. <i>Journal of Hypertension</i> , 2005 , 23, 2093-100	1.9	145
5	Antipsychotic prescribing pattern among Italian general practitioners: a population-based study during the years 1999-2002. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 47-53	2.8	48
4	Statin-macrolide interaction risk: a population-based study throughout a general practice database. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 615-20	2.8	29
3	Adverse drug events in emergency department population: a prospective Italian study. <i>Pharmacoepidemiology and Drug Safety</i> , 2005 , 14, 333-40	2.6	44
2	Oral anticoagulant therapy in Italy: prescribing prevalence and clinical reasons. <i>Pharmacological Research</i> , 2004 , 50, 601-3	10.2	9
1	Leveraging Routinely Collected Healthcare Data to Scale Up Drug Safety Surveillance: The EU-ADR Experience	439-451	