

Kun-Der Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7730787/kun-der-lin-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

458
citations

14
h-index

20
g-index

43
ext. papers

594
ext. citations

5.2
avg, IF

3.4
L-index

#	Paper	IF	Citations
37	Effects of Helicobacter pylori treatment on the incidences of autoimmune diseases and inflammatory bowel disease in patients with diabetes mellitus. <i>PLoS ONE</i> , 2022 , 17, e0265323	3.7	0
36	Completion Rate and Safety of Programmatic Screening and Treatment for Latent Tuberculosis Infection in Elderly Patients With Poorly Controlled Diabetic Mellitus: A Prospective Multicenter Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e1252-e1260	11.6	3
35	. <i>IEEE Sensors Journal</i> , 2021 , 21, 10167-10173	4	3
34	Pioglitazone and statins lower incidence of Parkinson disease in patients with diabetes mellitus. <i>European Journal of Neurology</i> , 2021 , 28, 430-437	6	7
33	Therapeutic DNA vaccine encoding CEMIP (KIAA1199) ameliorates kidney fibrosis in obesity through inhibiting the Wnt/ β -catenin pathway. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2021 , 1865, 130019	4	0
32	Electronegative low-density lipoprotein of patients with metabolic syndrome induces pathogenesis of aorta through disruption of the stimulated by retinoic acid β cascade. <i>Journal of Diabetes Investigation</i> , 2020 , 11, 535-544	3.9	2
31	Disruption of retinoid homeostasis induces RBP4 overproduction in diabetes: O-GlcNAcylation involved. <i>Metabolism: Clinical and Experimental</i> , 2020 , 113, 154403	12.7	2
30	Diabetes-related kidney, eye, and foot disease in Taiwan: An analysis of nationwide data from 2005 to 2014. <i>Journal of the Formosan Medical Association</i> , 2019 , 118 Suppl 2, S103-S110	3.2	8
29	Quantitation of serum 25(OH)D2 and 25(OH)D3 concentrations by liquid chromatography tandem mass spectrometry in patients with diabetes mellitus. <i>Journal of Food and Drug Analysis</i> , 2019 , 27, 510-517	7.7	4
28	Effects of Anti-Helicobacter pylori Therapy on Incidence of Autoimmune Diseases, Including Inflammatory Bowel Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 1991-1999	6.9	27
27	O-GlcNAcylation disrupts STRA6-retinol signals in kidneys of diabetes. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 1059-1069	4	4
26	Severe Hypoglycemia as a Predictor of End-Stage Renal Disease in Type 2 Diabetes: A National Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
25	Randomized Controlled Trial on Effects of a Brief Clinical-Based Intervention Involving Planning Strategy on Self-Care Behaviors in Periodontal Patients in Dental Practice. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
24	Periodontal Treatment Experience Associated with Oral Health-Related Quality of Life in Patients with Poor Glycemic Control in Type 2 Diabetes: A Case-Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
23	Blood biomarkers of various dietary patterns correlated with metabolic indicators in Taiwanese type 2 diabetes. <i>Food and Nutrition Research</i> , 2019 , 63,	3.1	2
22	Validity of a Short Food Frequency Questionnaire Assessing Macronutrient and Fiber Intakes in Patients of Han Chinese Descent with Type 2 Diabetes. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	6
21	Cardiovascular Benefits of Acarbose vs Sulfonylureas in Patients With Type 2 Diabetes Treated With Metformin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3611-3619	5.6	18

20	Reply. <i>Annals of Neurology</i> , 2017 , 81, 157-158	9.4	
19	Association of Renal Elasticity and Renal Function Progression in Patients with Chronic Kidney Disease Evaluated by Real-Time Ultrasound Elastography. <i>Scientific Reports</i> , 2017 , 7, 43303	4.9	29
18	Reply. <i>Annals of Neurology</i> , 2017 , 81, 330-331	9.4	
17	Risk of dementia from proton pump inhibitor use in Asian population: A nationwide cohort study in Taiwan. <i>PLoS ONE</i> , 2017 , 12, e0171006	3.7	44
16	The association of obstructive sleep apnea and renal outcomes-a systematic review and meta-analysis. <i>BMC Nephrology</i> , 2017 , 18, 313	2.7	21
15	Association of Serum Uric Acid Concentration with Diabetic Retinopathy and Albuminuria in Taiwanese Patients with Type 2 Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	27
14	Electronegative low density lipoprotein induces renal apoptosis and fibrosis: STRA6 signaling involved. <i>Journal of Lipid Research</i> , 2016 , 57, 1435-46	6.3	11
13	Statin therapy prevents the onset of Parkinson disease in patients with diabetes. <i>Annals of Neurology</i> , 2016 , 80, 532-40	9.4	26
12	Diabetes mellitus increases severity of thrombocytopenia in dengue-infected patients. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3820-30	6.3	15
11	Statin, calcium channel blocker and Beta blocker therapy may decrease the incidence of tuberculosis infection in elderly Taiwanese patients with type 2 diabetes. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 11369-84	6.3	19
10	Abnormally Low or High Ankle-Brachial Index Is Associated with Proliferative Diabetic Retinopathy in Type 2 Diabetic Mellitus Patients. <i>PLoS ONE</i> , 2015 , 10, e0134718	3.7	11
9	The impact of severe hypoglycemia on renal impairment in type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2015 , 108, 448-55	7.4	2
8	The association of pioglitazone and urinary tract disease in type 2 diabetic Taiwanese: bladder cancer and chronic kidney disease. <i>PLoS ONE</i> , 2014 , 9, e85479	3.7	22
7	Residual effect of reductions in red blood cell count and haematocrit and haemoglobin levels after 10-month withdrawal of pioglitazone in patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2014 , 31, 1341-35	3.5	7
6	Diabetes-related kidney, eye, and foot disease in Taiwan: an analysis of the nationwide data for 2000-2009. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 637-44	3.2	48
5	Increased unbound retinol-binding protein 4 concentration induces apoptosis through receptor-mediated signaling. <i>Journal of Biological Chemistry</i> , 2012 , 287, 9694-9707	5.4	20
4	Thiazolidinedione addition reduces the serum retinol-binding protein 4 in type 2 diabetic patients treated with metformin and sulfonylurea. <i>Translational Research</i> , 2008 , 151, 309-14	11	13
3	Significant association of ABCG8:D19H gene polymorphism with hypercholesterolemia and insulin resistance. <i>Journal of Human Genetics</i> , 2008 , 53, 757-763	4.3	27

- 2 Acute brachial artery thrombosis: a rare complication of diabetic ketoacidosis. *Kaohsiung Journal of Medical Sciences*, **2006**, 22, 44-8 2.4 5
- 1 The hOGG1 Ser326Cys gene polymorphism is associated with decreased insulin sensitivity in subjects with normal glucose tolerance. *Journal of Human Genetics*, **2006**, 51, 124-128 4.3 16