

Reinaldo Salomao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7731210/publications.pdf>

Version: 2024-02-01

183
papers

6,303
citations

81900

39
h-index

79698

73
g-index

197
all docs

197
docs citations

197
times ranked

7600
citing authors

#	ARTICLE	IF	CITATIONS
1	The PPAR- α agonist pioglitazone exerts proinflammatory effects in bronchial epithelial cells during acute <i>Pseudomonas aeruginosa</i> pneumonia. <i>Clinical and Experimental Immunology</i> , 2022, 207, 370-377.	2.6	3
2	Immunogenicity of personalized dendritic-cell therapy in HIV-1 infected individuals under suppressive antiretroviral treatment: interim analysis from a phase II clinical trial. <i>AIDS Research and Therapy</i> , 2022, 19, 2.	1.7	3
3	Humoral and cellular responses to vaccination with homologous CoronaVac or ChAdOx1 and heterologous third dose with BNT162b2. <i>Journal of Infection</i> , 2022, 84, 834-872.	3.3	9
4	Effects of the PARP Inhibitor Olaparib on the Response of Human Peripheral Blood Leukocytes to Bacterial Challenge or Oxidative Stress. <i>Biomolecules</i> , 2022, 12, 788.	4.0	5
5	Repurposing of Clinically Approved Poly-(Adp-Ribose) Polymerase Inhibitors For The Therapy of Sepsis. <i>Shock</i> , 2021, Publish Ahead of Print, 901-909.	2.1	5
6	Epigenetic Regulation in Sepsis, Role in Pathophysiology and Therapeutic Perspective. <i>Frontiers in Medicine</i> , 2021, 8, 685333.	2.6	14
7	What's New in Shock, September 2021?. <i>Shock</i> , 2021, 56, 325-328.	2.1	0
8	Combined Transcriptome and Proteome Leukocyte Profiling Reveals Up-Regulated Module of Genes/Proteins Related to Low Density Neutrophils and Impaired Transcription and Translation Processes in Clinical Sepsis. <i>Frontiers in Immunology</i> , 2021, 12, 744799.	4.8	15
9	The clinical course of hospitalized moderately ill COVID-19 patients is mirrored by routine hematologic tests and influenced by renal transplantation. <i>PLoS ONE</i> , 2021, 16, e0258987.	2.5	4
10	Effects of the Poly(ADP-Ribose) Polymerase Inhibitor Olaparib in Cerulein-Induced Pancreatitis. <i>Shock</i> , 2020, 53, 653-665.	2.1	11
11	Chronic meningococemia in a vertically HIV-infected adolescent. <i>IDCases</i> , 2020, 20, e00764.	0.9	1
12	Assessment of the Effect of Perioperative Venous Lidocaine on the Intensity of Pain and IL-6 Concentration After Laparoscopic Gastroplasty. <i>Obesity Surgery</i> , 2020, 30, 3912-3918.	2.1	7
13	HIF-1 α and Hypoxia Responsive Genes are Differentially Expressed in Leukocytes from Survivors and Non-Survivors Patients during Clinical Sepsis. <i>Shock</i> , 2020, Publish Ahead of Print, 80-91.	2.1	15
14	Increased Serum IL 6 Associated With Mortality and Cognitive Impairment in Elderly Brazilians. <i>Innovation in Aging</i> , 2020, 4, 120-121.	0.1	0
15	Effectiveness and safety of procalcitonin evaluation for reducing mortality in adults with sepsis, severe sepsis or septic shock. <i>The Cochrane Library</i> , 2019, 2019, CD010959.	2.8	58
16	Genetic signature related to heme-hemoglobin metabolism pathway in sepsis secondary to pneumonia. <i>Npj Systems Biology and Applications</i> , 2019, 5, 26.	3.0	18
17	New therapeutic target for pediatric anaplastic ependymoma control: study of anti-tumor activity by a Kunitz-type molecule, Amblyomin-X. <i>Scientific Reports</i> , 2019, 9, 9973.	3.3	6
18	Lipid metabolism impairment in patients with sepsis secondary to hospital acquired pneumonia, a proteomic analysis. <i>Clinical Proteomics</i> , 2019, 16, 29.	2.1	54

#	ARTICLE	IF	CITATIONS
19	Nitric oxide stimulates a PKC-Src-Akt signaling axis which increases human immunodeficiency virus type 1 replication in human T lymphocytes. Nitric Oxide - Biology and Chemistry, 2019, 93, 78-89.	2.7	7
20	Effect of preoperative pregabalin on analgesia and interleukins after lumbotomy: prospective, randomized, comparative, double-blind study. Journal of Pain Research, 2019, Volume 12, 339-344.	2.0	1
21	The PARP inhibitor olaparib exerts beneficial effects in mice subjected to cecal ligation and puncture and in cells subjected to oxidative stress without impairing DNA integrity: A potential opportunity for repurposing a clinically used oncological drug for the experimental therapy of sepsis. Pharmacological Research. 2019, 145, 104263.	7.1	21
22	T helper type cytokines in sepsis: time-shared variance and correlation with organ dysfunction and hospital mortality. Brazilian Journal of Infectious Diseases, 2019, 23, 79-85.	0.6	16
23	Sepsis: evolving concepts and challenges. Brazilian Journal of Medical and Biological Research, 2019, 52, e8595.	1.5	175
24	Effect of probiotics on gastrointestinal symptoms and immune parameters in systemic sclerosis: a randomized placebo-controlled trial. Rheumatology, 2019, 58, 1985-1990.	1.9	41
25	CIRCULATING PLATELET AGGREGATE PROFILE AND OF THE EXPRESSION OF OX40 AND CD40L IN ELDERLY WITH CANCER AND ACUTE BACTERIAL INFECTION. Journal of Geriatric Oncology, 2019, 10, S110.	1.0	0
26	De-escalation of antimicrobial treatment for adults with sepsis, severe sepsis or septic shock. The Cochrane Library, 2018, 2018, CD007934.	2.8	58
27	Immunophenotyping of Monocytes During Human Sepsis Shows Impairment in Antigen Presentation: A Shift Toward Nonclassical Differentiation and Upregulation of FCÎ³R1-Receptor. Shock, 2018, 50, 293-300.	2.1	43
28	Exosomes from patients with septic shock convey miRNAs related to inflammation and cell cycle regulation: new signaling pathways in sepsis?. Critical Care, 2018, 22, 68.	5.8	77
29	External quality assessment for CD4 + T-lymphocyte count test. Medicine (United States), 2018, 97, S32-S37.	1.0	4
30	B-cell subsets imbalance and reduced expression of CD40 in ataxia-telangiectasia patients. Allergologia Et Immunopathologia, 2018, 46, 438-446.	1.7	6
31	<sc>CD</sc>163 and <sc>CD</sc>206 expression does not correlate with tolerance and cytokine production in <sc>LPS</sc>-tolerant human monocytes. Cytometry Part B - Clinical Cytometry, 2017, 92, 192-199.	1.5	20
32	New Paths in Sepsis Management. Shock, 2017, 47, 1.	2.1	0
33	Inflammasome gene profile is modulated in septic patients, with a greater magnitude in non-survivors. Clinical and Experimental Immunology, 2017, 189, 232-240.	2.6	58
34	Hypogammaglobulinemia in children: a warning sign to look deeply?. Apmis, 2017, 125, 902-909.	2.0	1
35	Sepsis Through the Eyes of Proteomics. Shock, 2017, 47, 17-25.	2.1	19
36	The epidemiology of sepsis in Brazilian intensive care units (the Sepsis PREvalence Assessment) Tj ETQq0 0 0 rgBT /Oyerlock 10,Tf 50 62	9.1	211

#	ARTICLE	IF	CITATIONS
37	Proteomic study revealed cellular assembly and lipid metabolism dysregulation in sepsis secondary to community-acquired pneumonia. <i>Scientific Reports</i> , 2017, 7, 15606.	3.3	49
38	Quality Improvement Initiatives in Sepsis in an Emerging Country. <i>Critical Care Medicine</i> , 2017, 45, 1650-1659.	0.9	26
39	IMMUNE RISK PROFILE (IRP) AND MORBIDITY PHENOTYPE OF INDEPENDENT OLDEST OLD. <i>Innovation in Aging</i> , 2017, 1, 211-211.	0.1	0
40	Cytokine Kinetics in Febrile Neutropenic Children: Insights on the Usefulness as Sepsis Biomarkers, Influence of Filgrastim, and Behavior of the IL-23/IL-17 Pathway. <i>Mediators of Inflammation</i> , 2017, 2017, 1-10.	3.0	15
41	Implementation of sepsis bundles in public hospitals in Brazil: a prospective study with heterogeneous results. <i>Critical Care</i> , 2017, 21, 268.	5.8	27
42	Expression of genes belonging to the interacting TLR cascades, NADPH-oxidase and mitochondrial oxidative phosphorylation in septic patients. <i>PLoS ONE</i> , 2017, 12, e0172024.	2.5	16
43	Effect of intravenous lidocaine combined with amitriptyline on pain intensity, clinical manifestations and the concentrations of IL-1, IL-6 and IL-8 in patients with fibromyalgia: A randomized double-blind study. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 946-953.	1.9	14
44	High frequency of immunodeficiency-like states in systemic lupus erythematosus: a cross-sectional study in 300 consecutive patients. <i>Rheumatology</i> , 2016, 55, 1647-1655.	1.9	14
45	Modulation of monocytes in septic patients: preserved phagocytic activity, increased ROS and NO generation, and decreased production of inflammatory cytokines. <i>Intensive Care Medicine Experimental</i> , 2016, 4, 5.	1.9	47
46	Transitional B Cells, CD21 ^{low} and Plasmoblasts in Patients with Ataxia-Telangiectasia. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, AB88.	2.9	0
47	Epidemiology of sepsis in brazilian icus: a nationwide stratified sample. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	6
48	Cytokines Production, Expression of CD40/CD40L and Correlation with Immunoglobulins in Patients with Ataxia-Telangiectasia. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, AB274.	2.9	0
49	Expression of CD40, CD40L and IgM production in patients with ataxia-telangiectasia. <i>World Allergy Organization Journal</i> , 2015, 8, A101.	3.5	0
50	Transitional B cells and CD21 ^{low} in patients with ataxia-telangiectasia. <i>World Allergy Organization Journal</i> , 2015, 8, A63.	3.5	1
51	Implementation of sepsis' treatment protocols in an emerging country from 2005-2014: an analysis of 21,103 patients. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	0
52	Upregulation and Mitochondrial Sequestration of Hemoglobin Occur in Circulating Leukocytes during Critical Illness, Conferring a Cytoprotective Phenotype. <i>Molecular Medicine</i> , 2015, 21, 666-675.	4.4	24
53	Effect of intraoperative intravenous lidocaine on pain and plasma interleukin-6 in patients undergoing hysterectomy. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2015, 65, 92-98.	0.4	10
54	Evaluation of the effect of ketamine on remifentanyl-induced hyperalgesia: a double-blind, randomized study. <i>Journal of Clinical Anesthesia</i> , 2015, 27, 331-337.	1.6	20

#	ARTICLE	IF	CITATIONS
55	In vitro T lymphocyte function in primary immunodeficiency diseases. <i>Journal of Pediatric Biochemistry</i> , 2015, 02, 043-052.	0.2	0
56	Gene expression profiling of mononuclear cells from patients with sepsis secondary to community-acquired pneumonia. <i>Genomics Data</i> , 2014, 2, 332-334.	1.3	6
57	Abandon the Mouse Research Ship? Not Just Yet!. <i>Shock</i> , 2014, 41, 463-475.	2.1	126
58	miR-27a Regulates Inflammatory Response of Macrophages by Targeting IL-10. <i>Journal of Immunology</i> , 2014, 193, 327-334.	0.8	121
59	International Nosocomial Infection Control Consortiu (INICC) report, data summary of 43 countries for 2007-2012. Device-associated module. <i>American Journal of Infection Control</i> , 2014, 42, 942-956.	2.3	233
60	Association between early glycemic control and improvements in markers of coagulation and fibrinolysis in patients with septic shock-induced stress hyperglycemia. <i>Journal of Critical Care</i> , 2014, 29, 884.e1-884.e6.	2.2	3
61	Effect of natural porcine surfactant in <i>Staphylococcus aureus</i> induced pro-inflammatory cytokines and reactive oxygen species generation in monocytes and neutrophils from human blood. <i>International Immunopharmacology</i> , 2014, 21, 369-374.	3.8	7
62	Lymphocyte subsets in human immunodeficiency virus-unexposed Brazilian individuals from birth to adulthood. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014, 109, 989-998.	1.6	23
63	Patterns of Gene Expression in Peripheral Blood Mononuclear Cells and Outcomes from Patients with Sepsis Secondary to Community Acquired Pneumonia. <i>PLoS ONE</i> , 2014, 9, e91886.	2.5	33
64	Evaluation of Toll-like, chemokine, and integrin receptors on monocytes and neutrophils from peripheral blood of septic patients and their correlation with clinical outcomes. <i>Brazilian Journal of Medical and Biological Research</i> , 2014, 47, 384-393.	1.5	13
65	Evaluation of recognition and signalling receptors on the peripheral blood cells of septic patients and their correlation with clinical outcomes. <i>Critical Care</i> , 2013, 17, .	5.8	0
66	Gene expression in peripheral mononuclear cells from septic patients secondary to community-acquired pneumonia: patterns of gene expression and outcomes. <i>Critical Care</i> , 2013, 17, .	5.8	0
67	Microparticles from septic shock patients contain microRNA and messenger RNA: new players in the pathogenesis of sepsis?. <i>Critical Care</i> , 2013, 17, P96.	5.8	1
68	Aging Exacerbates Microvascular Endothelial Damage Induced by Circulating Factors Present in the Serum of Septic Patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 652-660.	3.6	31
69	Assessment of the Effect of Ketamine in Combination with Remifentanil on Postoperative Pain. <i>Revista Brasileira De Anestesiologia</i> , 2013, 63, 178-182.	0.6	9
70	Assessment of the Effect of Ketamine in Combination with Remifentanil on Postoperative Pain. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2013, 63, 178-182.	0.4	2
71	Acute inflammatory response to transgastric natural orifice transluminal endoscopic surgery peritoneoscopy: An experimental study in swine. <i>Clinics</i> , 2013, 68, 1433-1439.	1.5	2
72	Avaliaço do efeito da cetamina associada Å remifentanila na dor ps-operatria. <i>Revista Brasileira De Anestesiologia</i> , 2013, 63, 178-182.	0.6	1

#	ARTICLE	IF	CITATIONS
73	Mild Systemic Oxidative Stress in the Subclinical Stage of Alzheimer's Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-8.	4.0	34
74	Late recognition and illness severity are determinants of early death in severe septic patients. <i>Clinics</i> , 2013, 68, 586-591.	1.5	18
75	Decrease in Lipatrophy in a Pilot Study Using a Short-Term Treatment Interruption Strategy for 48 Weeks in São Paulo, Brazil. <i>AIDS Research and Human Retroviruses</i> , 2012, 28, 747-748.	1.1	1
76	Generation of Nitric Oxide and Reactive Oxygen Species by Neutrophils and Monocytes From Septic Patients and Association With Outcomes. <i>Shock</i> , 2012, 38, 18-23.	2.1	70
77	Bacterial Sensing, Cell Signaling, and Modulation of the Immune Response During Sepsis. <i>Shock</i> , 2012, 38, 227-242.	2.1	180
78	Effectiveness of a multidimensional approach for prevention of ventilator-associated pneumonia in adult intensive care units from 14 developing countries of four continents. <i>Critical Care Medicine</i> , 2012, 40, 3121-3128.	0.9	117
79	Endothelial Progenitor Cell Mobilization and Platelet Microparticle Release Are Influenced by Clopidogrel Plasma Levels in Stable Coronary Artery Disease. <i>Circulation Journal</i> , 2012, 76, 729-736.	1.6	57
80	Increased neutrophil oxidative burst metabolism in systemic lupus erythematosus. <i>Lupus</i> , 2012, 21, 1543-1551.	1.6	36
81	Epidemiology and predictors of a poor outcome in elderly patients with candidemia. <i>International Journal of Infectious Diseases</i> , 2012, 16, e442-e447.	3.3	50
82	Impact of a multidimensional infection control strategy on catheter-associated urinary tract infection rates in the adult intensive care units of 15 developing countries: findings of the International Nosocomial Infection Control Consortium (INICC). <i>Infection</i> , 2012, 40, 517-526.	4.7	84
83	Prevalence of TLR4 single nucleotide polymorphisms (ASP299GLY, THR399ILE) in healthy subjects and septic patients, and association with outcome. <i>Critical Care</i> , 2012, 16, .	5.8	0
84	Avaliação do efeito preemptivo da s(+)-cetamina por via peridural para histerectomia: concentrações plasmáticas de interleucinas. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 6-9.	0.6	1
85	Evaluation of Preemptive Effect of Epidural S(+)-Ketamine for Hysterectomy: Plasmatic Concentrations of Interleukins. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 3-9.	0.6	6
86	Increased Percentages of T Helper Cells Producing IL-17 and Monocytes Expressing Markers of Alternative Activation in Patients with Sepsis. <i>PLoS ONE</i> , 2012, 7, e37393.	2.5	47
87	Impact of Switching from an Open to a Closed Infusion System on Rates of Central Line-Associated Bloodstream Infection: A Meta-analysis of Time-Sequence Cohort Studies in 4 Countries. <i>Infection Control and Hospital Epidemiology</i> , 2011, 32, 50-58.	1.8	569
88	Differential expression of toll-like receptor signaling cascades in LPS-tolerant human peripheral blood mononuclear cells. <i>Immunobiology</i> , 2011, 216, 285-295.	1.9	36
89	Associação entre a evolução da disfunção orgânica e as concentrações de citocinas na fase inicial do choque séptico. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 426-433.	0.3	6
90	Influence of GB virus C on IFN- β and IL-2 production and CD38 expression in T lymphocytes from chronically HIV-infected and HIV-HCV-co-infected patients. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2011, 106, 662-669.	1.6	5

#	ARTICLE	IF	CITATIONS
91	Imbalance between endothelial progenitors cells and microparticles in HIV-infected patients naive for antiretroviral therapy. <i>Aids</i> , 2011, 25, 1595-1601.	2.2	48
92	SVO2-Guided Resuscitation for Experimental Septic Shock. <i>Shock</i> , 2011, 36, 604-612.	2.1	27
93	Vaccine antibodies and T- and B-cell interaction in juvenile systemic lupus erythematosus. <i>Lupus</i> , 2011, 20, 736-744.	1.6	34
94	Association between organ dysfunction and cytokine concentrations during the early phases of septic shock. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 426-33.	0.3	4
95	Guidelines for treatment of severe sepsis/septic shock: tissue perfusion assessment. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 6-12.	0.3	3
96	Guidelines for the treatment of severe sepsis and septic shock: hemodynamic resuscitation. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 13-23.	0.3	2
97	Guidelines for the treatment of severe sepsis and septic shock - management of the infectious agent - diagnosis. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 134-44.	0.3	2
98	Guidelines for the treatment of severe sepsis and septic shock - management of the infectious agent - source control and antimicrobial treatment. <i>Revista Brasileira De Terapia Intensiva</i> , 2011, 23, 145-57.	0.3	4
99	Re: Two Routine Blood Testsâ€”Mean Corpuscular Volume and Aspartate Aminotransferaseâ€”as Predictors of Delirium Tremens in Trauma Patients. <i>Journal of Trauma</i> , 2010, 68, 1517-1518.	2.3	0
100	Humoral and Cellular Immune Responses to Measles and Tetanus: The Importance of Elapsed Time Since Last Exposure and the Nature of the Antigen. <i>Journal of Clinical Immunology</i> , 2010, 30, 574-582.	3.8	23
101	Effects of Pentoxifylline on Inflammation and Lung Dysfunction in Ventilated Septic Animals. <i>Journal of Trauma</i> , 2010, 68, 822-826.	2.3	6
102	Human monocytes tolerant to LPS retain the ability to phagocytose bacteria and generate reactive oxygen species. <i>Brazilian Journal of Medical and Biological Research</i> , 2010, 43, 860-868.	1.5	23
103	Low CD4+ T-Cell Levels and B-Cell Apoptosis in Vertically HIV-exposed Noninfected Children and Adolescents. <i>Journal of Tropical Pediatrics</i> , 2010, 56, 427-432.	1.5	39
104	Lipopolysaccharide-induced expression of cell surface receptors and cell activation of neutrophils and monocytes in whole human blood. <i>Brazilian Journal of Medical and Biological Research</i> , 2010, 43, 853-858.	1.5	58
105	Excess Length of Stay Due to Central Lineâ€”Associated Bloodstream Infection in Intensive Care Units in Argentina, Brazil, and Mexico. <i>Infection Control and Hospital Epidemiology</i> , 2010, 31, 1106-1114.	1.8	13
106	Excess Length of Stay Due to Central Lineâ€”Associated Bloodstream Infection in Intensive Care Units in Argentina, Brazil, and Mexico. <i>Infection Control and Hospital Epidemiology</i> , 2010, 31, 1106-1114.	1.8	35
107	Impact of International Nosocomial Infection Control Consortium (INICC) Strategy on Central Lineâ€”Associated Bloodstream Infection Rates in the Intensive Care Units of 15 Developing Countries. <i>Infection Control and Hospital Epidemiology</i> , 2010, 31, 1264-1272.	1.8	128
108	Expression of TLR-4 and -2 in peripheral mononuclear cells in renal transplant patients with TLR-4 gene polymorphism. <i>International Immunopharmacology</i> , 2010, 10, 1481-1485.	3.8	8

#	ARTICLE	IF	CITATIONS
109	Endothelial Progenitors Cells and Microparticles in HIV-infected patients. International Journal of Infectious Diseases, 2010, 14, e240.	3.3	2
110	Cytokine and hormonal profile in serum samples of patients undergoing controlled ovarian stimulation: interleukin-1 α predicts ongoing pregnancy. Human Reproduction, 2010, 25, 2101-2106.	0.9	21
111	De-escalation of antimicrobial treatment for adults with sepsis, severe sepsis or septic shock. , 2010, , CD007934.		18
112	Rate and time to develop first central line-associated bloodstream infections when comparing open and closed infusion containers in a Brazilian Hospital. Brazilian Journal of Infectious Diseases, 2009, 13, 335-340.	0.6	7
113	Surveillance programs for detection and characterization of emergent pathogens and antimicrobial resistance: results from the Division of Infectious Diseases, UNIFESP. Anais Da Academia Brasileira De Ciencias, 2009, 81, 571-587.	0.8	9
114	Toll-like receptor pathway signaling is differently regulated in neutrophils and peripheral mononuclear cells of patients with sepsis, severe sepsis, and septic shock*. Critical Care Medicine, 2009, 37, 132-139.	0.9	79
115	Pulmonary Disease in Hamsters Infected with Leptospira interrogans: Histopathologic Findings and Cytokine mRNA Expressions. American Journal of Tropical Medicine and Hygiene, 2009, 80, 832-836.	1.4	27
116	Pulmonary disease in hamsters infected with Leptospira interrogans: histopathologic findings and cytokine mRNA expressions. American Journal of Tropical Medicine and Hygiene, 2009, 80, 832-6.	1.4	13
117	Immunologic features of HIV-1-infected women on HAART at delivery. Cytometry Part B - Clinical Cytometry, 2008, 74B, 236-243.	1.5	4
118	Expression of cell surface receptors and oxidative metabolism modulation in the clinical continuum of sepsis. Critical Care, 2008, 12, R25.	5.8	74
119	TLR SIGNALING PATHWAY IN PATIENTS WITH SEPSIS. Shock, 2008, 30, 73-77.	2.1	116
120	SEPSIS. Shock, 2008, 30, 1-2.	2.1	1
121	Device-associated infection rates in intensive care units of Brazilian hospitals: datos de la Comunidad Científica Internacional de Control de Infecciones Nosocomiales. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2008, 24, 195-202.	1.1	55
122	The Impact of Duration of Organ Dysfunction on the Outcome of Patients with Severe Sepsis and Septic Shock. Clinics, 2008, 63, 483-488.	1.5	22
123	Imbalance of naive and memory T lymphocytes with sustained high cellular activation during the first year of life from uninfected children born to HIV-1-infected mothers on HAART. Brazilian Journal of Medical and Biological Research, 2008, 41, 700-708.	1.5	60
124	Is persistent hypotension after transient cardiogenic shock associated with an inflammatory response?. Brazilian Journal of Medical and Biological Research, 2008, 41, 648-656.	1.5	7
125	Impact of Cytomegalovirus and Grafts versus Host Disease on the Dynamics of CD57+CD28 \sim CD8+ T Cells After Bone Marrow Transplant. Clinics, 2008, 63, 667-676.	1.5	15
126	Response activity of alveolar macrophages in pulmonary dysfunction caused by Leptospira infection. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2008, 14, .	1.4	2

#	ARTICLE	IF	CITATIONS
127	Antifungal susceptibility of 1000 <i>Candida</i> bloodstream isolates to 5 antifungal drugs: results of a multicenter study conducted in São Paulo, Brazil, 1995–2003. <i>Diagnostic Microbiology and Infectious Disease</i> , 2007, 57, 399-404.	1.8	66
128	HIV-1-infected children on HAART: Immunologic features of three different levels of viral suppression. <i>Cytometry Part B - Clinical Cytometry</i> , 2007, 72B, 14-21.	1.5	22
129	CHARACTERIZATION OF AN ANIMAL MODEL OF SEVERE SEPSIS ASSOCIATED WITH RESPIRATORY DYSFUNCTION. <i>Clinics</i> , 2007, 62, 491-498.	1.5	25
130	The Attributable Cost, and Length of Hospital Stay of Central Line Associated Blood Stream Infection in Intensive Care Units in Brazil. A Prospective, Matched Analysis. <i>American Journal of Infection Control</i> , 2006, 34, E22.	2.3	3
131	Hand Hygiene Compliance in Argentina, Brazil, Colombia, India, Mexico, Morocco, Peru and Turkey. Findings of the International Nosocomial Infection Control Consortium (INICC). <i>American Journal of Infection Control</i> , 2006, 34, E31-E32.	2.3	4
132	Noninvasive immune monitoring assessed by flow cytometry and real time RT-PCR in urine of renal transplantation recipients. <i>Transplant Immunology</i> , 2006, 16, 73-80.	1.2	27
133	Effect of pentoxifylline on lung inflammation and gas exchange in a sepsis-induced acute lung injury model. <i>Brazilian Journal of Medical and Biological Research</i> , 2006, 39, 1455-1463.	1.5	14
134	TLR2, TLR4, CD14, CD11B, AND CD11C EXPRESSIONS ON MONOCYTES SURFACE AND CYTOKINE PRODUCTION IN PATIENTS WITH SEPSIS, SEVERE SEPSIS, AND SEPTIC SHOCK. <i>Shock</i> , 2006, 25, 351-357.	2.1	96
135	Device-Associated Nosocomial Infections in 55 Intensive Care Units of 8 Developing Countries. <i>Annals of Internal Medicine</i> , 2006, 145, 582.	3.9	391
136	Screening anion-exchange chromatographic matrices for isolation of onco-retroviral vectors. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 837, 59-68.	2.3	41
137	OXIDATIVE METABOLISM AND EXPRESSION OF CELL SURFACE RECEPTORS ON MONOCYTES AND NEUTROPHILS IN PATIENTS WITH SEPSIS, SEVERE SEPSIS AND SEPTIC SHOCK. <i>Shock</i> , 2006, 25, 21.	2.1	2
138	Bacterial Translocation, Microcirculation Injury and Sepsis. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2006, 6, 143-150.	1.2	14
139	Surviving Sepsis Campaign: A Project to Change Sepsis Trajectory. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2006, 6, 217-222.	1.2	6
140	Pathogenesis-Oriented Targets for Adjunctive Therapy. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2006, 6, 193-200.	1.2	3
141	Editorial [Sepsis: From the Bench to the Bedside]. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2006, 6, 125-126.	1.2	0
142	Bacterial Recognition and Induced Cell Activation in Sepsis. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2006, 6, 183-191.	1.2	17
143	Profound peripheral T-lymphocyte depletion and activation in disseminated tuberculosis. <i>Brazilian Journal of Infectious Diseases</i> , 2006, 10, 59-61.	0.6	1
144	Interferon-gamma and tumour necrosis factor-alpha production by CD4+ T and CD8+ T lymphocytes in AIDS patients with tuberculosis. <i>Clinical and Experimental Immunology</i> , 2005, 140, 491-497.	2.6	20

#	ARTICLE	IF	CITATIONS
145	Leptospira interrogans activation of peripheral blood monocyte glycolipoprotein demonstrated in whole blood by the release of IL-6. Brazilian Journal of Medical and Biological Research, 2005, 38, 909-914.	1.5	20
146	Frequency of V α 24+V β 11+ NKT cells in peripheral blood of human kidney transplantation recipients. International Immunopharmacology, 2005, 5, 53-58.	3.8	7
147	An imbalance of naive and memory/effector subsets and altered expression of CD38 on T lymphocytes in two girls with hyper-IgM syndrome. Clinical and Experimental Immunology, 2004, 136, 291-296.	2.6	3
148	Modulation of peripheral blood T-lymphocytes in kidney transplant recipients treated with low dose OKT3 therapy. Immunology Letters, 2004, 91, 75-77.	2.5	2
149	EFFECT OF RECOMBINANT HUMAN ACTIVATED PROTEIN C (DROTRECOGIN ALFA ACTIVATED - DAA) IN THE INFLAMMATORY RESPONSE OF MONOCYTES AND NEUTROPHILS IN WHOLE BLOOD OF HEALTHY VOLUNTEERS (HV).. Shock, 2004, 21, 54-55.	2.1	1
150	Outbreak of Candida rugosa candidemia: an emerging pathogen that may be refractory to amphotericin B therapy. Diagnostic Microbiology and Infectious Disease, 2003, 46, 253-257.	1.8	90
151	Phenotypic and Genotypic Characterization of VanAEnterococcusisolated During the First Nosocomial Outbreak in Brazil. Microbial Drug Resistance, 2003, 9, 283-291.	2.0	31
152	Impaired Production of Interferon- γ and Tumor Necrosis Factor- α but not of Interleukin 10 in Whole Blood of Patients with Sepsis. Shock, 2003, 19, 113-116.	2.1	82
153	Pentoxifylline decreases tumor necrosis factor and interleukin-1 during high tidal volume. Brazilian Journal of Medical and Biological Research, 2003, 36, 1349-1357.	1.5	26
154	Bloodstream infections in late-stage acquired immunodeficiency syndrome patients evaluated by a lysis centrifugation system. Memórias Do Instituto Oswaldo Cruz, 2003, 98, 529-532.	1.6	7
155	Distribution of naive and memory/effector CD4+ T lymphocytes and expression of CD38 on CD8+ T lymphocytes in AIDS patients with tuberculosis. Brazilian Journal of Infectious Diseases, 2003, 7, 161-165.	0.6	16
156	Peripheral Blood Mononuclear Cell Activation Induced by Leptospira interrogans Glycolipoprotein. Infection and Immunity, 2002, 70, 1677-1683.	2.2	58
157	Beneficial effect of tetracycline prophylaxis in a sepsis model mimicking portal and systemic bacterial translocation routes. Transplantation Proceedings, 2002, 34, 1005-1006.	0.6	0
158	Tetracycline prophylaxis abrogates mortality following induction of inferior vena cava sepsis. Transplantation Proceedings, 2002, 34, 1009-1010.	0.6	0
159	Substantial changes in the intestine-derived lymph during bacterial translocation. Transplantation Proceedings, 2002, 34, 1001-1002.	0.6	3
160	Preemptive analgesia with epidural bupivacaine plus fentanyl in gynaecological surgeryâ€™ effects on serum interleukin-6 concentrations. Acute Pain, 2002, 4, 23-26.	0.1	4
161	Ventilation with high tidal volume induces inflammatory lung injury. Brazilian Journal of Medical and Biological Research, 2002, 35, 191-198.	1.5	18
162	Induction of interleukin-10 by HIV antigens in peripheral mononuclear cells of health care workers after occupational exposure to HIV-1-positive blood. Brazilian Journal of Medical and Biological Research, 2002, 35, 697-701.	1.5	1

#	ARTICLE	IF	CITATIONS
163	Influence of EDTA and heparin on lipopolysaccharide binding and cell activation, evaluated at single-cell level in whole blood. <i>Cytometry</i> , 2002, 50, 14-18.	1.8	26
164	Immunophenotypic characterization of peripheral T lymphocytes in <i>Mycobacterium tuberculosis</i> infection and disease. <i>Clinical and Experimental Immunology</i> , 2002, 128, 149-154.	2.6	76
165	Lipopolysaccharide-cell interaction and induced cellular activation in whole blood of septic patients. <i>Journal of Endotoxin Research</i> , 2002, 8, 371-379.	2.5	11
166	Influence of EDTA and heparin on lipopolysaccharide binding and cell activation, evaluated at single-cell level in whole blood. <i>Cytometry</i> , 2002, 50, 14-8.	1.8	8
167	Cytokines and pediatric open heart surgery with cardiopulmonary bypass. <i>Cardiology in the Young</i> , 2001, 11, 36-43.	0.8	27
168	Pathogenetic Aspects of Sepsis and Possible Targets for Adjunctive Therapy. <i>Current Drug Targets Immune, Endocrine and Metabolic Disorders</i> , 2001, 1, 13-30.	1.8	7
169	Passive transfer of HIV-1 antibodies and absence of HIV infection after the transfusion of HIV-1-seropositive red cells. <i>Transfusion</i> , 2000, 40, 252-253.	1.6	6
170	Circulating levels of sTNFR and discrepancy between cytotoxicity and immunoreactivity of TNF- $\hat{\pm}$ in patients with visceral leishmaniasis. <i>Clinical Microbiology and Infection</i> , 2000, 6, 34-37.	6.0	16
171	Production of IFN- γ is impaired in patients with paracoccidioidomycosis during active disease and is restored after clinical remission. <i>Medical Mycology</i> , 2000, 38, 225-229.	0.7	19
172	Bloodstream infections: Epidemiology, pathophysiology and therapeutic perspectives. <i>Infection</i> , 1999, 27, 1-11.	4.7	41
173	High rate of non-albicans candidemia in Brazilian tertiary care hospitals. <i>Diagnostic Microbiology and Infectious Disease</i> , 1999, 34, 281-286.	1.8	157
174	Inflammatory response after myocardial revascularization with or without cardiopulmonary bypass. <i>Annals of Thoracic Surgery</i> , 1998, 66, 56-59.	1.3	131
175	Risk Factors for Death in Patients with Candidemia. <i>Infection Control and Hospital Epidemiology</i> , 1998, 19, 846-850.	1.8	137
176	Presence of Circulating Levels of Interferon- γ , Interleukin-10 and Tumor Necrosis Factor- α in Patients with Visceral Leishmaniasis. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 1998, 40, 31-34.	1.1	37
177	Risk Factors for Death in Patients with Candidemia. <i>Infection Control and Hospital Epidemiology</i> , 1998, 19, 846-850.	1.8	91
178	Reconciling the concepts of endotoxin sensitization and tolerance. <i>Progress in Clinical and Biological Research</i> , 1998, 397, 261-8.	0.2	11
179	Plasma levels of tumor necrosis factor-alpha in patients with visceral leishmaniasis (Kala-Azar). Association with activity of the disease and clinical remission following antimonial therapy. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 1996, 38, 113-118.	1.1	13
180	Ativação de citocina (fator de necrose tumoral - $\hat{\pm}$) e resposta clínica induzida pela circulação extracorpórea. <i>Brazilian Journal of Cardiovascular Surgery</i> , 1996, 11, 188-200.	0.6	5

#	ARTICLE	IF	CITATIONS
181	Tumor necrosis factor alpha (TNF- α) and sepsis: Evidence for a role in host defense. <i>Infection</i> , 1996, 24, 314-318.	4.7	30
182	Association of Plasma Levels of Tumor Necrosis Factor α with Severity of Disease and Mortality Among Patients with Leptospirosis. <i>Clinical Infectious Diseases</i> , 1996, 23, 1177-1178.	5.8	96
183	Nosocomial and community acquired bacteremia: variables associated with outcomes. <i>Revista Paulista De Medicina</i> , 1993, 111, 456-61.	0.0	16