

Mikaela P Pinz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7733131/mikaela-p-pinz-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23
papers

292
citations

10
h-index

17
g-index

23
ext. papers

354
ext. citations

3.6
avg, IF

2.91
L-index

#	Paper	IF	Citations
23	Prospecting for a quinoline containing selenium for comorbidities depression and memory impairment induced by restriction stress in mice.. <i>Psychopharmacology</i> , 2022 , 239, 59	4.7	1
22	SAFETY PROFILE AND PREVENTION OF COGNITIVE DEFICIT IN ALZHEIMER'S DISEASE MODEL OF GRAPHENE FAMILY NANOMATERIALS, TUCUMA OIL (<i>Astrocaryum vulgare</i>) AND ITS SYNERGISMS. <i>International Journal for Innovation Education and Research</i> , 2022 , 10, 267-303	0.1	
21	Efficient palladium-catalyzed C-S cross-coupling reaction of benzo-2,1,3-thiadiazole at C-5-position: A potential class of AChE inhibitors. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5650	3.1	3
20	Amnesia-ameliorative effect of a quinoline derivative through regulation of oxidative/cholinergic systems and Na/K-ATPase activity in mice. <i>Metabolic Brain Disease</i> , 2020 , 35, 589-600	3.9	2
19	Synthesis of Isoxazolines by the Electrophilic Chalcogenation of α -Unsaturated Oximes: Fishing Novel Anti-Inflammatory Agents. <i>Journal of Organic Chemistry</i> , 2019 , 84, 12452-12462	4.2	18
18	Contribution of serotonergic and nitregeric pathways, as well as monoamine oxidase-a and Na, K-ATPase enzymes in antidepressant-like action of ((4-tert-butylcyclohexylidene) methyl) (4-methoxystyryl) sulfide (BMMS). <i>Metabolic Brain Disease</i> , 2019 , 34, 1313-1324	3.9	0
17	7-Chloro-4-(Phenylselenyl) Quinoline with Memory Enhancer Action in Aging Rats: Modulation of Neuroplasticity, Acetylcholinesterase Activity, and Cholesterol Levels. <i>Molecular Neurobiology</i> , 2019 , 56, 6398-6408	6.2	12
16	Modulation of COX-2, INF- γ , glutamatergic and opioid systems contributes to antinociceptive, anti-inflammatory and anti-hyperalgesic effects of bis(3-amino-2-pyridine) diselenide. <i>Chemico-Biological Interactions</i> , 2019 , 311, 108790	5	7
15	Post-mortem interval estimative through determination of catalase and α -aminolevulinatase dehydratase activities in hepatic, renal, skeletal muscle and cerebral tissues of Swiss mice. <i>Biomarkers</i> , 2019 , 24, 478-483	2.6	0
14	Synthesis and Pharmacological Evaluation of Novel Selenoethers Glycerol Derivatives for the Treatment of Pain and Inflammation: Involvement of Nitregeric and Glutamatergic Systems. <i>Applied Biochemistry and Biotechnology</i> , 2019 , 187, 1398-1423	3.2	8
13	Antinociceptive property of vinyl sulfides in spite of their weak antioxidant activity. <i>Medicinal Chemistry Research</i> , 2018 , 27, 46-51	2.2	4
12	Current advances of pharmacological properties of 7-chloro-4-(phenylselenyl) quinoline: Prevention of cognitive deficit and anxiety in Alzheimer's disease model. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 105, 1006-1014	7.5	28
11	The efficacy of microemulsion-based delivery to improve vitamin E properties: evaluation of the antinociceptive, antioxidant, antidepressant- and anxiolytic-like activities in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 1723-1732	4.8	4
10	Further analysis of acute antinociceptive and anti-inflammatory actions of 4-phenylselenyl-7-chloroquinoline in mice. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 513-525	3.1	21
9	Antioxidant effect of quinoline derivatives containing or not selenium: Relationship with antinociceptive action quinolines are antioxidant and antinociceptive. <i>Anais Da Academia Brasileira De Ciencias</i> , 2017 , 89, 457-467	1.4	13
8	7-Chloro-4-phenylsulfonyl quinoline, a new antinociceptive and anti-inflammatory molecule: Structural improvement of a quinoline derivate with pharmacological activity. <i>Regulatory Toxicology and Pharmacology</i> , 2017 , 90, 72-77	3.4	17
7	Organosulfur compound protects against memory decline induced by scopolamine through modulation of oxidative stress and Na/K ATPase activity in mice. <i>Metabolic Brain Disease</i> , 2017 , 32, 1819-1828	3.9	12

6	Selective A receptor antagonist SCH 58261 modulates striatal oxidative stress and alleviates toxicity induced by 3-Nitropropionic acid in male Wistar rats. <i>Metabolic Brain Disease</i> , 2017 , 32, 1919-1927 ^{3,9}		3
5	A simple method for the synthesis of 4-arylselenyl-7-chloroquinolines used as in vitro acetylcholinesterase inhibitors and in vivo memory improvement. <i>Tetrahedron Letters</i> , 2017 , 58, 3319-3322		27
4	Antioxidant compound (E)-2-benzylidene-4-phenyl-1,3-diselenole protects rats against thioacetamide-induced acute hepatotoxicity. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017 , 95, 1039-1045	2-4	3
3	4-phenylselenyl-7-chloroquinoline, a novel multitarget compound with anxiolytic activity: Contribution of the glutamatergic system. <i>Journal of Psychiatric Research</i> , 2017 , 84, 191-199	5-2	44
2	4-Phenylselenyl-7-chloroquinoline, a new quinoline derivative containing selenium, has potential antinociceptive and anti-inflammatory actions. <i>European Journal of Pharmacology</i> , 2016 , 780, 122-8	5-3	55
1	Polymeric nanocapsules as a technological alternative to reduce the toxicity caused by meloxicam in mice. <i>Regulatory Toxicology and Pharmacology</i> , 2016 , 81, 316-321	3-4	10