

# Rajesh Kumar Prusty

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7733278/rajesh-kumar-prusty-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77 papers	995 citations	18 h-index	28 g-index
85 ext. papers	1,321 ext. citations	2.8 avg, IF	5.1 L-index

#	Paper	IF	Citations
77	Through-Thickness High Strain Rate Compressive Response of Glass/Epoxy-Laminated Composites Embedded with Randomly Oriented Discontinuous Carbon Fibers. <i>Lecture Notes in Mechanical Engineering</i> , <b>2022</b> , 103-111	0.4	0
76	Finite element modelling and experimentation of plain weave glass/epoxy composites under high strain-rate compression loading for estimation of Johnson-Cook model parameters. <i>International Journal of Impact Engineering</i> , <b>2022</b> , 104262	4	1
75	Functionalization of Carbon Nanotube <b>2021</b> , 1-41		1
74	Effects of fiber surface grafting by functionalized carbon nanotubes on the interfacial durability during cryogenic testing and conditioning of CFRP composites. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51231	2.9	3
73	Effects of Cryogenic Aging on Flexural Behavior of Advanced Inter-ply Hybrid Fiber-Reinforced Polymer Composites. <i>Transactions of the Indian Institute of Metals</i> , <b>2021</b> , 74, 2171-2183	1.2	1
72	Mechanical behavior of electrophoretically modified CFRP composites at elevated temperatures: An assessment of the influence of graphene carboxyl bath concentration. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51365	2.9	3
71	A novel study of flexural behavior of short glass fibers as secondary reinforcements in GFRP composite. <i>Materials Today: Proceedings</i> , <b>2021</b> , 47, 3370-3370	1.4	2
70	Mechanical properties of glass/carbon inter-ply hybrid polymer composites at different in-situ temperatures. <i>Materials Today: Proceedings</i> , <b>2021</b> , 39, 1192-1197	1.4	2
69	Improving delamination resistance of carbon fiber reinforced polymeric composite by interface engineering using carbonaceous nanofillers through electrophoretic deposition: An assessment at different in-service temperatures. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50208	2.9	13
68	Multimaterial laminated composites: An assessment of effect of stacking sequence on flexural response. <i>Materials Today: Proceedings</i> , <b>2021</b> , 44, 141-145	1.4	2
67	Enhanced barrier, mechanical and viscoelastic properties of graphene oxide embedded glass fibre/epoxy composite for marine applications. <i>Construction and Building Materials</i> , <b>2021</b> , 268, 121784	6.7	10
66	Improved mechanical responses of GFRP composites with epoxy-vinyl ester interpenetrating polymer network. <i>Polymer Testing</i> , <b>2021</b> , 93, 107008	4.5	8
65	Temperature and loading speed sensitivity of glass/carbon inter-ply hybrid polymer composites on tensile loading. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 49928	2.9	3
64	Strength degradation and fractographic analysis of carbon fiber reinforced polymer composite laminates with square / circular hole using scanning electron microscope micrographs. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 49878	2.9	3
63	Investigation of Elastic Properties of Rutile Titanium Dioxide from First Principles. <i>Springer Proceedings in Materials</i> , <b>2021</b> , 203-210	0.2	0
62	Effect of ultraviolet radiations on interlaminar shear strength and thermal properties of glass fiber/epoxy composites. <i>Materials Today: Proceedings</i> , <b>2021</b> , 43, 524-529	1.4	4
61	Interfacial behavior of graphene carboxyl-grafted carbon fiber reinforced polymer composites at elevated temperatures: Emphasis on the effect of electrophoretic deposition time. <i>Polymer Composites</i> , <b>2021</b> , 42, 5893	3	3

60	Effect of repeated hydrothermal cycling on the durability of glass fiber/epoxy composites with and without carbon nanotube reinforcement. <i>Polymer Composites</i> , <b>2021</b> , 42, 6160	3	5
59	Enhanced creep resistance of GFRP composites through interpenetrating polymer network. <i>International Journal of Mechanical Sciences</i> , <b>2021</b> , 212, 106728	5.5	2
58	Effect of nanosilica and nanoclay reinforcement on flexural and thermal properties of glass fiber/epoxy composites. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 5098-5102	1.4	9
57	Influence of cryogenic temperature on mechanical behavior of graphene carboxyl grafted carbon fiber reinforced polymer composites: An emphasis on concentration of nanofillers. <i>Composites Communications</i> , <b>2020</b> , 20, 100369	6.7	17
56	Effect of graphene-based nanofillers addition on the interlaminar performance of CFRP composites: An assessment of cryo-conditioning. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 5070-5075	1.4	4
55	Influence of loading rate on adhesively bonded Tin-glass/epoxy single lap joint. <i>Materials Today: Proceedings</i> , <b>2020</b> , 26, 1850-1854	1.4	2
54	Effect of in-situ temperature variation on mechanical response of glass/vinyl ester composites. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 1142-1146	1.4	1
53	A study of the effect of carbon nanotube/nanoclay binary nanoparticle reinforcement on glass fibre/epoxy composites. <i>Materials Today: Proceedings</i> , <b>2020</b> , 26, 2026-2031	1.4	2
52	Experimental amelioration of flexural behavior under cryogenic conditioning through inter-ply fiber hybridization in FRP composites. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 1618-1624	1.4	1
51	Effect of Bath Concentration during Electrophoretic Deposition on the Interfacial Behaviour of Hybrid CFRP Composites. <i>Materials Science Forum</i> , <b>2020</b> , 978, 304-310	0.4	
50	An Assessment of Mechanical Performance of CNF Modified Glass Fiber/Epoxy Composites under Elevated Temperatures. <i>Materials Science Forum</i> , <b>2020</b> , 978, 311-315	0.4	
49	Enhancement of mechanical properties of glass fiber reinforced vinyl ester composites by embedding multi-walled carbon nanotubes through solution processing technique. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 1045-1050	1.4	6
48	Investigation of adhesively bonded multi-material joints: An assessment on joint efficiency and fracture morphology. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 1180-1185	1.4	1
47	Development of advanced fiber-reinforced polymer composites by polymer hybridization technique: Emphasis on cure kinetics, mechanical, and thermomechanical performance. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 49318	2.9	4
46	Mechanical and thermal performance of recycled glass fiber reinforced epoxy composites embedded with carbon nanotubes. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 5029-5034	1.4	4
45	Mechanical and thermal behaviour of multi-layer graphene and nanosilica reinforced glass Fiber/Epoxy composites. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 5184-5189	1.4	7
44	Interface modification of carbon fiber reinforced epoxy composite by hydroxyl/carboxyl functionalized carbon nanotube. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 1473-1478	1.4	8
43	Mode I interlaminar fracture toughness improvement of the glass/epoxy composite by using multiscale composite approach. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 5328-5333	1.4	2

42	Effect of severely thermal shocked nano-Al <sub>2</sub> O <sub>3</sub> filled glass fiber reinforced polymeric composites: An assessment on tensile, thermal and morphological behaviour. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 5521-5525	1.4	2
41	Effect of cure kinetics and nanomaterials on glass fiber/vinyl ester composites: An assessment on mechanical, thermal and fracture morphology. <i>Materials Today: Proceedings</i> , <b>2020</b> , 33, 4937-4941	1.4	2
40	Interlaminar performance of graphene carboxyl modified CFRP composites: Effect of cryogenic conditioning. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 1516-1521	1.4	3
39	Effects of acid, alkaline, and seawater aging on the mechanical and thermomechanical properties of glass fiber/epoxy composites filled with carbon nanofibers. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 48434	2.9	16
38	Effects of carbon nanotube/polymer interfacial bonding on the long-term creep performance of nanophased glass fiber/epoxy composites. <i>Polymer Composites</i> , <b>2020</b> , 41, 478-493	3	13
37	Effects of electrophoretic deposition process parameters on the mechanical properties of graphene carboxyl-grafted carbon fiber reinforced polymer composite. <i>Journal of Applied Polymer Science</i> , <b>2020</b> , 137, 48925	2.9	10
36	Mechanical modelling and experimental validation of woven composites. <i>Materials Today: Proceedings</i> , <b>2020</b> , 27, 2640-2644	1.4	6
35	Spherical indentation response of a Ni double gyroid nanolattice. <i>Scripta Materialia</i> , <b>2020</b> , 188, 64-68	5.6	0
34	Effects of seawater absorption and desorption on the long-term creep performance of graphene oxide embedded glass fiber/epoxy composites. <i>Polymer Composites</i> , <b>2020</b> , 41, 4861-4871	3	4
33	Mechanical behavior of Graphene decorated carbon fiber reinforced polymer composites: An assessment of the influence of functional groups. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2019</b> , 122, 36-44	8.4	57
32	Creep performance of CNT reinforced glass fiber/epoxy composites: Roles of temperature and stress. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47674	2.9	16
31	Effects of temperature and load on the creep performance of CNT reinforced laminated glass fiber/epoxy composites. <i>International Journal of Mechanical Sciences</i> , <b>2019</b> , 150, 539-547	5.5	22
30	Creep behaviour prediction of multi-layer graphene embedded glass fiber/epoxy composites using time-temperature superposition principle. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 107, 507-518	8.4	26
29	Effect of CNT addition on cure kinetics of glass fiber/epoxy composite. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 338, 012003	0.4	8
28	Extrapolation of Mechanical Strengthening Effect in Nanoclay/Epoxy Nanocomposites to Elevated Temperature Environments. <i>Transactions of the Indian Institute of Metals</i> , <b>2018</b> , 71, 2015-2024	1.2	2
27	Water-induced degradations in MWCNT embedded glass fiber/epoxy composites: An emphasis on aging temperature. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 45987	2.9	18
26	Effect of severely thermal shocked MWCNT enhanced glass fiber reinforced polymer composite: An emphasis on tensile and thermal responses. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 338, 012057	0.4	3
25	Lifetime Prediction of Nano-Silica based Glass Fibre/Epoxy composite by Time Temperature Superposition Principle. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2018</b> , 338, 012020	0.4	11

24	Reinforcement effect of graphene oxide in glass fibre/epoxy composites at in-situ elevated temperature environments: An emphasis on graphene oxide content. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2017</b> , 95, 40-53	8.4	78
23	Mechanical, thermomechanical, and creep performance of CNT embedded epoxy at elevated temperatures: An emphasis on the role of carboxyl functionalization. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134,	2.9	28
22	Mechanical behaviour of graphene oxide embedded epoxy nanocomposite at sub- and above- zero temperature environments. <i>Composites Communications</i> , <b>2017</b> , 3, 47-50	6.7	22
21	Tensile behavior of MWCNT enhanced glass fiber reinforced polymeric composites at various crosshead speeds. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2017</b> , 178, 012006	0.4	10
20	Evaluation of the role of functionalized CNT in glass fiber/epoxy composite at above- and sub-zero temperatures: Emphasizing interfacial microstructures. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2017</b> , 101, 215-226	8.4	27
19	CNT/polymer interface in polymeric composites and its sensitivity study at different environments. <i>Advances in Colloid and Interface Science</i> , <b>2017</b> , 240, 77-106	14.3	50
18	In-situ elevated temperature flexural and creep response of inter-ply glass/carbon hybrid FRP composites. <i>Mechanics of Materials</i> , <b>2017</b> , 105, 99-111	3.3	22
17	Creep behaviour of graphite oxide nanoplates embedded glass fiber/epoxy composites: Emphasizing the role of temperature and stress. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2017</b> , 102, 166-177	8.4	22
16	Temperature dependent reinforcement efficiency of carbon nanotube in polymer composite. <i>Composites Communications</i> , <b>2016</b> , 1, 29-32	6.7	18
15	Mechanical performance of CNT-filled glass fiber/epoxy composite in in-situ elevated temperature environments emphasizing the role of CNT content. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2016</b> , 84, 364-376	8.4	104
14	An assessment of flexural performance of liquid nitrogen conditioned glass/epoxy composites with multiwalled carbon nanotube. <i>Journal of Composite Materials</i> , <b>2016</b> , 50, 3077-3088	2.7	25
13	Water absorption behavior and residual strength assessment of glass/epoxy and glass-carbon/epoxy hybrid composite. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2016</b> , 115, 012029	0.4	7
12	Effect of loading rate on tensile properties and failure behavior of glass fibre/epoxy composite. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2016</b> , 115, 012017	0.4	16
11	Experimental optimization of flexural behaviour through inter-ply fibre hybridization in FRP composite. <i>Construction and Building Materials</i> , <b>2016</b> , 118, 327-336	6.7	24
10	Flexural behaviour of CNT-filled glass/epoxy composites in an in-situ environment emphasizing temperature variation. <i>Composites Part B: Engineering</i> , <b>2015</b> , 83, 166-174	10	46
9	Structure-mechanical property correlations in mechanochromic luminescent crystals of boron difluoride dibenzoylmethane derivatives. <i>IUCrJ</i> , <b>2015</b> , 2, 611-9	4.7	40
8	A comparative study of the mechanical performance of Glass and Glass/Carbon hybrid polymer composites at different temperature environments. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2015</b> , 75, 012002	0.4	9
7	Effect of post-curing on thermal and mechanical behavior of GFRP composites. <i>IOP Conference Series: Materials Science and Engineering</i> , <b>2015</b> , 75, 012012	0.4	64

6	Correlations between mechanical and photoluminescence properties in Eu doped sodium bismuth titanate. <i>Solid State Communications</i> , <b>2013</b> , 173, 38-41	1.6	14
5	An assessment of mechanical behavior of glass fiber/epoxy composites with secondary short carbon fiber reinforcements. <i>Journal of Applied Polymer Science</i> , 51841	2.9	3
4	Synergetic Impact of Carbon Nanotube and/or Graphene Reinforcement on the Mechanical Performance of Glass Fiber/Epoxy Composite. <i>Materials Science Forum</i> , 978, 284-290	0.4	2
3	Evaluation of mechanical behaviour of graphene oxide grafted CFRP composites: a comparison of anodic and cathodic EPD. <i>Advances in Materials and Processing Technologies</i> , 1-9	0.8	2
2	Effect of Post-Cathodic EPD Acetone Washing of Carbon Fibres on the Mechanical Properties of Graphene Carboxyl Embedded CFRP Composites. <i>Transactions of the Indian Institute of Metals</i> , 1	1.2	1
1	Recent advancements in interface engineering of carbon fiber reinforced polymer composites and their durability studies at different service temperatures. <i>Polymer Composites</i> ,	3	2