

Yukio Furukawa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7733870/yukio-furukawa-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

1,817
citations

21
h-index

41
g-index

81
ext. papers

1,955
ext. citations

2.6
avg, IF

4.92
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 77 | Recent Application of Vibrational Spectroscopy to Conjugated Conducting Polymers 2021 , 367-391 | | |
| 76 | Near-infrared resonance stimulated Raman study of short-lived transients in PTB7 films. <i>Vibrational Spectroscopy</i> , 2020 , 106, 103011 | 2.1 | 1 |
| 75 | Introduction of Na ⁺ in Reduced Graphene Oxide Prepared From Coconut Shells and Its Magnetic Properties. <i>IEEE Transactions on Magnetics</i> , 2020 , 56, 1-6 | 2 | 3 |
| 74 | Direct Observation of Structure and Dynamics of Photogenerated Charge Carriers in Poly(3-hexylthiophene) Films by Femtosecond Time-Resolved Near-IR Inverse Raman Spectroscopy. <i>Molecules</i> , 2019 , 24, | 4.8 | 9 |
| 73 | Infrared Stark spectra for a Nylon 6 film. <i>Chemical Physics Letters</i> , 2019 , 728, 32-36 | 2.5 | 1 |
| 72 | Effect of Anions on Bipolaron Formation in Ionic-liquid-gated Transistors Fabricated with Poly(2,5-bis(3-hexadecylthiophen-2-yl)thieno[3,2-b]thiophene) (PBTTT-C16). <i>Chemistry Letters</i> , 2019 , 48, 498-501 | 1.7 | 1 |
| 71 | Doping-level dependent mobilities of positive polarons and bipolarons in poly(2,5-bis(3-hexadecylthiophen-2-yl)thieno[3,2-b]thiophene) (PBTTT-C16) based on an ionic-liquid-gated transistor configuration. <i>Organic Electronics</i> , 2019 , 68, 28-34 | 3.5 | 9 |
| 70 | Temperature-Dependent Evolution of Raman Spectra of Methylammonium Lead Halide Perovskites, CH ₃ NH ₂ PbX ₃ (X = I, Br). <i>Molecules</i> , 2019 , 24, | 4.8 | 38 |
| 69 | Raman imaging of carrier distribution in the channel of an ionic liquid-gated transistor fabricated with regioregular poly(3-hexylthiophene). <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 197, 166-169 | 4.4 | 6 |
| 68 | Structural properties of perovskite films on zinc oxide nanoparticles-reduced graphene oxide (ZnO-NPs/rGO) prepared by electrophoretic deposition technique 2018 , | | 7 |
| 67 | ¹³ C-NMR Study of Acid Dissociation Constant (pKa) Effects on the CO ₂ Absorption and Regeneration of Aqueous Alkanolpiperidine. <i>Energy Procedia</i> , 2017 , 114, 1765-1771 | 2.3 | 3 |
| 66 | Voltage-induced Infrared Absorption from a Spin-cast Thin Film of Ferroelectric Poly(vinylidene fluoride-co-trifluoroethylene) (P(VDF-TrFE)). <i>Analytical Sciences</i> , 2017 , 33, 59-64 | 1.7 | 2 |
| 65 | Raman study on pentacene:C60 bulk heterojunction films. <i>Vibrational Spectroscopy</i> , 2016 , 84, 133-138 | 2.1 | 1 |
| 64 | Raman study of the interaction between regioregular poly(3-hexylthiophene) (P3HT) and transition-metal oxides MoO ₃ , V ₂ O ₅ , and WO ₃ in polymer solar cells. <i>Chemical Physics Letters</i> , 2016 , 644, 267-270 | 2.5 | 17 |
| 63 | Infrared spectroscopic study on electric-field-induced dynamics of polymer chains in a ferroelectric melt-quenched cold-drawn film of nylon-12. <i>Vibrational Spectroscopy</i> , 2016 , 84, 30-37 | 2.1 | 2 |
| 62 | Raman characterization and electrical properties of poly(3-hexylthiophene) doped electrochemically in an ionic liquid-gated transistor geometry. <i>Organic Electronics</i> , 2016 , 28, 82-87 | 3.5 | 19 |
| 61 | Raman spectra of carriers in ionic-liquid-gated transistors fabricated with poly(2,5-bis(3-tetradecylthiophen-2-yl)thieno[3,2-b]thiophene). <i>Vibrational Spectroscopy</i> , 2016 , 85, 29-34 | 2.1 | 6 |

| | | | |
|----|---|-----|-----|
| 60 | Vibrational Stark effect of 9-cyanoanthracene dispersed in a poly(methyl methacrylate) film. <i>Chemical Physics Letters</i> , 2015 , 633, 252-255 | 2.5 | 3 |
| 59 | Non-destructive Raman evaluation of a heavily doped surface layer fabricated by laser doping with B-doped Si nanoparticles. <i>Materials Science in Semiconductor Processing</i> , 2015 , 39, 748-754 | 4.3 | 2 |
| 58 | Electronic and vibrational spectra of positive polarons and bipolarons in regioregular poly(3-hexylthiophene) doped with ferric chloride. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 4788-94 | 3.4 | 106 |
| 57 | Vibrational Stark effect (VSE) on the infrared spectrum of a poly(methyl methacrylate) thin film. <i>Vibrational Spectroscopy</i> , 2015 , 78, 54-59 | 2.1 | 6 |
| 56 | Effect of electric field on the infrared spectrum of a ferroelectric poly(vinylidene fluoride-co-hexafluoropropylene) film. <i>Vibrational Spectroscopy</i> , 2015 , 78, 12-16 | 2.1 | 12 |
| 55 | Raman Spectroscopic Study on Phosphorous-Doped Silicon Nanoparticles. <i>Applied Spectroscopy</i> , 2015 , 69, 877-82 | 3.1 | 6 |
| 54 | Electric-Field-Induced Dynamics of Polymer Chains in a Ferroelectric Melt-Quenched Cold-Drawn Film of Nylon-11 Using Infrared Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 14309-14 | 3.4 | 17 |
| 53 | Raman study on a bulk-heterojunction film of pentacene and C60. <i>Chemical Physics Letters</i> , 2015 , 636, 58-61 | 2.5 | 4 |
| 52 | Synthesis of 1,4-Dihydropyridines and Their Fluorescence Properties. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 5281-5301 | 3.2 | 19 |
| 51 | 13C-NMR Study of Acid Dissociation Constant (pKa) Effects on the CO ₂ Absorption and Regeneration of Aqueous Tertiary Alkanolamines. <i>Energy Procedia</i> , 2014 , 63, 1876-1881 | 2.3 | 13 |
| 50 | 13C-NMR Study of Acid Dissociation Constant (pKa) Effects on the CO ₂ Absorption and Regeneration of Aqueous Tertiary Alkanolamine-Piperazine Blends. <i>Energy Procedia</i> , 2014 , 63, 1863-1868 ²⁻³ | 2.3 | 10 |
| 49 | 45.1: An Improved Method for Lifetime Prediction Based on Decoupling of the Joule Self-Heating Effect from Coulombic Degradation in Accelerated Aging Tests of OLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2014 , 45, 642-645 | 0.5 | 8 |
| 48 | 13C-NMR Spectroscopic Study on Chemical Species in Piperazine-Amine-CO ₂ -H ₂ O System before and after Heating. <i>Energy Procedia</i> , 2013 , 37, 869-876 | 2.3 | 9 |
| 47 | Preparation of ZnO nanoparticles for blend of P3HT:ZnO nanoparticles:PCBM thin film and its charge carrier dynamics characterization 2013 , | | 4 |
| 46 | Vibrational spectroscopy of organic thin films used for solar cells 2013 , | | 2 |
| 45 | Raman Temperature Measurements of Copper Phthalocyanine Layer of Organic Light-Emitting Diode Using Bandwidth-Temperature Relationship. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 05DC16 ¹⁻⁴ | 0 | 0 |
| 44 | Infrared and Raman spectroscopy of organic thin films used for electronic devices. <i>Vibrational Spectroscopy</i> , 2012 , 60, 5-9 | 2.1 | 17 |
| 43 | Study on solid structure of pentacene thin films using Raman imaging. <i>Journal of Raman Spectroscopy</i> , 2012 , 43, 2015-2019 | 2.3 | 23 |

| | | | |
|----|--|------|-----|
| 42 | Molecular Stacking Induced by Intermolecular C≡N Hydrogen Bonds Leading to High Carrier Mobility in Vacuum-Deposited Organic Films. <i>Advanced Functional Materials</i> , 2011 , 21, 1375-1382 | 15.6 | 130 |
| 41 | Temperature measurements of a phosphorescent organic light-emitting diode by Raman spectroscopy. <i>Chemical Physics Letters</i> , 2010 , 488, 206-208 | 2.5 | 8 |
| 40 | Temperature Measurements of Organic Light-Emitting Diodes by Stokes and Anti-Stokes Raman Scattering. <i>Japanese Journal of Applied Physics</i> , 2008 , 47, 2171-2173 | 1.4 | 10 |
| 39 | Noncontact Temperature Measurements of Organic Layers in an Organic Light-Emitting Diode Using Wavenumber-Temperature Relations of Raman Bands. <i>Japanese Journal of Applied Physics</i> , 2008 , 47, 3537-3539 | 1.4 | 9 |
| 38 | Micro-Raman Spectroscopy on Pentacene Thin-Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2008 , 491, 317-323 | 0.5 | 15 |
| 37 | Temperature measurements of the PEDOT-PSS layer in a polymer light-emitting diode by stokes and anti-stokes Raman scattering. <i>Chemical Physics Letters</i> , 2008 , 453, 238-241 | 2.5 | 14 |
| 36 | Synthesis and Properties of a Kinetically Stabilized 9-Silaphenanthrene. <i>Organometallics</i> , 2007 , 26, 4048-4053 | 37 | |
| 35 | Raman spectra of Langmuir-Blodgett and Langmuir-Schaefer films of polydiacetylene prepared from 10,12-pentacosadiynoic acid. <i>Chemical Physics Letters</i> , 2007 , 444, 328-332 | 2.5 | 26 |
| 34 | Vibrational Spectroscopy of Conducting Polymers: Fundamentals and Applications 2007 , 2 | | |
| 33 | Relationship between Film Structure and Electric Performance of Organic Field-Effect Transistors Based on Perylene Tetracarboxylic Diimide Derivatives. <i>Molecular Crystals and Liquid Crystals</i> , 2007 , 471, 189-194 | 0.5 | 1 |
| 32 | High Performance n-Channel Organic Field-Effect Transistors Based on N,N'-Diethyl-3,4,9,10-Perylene Tetracarboxylic Diimide. <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 462, 37-43 | 0.5 | 5 |
| 31 | Synthesis and Characterization of Two Isomers of 14-Electron Germaaromatics: Kinetically Stabilized 9-Germaanthracene and 9-Germaphenanthrene. <i>Organometallics</i> , 2006 , 25, 3533-3536 | 3.8 | 26 |
| 30 | Voltage-Induced Infrared Spectra from the Organic Field-Effect Transistor Based on N,N'-bis(3-methylphenyl)-N,N'-diphenyl-1,1'-biphenyl-4,4'-diamine (TPD). <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 455, 353-359 | 0.5 | 2 |
| 29 | Organic Field-effect Transistor Based on a Thin Film of Polydiacetylene Prepared from 10,12-Pentacosadiynoic Acid. <i>Chemistry Letters</i> , 2006 , 35, 20-21 | 1.7 | 25 |
| 28 | Field-effect transistor configuration for the measurement of infrared Stark spectra. <i>Science and Technology of Advanced Materials</i> , 2006 , 7, 456-460 | 7.1 | 4 |
| 27 | DFT oligomer approach to vibrational spectra of poly(p-phenylenevinylene). <i>Vibrational Spectroscopy</i> , 2006 , 40, 149-154 | 2.1 | 22 |
| 26 | Conformational analysis of p-terphenyl by vibrational spectroscopy and density functional theory calculations. <i>Journal of Molecular Structure</i> , 2005 , 735-736, 11-19 | 3.4 | 26 |
| 25 | Crystalline/amorphous Raman markers of hole-transport material NPD in organic light-emitting diodes. <i>Chemical Physics Letters</i> , 2005 , 405, 330-333 | 2.5 | 19 |

| | | | |
|----|---|-----|-----|
| 24 | Raman spectral changes of PEDOT:PSS in polymer light-emitting diodes upon operation. <i>Chemical Physics Letters</i> , 2005 , 412, 395-398 | 2.5 | 95 |
| 23 | Very High Yield Growth of Vertically Aligned Single-Walled Carbon Nanotubes by Point-Arc Microwave Plasma CVD. <i>Chemical Vapor Deposition</i> , 2005 , 11, 127-130 | | 80 |
| 22 | Voltage-induced infrared spectra from polymer field-effect transistors. <i>Macromolecular Symposia</i> , 2004 , 205, 9-18 | 0.8 | 21 |
| 21 | Ultraviolet/Visible, Infrared and Raman Spectra 2003 , 149-172 | | |
| 20 | Infrared Absorption Induced by Field Effect from a Metal-Insulator-Semiconductor Diode Fabricated with Regioregular Poly(3-hexylthiophene). <i>Chemistry Letters</i> , 2003 , 32, 1168-1169 | 1.7 | 8 |
| 19 | Infrared absorption induced by field-effect doping from poly(3-alkylthiophene)s. <i>Synthetic Metals</i> , 2003 , 135-136, 341-342 | 3.6 | 6 |
| 18 | Raman Spectrum of Model Peptide (Ala-Gly)15 for Bombyx mori Silk Fibroin with Silk I Form and Theoretical Calculation According to Repeated .BETA.-Turn Type II Structural Model.. <i>Journal of Fiber Science and Technology</i> , 2002 , 58, 327-331 | 0 | |
| 17 | The 1320-nm excited FT-Raman spectra of lightly iodine-doped trans-polyacetylene. <i>Macromolecular Research</i> , 2002 , 10, 286-290 | 1.9 | 8 |
| 16 | Infrared spectroscopy of electroluminescent conjugated polymers. <i>Macromolecular Symposia</i> , 2002 , 184, 99-106 | 0.8 | 10 |
| 15 | Density Functional Theory Study on the Raman Spectra of Negative Polarons and Negative Bipolarons in Na-Doped Poly(p-phenylene). <i>Journal of Physical Chemistry A</i> , 2002 , 106, 3587-3592 | 2.8 | 17 |
| 14 | DO BIPOLARONS EXIST IN DOPED OR PHOTOIRRADIATED CONJUGATED POLYMERS? -AN ANALYSIS BASED ON STUDIES OF MODEL COMPOUNDS 1998 , 496-523 | | 3 |
| 13 | Spectroscopic Studies on the Radical-Cation Dimer of a Model Compound of Poly(p-phenylenevinylene). Similarities between the Dimer and the State of Positive Polarons in the Sulfuric-Acid-Treated Polymer. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 1726-1732 | 3.4 | 39 |
| 12 | Electronic Absorption and Vibrational Spectroscopies of Conjugated Conducting Polymers. <i>The Journal of Physical Chemistry</i> , 1996 , 100, 15644-15653 | | 281 |
| 11 | Electronic absorption and Raman studies of BF ₄ -doped polythiophene based on the spectra of the radical cation and dication of hexithiophene. <i>Chemical Physics Letters</i> , 1996 , 255, 431-436 | 2.5 | 83 |
| 10 | Spectroscopic studies of conducting polymers. <i>Macromolecular Symposia</i> , 1996 , 101, 95-102 | 0.8 | 9 |
| 9 | Reexamination of the assignments of electronic absorption bands of polarons and bipolarons in conducting polymers. <i>Synthetic Metals</i> , 1995 , 69, 629-632 | 3.6 | 52 |
| 8 | Raman Spectra of Heavily Sodium-Doped Trans-Polyacetylene and the Radical Anions of Diphenylpolyenes and Dithienylpolyenes. <i>Molecular Crystals and Liquid Crystals</i> , 1994 , 256, 721-726 | | 6 |
| 7 | Resonance Raman and Ultraviolet to Infrared Absorption Studies of Positive Polarons and Bipolarons in Sulfuric-Acid-Treated Poly(p-phenylenevinylene). <i>The Journal of Physical Chemistry</i> , 1994 , 98, 4635-4640 | | 84 |

- 6 Raman Studies of Doped Polythiophene and the Radical Cation and Dication of Quinquethiophene. *Molecular Crystals and Liquid Crystals*, **1994**, 256, 113-120 16
- 5 Raman studies of polarons and bipolarons in sodium-doped poly-p-phenylene. *Synthetic Metals*, **1993**, 55, 516-523 3.6 67
- 4 Raman studies of intact and sodium doped ¹³C-substituted poly-p-phenylene. *Journal of Raman Spectroscopy*, **1993**, 24, 551-554 2.3 18
- 3 Resonance Raman characterization of polarons and bipolarons in sodium-doped poly(p-phenylenevinylene). *The Journal of Physical Chemistry*, **1992**, 96, 3870-3874 56
- 2 Infrared and Raman studies of poly(p-phenylenevinylene) and its model compounds. *The Journal of Physical Chemistry*, **1992**, 96, 1490-1494 62
- 1 Raman and infrared studies on the molecular structures of poly(1,4-phenylenevinylene) and poly(2,5-thienylenevinylene). *The Journal of Physical Chemistry*, **1989**, 93, 5354-5356 29