

Jouni Pulliainen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7734946/publications.pdf>

Version: 2024-02-01

236
papers

7,529
citations

57719

44
h-index

60583

81
g-index

240
all docs

240
docs citations

240
times ranked

5860
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Evolution of snow and ice temperature, thickness and energy balance in Lake Orajärvi, northern Finland. <i>Tellus, Series A: Dynamic Meteorology and Oceanography</i> , 2022, 66, 21564. | 0.8 | 43 |
| 2 | The impact of meteorological conditions on snow and ice thickness in an Arctic lake. <i>Tellus, Series A: Dynamic Meteorology and Oceanography</i> , 2022, 68, 31590. | 0.8 | 5 |
| 3 | Validation of Soil Moisture Data Products From the NASA SMAP Mission. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2022, 15, 364-392. | 2.3 | 62 |
| 4 | Overview: Recent advances in the understanding of the northern Eurasian environments and of the urban air quality in China – a Pan-Eurasian Experiment (PEEX) programme perspective. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 4413-4469. | 1.9 | 9 |
| 5 | Attenuation of Radar Signal by a Boreal Forest Canopy in Winter. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2022, 19, 1-5. | 1.4 | 3 |
| 6 | Sentinel-1 based soil freeze/thaw estimation in boreal forest environments. <i>Remote Sensing of Environment</i> , 2021, 254, 112267. | 4.6 | 10 |
| 7 | Impact of dynamic snow density on GlobSnow snow water equivalent retrieval accuracy. <i>Cryosphere</i> , 2021, 15, 2969-2981. | 1.5 | 22 |
| 8 | GlobSnow v3.0 Northern Hemisphere snow water equivalent dataset. <i>Scientific Data</i> , 2021, 8, 163. | 2.4 | 58 |
| 9 | Inter-annual variation in lake ice composition in the European Arctic: observations based on high-resolution thermistor strings. <i>Earth System Science Data</i> , 2021, 13, 3967-3978. | 3.7 | 6 |
| 10 | Estimation of Hemispheric Snow Mass Evolution Based on Microwave Radiometry. , 2021, , . | | 0 |
| 11 | Development of Dynamic Snow Density Methodology for GlobSnow SWE Retrieval. , 2021, , . | | 0 |
| 12 | Solving Challenges of Assimilating Microwave Remote Sensing Signatures With a Physical Model to Estimate Snow Water Equivalent. <i>Water Resources Research</i> , 2021, 57, e2021WR030119. | 1.7 | 7 |
| 13 | Space-Based Observations for Understanding Changes in the Arctic-Boreal Zone. <i>Reviews of Geophysics</i> , 2020, 58, e2019RG000652. | 9.0 | 39 |
| 14 | SodSAR: A Tower-Based 10 GHz SAR System for Snow, Soil and Vegetation Studies. <i>Sensors</i> , 2020, 20, 6702. | 2.1 | 6 |
| 15 | Patterns and trends of Northern Hemisphere snow mass from 1980 to 2018. <i>Nature</i> , 2020, 581, 294-298. | 13.7 | 203 |
| 16 | Laboratory, field, mast-borne and airborne spectral reflectance measurements of boreal landscape during spring. <i>Earth System Science Data</i> , 2020, 12, 719-740. | 3.7 | 6 |
| 17 | Sustainable earth observations for the Arctic, the Antarctic and the high-altitude mountain cold regions. <i>International Journal of Digital Earth</i> , 2019, 12, 858-859. | 1.6 | 1 |
| 18 | The Influence of Thermal Properties and Canopy- Intercepted Snow on Passive Microwave Transmissivity of a Scots Pine. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2019, 57, 5424-5433. | 2.7 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Development of SWE Retrieval Methods in the ESA Snow CCI Project And Long Term Trends in Seasonal Snow Mass. , 2019, , . | | 0 |
| 20 | Spectral reflectance behavior of different boreal snow types. Journal of Glaciology, 2019, 65, 926-939. | 1.1 | 6 |
| 21 | A Modeling-Based Approach for Soil Frost Detection in the Northern Boreal Forest Region With C-Band SAR. IEEE Transactions on Geoscience and Remote Sensing, 2019, 57, 1069-1083. | 2.7 | 14 |
| 22 | Reflectance variation in boreal landscape during the snow melting period using airborne imaging spectroscopy. International Journal of Applied Earth Observation and Geoinformation, 2019, 76, 66-76. | 1.4 | 5 |
| 23 | Validation of the SMAP freeze/thaw product using categorical triple collocation. Remote Sensing of Environment, 2018, 205, 329-337. | 4.6 | 27 |
| 24 | Determination of uncertainty characteristics for the satellite data-based estimation of fractional snow cover. Remote Sensing of Environment, 2018, 212, 103-113. | 4.6 | 7 |
| 25 | Season -Length Observations of Active and Passive Microwave Signatures of Snow Cover in a Boreal Forest Environment. , 2018, , . | | 2 |
| 26 | The Pan-European Yearly Snow Melt-Off Day Derived from Optical and Microwave Radiometer Data. , 2018, , . | | 0 |
| 27 | Soil Permittivity and Soil Frost Retrievals Using a Synergistic Method for Active and Passive Microwave Instruments. , 2018, , . | | 0 |
| 28 | Spatially Distributed Evaluation of ESA CCI Soil Moisture Products in a Northern Boreal Forest Environment. Geosciences (Switzerland), 2018, 8, 51. | 1.0 | 16 |
| 29 | Smos Retrievals of Soil Freezing and Thawing and its Applications. , 2018, , . | | 2 |
| 30 | Assessment of Seasonal snow Cover Mass in Northern Hemisphere During the Satellite-ERA. , 2018, , . | | 1 |
| 31 | Observations for Reanalyses. Bulletin of the American Meteorological Society, 2018, 99, 1851-1866. | 1.7 | 35 |
| 32 | Retrieval of Effective Correlation Length and Snow Water Equivalent from Radar and Passive Microwave Measurements. Remote Sensing, 2018, 10, 170. | 1.8 | 42 |
| 33 | The accuracy of snow melt-off day derived from optical and microwave radiometer data â€” A study for Europe. Remote Sensing of Environment, 2018, 211, 1-12. | 4.6 | 22 |
| 34 | Validation of SMAP surface soil moisture products with core validation sites. Remote Sensing of Environment, 2017, 191, 215-231. | 4.6 | 503 |
| 35 | Early snowmelt significantly enhances boreal springtime carbon uptake. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 11081-11086. | 3.3 | 84 |
| 36 | Coupling SNOWPACK-modeled grain size parameters with the HUT snow emission model. Remote Sensing of Environment, 2017, 194, 33-47. | 4.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | New Snow Water Equivalent Processing System With Improved Resolution Over Europe and its Applications in Hydrology. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2017, 10, 428-436. | 2.3 | 17 |
| 38 | Long term changes in Northern hemisphere snow cover from SWE timeseries constrained with SE data. , 2017, , . | | 0 |
| 39 | Nordic Snow Radar Experiment. Geoscientific Instrumentation, Methods and Data Systems, 2016, 5, 403-415. | 0.6 | 37 |
| 40 | Sodankylä manual snow survey program. Geoscientific Instrumentation, Methods and Data Systems, 2016, 5, 163-179. | 0.6 | 36 |
| 41 | Spatial and temporal variation of bulk snow properties in northern boreal and tundra environments based on extensive field measurements. Geoscientific Instrumentation, Methods and Data Systems, 2016, 5, 347-363. | 0.6 | 9 |
| 42 | The Sodankylä in situ soil moisture observation network: an example application of ESA ACCI soil moisture product evaluation. Geoscientific Instrumentation, Methods and Data Systems, 2016, 5, 95-108. | 0.6 | 28 |
| 43 | Evaluating Biosphere Model Estimates of the Start of the Vegetation Active Season in Boreal Forests by Satellite Observations. Remote Sensing, 2016, 8, 580. | 1.8 | 17 |
| 44 | Active Microwave Scattering Signature of Snowpack – Continuous Multiyear SnowScat Observation Experiments. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9, 3849-3869. | 2.3 | 8 |
| 45 | Assessing global satellite-based snow water equivalent datasets in ESA SnowPEX project. , 2016, , . | | 2 |
| 46 | Hydrological applications of super resolution SWE processing system over Europe. , 2016, , . | | 0 |
| 47 | Where do the treeless tundra areas of northern highlands fit in the global biome system: toward an ecologically natural subdivision of the tundra biome. Ecology and Evolution, 2016, 6, 143-158. | 0.8 | 69 |
| 48 | SMOS prototype algorithm for detecting autumn soil freezing. Remote Sensing of Environment, 2016, 180, 346-360. | 4.6 | 109 |
| 49 | Implications of boreal forest stand characteristics for X-band SAR flood mapping accuracy. Remote Sensing of Environment, 2016, 186, 47-63. | 4.6 | 28 |
| 50 | Retrieval of snow parameters from L-band observations - application for SMOS and SMAP. , 2016, , . | | 4 |
| 51 | Differences Between the HUT Snow Emission Model and MEMLS and Their Effects on Brightness Temperature Simulation. IEEE Transactions on Geoscience and Remote Sensing, 2016, 54, 2001-2019. | 2.7 | 28 |
| 52 | Snow density and ground permittivity retrieved from L-band radiometry: Application to experimental data. Remote Sensing of Environment, 2016, 180, 377-391. | 4.6 | 60 |
| 53 | Comparison of traditional and optical grain-size field measurements with SNOWPACK simulations in a taiga snowpack. Journal of Glaciology, 2015, 61, 151-162. | 1.1 | 33 |
| 54 | Potential of L-band passive microwave radiometry for snow parameter retrieval. , 2015, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | User requirements for the snow and land ice services – CryoLand. Cryosphere, 2015, 9, 1191-1202. | 1.5 | 14 |
| 56 | The Effect of Boreal Forest Canopy in Satellite Snow Mapping – A Multisensor Analysis. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 6593-6607. | 2.7 | 30 |
| 57 | Evaluation of snow products over the Tibetan Plateau. Hydrological Processes, 2015, 29, 3247-3260. | 1.1 | 84 |
| 58 | Effects of Meteorological and Ancillary Data, Temporal Averaging, and Evaluation Methods on Model Performance and Uncertainty in a Land Surface Model. Journal of Hydrometeorology, 2015, 16, 2559-2576. | 0.7 | 22 |
| 59 | Snow Density and Ground Permittivity Retrieved from L-Band Radiometry: A Synthetic Analysis. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2015, 8, 3833-3845. | 2.3 | 59 |
| 60 | Introduction to GlobSnow Snow Extent products with considerations for accuracy assessment. Remote Sensing of Environment, 2015, 156, 96-108. | 4.6 | 85 |
| 61 | Simulating seasonally and spatially varying snow cover brightness temperature using HUT snow emission model and retrieval of a microwave effective grain size. Remote Sensing of Environment, 2015, 156, 71-95. | 4.6 | 37 |
| 62 | Snow stratigraphic heterogeneity within ground-based passive microwave radiometer footprints: Implications for emission modeling. Journal of Geophysical Research F: Earth Surface, 2014, 119, 550-565. | 1.0 | 24 |
| 63 | Performance inter-comparison of soil moisture retrieval models for the MetOp-A ASCAT instrument. , 2014, , . | | 11 |
| 64 | Semi-empirical modeling of the scene reflectance of snow-covered boreal forest: Validation with airborne spectrometer and LIDAR observations. Remote Sensing of Environment, 2014, 155, 303-311. | 4.6 | 16 |
| 65 | Physical properties of Arctic versus subarctic snow: Implications for high latitude passive microwave snow water equivalent retrievals. Journal of Geophysical Research D: Atmospheres, 2014, 119, 7254-7270. | 1.2 | 39 |
| 66 | Monitoring snow parameters in boreal forest using multi-frequency SAR data. , 2014, , . | | 1 |
| 67 | Spring-time fractional snow cover mapping in Northern Hemisphere with NPP Suomi/VIIRS within ESA DUE GlobSnow-2 project. , 2014, , . | | 1 |
| 68 | Comparison of SSMIS, AMSR-E and MWRI brightness temperature data. , 2014, , . | | 1 |
| 69 | Evaluation of North Eurasian snow-off dates in the ECHAM5.4 atmospheric general circulation model. Geoscientific Model Development, 2014, 7, 3037-3057. | 1.3 | 5 |
| 70 | Detection of soil freezing from L-band passive microwave observations. Remote Sensing of Environment, 2014, 147, 206-218. | 4.6 | 120 |
| 71 | MODIS time-series-derived indicators for the beginning of the growing season in boreal coniferous forest – A comparison with CO2 flux measurements and phenological observations in Finland. Remote Sensing of Environment, 2014, 140, 625-638. | 4.6 | 36 |
| 72 | Model for microwave emission of a snow-covered ground with focus on L band. Remote Sensing of Environment, 2014, 154, 180-191. | 4.6 | 62 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Observation and Modeling of the Microwave Brightness Temperature of Snow-Covered Frozen Lakes and Wetlands. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 3275-3288. | 2.7 | 14 |
| 74 | The effect of boreal forest canopy to reflectance of snow covered terrain based on airborne imaging spectrometer observations. International Journal of Applied Earth Observation and Geoinformation, 2014, 27, 31-41. | 1.4 | 8 |
| 75 | MODIS-derived snow-free ground reflectance statistics of selected Eurasian non-forested land cover types for the application of estimating fractional snow cover. Remote Sensing of Environment, 2013, 138, 51-64. | 4.6 | 5 |
| 76 | Effect of reindeer grazing on snowmelt, albedo and energy balance based on satellite data analyses. Remote Sensing of Environment, 2013, 135, 107-117. | 4.6 | 52 |
| 77 | COREH2O: High-resolution X/Ku-band radar imaging of cold land processes. , 2013, , . | | 2 |
| 78 | Electromagnetic simulation and validation of backscattering from boreal forest in the C-Ku frequency range. , 2013, , . | | 0 |
| 79 | L-Band Radiometer Observations of Soil Processes in Boreal and Subarctic Environments. IEEE Transactions on Geoscience and Remote Sensing, 2012, 50, 1483-1497. | 2.7 | 106 |
| 80 | Algorithm for retrieval of snow mass from Ku- and X-band radar backscatter measurements. , 2012, , . | | 3 |
| 81 | CoReH<inf>2</inf>O, a dual frequency radar mission for snow and ice observations. , 2012, , . | | 7 |
| 82 | Evaluation of passive microwave brightness temperature simulations and snow water equivalent retrievals through a winter season. Remote Sensing of Environment, 2012, 117, 236-248. | 4.6 | 65 |
| 83 | An optical reflectance model-based method for fractional snow cover mapping applicable to continental scale. Remote Sensing of Environment, 2012, 123, 508-521. | 4.6 | 69 |
| 84 | The behaviour of mast-borne spectra in a snow-covered boreal forest. Remote Sensing of Environment, 2012, 124, 551-563. | 4.6 | 16 |
| 85 | Hemispheric snow water equivalent: The need for a synergistic approach. Eos, 2012, 93, 305-305. | 0.1 | 4 |
| 86 | Estimating northern hemisphere snow water equivalent for climate research through assimilation of space-borne radiometer data and ground-based measurements. Remote Sensing of Environment, 2011, 115, 3517-3529. | 4.6 | 481 |
| 87 | Correcting for the influence of frozen lakes in satellite microwave radiometer observations through application of a microwave emission model. Remote Sensing of Environment, 2011, 115, 3695-3706. | 4.6 | 20 |
| 88 | Investigating hemispherical trends in snow accumulation using GlobSnow snow water equivalent data. , 2011, , . | | 7 |
| 89 | Effects of snowpack parameters and layering processes at X- and Ku-band backscatter. , 2011, , . | | 0 |
| 90 | SNOWCARBO: Monitoring and assessment of carbon balance related phenomena in Finland and northern Eurasia. , 2011, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 91 | Analysis of active and passive microwave observations from the NoSREx campaign. , 2011, , . | | 5 |
| 92 | Implementing hemispherical snow water equivalent product assimilating weather station observations and spaceborne microwave data. , 2011, , . | | 2 |
| 93 | CoReH<inf>2</inf>0, a dual frequency radar satellite for COLD REgions Hydrology. , 2011, , . | | 0 |
| 94 | CryoLand - GMES Service Snow and Land Ice - Interoperability, Service Integration and User Access. IFIP Advances in Information and Communication Technology, 2011, , 341-348. | 0.5 | 2 |
| 95 | Multiple-Layer Adaptation of HUT Snow Emission Model: Comparison With Experimental Data. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 2781-2794. | 2.7 | 97 |
| 96 | Correction to "Multiple-Layer Adaptation of HUT Snow Emission Model: Comparison With Experimental Data" [Jul 10 2781-2794. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 3055-3055. | 2.7 | 4 |
| 97 | Cold Regions Hydrology High-Resolution Observatory for Snow and Cold Land Processes. Proceedings of the IEEE, 2010, 98, 752-765. | 16.4 | 148 |
| 98 | Observed and modelled effects of ice lens formation on passive microwave brightness temperatures over snow covered tundra. Remote Sensing of Environment, 2010, 114, 116-126. | 4.6 | 74 |
| 99 | A new global Snow Extent product based on ATSR-2 and AATSR. , 2010, , . | | 1 |
| 100 | Observing seasonal snow changes in the boreal forest area using active and passive microwave measurements. , 2010, , . | | 3 |
| 101 | Modeling attenuation of melting hydrometeors with a method based on volume integral equations. , 2010, , . | | 0 |
| 102 | Combined hemispherical scale SWE and snow clearance monitoring. , 2010, , . | | 0 |
| 103 | L-band measurements of boreal soil. , 2010, , . | | 3 |
| 104 | Improving hydrological forecasting using multi-source remote sensing data together with in situ measurements. , 2010, , . | | 0 |
| 105 | New approach for the global mapping of fractional snow coverage in boreal forest and tundra belt applicable to various sensors. , 2010, , . | | 2 |
| 106 | Monitoring of Snow-Cover Properties During the Spring Melting Period in Forested Areas. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 50-58. | 2.7 | 28 |
| 107 | Simulation of Spaceborne Microwave Radiometer Measurements of Snow Cover Using <i>In Situ</i> Data and Brightness Temperature Modeling. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 1031-1044. | 2.7 | 46 |
| 108 | CoReH<inf>2</inf>O - Cold Regions Hydrology High-resolution Observatory. , 2009, , . | | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Evaluation of the single reference image snow-covered area estimation method for the boreal forest zone. , 2009, , . | | 3 |
| 110 | Merging flat/forest and mountainous snow products for extended European area. , 2009, , . | | 3 |
| 111 | Experimental validation activities of HUT snow emission model. , 2009, , . | | 0 |
| 112 | Enhanced SAR-Based Snow-Covered Area Estimation Method for Boreal Forest Zone. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 922-935. | 2.7 | 19 |
| 113 | A Comparison of Airborne Microwave Brightness Temperatures and Snowpack Properties Across the Boreal Forests of Finland and Western Canada. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 965-978. | 2.7 | 38 |
| 114 | Detection of Snowmelt Using Spaceborne Microwave Radiometer Data in Eurasia From 1979 to 2007. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 2996-3007. | 2.7 | 78 |
| 115 | Comparison of SAR-Based Snow-Covered Area Estimation Methods for the Boreal Forest Zone. IEEE Geoscience and Remote Sensing Letters, 2009, 6, 403-407. | 1.4 | 8 |
| 116 | The behaviour of snow and snow-free surface reflectance in boreal forests: Implications to the performance of snow covered area monitoring. Remote Sensing of Environment, 2009, 113, 907-918. | 4.6 | 42 |
| 117 | Using Multilook Averaging for Coherently Modeled Scattering From a Pine Tree at L-Band. IEEE Geoscience and Remote Sensing Letters, 2009, 6, 162-166. | 1.4 | 1 |
| 118 | Monitoring of snow cover properties during the spring melting period in forested areas. , 2009, , . | | 1 |
| 119 | Landsat ETM+ Images in the Estimation of Seasonal Lake Water Quality in Boreal River Basins. Environmental Management, 2008, 42, 511-522. | 1.2 | 72 |
| 120 | Detection of snow melt using different algorithms in global scale. , 2008, , . | | 2 |
| 121 | Detecting the onset of snowâ€melt using SSM/I data and the selfâ€organizing map. International Journal of Remote Sensing, 2008, 29, 755-766. | 1.3 | 14 |
| 122 | Analysis of Turbid Water Quality Using Airborne Spectrometer Data with a Numerical Weather Prediction Model-aided Atmospheric Correction. Photogrammetric Engineering and Remote Sensing, 2008, 74, 363-374. | 0.3 | 6 |
| 123 | Segment-based stem volume retrieval in boreal forests using multitemporal ERS-1/2 InSAR data. Canadian Journal of Remote Sensing, 2008, 34, 46-55. | 1.1 | 4 |
| 124 | Assimilating spaceborne radar and ground-based weather station data for operational snow-covered area estimation. , 2007, , . | | 2 |
| 125 | Estimating the snow melt onset using AMSR-E data in Eurasia. , 2007, , . | | 3 |
| 126 | Operational snow monitoring using satellite observations. , 2007, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Operational snow map production for whole eurasia using microwave radiometer and ground-based observations. , 2007, , . | | 1 |
| 128 | Reflectance spectroradiometer measurement system in 30 meter mast for validating satellite images. , 2007, , . | | 5 |
| 129 | CoRe-H<inf>2</inf>O - A dual frequency SAR mission for hydrology and climate research. , 2007, , . | | 4 |
| 130 | Validation of microwave emission models by simulating AMSR-E brightness temperature data from ground-based observations. , 2007, , . | | 1 |
| 131 | A case study of airborne and satellite remote sensing of a spring bloom event in the Gulf of Finland. Continental Shelf Research, 2007, 27, 228-244. | 0.9 | 84 |
| 132 | A filtering approach for estimating lake water quality from remote sensing data. International Journal of Applied Earth Observation and Geoinformation, 2007, 9, 50-64. | 1.4 | 25 |
| 133 | Snow-Covered Area Estimation Using Satellite Radar Wide-Swath Images. IEEE Transactions on Geoscience and Remote Sensing, 2007, 45, 978-989. | 2.7 | 41 |
| 134 | Modeling Snow Volume Backscatter Combining the Radiative Transfer Theory and the Discrete Dipole Approximation. , 2006, , . | | 3 |
| 135 | A Comparison of Airborne Passive Microwave Brightness Temperatures and Snowpack Properties across the Boreal Forests of Finland and Western Canada. , 2006, , . | | 1 |
| 136 | OBSERVATIONS OF L-AND C-BAND BACKSCATTER AND A SEMI-EMPIRICAL BACKSCATTERING MODEL APPROACH FROM A FOREST-SNOW-GROUND SYSTEM. Progress in Electromagnetics Research, 2006, 56, 263-281. | 1.6 | 16 |
| 137 | Mapping of snow water equivalent and snow depth in boreal and sub-arctic zones by assimilating space-borne microwave radiometer data and ground-based observations. Remote Sensing of Environment, 2006, 101, 257-269. | 4.6 | 300 |
| 138 | Accuracy assessment of SAR data-based snow-covered area estimation method. IEEE Transactions on Geoscience and Remote Sensing, 2006, 44, 277-287. | 2.7 | 28 |
| 139 | Development of Techniques to Retrieve Snow Covered Area (SCA) in Boreal Forests from Space-borne Microwave Observations. , 2006, , . | | 1 |
| 140 | Mapping of Snow Water Equivalent and Snow Coverage from Combined EO and in situ Data for Climatic Studies and Hydrological Forecasting Models. , 2006, , . | | 1 |
| 141 | Investigating of snow wetness parameter using a two-phase backscattering model. IEEE Transactions on Geoscience and Remote Sensing, 2005, 43, 1827-1833. | 2.7 | 16 |
| 142 | The combined use of optical remote sensing data and unattended flowâ€through fluorometer measurements in the Baltic Sea. International Journal of Remote Sensing, 2005, 26, 261-282. | 1.3 | 19 |
| 143 | Boreal Forest Coherence-Based Measures of Interferometric Pair Suitability for Operational Stem Volume Retrieval. IEEE Geoscience and Remote Sensing Letters, 2004, 1, 228-231. | 1.4 | 14 |
| 144 | Artificial neural network-based techniques for the retrieval of SWE and snow depth from SSM/I data. Remote Sensing of Environment, 2004, 90, 76-85. | 4.6 | 161 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Water Quality Classification of Lakes Using 250-m MODIS Data. IEEE Geoscience and Remote Sensing Letters, 2004, 1, 287-291. | 1.4 | 24 |
| 146 | Regional water quality mapping through the assimilation of spaceborne remote sensing data to ship-based transect observations. Journal of Geophysical Research, 2004, 109, . | 3.3 | 11 |
| 147 | Feasibility of multi-temporal interferometric SAR data for stand-level estimation of boreal forest stem volume. Remote Sensing of Environment, 2003, 85, 397-409. | 4.6 | 71 |
| 148 | Water quality retrievals from combined landsat TM data and ERS-2 SAR data in the Gulf of Finland. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 622-629. | 2.7 | 95 |
| 149 | Two-year global simulation of L-band brightness temperatures over land. IEEE Transactions on Geoscience and Remote Sensing, 2003, 41, 2135-2139. | 2.7 | 108 |
| 150 | Application of empirical neural networks to chlorophyll-a estimation in coastal waters using remote optosensors. IEEE Sensors Journal, 2003, 3, 376-382. | 2.4 | 19 |
| 151 | Feasibility of airborne imaging spectrometry for lake monitoring—a case study of spatial chlorophyll a distribution in two meso-eutrophic lakes. International Journal of Remote Sensing, 2003, 24, 3771-3790. | 1.3 | 39 |
| 152 | <title>Application of neural networks to AVHRR chlorophyll-a and turbidity estimation</title>. , 2002, , . | | 0 |
| 153 | Applicability of Combined Microwave and Optical Data for Surface Water Quality Retrievals — Abstract. Journal of Electromagnetic Waves and Applications, 2002, 16, 249-251. | 1.0 | 8 |
| 154 | Water quality studies of combined optical, thermal infrared, and microwave remote sensing. Microwave and Optical Technology Letters, 2002, 34, 281-285. | 0.9 | 4 |
| 155 | Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data. Remote Sensing of Environment, 2002, 79, 51-59. | 4.6 | 214 |
| 156 | Application of an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data. Remote Sensing of Environment, 2002, 81, 327-336. | 4.6 | 168 |
| 157 | Improved linear interpolation method for the estimation of snow-covered area from optical data. Remote Sensing of Environment, 2002, 82, 64-78. | 4.6 | 59 |
| 158 | Active and passive microwave remote sensing of boreal forests. Acta Astronautica, 2002, 51, 707-713. | 1.7 | 6 |
| 159 | Title is missing!. Journal of Infrared, Millimeter and Terahertz Waves, 2002, 23, 1407-1412. | 0.6 | 2 |
| 160 | The seasonal behavior of interferometric coherence in boreal forest. IEEE Transactions on Geoscience and Remote Sensing, 2001, 39, 820-829. | 2.7 | 50 |
| 161 | Retrieval of water quality from airborne imaging spectrometry of various lake types in different seasons. Science of the Total Environment, 2001, 268, 59-77. | 3.9 | 176 |
| 162 | A semi-operative approach to lake water quality retrieval from remote sensing data. Science of the Total Environment, 2001, 268, 79-93. | 3.9 | 122 |

| # | ARTICLE | IF | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Analysis on the feasibility of multi-source remote sensing observations for chl-a monitoring in Finnish lakes. <i>Science of the Total Environment</i> , 2001, 268, 95-106. | 3.9 | 39 |
| 164 | Effective Permittivity of Wet Snow Using Strong Fluctuation Theory - Abstract. <i>Journal of Electromagnetic Waves and Applications</i> , 2001, 15, 53-55. | 1.0 | 11 |
| 165 | Microwave Emission Model for Wet Snow By Using Radiative Transfer and Strong Fluctuation Theory - Abstract *. <i>Journal of Electromagnetic Waves and Applications</i> , 2001, 15, 57-59. | 1.0 | 3 |
| 166 | Retrieval of Regional Snow Water Equivalent from Space-Borne Passive Microwave Observations. <i>Remote Sensing of Environment</i> , 2001, 75, 76-85. | 4.6 | 201 |
| 167 | Application of Strong Fluctuation Theory To Microwave Emission From Dry Snow - Abstract. <i>Journal of Electromagnetic Waves and Applications</i> , 2000, 14, 829-830. | 1.0 | 0 |
| 168 | Multitemporal behavior of L- and C-band SAR observations of boreal forests. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1999, 37, 927-937. | 2.7 | 122 |
| 169 | Retrieval of biomass in boreal forests from multitemporal ERS-1 and JERS-1 SAR images. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1999, 37, 198-205. | 2.7 | 126 |
| 170 | HUT snow emission model and its applicability to snow water equivalent retrieval. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1999, 37, 1378-1390. | 2.7 | 325 |
| 171 | Seasonal comparison of HUTSCAT ranging scatterometer and ERS-1 SAR microwave signatures of boreal forest zone. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1999, 37, 2068-2079. | 2.7 | 8 |
| 172 | Effective Permittivity of Dry Snow in the 18 To 90 GHz Range - Abstract. <i>Journal of Electromagnetic Waves and Applications</i> , 1999, 13, 1393-1394. | 1.0 | 3 |
| 173 | Subpixel Land Use Classification and Retrieval of Forest Stem Volume in the Boreal Forest Zone by Employing SSM/I Data. <i>Remote Sensing of Environment</i> , 1998, 63, 140-154. | 4.6 | 5 |
| 174 | Application of ERS-1 wind scatterometer data to soil frost and soil moisture monitoring in boreal forest zone. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 1998, 36, 849-863. | 2.7 | 31 |
| 175 | Monitoring of boreal forests with multitemporal special sensor microwave imager data. <i>Radio Science</i> , 1998, 33, 731-744. | 0.8 | 18 |
| 176 | Monitoring of turbid coastal and inland waters by airborne imaging spectrometer AISA. , 1998, , . | | 1 |
| 177 | Correlation Functions and Correlation Lengths for Dry Snow. <i>Journal of Electromagnetic Waves and Applications</i> , 1998, 12, 1337-1347. | 1.0 | 6 |
| 178 | Correlation functions and correlation lengths for dry snow. , 1998, , . | | 0 |
| 179 | Estimation of snow water equivalent from SSM/I data by using a physical model-based inversion algorithm. , 1998, , . | | 2 |
| 180 | Extinction behaviour of dry snow at microwave range up to 90 GHz by using strong fluctuation theory. , 1998, , . | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Radar-derived standwise forest inventory. IEEE Transactions on Geoscience and Remote Sensing, 1997, 35, 392-404. | 2.7 | 26 |
| 182 | The use of ERS-1 SAR data in snow melt monitoring. IEEE Transactions on Geoscience and Remote Sensing, 1997, 35, 601-610. | 2.7 | 118 |
| 183 | Retrieval of surface temperature in boreal forest zone from SSM/I data. IEEE Transactions on Geoscience and Remote Sensing, 1997, 35, 1188-1200. | 2.7 | 42 |
| 184 | Seasonal dynamics of C-band backscatter of boreal forests with applications to biomass and soil moisture estimation. IEEE Transactions on Geoscience and Remote Sensing, 1996, 34, 758-770. | 2.7 | 92 |
| 185 | Radar-based forest biomass estimation. International Journal of Remote Sensing, 1994, 15, 2797-2808. | 1.3 | 86 |
| 186 | Backscattering properties of boreal forests at the C- and X-bands. IEEE Transactions on Geoscience and Remote Sensing, 1994, 32, 1041-1050. | 2.7 | 117 |
| 187 | A helicopter-borne eight-channel ranging scatterometer for remote sensing. I. System description. IEEE Transactions on Geoscience and Remote Sensing, 1993, 31, 161-169. | 2.7 | 46 |
| 188 | Development of geophysical retrieval algorithms for the MIMR. IEEE Transactions on Geoscience and Remote Sensing, 1993, 31, 268-277. | 2.7 | 62 |
| 189 | Helicopter-borne measurements of radar backscatter from forests. International Journal of Remote Sensing, 1990, 11, 1179-1191. | 1.3 | 22 |
| 190 | Microwave Radiometer And Radar Measurements In The SAAMEX Campaign. , 0, , . | | 2 |
| 191 | Feasibility of satellite Ku-band scatterometer data for retrieval of seasonal snow characteristics in Finland. , 0, , . | | 0 |
| 192 | Simulation Software For A Satellite-borne Radiometer System. , 0, , . | | 1 |
| 193 | Development Of Geophysical Algorithms For A Spaceborne Microwave Radiometer System. , 0, , . | | 1 |
| 194 | Laboratory and Tower-Based Microwave Measurements of Spruce Defoliation. , 0, , . | | 1 |
| 195 | Accuracy of forest inventory based on radar-derived stand profile. , 0, , . | | 0 |
| 196 | Estimation of forest biomass and soil moisture in boreal forests employing ERS-1 SAR data. , 0, , . | | 1 |
| 197 | SSM/I-based surface temperature retrieval methods for boreal forest zone. , 0, , . | | 1 |
| 198 | Retrieval of forest parameters from multitemporal spaceborne SAR data. , 0, , . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|
| 199 | Land applications of ERS-1 Wind Scatterometer in boreal forest zone. , 0, , . | | 8 |
| 200 | The HUT brightness temperature model for snow-covered terrain. , 0, , . | | 1 |
| 201 | Comparison of ranging scatterometer and ERS-1 SAR microwave signatures over boreal forest zone during winter season. , 0, , . | | 1 |
| 202 | Effect of temporally varying parameters on L- and C-band SAR observations of boreal forests. , 0, , . | | 3 |
| 203 | Radar backscatter from boreal forest in winter. , 0, , . | | 2 |
| 204 | Theoretical and experimental studies of dry snow effective permittivity in the 18 to 90 GHz range. , 0, , . | | 0 |
| 205 | An application of strong fluctuation theory on wet snow modeling. , 0, , . | | 1 |
| 206 | Effective permittivity of wet snow by using two-phase strong fluctuation theory with non-symmetrical inclusions. , 0, , . | | 2 |
| 207 | Estimation of areal snow water equivalent from space-borne microwave observations. , 0, , . | | 0 |
| 208 | Transmissivity of boreal forest canopies for microwave radiometry of snow. , 0, , . | | 5 |
| 209 | Lake water quality classification with airborne multichannel spectrometer. , 0, , . | | 0 |
| 210 | A semi empirical backscattering model of forest canopy covered by snow using SAR data. , 0, , . | | 1 |
| 211 | Estimation of snow covered area by applying apparent regional transmissivity. , 0, , . | | 2 |
| 212 | Compensation of forest canopy effects in the estimation of snow covered area from SAR data. , 0, , . | | 19 |
| 213 | SSM/I response to dry snow and land-cover categories. , 0, , . | | 1 |
| 214 | Use of MODIS data for monitoring turbidity in Finnish lakes. , 0, , . | | 0 |
| 215 | Assimilation of space-borne microwave radiometer and discrete ground-based data in snow depth mapping: a case study for northern Eurasia. , 0, , . | | 2 |
| 216 | Assimilation of SAR data to operational hydrological runoff and snow melt forecasting model. , 0, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|
| 217 | Estimation of boreal forest biomass from multi-temporal INSAR data by inverting an empirical backscattering-coherence model. , 0, , . | | 0 |
| 218 | Detection of sea surface temperature (SST) using AVHRR data in the Gulf of Finland. , 0, , . | | 1 |
| 219 | Investigating relationship between correlation lengths and physical properties of wet snow. , 0, , . | | 0 |
| 220 | The use of airborne optical spectrometer data in snow cover monitoring. , 0, , . | | 1 |
| 221 | Combined active and passive microwave remote sensing of snow in Finland. , 0, , . | | 8 |
| 222 | Classification and retrieval of dry snow parameters by means of SMM/I data and artificial neural networks. , 0, , . | | 1 |
| 223 | Combined land-cover classification and stem volume estimation using multitemporal ERS tandem INSAR data. , 0, , . | | 2 |
| 224 | Estimation of the beginning of snow melt period using SSM/I data. , 0, , . | | 4 |
| 225 | Electromagnetic scattering from ocean surface using single integral equation and adaptive integral method. , 0, , . | | 0 |
| 226 | Detection of oil pollution on sea ice with airborne and spaceborne spectrometer. , 0, , . | | 2 |
| 227 | Investigation of the effect of variable viewing angle with airborne multiangular measurements. , 0, , . | | 0 |
| 228 | Retrieval of snow characteristics from spaceborne scatterometer data. , 0, , . | | 2 |
| 229 | Monitoring of soil moisture and vegetation water content variations in boreal forest from C-band SAR data. , 0, , . | | 5 |
| 230 | Estimation of snow pack characteristics and snow covered area in Boreal forests from ERS-2 SAR and envisat ASAR data. , 0, , . | | 1 |
| 231 | Spectrometer-derived variability for snow covered forest reflectances in the melting period. , 0, , . | | 0 |
| 232 | Estimation of snow water equivalent and snow depth in boreal forests by assimilating AMSR-E observations with in situ observations. , 0, , . | | 2 |
| 233 | From EO data to snow covered area (SCA) end products using automated processing system. , 0, , . | | 6 |
| 234 | Snow covered area estimation using satellite radar wide swath images. , 0, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------|----|-----------|
| 235 | Spatial Microwave Brightness Temperature Variations of Boreal Forests under Dry Snow Cover Conditions. , 0, , . | | 0 |
| 236 | Effects of temperature and moisture of snow and soil on SSM/I response to snow. , 0, , . | | 2 |