

Alexander Buell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7736885/alexander-buell-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	4,273 citations	35 h-index	64 g-index
111 ext. papers	5,175 ext. citations	7.7 avg, IF	5.65 L-index

#	Paper	IF	Citations
89	A Protein Corona Modulates Interactions of β Synuclein with Nanoparticles and Alters the Rates of the Microscopic Steps of Amyloid Formation.. <i>ACS Nano</i> , 2022 ,	16.7	3
88	Glycation modulates alpha-synuclein fibrillization kinetics: a sweet spot for inhibition.. <i>Journal of Biological Chemistry</i> , 2022 , 101848	5.4	0
87	Capillary flow experiments for thermodynamic and kinetic characterization of protein liquid-liquid phase separation.. <i>Nature Communications</i> , 2021 , 12, 7289	17.4	5
86	Thermodynamics of amyloid fibril formation from non-equilibrium experiments of growth and dissociation. <i>Biophysical Chemistry</i> , 2021 , 271, 106549	3.5	10
85	Reproducibility and accuracy of microscale thermophoresis in the NanoTemper Monolith: a multi laboratory benchmark study. <i>European Biophysics Journal</i> , 2021 , 50, 411-427	1.9	5
84	Secondary Nucleation and the Conservation of Structural Characteristics of Amyloid Fibril Strains. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 669994	5.6	5
83	Compact fibril-like structure of amyloid β peptide (1-42) monomers. <i>Chemical Communications</i> , 2021 , 57, 947-950	5.8	4
82	β Turn exchanges in the β Synuclein segment 44-TKEG-47 reveal high sequence fidelity requirements of amyloid fibril elongation. <i>Biophysical Chemistry</i> , 2021 , 269, 106519	3.5	6
81	Sequencing of Antibody Light Chain Proteoforms from Patients with Multiple Myeloma. <i>Analytical Chemistry</i> , 2021 , 93, 10627-10634	7.8	2
80	Hydroxy-Porphyrin as an Effective, Endogenous Molecular Clamp during Early Stages of Amyloid Fibrillization. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 3931-3936	4.5	0
79	Microfluidics and the quantification of biomolecular interactions. <i>Current Opinion in Structural Biology</i> , 2021 , 70, 8-15	8.1	6
78	The hydrophobic effect characterises the thermodynamic signature of amyloid fibril growth. <i>PLoS Computational Biology</i> , 2020 , 16, e1007767	5	14
77	The Aggregation Conditions Define Whether EGCG is an Inhibitor or Enhancer of β -Synuclein Amyloid Fibril Formation. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
76	The Properties of β Synuclein Secondary Nuclei Are Dominated by the Solution Conditions Rather than the Seed Fibril Strain. <i>ACS Chemical Neuroscience</i> , 2020 , 11, 909-918	5.7	18
75	Biochemical and biophysical characterisation of immunoglobulin free light chains derived from an initially unbiased population of patients with light chain disease. <i>PeerJ</i> , 2020 , 8, e8771	3.1	2
74	Biowissenschaftliche Anwendungen der Quatzkristall-Mikrowaage. <i>BioSpektrum</i> , 2020 , 26, 490-492	0.1	
73	The hydrophobic effect characterises the thermodynamic signature of amyloid fibril growth 2020 , 16, e1007767		

72	The hydrophobic effect characterises the thermodynamic signature of amyloid fibril growth 2020 , 16, e1007767		
71	The hydrophobic effect characterises the thermodynamic signature of amyloid fibril growth 2020 , 16, e1007767		
70	The hydrophobic effect characterises the thermodynamic signature of amyloid fibril growth 2020 , 16, e1007767		
69	βSynuclein-derived lipoparticles in the study of βSynuclein amyloid fibril formation. <i>Chemistry and Physics of Lipids</i> , 2019 , 220, 57-65	3.7	7
68	Atomic structure of PI3-kinase SH3 amyloid fibrils by cryo-electron microscopy. <i>Nature Communications</i> , 2019 , 10, 3754	17.4	17
67	An engineered monomer binding-protein for βSynuclein efficiently inhibits the proliferation of amyloid fibrils. <i>ELife</i> , 2019 , 8,	8.9	37
66	The Kinetics, Thermodynamics and Mechanisms of Short Aromatic Peptide Self-Assembly. <i>Advances in Experimental Medicine and Biology</i> , 2019 , 1174, 61-112	3.6	5
65	The growth of amyloid fibrils: rates and mechanisms. <i>Biochemical Journal</i> , 2019 , 476, 2677-2703	3.8	36
64	Lipid Dynamics and Phase Transition within βSynuclein Amyloid Fibrils. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 7872-7877	6.4	19
63	The Environment Is a Key Factor in Determining the Anti-Amyloid Efficacy of EGCG. <i>Biomolecules</i> , 2019 , 9,	5.9	20
62	Thermodynamics of amyloid fibril formation from chemical depolymerization. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 26184-26194	3.6	12
61	Microfluidic Diffusion Platform for Characterizing the Sizes of Lipid Vesicles and the Thermodynamics of Protein-Lipid Interactions. <i>Analytical Chemistry</i> , 2018 , 90, 3284-3290	7.8	16
60	Structural insights from lipid-bilayer nanodiscs link βSynuclein membrane-binding modes to amyloid fibril formation. <i>Communications Biology</i> , 2018 , 1, 44	6.7	52
59	Distinct thermodynamic signatures of oligomer generation in the aggregation of the amyloid-β peptide. <i>Nature Chemistry</i> , 2018 , 10, 523-531	17.6	89
58	Role of Hydrophobicity and Charge of Amyloid-Beta Oligomer Eliminating d-Peptides in the Interaction with Amyloid-Beta Monomers. <i>ACS Chemical Neuroscience</i> , 2018 , 9, 2679-2688	5.7	8
57	C-terminal truncation of βSynuclein promotes amyloid fibril amplification at physiological pH. <i>Chemical Science</i> , 2018 , 9, 5506-5516	9.4	34
56	Kinetic barriers to βSynuclein protofilament formation and conversion into mature fibrils. <i>Chemical Communications</i> , 2018 , 54, 7854-7857	5.8	14
55	The Nucleation of Protein Aggregates - From Crystals to Amyloid Fibrils. <i>International Review of Cell and Molecular Biology</i> , 2017 , 329, 187-226	6	32

54	Acceleration of β -synuclein aggregation. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017 , 24, 20-21	2.7	3
53	Secondary nucleation of monomers on fibril surface dominates β -synuclein aggregation and provides autocatalytic amyloid amplification. <i>Quarterly Reviews of Biophysics</i> , 2017 , 50, e6	7	102
52	Pyroglutamate-modified A β (42) affects aggregation kinetics of A β (1-42) by accelerating primary and secondary pathways. <i>Chemical Science</i> , 2017 , 8, 4996-5004	9.4	23
51	Thermodynamics of Polypeptide Supramolecular Assembly in the Short-Chain Limit. <i>Journal of the American Chemical Society</i> , 2017 , 139, 16134-16142	16.4	24
50	Nanobodies raised against monomeric β -synuclein inhibit fibril formation and destabilize toxic oligomeric species. <i>BMC Biology</i> , 2017 , 15, 57	7.3	46
49	Scaling behaviour and rate-determining steps in filamentous self-assembly. <i>Chemical Science</i> , 2017 , 8, 7087-7097	9.4	43
48	Opposed Effects of Dityrosine Formation in Soluble and Aggregated β -synuclein on Fibril Growth. <i>Journal of Molecular Biology</i> , 2017 , 429, 3018-3030	6.5	21
47	Detection and Characterization of Small Molecule Interactions with Fibrillar Protein Aggregates Using Microscale Thermophoresis. <i>ACS Chemical Neuroscience</i> , 2017 , 8, 2088-2095	5.7	8
46	Mutations associated with familial Parkinson's disease alter the initiation and amplification steps of β -synuclein aggregation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 10328-33	11.5	159
45	Protein Aggregate-Ligand Binding Assays Based on Microfluidic Diffusional Separation. <i>ChemBioChem</i> , 2016 , 17, 1920-1924	3.8	10
44	Physical determinants of the self-replication of protein fibrils. <i>Nature Physics</i> , 2016 , 12, 874-880	16.2	73
43	β -synuclein suppresses both the initiation and amplification steps of β -synuclein aggregation via competitive binding to surfaces. <i>Scientific Reports</i> , 2016 , 6, 36010	4.9	45
42	Chemical properties of lipids strongly affect the kinetics of the membrane-induced aggregation of β -synuclein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 7065-70	11.5	164
41	Nanosopic insights into seeding mechanisms and toxicity of β -synuclein species in neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 3815-9	11.5	57
40	Synthesis of Nonequilibrium Supramolecular Peptide Polymers on a Microfluidic Platform. <i>Journal of the American Chemical Society</i> , 2016 , 138, 9589-96	16.4	21
39	Quantitative thermophoretic study of disease-related protein aggregates. <i>Scientific Reports</i> , 2016 , 6, 22829	4.9	37
38	The length distribution of frangible biofilaments. <i>Journal of Chemical Physics</i> , 2015 , 143, 164901	3.9	15
37	Lipid vesicles trigger β -synuclein aggregation by stimulating primary nucleation. <i>Nature Chemical Biology</i> , 2015 , 11, 229-34	11.7	355

36	Influence of the protein context on the polyglutamine length-dependent elongation of amyloid fibrils. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2015 , 1854, 239-48	4	6
35	Protein microgels from amyloid fibril networks. <i>ACS Nano</i> , 2015 , 9, 43-51	16.7	94
34	Expanding the solvent chemical space for self-assembly of dipeptide nanostructures. <i>ACS Nano</i> , 2014 , 8, 1243-53	16.7	123
33	Direct observation of heterogeneous amyloid fibril growth kinetics via two-color super-resolution microscopy. <i>Nano Letters</i> , 2014 , 14, 339-45	11.5	127
32	Ostwald's rule of stages governs structural transitions and morphology of dipeptide supramolecular polymers. <i>Nature Communications</i> , 2014 , 5, 5219	17.4	150
31	Quantitative Analysis of Diffusive Reactions at the Solid-Liquid Interface in Finite Systems. <i>Journal of Physical Chemistry Letters</i> , 2014 , 5, 695-9	6.4	7
30	Solution conditions determine the relative importance of nucleation and growth processes in β -synuclein aggregation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 7671-6	11.5	395
29	Spatial propagation of protein polymerization. <i>Physical Review Letters</i> , 2014 , 112, 098101	7.4	17
28	The role of stable β -synuclein oligomers in the molecular events underlying amyloid formation. <i>Journal of the American Chemical Society</i> , 2014 , 136, 3859-68	16.4	163
27	The physical chemistry of the amyloid phenomenon: thermodynamics and kinetics of filamentous protein aggregation. <i>Essays in Biochemistry</i> , 2014 , 56, 11-39	7.6	42
26	Targeting the intrinsically disordered structural ensemble of β -synuclein by small molecules as a potential therapeutic strategy for Parkinson's disease. <i>PLoS ONE</i> , 2014 , 9, e87133	3.7	98
25	Electrostatic effects in filamentous protein aggregation. <i>Biophysical Journal</i> , 2013 , 104, 1116-26	2.9	74
24	Nanobodies raised against monomeric β -synuclein distinguish between fibrils at different maturation stages. <i>Journal of Molecular Biology</i> , 2013 , 425, 2397-411	6.5	66
23	A label-free, quantitative assay of amyloid fibril growth based on intrinsic fluorescence. <i>ChemBioChem</i> , 2013 , 14, 846-50	3.8	116
22	Influence of specific HSP70 domains on fibril formation of the yeast prion protein Ure2. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013 , 368, 20110410	5.8	30
21	Three-dimensional domain swapping and supramolecular protein assembly: insights from the X-ray structure of a dimeric swapped variant of human pancreatic RNase. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 2116-23		10
20	Measuring the kinetics of amyloid fibril elongation using quartz crystal microbalances. <i>Methods in Molecular Biology</i> , 2012 , 849, 101-19	1.4	14
19	Detailed analysis of the energy barriers for amyloid fibril growth. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5247-51	16.4	88

18	A rationally designed six-residue swap generates comparability in the aggregation behavior of β -synuclein and β -synuclein. <i>Biochemistry</i> , 2012 , 51, 8771-8	3.2	20
17	Analyse der Energiebarrieren für das Wachstum von Amyloidfibrillen. <i>Angewandte Chemie</i> , 2012 , 124, 5339-5344	3.6	4
16	Binding of the molecular chaperone B-crystallin to A β amyloid fibrils inhibits fibril elongation. <i>Biophysical Journal</i> , 2011 , 101, 1681-9	2.9	122
15	Probing small molecule binding to amyloid fibrils. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 20044-53.6	3.6	32
14	Population of nonnative states of lysozyme variants drives amyloid fibril formation. <i>Journal of the American Chemical Society</i> , 2011 , 133, 7737-7743	16.4	67
13	Relationship between prion propensity and the rates of individual molecular steps of fibril assembly. <i>Journal of Biological Chemistry</i> , 2011 , 286, 12101-7	5.4	25
12	Nanostructured films from hierarchical self-assembly of amyloidogenic proteins. <i>Nature Nanotechnology</i> , 2010 , 5, 204-7	28.7	301
11	Frequency factors in a landscape model of filamentous protein aggregation. <i>Physical Review Letters</i> , 2010 , 104, 228101	7.4	55
10	Interactions between amyloidophilic dyes and their relevance to studies of amyloid inhibitors. <i>Biophysical Journal</i> , 2010 , 99, 3492-7	2.9	53
9	Protein aggregation in crowded environments. <i>Journal of the American Chemical Society</i> , 2010 , 132, 5170-5.4	5.4	116
8	Surface attachment of protein fibrils via covalent modification strategies. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 10925-38	3.4	41
7	Biosensor-based label-free assays of amyloid growth. <i>FEBS Letters</i> , 2009 , 583, 2587-92	3.8	40
6	Position-dependent electrostatic protection against protein aggregation. <i>ChemBioChem</i> , 2009 , 10, 1309-12	3.12	43
5	Quantitative (epsilon, N, Ka) product state distributions near the triplet threshold for the reaction H2CO --> H + HCO measured by Rydberg tagging and laser-induced fluorescence. <i>Journal of Physical Chemistry A</i> , 2008 , 112, 9283-9	2.8	8
4	Photodissociation dynamics of the reaction H2CO-->H+HCO via the singlet (S0) and triplet (T1) surfaces. <i>Journal of Chemical Physics</i> , 2007 , 127, 064302	3.9	17
3	Stability matters, too - The thermodynamics of amyloid fibril formation. <i>Chemical Science</i> ,	9.4	1
2	A structural and kinetic link between membrane association and amyloid fibril formation of β -synuclein		1
1	Universal amyloidogenicity of patient-derived immunoglobulin light chains		3

