

# Emilio Quiñero

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7737093/publications.pdf>

Version: 2024-02-01

151  
papers

8,315  
citations

44069

48  
h-index

54911

84  
g-index

159  
all docs

159  
docs citations

159  
times ranked

5830  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Assignment of Absolute Configuration by NMR. <i>Chemical Reviews</i> , 2004, 104, 17-118.	47.7	952
2	A practical guide for the assignment of the absolute configuration of alcohols, amines and carboxylic acids by NMR. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 2915-2925.	1.8	312
3	Chitosan-PEG nanocapsules as new carriers for oral peptide delivery. <i>Journal of Controlled Release</i> , 2006, 111, 299-308.	9.9	289
4	Development and Brain Delivery of Chitosan-PEG Nanoparticles Functionalized with the Monoclonal Antibody OX26. <i>Bioconjugate Chemistry</i> , 2005, 16, 1503-1511.	3.6	279
5	Supramolecular Assemblies from Poly(phenylacetylene)s. <i>Chemical Reviews</i> , 2016, 116, 1242-1271.	47.7	233
6	MTPA vs MPA in the Determination of the Absolute Configuration of Chiral Alcohols by <sup>1</sup> H NMR. <i>Journal of Organic Chemistry</i> , 1996, 61, 8569-8577.	3.2	178
7	Fijianolides, polyketide heterocycles from a marine sponge. <i>Journal of Organic Chemistry</i> , 1988, 53, 3642-3644.	3.2	177
8	Assignment of the Absolute Configuration of Polyfunctional Compounds by NMR Using Chiral Derivatizing Agents. <i>Chemical Reviews</i> , 2012, 112, 4603-4641.	47.7	175
9	Determining the Absolute Stereochemistry of Secondary/Secondary Diols by <sup>1</sup> H NMR: A Basis and Applications. <i>Journal of Organic Chemistry</i> , 2005, 70, 3778-3790.	3.2	154
10	Chiral Amplification and Helical Sense Tuning by Mono- and Divalent Metals on Dynamic Helical Polymers. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 11692-11696.	13.8	150
11	Mycothiazole, a polyketide heterocycle from a marine sponge. <i>Journal of the American Chemical Society</i> , 1988, 110, 4365-4368.	13.7	129
12	Optimal routine conditions for the determination of the degree of acetylation of chitosan by <sup>1</sup> H-NMR. <i>Carbohydrate Polymers</i> , 2005, 61, 155-161.	10.2	119
13	Novel sponge-derived amino acids. 5. Structures, stereochemistry, and synthesis of several new heterocycles. <i>Journal of the American Chemical Society</i> , 1989, 111, 647-654.	13.7	117
14	Phenolic constituents of. <i>Tetrahedron Letters</i> , 1987, 28, 3229-3232.	1.4	116
15	Conformational Structure and Dynamics of Arylmethoxyacetates: DNMR Spectroscopy and Aromatic Shielding Effect. <i>Journal of Organic Chemistry</i> , 1995, 60, 504-515.	3.2	115
16	Controlled modulation of the helical sense and the elongation of poly(phenylacetylene)s by polar and donor effects. <i>Chemical Science</i> , 2013, 4, 2735.	7.4	111
17	Bengamides, heterocyclic anthelmintics from a Jaspidae marine sponge. <i>Journal of Organic Chemistry</i> , 1986, 51, 4494-4497.	3.2	105
18	Are Both the (R)- and the (S)-MPA Esters Really Needed for the Assignment of the Absolute Configuration of Secondary Alcohols by NMR? The Use of a Single Derivative. <i>Journal of the American Chemical Society</i> , 1998, 120, 877-882.	13.7	100

#	ARTICLE	IF	CITATIONS
19	Nanospheres with Tunable Size and Chirality from Helical Polymer-Metal Complexes. <i>Journal of the American Chemical Society</i> , 2012, 134, 19374-19383.	13.7	99
20	Novel sponge-derived amino acids. 12. Tryptophan-derived pigments and accompanying sesterterpenes from <i>Fascaplysinopsis reticulata</i> . <i>Journal of Organic Chemistry</i> , 1991, 56, 3403-3410.	3.2	98
21	The structures and stereochemistry of cytotoxic sesquiterpene quinones from <i>dactylospongia elegans</i> . <i>Tetrahedron</i> , 1992, 48, 6667-6680.	1.9	94
22	Novel sponge-derived amino acids. 11. The entire absolute stereochemistry of the bengamides. <i>Journal of Organic Chemistry</i> , 1990, 55, 240-242.	3.2	93
23	Architecture of Chiral Poly(phenylacetylene)s: From Compressed/Highly Dynamic to Stretched/Quasi-Static Helices. <i>Journal of the American Chemical Society</i> , 2016, 138, 9620-9628.	13.7	93
24	Unusual anthelmintic oxazoles from a marine sponge. <i>Journal of the American Chemical Society</i> , 1988, 110, 1598-1602.	13.7	91
25	Control of the Helicity of Poly(phenylacetylene)s: From the Conformation of the Pendant to the Chirality of the Backbone. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 1430-1433.	13.8	85
26	Three-State Switchable Chiral Stationary Phase Based on Helicity Control of an Optically Active Poly(phenylacetylene) Derivative by Using Metal Cations in the Solid State. <i>Journal of the American Chemical Society</i> , 2019, 141, 8592-8598.	13.7	82
27	A General Methodology for Automated Solid-Phase Synthesis of Depsides and Depsipeptides. Preparation of a Valinomycin Analogue. <i>Journal of Organic Chemistry</i> , 1999, 64, 8063-8075.	3.2	72
28	The assignment of absolute configurations by NMR of arylmethoxyacetate derivatives: is this methodology being correctly used?. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 2781-2791.	1.8	72
29	The ON/OFF switching by metal ions of the "Sergeants and Soldiers" chiral amplification effect on helical poly(phenylacetylene)s. <i>Chemical Science</i> , 2014, 5, 2170-2176.	7.4	71
30	Choosing the Right Reagent for the Determination of the Absolute Configuration of Amines by NMR: MTPA or MPA. <i>Journal of Organic Chemistry</i> , 1997, 62, 7569-7574.	3.2	70
31	New chirality recognizing reagents for the determination of absolute stereochemistry and enantiomeric purity by NMR. <i>Tetrahedron Letters</i> , 1994, 35, 2921-2924.	1.4	68
32	Nanospheres, Nanotubes, Toroids, and Gels with Controlled Macroscopic Chirality. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13720-13724.	13.8	66
33	Determination of the Absolute Stereochemistry of Chiral Amines by <sup>1</sup> H NMR of Arylmethoxyacetic Acid Amides: The Conformational Model. <i>Journal of Organic Chemistry</i> , 1995, 60, 1538-1545.	3.2	61
34	Absolute Configuration of Secondary Alcohols by <sup>1</sup> H NMR: In Situ Complexation of $\pm$ -Methoxyphenylacetic Acid Esters with Barium(II). <i>Journal of Organic Chemistry</i> , 2002, 67, 4579-4589.	3.2	61
35	Boc-Phenylglycine: The Reagent of Choice for the Assignment of the Absolute Configuration of $\pm$ -Chiral Primary Amines by <sup>1</sup> H NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 1999, 64, 4669-4675.	3.2	59
36	Antiplasmodial Metabolites Isolated from the Marine Octocoral <i>Muricea austera</i> . <i>Journal of Natural Products</i> , 2006, 69, 1379-1383.	3.0	59

#	ARTICLE	IF	CITATIONS
37	Conjugation of Bioactive Ligands to PEG-Grafted Chitosan at the Distal End of PEG. <i>Biomacromolecules</i> , 2007, 8, 833-842.	5.4	59
38	A Stimuli-Responsive Macromolecular Gear: Interlocking Dynamic Helical Polymers with Foldamers. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 8616-8622.	13.8	59
39	Niphatynes, methoxylamine pyridines from the marine sponge, niphates SP.. <i>Tetrahedron Letters</i> , 1987, 28, 2467-2468.	1.4	56
40	Assignment of the Absolute Configuration of $\hat{1}^2$ -Chiral Primary Alcohols by NMR: Scope and Limitations. <i>Journal of the American Chemical Society</i> , 1998, 120, 4741-4751.	13.7	56
41	Absolute Configuration of 1,n-Diols by NMR: The Importance of the Combined Anisotropic Effects in Bis-Arylmethoxyacetates. <i>Organic Letters</i> , 2000, 2, 3261-3264.	4.6	55
42	The leading role of cation- $\pi$ interactions in polymer chemistry: the control of the helical sense in solution. <i>Polymer Chemistry</i> , 2015, 6, 4725-4733.	3.9	55
43	Assignment of the Absolute Configuration of $\hat{1}^{\pm}$ -Chiral Carboxylic Acids by $^1\text{H}$ NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 2000, 65, 2658-2666.	3.2	54
44	Onchidin B: A New Cyclodepsipeptide from the Mollusc <i>Onchidium</i> sp.. <i>Journal of the American Chemical Society</i> , 1996, 118, 11635-11643.	13.7	52
45	Heterocycles from the marine sponge <i>Xestospongia</i> sp. <i>Journal of Organic Chemistry</i> , 1986, 51, 4260-4264.	3.2	51
46	"Mix and Shake" Method for Configurational Assignment by NMR: Application to Chiral Amines and Alcohols. <i>Organic Letters</i> , 2003, 5, 2979-2982.	4.6	51
47	Monitoring the solid-phase synthesis of depsides and depsipeptides. A color test for hydroxyl groups linked to a resin.. <i>Tetrahedron</i> , 1999, 55, 14807-14812.	1.9	50
48	Onchidin: a cytotoxic depsipeptide with $C_2$ symmetry from a marine mollusc. <i>Tetrahedron Letters</i> , 1994, 35, 9239-9242.	1.4	49
49	Resin-Bound Chiral Derivatizing Agents for Assignment of Configuration by NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 2008, 73, 5714-5722.	3.2	49
50	Determining factors in the assignment of the absolute configuration of alcohols by NMR. The use of anisotropic effects on remote positions. <i>Tetrahedron</i> , 1997, 53, 8541-8564.	1.9	48
51	Chiral-to-Chiral Communication in Polymers: A Unique Approach To Control Both Helical Sense and Chirality at the Periphery. <i>Journal of the American Chemical Society</i> , 2018, 140, 12239-12246.	13.7	47
52	Chiral Conflict as a Method to Create Stimuli-Responsive Materials Based on Dynamic Helical Polymers. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 13365-13369.	13.8	45
53	Complexation with Barium(II) Allows the Inference of the Absolute Configuration of Primary Amines by NMR. <i>Journal of the American Chemical Society</i> , 1999, 121, 9724-9725.	13.7	44
54	Leptolide, a New Furanocembranolide Diterpene from <i>Leptogorgia</i> alba. <i>Journal of Natural Products</i> , 2005, 68, 614-616.	3.0	44

#	ARTICLE	IF	CITATIONS
55	Predicting the Helical Sense of Poly(phenylacetylene)s from their Electron Circular Dichroism Spectra. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3666-3670.	13.8	44
56	9-Anthrylmethoxyacetic acid esterification shifts the correlation with the absolute stereochemistry of secondary alcohols. <i>Tetrahedron</i> , 1999, 55, 569-584.	1.9	43
57	Chiral Nanostructures from Helical Copolymer-Metal Complexes: Tunable Cation- $\pi$ Interactions and Sergeants and Soldiers Effect. <i>Small</i> , 2016, 12, 238-244.	10.0	43
58	Reversible assembly of enantiomeric helical polymers: from fibers to gels. <i>Chemical Science</i> , 2015, 6, 246-253.	7.4	42
59	Determination of the absolute configuration of alcohols by low temperature $^1\text{H}$ NMR of aryl(methoxy)acetates. <i>Tetrahedron: Asymmetry</i> , 1995, 6, 107-110.	1.8	41
60	$^{13}\text{C}$ NMR as a general tool for the assignment of absolute configuration. <i>Chemical Communications</i> , 2010, 46, 7903.	4.1	41
61	Euryspongiols: Ten new highly hydroxylated 9,11-secosteroids with antihistaminic activity from the sponge euryspongia sp. Stereochemistry and reduction. <i>Tetrahedron</i> , 1994, 50, 3813-3828.	1.9	40
62	In tube determination of the absolute configuration of $^1\text{H}$ - and $^2\text{H}$ -hydroxy acids by NMR via chiral BINOL borates. <i>Chemical Communications</i> , 2008, , 4147.	4.1	40
63	Poly(phenylacetylene) Amines: A General Route to Water-Soluble Helical Polyamines. <i>Chemistry of Materials</i> , 2018, 30, 6908-6914.	6.7	40
64	The Prediction of the Absolute Stereochemistry of Primary and Secondary 1,2-Diols by $^1\text{H}$ NMR Spectroscopy: Principles and Applications. <i>Chemistry - A European Journal</i> , 2005, 11, 5509-5522.	3.3	39
65	Role of Barium(II) in the Determination of the Absolute Configuration of Chiral Amines by $^1\text{H}$ NMR Spectroscopy. <i>Journal of Organic Chemistry</i> , 2006, 71, 1119-1130.	3.2	39
66	Multistate Chiroptical Switch Triggered by Stimuli-Responsive Chiral Teleinduction. <i>Chemistry of Materials</i> , 2018, 30, 2493-2497.	6.7	39
67	Chiral Coalition in Helical Sense Enhancement of Copolymers: The Role of the Absolute Configuration of Comonomers. <i>Journal of the American Chemical Society</i> , 2018, 140, 667-674.	13.7	39
68	Chiral Overpass Induction in Dynamic Helical Polymers Bearing Pendant Groups with Two Chiral Centers. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4537-4543.	13.8	39
69	The Occurrence of the Human Glycoconjugate C2- $^1\text{H}$ -d-Mannosylpyranosyl-l-tryptophan in Marine Ascidians. <i>Organic Letters</i> , 2000, 2, 2765-2767.	4.6	38
70	Chiral 1,2-Diols: The Assignment of Their Absolute Configuration by NMR Made Easy. <i>Organic Letters</i> , 2010, 12, 208-211.	4.6	36
71	A general route to chiral nanostructures from helical polymers: P/M switch via dynamic metal coordination. <i>Polymer Chemistry</i> , 2017, 8, 3740-3745.	3.9	36
72	The role of the secondary structure of helical poly(phenylacetylene)s in the formation of nanoparticles from polymer-metal complexes (HPMCs). <i>Nanoscale</i> , 2017, 9, 17752-17757.	5.6	35

#	ARTICLE	IF	CITATIONS
73	Helical sense selective domains and enantiomeric superhelices generated by Langmuirâ€“Schaefer deposition of an axially racemic chiral helical polymer. <i>Nanoscale</i> , 2016, 8, 3362-3367.	5.6	34
74	New Amino Acid Derivatives from the Marine Ascidian <i>Leptoclinides dubius</i> . <i>Journal of Natural Products</i> , 1996, 59, 782-785.	3.0	32
75	Decoding the ECD Spectra of Poly(phenylacetylene)s: Structural Significance. <i>ACS Omega</i> , 2019, 4, 5233-5240.	3.5	32
76	Novel marine sponge alkaloids 3. Î²-carbolinium salts from <i>Fascaplysinopsis reticulata</i> . <i>Tetrahedron Letters</i> , 1991, 32, 1843-1846.	1.4	31
77	Challenging the absence of observable hydrogens in the assignment of absolute configurations by NMR: application to chiral primary alcohols. <i>Chemical Communications</i> , 2007, , 1456-1458.	4.1	31
78	The Competitive Aggregation Pathway of an Asymmetric Chiral Oligo( <i>p</i> -phenyleneethynylene) Towards the Formation of Individual <i>P</i> and <i>M</i> Supramolecular Helical Polymers. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9919-9924.	13.8	31
79	Melynes, polyacetylene constituents from a vanuatu marine sponge. <i>Tetrahedron Letters</i> , 1988, 29, 2037-2040.	1.4	30
80	Multipodal dynamic coordination involving cationâ€“Î• interactions to control the structure of helical polymers. <i>Chemical Communications</i> , 2017, 53, 8573-8576.	4.1	30
81	Simultaneous enantioresolution and assignment of absolute configuration of secondary alcohols by directly coupled HPLCâ€“NMR of 9-AMA esters. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 2149-2153.	1.8	29
82	The Assignment of the Absolute Configuration of 1,2-Diols by Low-Temperature NMR of a Single MPA Derivative. <i>Organic Letters</i> , 2005, 7, 4855-4858.	4.6	28
83	Chiral Thiols: The Assignment of Their Absolute Configuration by 1H NMR. <i>Organic Letters</i> , 2007, 9, 5015-5018.	4.6	28
84	Sequential Induction of Chirality in Helical Polymers: From the Stereocenter to the Achiral Solvent. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 2266-2270.	4.6	28
85	Chiral information harvesting in helical poly(acetylene) derivatives using oligo( <i>p</i> -phenyleneethynylene)s as spacers. <i>Chemical Science</i> , 2020, 11, 7182-7187.	7.4	28
86	Epidioxy Sterols from the Tunicates <i>Dendrodoa grossularia</i> and <i>Ascidiella aspersa</i> and the Gastropoda <i>Aplysia depilans</i> and <i>Aplysia punctata</i> . <i>Journal of Natural Products</i> , 1986, 49, 905-909.	3.0	26
87	Determination of the absolute configuration and enantiomeric purity of chiral primary alcohols by 1H NMR of 9-anthrylmethoxyacetates. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 2195-2198.	1.8	26
88	Studies on the interaction between 1,2,3,4-tetrahydro-Î²-carboline and cigarette smoke: a potential mechanism of neuroprotection for Parkinson's disease. <i>Brain Research</i> , 1998, 802, 155-162.	2.2	26
89	Minalemines A-F: Sulfamic acid peptide guanidine derivatives isolated from the marine tunicate <i>Didemnum rodriguesi</i> . <i>Tetrahedron</i> , 1998, 54, 7539-7550.	1.9	26
90	Bocâ€“phenylglycine: a chiral solvating agent for the assignment of the absolute configuration of amino alcohols and their ethers by NMR. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 1825-1829.	1.8	26

#	ARTICLE	IF	CITATIONS
91	Simultaneous Adjustment of Size and Helical Sense of Chiral Nanospheres and Nanotubes Derived from an Axially Racemic Poly(phenylacetylene). <i>Small</i> , 2017, 13, 1602398.	10.0	26
92	From Sergeants and Soldiers to Chiral Conflict Effects in Helical Polymers by Acting on the Conformational Composition of the Comonomers. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 23724-23730.	13.8	26
93	l-Galactose as a natural product: isolation from a marine octocoral of the first $\hat{\pm}$ -l-galactosyl saponin. <i>Tetrahedron Letters</i> , 2004, 45, 7833-7836.	1.4	25
94	Relative and Absolute Stereochemistry of Secondary/Secondary Diols: A Low-Temperature $^1\text{H}$ NMR of Their bis-MPA Esters. <i>Journal of Organic Chemistry</i> , 2007, 72, 2297-2301.	3.2	25
95	Macromolecular helicity control of poly(phenyl isocyanate)s with a single stimuli-responsive chiral switch. <i>Chemical Communications</i> , 2019, 55, 7906-7909.	4.1	25
96	Merging Supramolecular and Covalent Helical Polymers: Four Helices Within a Single Scaffold. <i>Journal of the American Chemical Society</i> , 2021, 143, 20962-20969.	13.7	25
97	The $^1\text{H}$ NMR Method for the Determination of the Absolute Configuration of 1,2,3-prim,sec,sec-Triols. <i>Organic Letters</i> , 2006, 8, 4449-4452.	4.6	24
98	Assigning the Configuration of Amino Alcohols by NMR: A Single Derivatization Method. <i>Organic Letters</i> , 2008, 10, 2733-2736.	4.6	24
99	The [4 + 2] Addition of Singlet Oxygen to Thebaine: A New Access to Highly Functionalized Morphine Derivatives via Opioid Endoperoxides. <i>Journal of Organic Chemistry</i> , 2000, 65, 4671-4678.	3.2	23
100	The use of ethyl 2-(9-anthryl)-2-hydroxyacetate for assignment of the absolute configuration of carboxylic acids by $^1\text{H}$ NMR. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 1015-1018.	1.8	22
101	Cross Interaction Between Auxiliaries: The Chirality of Amino Alcohols by NMR. <i>Organic Letters</i> , 2008, 10, 2729-2732.	4.6	22
102	Absolute Configuration of Ketone Cyanohydrins by $^1\text{H}$ NMR: The Special Case of Polar Substituted Tertiary Alcohols. <i>Organic Letters</i> , 2009, 11, 53-56.	4.6	22
103	Stimuli-Directed Colorimetric Interconversion of Helical Polymers Accompanied by a Tunable Self-Assembly Process. <i>Small</i> , 2019, 15, 1805413.	10.0	22
104	Raman Optical Activity (ROA) as a New Tool to Elucidate the Helical Structure of Poly(phenylacetylene)s. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9080-9087.	13.8	22
105	Polymeric Helical Structures à la Carte by Rational Design of Monomers. <i>Macromolecules</i> , 2020, 53, 3182-3193.	4.8	22
106	Santiagoside, the first asterosaponin from an antarctic starfish ( <i>Neosmilaster georgianus</i> ). <i>Tetrahedron</i> , 1992, 48, 6739-6746.	1.9	21
107	Dactyltronic Acids from the Sponge <i>Dactylospongia elegans</i> . <i>Journal of Natural Products</i> , 1994, 57, 992-996.	3.0	20
108	Helical Polymer-Metal Complexes: The Role of Metal Ions on the Helicity and the Supramolecular Architecture of Poly(phenylacetylene)s. <i>Advances in Polymer Science</i> , 2013, , 123-140.	0.8	20



#	ARTICLE	IF	CITATIONS
109	Chiral Conflict as a Method to Create Stimuli-Responsive Materials Based on Dynamic Helical Polymers. <i>Angewandte Chemie</i> , 2019, 131, 13499-13503.	2.0	20
110	A Stimuli-Responsive Macromolecular Gear: Interlocking Dynamic Helical Polymers with Foldamers. <i>Angewandte Chemie</i> , 2020, 132, 8694-8700.	2.0	20
111	Absolute configuration of amino alcohols by <sup>1</sup> H-NMR. <i>Chemical Communications</i> , 2005, , 5554.	4.1	19
112	The assignment of absolute configuration of cyanohydrins by NMR. <i>Chemical Communications</i> , 2006, , 1422.	4.1	19
113	The Stereochemistry of 1,2,3-Triols Revealed by <sup>1</sup> H-NMR Spectroscopy: Principles and Applications. <i>Chemistry - A European Journal</i> , 2009, 15, 11963-11975.	3.3	19
114	Photochemical Electrocyclization of Poly(phenylacetylene)s: Unwinding Helices to Elucidate their 3D Structure in Solution. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 8095-8103.	13.8	19
115	Solid phase synthesis of depsides and depsipeptides. <i>Tetrahedron Letters</i> , 1999, 40, 1203-1206.	1.4	18
116	Dynamic Chiral PPA-AgNP Nanocomposites: Aligned Silver Nanoparticles Decorating Helical Polymers. <i>Chemistry of Materials</i> , 2021, 33, 4805-4812.	6.7	18
117	Dissymmetric Chiral Poly(diphenylacetylene)s: Secondary Structure Elucidation and Dynamic Luminescence. <i>Angewandte Chemie - International Edition</i> , 2022, , .	13.8	18
118	Designing chiral derivatizing agents (CDA) for the NMR assignment of the absolute configuration: a theoretical and experimental approach with thiols as a case study. <i>Tetrahedron</i> , 2014, 70, 3276-3283.	1.9	17
119	Chiral gold-PPA nanocomposites with tunable helical sense and morphology. <i>Nanoscale Horizons</i> , 2020, 5, 495-500.	8.0	17
120	Predicting the Helical Sense of Poly(phenylacetylene)s from their Electron Circular Dichroism Spectra. <i>Angewandte Chemie</i> , 2018, 130, 3728-3732.	2.0	16
121	Tuning the helical sense and elongation of polymers through the combined action of the two components of tetraalkylammonium-anion salts. <i>Giant</i> , 2021, 7, 100068.	5.1	16
122	The unusual presence of hydroxylated furanosesquiterpenes in the deep ocean tunicate <i>Ritterella rete</i> . Chemical interconversions and absolute stereochemistry. <i>Tetrahedron</i> , 1998, 54, 5385-5406.	1.9	15
123	Halogenated Monoterpenes from <i>Plocamium coccineum</i> of Northwest Spain. <i>Journal of Natural Products</i> , 1984, 47, 724-726.	3.0	14
124	The Dietary Origin of Epidioxysteroids in <i>Actinia equina</i> . A Carbon-14 Incorporation Experiment. <i>Journal of Natural Products</i> , 1989, 52, 619-622.	3.0	14
125	Chiral Overpass Induction in Dynamic Helical Polymers Bearing Pendant Groups with Two Chiral Centers. <i>Angewandte Chemie</i> , 2020, 132, 4567-4573.	2.0	13
126	Raman Optical Activity (ROA) as a New Tool to Elucidate the Helical Structure of Poly(phenylacetylene)s. <i>Angewandte Chemie</i> , 2020, 132, 9165-9172.	2.0	13



#	ARTICLE	IF	CITATIONS
127	Photooxidation of thebaine. A route to 14-hydroxymorphinones and hydrodibenzofuran analogs of methadone. <i>Tetrahedron Letters</i> , 1994, 35, 5727-5730.	1.4	11
128	The halogenated monoterpenes of <i>Aplysia punctata</i> . A comparative study. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1989, 92, 99-101.	0.2	10
129	Helianthoside from <i>Heliaster helianthus</i> , an asterosaponin with a C3 <sup>β</sup> -sulphated pyranose. <i>Canadian Journal of Chemistry</i> , 1993, 71, 1147-1151.	1.1	10
130	Antiprotozoal Activity Against <i>Plasmodium falciparum</i> . and <i>Trypanosoma cruzi</i> . of Aeropylsinin-1 Isolated from the New Sponge <i>Aplysina chiriquensis</i> . <i>Pharmaceutical Biology</i> , 2005, 43, 762-765.	2.9	10
131	Helical Colorimetric Sensors: Stimuli-Directed Colorimetric Interconversion of Helical Polymers Accompanied by a Tunable Self-Assembly Process (Small 13/2019). <i>Small</i> , 2019, 15, 1970070.	10.0	10
132	Hierarchical Self-Assembly and Multidynamic Responsiveness of Fluorescent Dynamic Covalent Networks Forming Organogels. <i>Biomacromolecules</i> , 2022, 23, 431-442.	5.4	10
133	Hierarchical self-assembly of aromatic peptide conjugates into supramolecular polymers: it takes two to tango. <i>Chemical Science</i> , 2022, 13, 909-933.	7.4	9
134	Using a Combination of Magnetic Anisotropic Effects for the Configurational Assignment of Amino Alcohols. <i>Chemistry - an Asian Journal</i> , 2010, 5, 2106-2112.	3.3	8
135	Photochemical Electrocyclization of Poly(phenylacetylene)s: Unwinding Helices to Elucidate their 3D Structure in Solution. <i>Angewandte Chemie</i> , 2021, 133, 8176-8184.	2.0	8
136	Photostability and Dynamic Helical Behavior in Chiral Poly(phenylacetylene)s with a Preferred Screw-Sense. <i>Angewandte Chemie - International Edition</i> , 0, , .	13.8	8
137	Antarctic Marine Metabolites: New Polyhydroxylated Steroidal Glycosides from the Starfish <i>Odontaster validus</i> . <i>Liebigs Annalen Der Chemie</i> , 1993, 1993, 1257-1262.	0.8	7
138	The Use of a Single Derivative in the Configurational Assignment of Ketone Cyanohydrins. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6520-6524.	2.4	7
139	STRUCTURAL ELUCIDATION OF MARINE HALOGENATED MONOTERPENES BY 2D-NMR AND NOE DIFFERENCE SPECTROSCOPY. A STEREOCHEMICAL CORRECTION. <i>Chemistry Letters</i> , 1985, 14, 697-700.	1.3	6
140	From Sergeants and Soldiers to Chiral Conflict Effects in Helical Polymers by Acting on the Conformational Composition of the Comonomers. <i>Angewandte Chemie</i> , 2020, 132, 23932-23938.	2.0	6
141	Dissymmetric Chiral Poly(diphenylacetylene)s: Secondary Structure Elucidation and Dynamic Luminescence. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	5
142	Complete structural analysis of cyclic polyhalogenated monoterpenes. A force field 2-dimensional NMR study. <i>Journal of Organic Chemistry</i> , 1986, 51, 4970-4973.	3.2	4
143	Incorrect procedure for the assignment of the absolute configuration of carbonucleosides by NMR: MPA must not be used with primary alcohols. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 919-921.	1.8	4
144	The Role of Polymer-AuNP Interaction in the Stimuli-Response Properties of PPA-AuNP Nanocomposites. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100616.	3.9	4

#	ARTICLE	IF	CITATIONS
145	Deoxygenation of 1,4-endoperoxides to 1,3-dienes by low-valent titanium. Journal of the Chemical Society Chemical Communications, 1984, .	2.0	3
146	The conformation of aldisin and analogues. A potential model for expanded nucleosides. Tetrahedron, 1995, 51, 1301-1310.	1.9	3
147	From Oligo(Phenyleneethynylene) Monomers to Supramolecular Helices: The Role of Intermolecular Interactions in Aggregation. Molecules, 2021, 26, 3530.	3.8	2
148	Photostability and Dynamic Helical Behavior in Chiral Poly(phenylacetylene)s with a Preferred ScrewSense. Angewandte Chemie, 2022, 134, .	2.0	2
149	The Assignment of Absolute Configuration by NMR. ChemInform, 2004, 35, no.	0.0	0
150	The Assignment of the Absolute Configuration of 1,2-Diols by Low-Temperature NMR of a Single MPA Derivative.. ChemInform, 2006, 37, no.	0.0	0
151	Enantiomeric Nanostructures: Chiral Nanostructures from Helical Copolymer-Metal Complexes: Tunable Cation-π Interactions and Sergeants and Soldiers Effect (Small 2/2016). Small, 2016, 12, 237-237.	10.0	0