

Peter Schnohr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7737206/publications.pdf>

Version: 2024-02-01

47
papers

2,495
citations

361413

20
h-index

233421

45
g-index

49
all docs

49
docs citations

49
times ranked

3894
citing authors

#	ARTICLE	IF	CITATIONS
1	Usefulness of left atrial strain for predicting incident atrial fibrillation and ischaemic stroke in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 363-371.	1.2	28
2	Association between exposure to heavy occupational lifting and cardiac structure and function: a cross-sectional analysis from the Copenhagen City Heart Study. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 521-532.	1.5	1
3	Global and regional wall motion abnormalities and incident heart failure in the general population. <i>International Journal of Cardiology</i> , 2022, 357, 146-151.	1.7	5
4	The physical activity health paradox and risk factors for cardiovascular disease: A cross-sectional compositional data analysis in the Copenhagen City Heart Study. <i>PLoS ONE</i> , 2022, 17, e0267427.	2.5	12
5	The variability of 2D and 3D transthoracic echocardiography applied in a general population. <i>International Journal of Cardiovascular Imaging</i> , 2022, 38, 2177-2190.	0.6	0
6	Echocardiographic predictors of cardiovascular morbidity and mortality in women from the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 1026-1034.	1.2	10
7	Non-adherence to established dietary guidelines associated with increased mortality: the Copenhagen General Population Study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 1259-1268.	1.8	19
8	The effect of occupational physical activity on dementia: Results from the Copenhagen Male Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 446-455.	2.9	14
9	The prognostic value of left atrial dyssynchrony measured by speckle tracking echocardiography in the general population. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 1679-1688.	1.5	1
10	The physical activity paradox in cardiovascular disease and all-cause mortality: the contemporary Copenhagen General Population Study with 104,046 adults. <i>European Heart Journal</i> , 2021, 42, 1499-1511.	2.2	133
11	Occupational lifting and risk of hypertension, stratified by use of anti-hypertensives and age - a cross-sectional and prospective cohort study. <i>BMC Public Health</i> , 2021, 21, 721.	2.9	7
12	Echocardiographic predictors of long-term adverse cardiovascular outcomes in participants with and without diabetes mellitus: A follow-up analysis of the Copenhagen City Heart Study. <i>Diabetic Medicine</i> , 2021, 38, e14627.	2.3	4
13	Recovery of cardiac function following COVID-19: ECHOVID-19: a prospective longitudinal cohort study. <i>European Journal of Heart Failure</i> , 2021, 23, 1903-1912.	7.1	40
14	Changes in left atrial structure and function over a decade in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 23, 124-136.	1.2	10
15	Measures of left atrial function predict incident heart failure in a low-risk general population: the Copenhagen City Heart Study. <i>European Journal of Heart Failure</i> , 2021, , .	7.1	6
16	Level of Physical Activity, Left Ventricular Mass, Hypertension, and Prognosis. <i>Hypertension</i> , 2020, 75, 693-701.	2.7	12
17	Echocardiographic abnormalities and predictors of mortality in hospitalized COVID-19 patients: the ECHOVID-19 study. <i>ESC Heart Failure</i> , 2020, 7, 4189-4197.	3.1	77
18	Can we walk away from cardiovascular disease risk or do we have to huff and puff? A cross-sectional compositional accelerometer data analysis among adults and older adults in the Copenhagen City Heart Study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 84.	4.6	11

#	ARTICLE	IF	CITATIONS
19	The cardiac isovolumetric contraction time is an independent predictor of incident heart failure in the general population. <i>International Journal of Cardiology</i> , 2020, 312, 81-86.	1.7	11
20	Dose-Response Association Between Level of Physical Activity and Mortality in Normal, Elevated, and High Blood Pressure. <i>Hypertension</i> , 2019, 74, 1307-1315.	2.7	41
21	Physical activity and risk of instant and 28-day case-fatality in myocardial infarction. <i>PLoS ONE</i> , 2019, 14, e0217398.	2.5	6
22	Epicardial and pericardial adipose tissues are associated with reduced diastolic and systolic function in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2006-2011.	4.4	44
23	The association between physical activity and cardiac performance is dependent on age: the Copenhagen City Heart Study. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 1249-1258.	1.5	7
24	Time spent cycling, walking, running, standing and sedentary: a cross-sectional analysis of accelerometer-data from 1670 adults in the Copenhagen City Heart Study. <i>BMC Public Health</i> , 2019, 19, 1370.	2.9	22
25	Increased Ferritin Concentration and Risk of Atrial Fibrillation and Heart Failure in Men and Women: Three Studies of the Danish General Population Including 35799 Individuals. <i>Clinical Chemistry</i> , 2019, 65, 180-188.	3.2	13
26	Is abdominal obesity at baseline influencing weight changes in observational studies and during weight loss interventions?. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 913-921.	4.7	2
27	Various Leisure-Time Physical Activities Associated With Widely Divergent Life Expectancies: The Copenhagen City Heart Study. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1775-1785.	3.0	42
28	Association of LPA Variants With Risk of Coronary Disease and the Implications for Lipoprotein(a)-Lowering Therapies. <i>JAMA Cardiology</i> , 2018, 3, 619.	6.1	428
29	The Effect of Occupational Lifting on Hypertension Risk: Protocol for a Project Using Data From the Copenhagen City Heart Study. <i>JMIR Research Protocols</i> , 2018, 7, e93.	1.0	4
30	Impact of persistence and non-persistence in leisure time physical activity on coronary heart disease and all-cause mortality: The Copenhagen City Heart Study. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1615-1623.	1.8	41
31	0171...Sedentary work and risk of venous thromboembolism. , 2017, , .		0
32	Cardiac Time Intervals Measured by Tissue Doppler Imaging Mode: Association With Hypertension, Left Ventricular Geometry, and Future Ischemic Cardiovascular Diseases. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	48
33	Morbidity and Mortality in 7,684 Women According to Personal Hair Dye Use: The Copenhagen City Heart Study followed for 37 Years. <i>PLoS ONE</i> , 2016, 11, e0151636.	2.5	5
34	Ranking of psychosocial and traditional risk factors by importance for coronary heart disease: the Copenhagen City Heart Study. <i>European Heart Journal</i> , 2015, 36, 1385-1393.	2.2	71
35	Dose of Jogging and Long-Term Mortality. <i>Journal of the American College of Cardiology</i> , 2015, 65, 411-419.	2.8	351
36	Self-Reported Cardiorespiratory Fitness: Prediction and Classification of Risk of Cardiovascular Disease Mortality and Longevity? A Prospective Investigation in the Copenhagen City Heart Study. <i>Journal of the American Heart Association</i> , 2015, 4, e001495.	3.7	37

#	ARTICLE	IF	CITATIONS
37	Total and Cause-Specific Mortality by Moderately and Markedly Increased Ferritin Concentrations: General Population Study and Metaanalysis. <i>Clinical Chemistry</i> , 2014, 60, 1419-1428.	3.2	45
38	Response to Letter Regarding Article, "Visible Age-Related Signs and Risk of Ischemic Heart Disease in the General Population: A Prospective Cohort Study". <i>Circulation</i> , 2014, 130, e338.	1.6	1
39	Changes in physical activity and all-cause mortality in COPD. <i>European Respiratory Journal</i> , 2014, 44, 1199-1209.	6.7	137
40	Speed and Duration of Walking and Other Leisure Time Physical Activity and the Risk of Heart Failure: A Prospective Cohort Study from the Copenhagen City Heart Study. <i>PLoS ONE</i> , 2014, 9, e89909.	2.5	27
41	Occupational and leisure time physical activity: risk of all-cause mortality and myocardial infarction in the Copenhagen City Heart Study. A prospective cohort study. <i>BMJ Open</i> , 2012, 2, e000556.	1.9	104
42	Physical activity in leisure time: impact on mortality. Risks and benefits. <i>Danish Medical Bulletin</i> , 2009, 56, 40-71.	0.3	11
43	Vital exhaustion as a risk factor for ischaemic heart disease and all-cause mortality in a community sample. A prospective study of 4084 men and 5479 women in the Copenhagen City Heart Study. <i>International Journal of Epidemiology</i> , 2003, 32, 990-997.	1.9	125
44	Smoking and risk of myocardial infarction in women and men: longitudinal population study. <i>BMJ: British Medical Journal</i> , 1998, 316, 1043-1047.	2.3	445
45	Determinants of Chronic Mucus Hypersecretion in a General Population with Special Reference to the Type of Tobacco Smoked. <i>International Journal of Epidemiology</i> , 1989, 18, 882-887.	1.9	9
46	Body Mass Index in the Scandinavian Countries. <i>Scandinavian Journal of Public Health</i> , 1987, 15, 205-209.	0.6	4
47	Enzyme Activities in Serum after Extensive Exercise, with Special Reference to Creatine Kinase MB. <i>Acta Medica Scandinavica</i> , 1980, 208, 229-231.	0.0	24