

# Michel Yegles

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7737759/michel-yegles-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73  
papers

2,197  
citations

27  
h-index

45  
g-index

78  
ext. papers

2,403  
ext. citations

3.2  
avg, IF

4.76  
L-index

#	Paper	IF	Citations
73	Biological State Marker for Alcohol Consumption <b>2021</b> , 595-617		
72	Direct Alcohol Biomarkers Prediction Capacity on Relapse and Mortality in Liver Transplantation Candidates: A Follow-Up Study. <i>Transplantology</i> , <b>2021</b> , 2, 246-252	1	
71	Phosphatidylethanol for Monitoring Alcohol Use in Liver Transplant Candidates: An Observational Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
70	How to Interpret Hair EtG Concentrations in Individuals with High Body Mass Index? Brief Commentary on: Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. <i>Alcohol and Alcoholism</i> , <b>2019</b> , 54, 188-189	3.5	1
69	AEME production in cocaine positive hair after thermal hair treatment. <i>Forensic Science International</i> , <b>2019</b> , 302, 109894	2.6	3
68	Influence of cosmetic hair treatments on cannabinoids in hair: Bleaching, perming and permanent coloring. <i>Forensic Science International</i> , <b>2019</b> , 297, 270-276	2.6	14
67	Determination of cannabinoids in hair of CBD rich extracts consumers using gas chromatography with tandem mass spectrometry (GC/MS-MS). <i>Forensic Science International</i> , <b>2018</b> , 292, 163-166	2.6	10
66	Gammahydroxybutyrate in hair of non-GHB and repeated GHB users: A new and optimized method. <i>Forensic Science International</i> , <b>2018</b> , 291, 193-198	2.6	9
65	Hair ethyl glucuronide concentrations in teetotalers: Should we re-evaluate the lower cut-off?. <i>Forensic Science International</i> , <b>2017</b> , 274, 107-108	2.6	8
64	Screening for Hazardous Drinking in Nursing Home Residents: Evaluating the Validity of the Current Cutoffs of the Alcohol Use Disorder Identification Test-Consumption Questions by Using Ethyl Glucuronide in Hair. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 1593-1601	3.7	6
63	Influence of Body Mass Index on Hair Ethyl Glucuronide Concentrations. <i>Alcohol and Alcoholism</i> , <b>2017</b> , 52, 19-23	3.5	10
62	Ethyl glucuronide in nails: method validation, influence of decontamination and pulverization, and particle size evaluation. <i>Forensic Toxicology</i> , <b>2016</b> , 34, 158-165	2.6	4
61	Ethyl glucuronide in hair of non-excessive alcohol consumers: correlations and gender influence. <i>Forensic Toxicology</i> , <b>2016</b> , 34, 186-190	2.6	7
60	Hair ethyl glucuronide and serum carbohydrate deficient transferrin for the assessment of relapse in alcohol-dependent patients. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 554-9	3.5	8
59	Influence of thermal hair straightening on cannabis and cocaine content in hair. <i>Forensic Science International</i> , <b>2016</b> , 265, 13-6	2.6	10
58	Biomarkers for detection of alcohol consumption in liver transplantation. <i>World Journal of Gastroenterology</i> , <b>2016</b> , 22, 3725-34	5.6	20
57	Ethyl glucuronide concentrations in hair: a controlled alcohol-dosing study in healthy volunteers. <i>Analytical and Bioanalytical Chemistry</i> , <b>2016</b> , 408, 2019-25	4.4	13

56	Letter to the Editor Regarding <b>IA</b> Comparison Between Serum Carbohydrate-Deficient Transferrin and Hair Ethyl Glucuronide in Detecting Chronic Alcohol Consumption in Routine <b>U</b> <i>Alcohol and Alcoholism</i> , <b>2015</b> , 50, 485-6	3.5	1
55	Impact of the grinding process on the quantification of ethyl glucuronide in hair using a validated UPLC-ESI-MS-MS method. <i>Journal of Analytical Toxicology</i> , <b>2015</b> , 39, 17-23	2.9	23
54	Nail analysis for the detection of drugs of abuse and pharmaceuticals: a review. <i>Forensic Toxicology</i> , <b>2015</b> , 33, 12-36	2.6	38
53	Influence of repeated permanent coloring and bleaching on ethyl glucuronide concentrations in hair from alcohol-dependent patients. <i>Forensic Science International</i> , <b>2015</b> , 247, 18-22	2.6	25
52	Ethanol metabolites: their role in the assessment of alcohol intake. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2015</b> , 39, 2060-72	3.7	78
51	Biochemical determination of alcohol consumption <b>2015</b> , 113-121		1
50	Gas chromatographic determination of ethyl glucuronide in hair: comparison between tandem mass spectrometry and single quadrupole mass spectrometry. <i>Forensic Science International</i> , <b>2015</b> , 249, 20-4	2.6	25
49	Biological State Marker for Alcohol Consumption <b>2015</b> , 261-292		
48	Ethylglucuronide in hair is a top predictor of impaired driving recidivism, alcohol dependence, and a key marker of the highest BAC interlock tests. <i>Traffic Injury Prevention</i> , <b>2014</b> , 15, 361-9	1.8	12
47	Hair ethyl glucuronide levels as a marker for alcohol use and abuse: a review of the current state of the art. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 134, 1-11	4.9	97
46	Hair ethyl glucuronide as a biomarker of alcohol consumption in alcohol-dependent patients: role of gender differences. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 141, 163-6	4.9	32
45	Time resolved analysis of quetiapine and 7-OH-quetiapine in hair using LC/MS-MS. <i>Forensic Science International</i> , <b>2014</b> , 242, 200-203	2.6	20
44	Alkohol- und Benzodiazepinkonsum bei <b>Ä</b> teren und hochbetagten Menschen <b>Ä</b> Ergebnisse aus dem INTERREG-Projekt Alter und Sucht. <i>Suchttherapie</i> , <b>2014</b> , 15, 105-112	0.4	2
43	Combining serum carbohydrate-deficient transferrin and hair ethyl glucuronide to provide optimal information on alcohol use. <i>Clinical Chemistry</i> , <b>2014</b> , 60, 1347-8	5.5	11
42	Influence of thermal hair straightening on ethyl glucuronide content in hair. <i>Drug Testing and Analysis</i> , <b>2014</b> , 6 Suppl 1, 74-7	3.5	32
41	Determination of ethyl glucuronide in hair improves evaluation of long-term alcohol abstinence in liver transplant candidates. <i>Liver International</i> , <b>2014</b> , 34, 469-76	7.9	39
40	Coloring, bleaching, and perming: influence on EtG content in hair. <i>Therapeutic Drug Monitoring</i> , <b>2013</b> , 35, 527-9	3.2	56
39	Pregabalin determination in hair by ultra-high-performance liquid chromatography-tandem mass spectrometry. <i>Journal of Analytical Toxicology</i> , <b>2013</b> , 37, 676-9	2.9	11

38	Can ethyl glucuronide in hair be determined only in 3 cm hair strands?. <i>Forensic Science International</i> , <b>2012</b> , 218, 3-9	2.6	21
37	The influence of ethanol containing cosmetics on ethyl glucuronide concentration in hair. <i>Forensic Science International</i> , <b>2012</b> , 218, 123-5	2.6	51
36	Ethyl Glucuronide Determination in Hair for Evaluation of Long-Term Alcohol Abstention in Liver Transplant Candidates. <i>Transplantation</i> , <b>2012</b> , 94, 51	1.8	
35	Simultaneous quantification of zidovudine, stavudine, lamivudine and nevirapine by Micellar Electrokinetic Capillary Chromatography. <i>Toxicologie Analytique Et Clinique</i> , <b>2012</b> , 24, 177-183	0.4	2
34	Optimizing heroin-assisted treatment (HAT): assessment of the contribution of direct ethanol metabolites in identifying hazardous and harmful alcohol use. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 115, 57-61	4.9	13
33	Estimating driver risk using alcohol biomarkers, interlock blood alcohol concentration tests and psychometric assessments: initial descriptives. <i>Addiction</i> , <b>2010</b> , 105, 226-39	4.6	62
32	Abstinence monitoring of suspected drinking drivers: ethyl glucuronide in hair versus CDT. <i>Traffic Injury Prevention</i> , <b>2010</b> , 11, 123-6	1.8	36
31	Validation of a headspace solid-phase microextraction-GC-MS/MS for the determination of ethyl glucuronide in hair according to forensic guidelines. <i>Forensic Science International</i> , <b>2010</b> , 196, 3-9	2.6	65
30	Time resolved analysis of risperidone and 9-hydroxy-risperidone in hair using LC/MS-MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2009</b> , 877, 2589-92	3.2	18
29	Ethyl glucuronide determination: head hair versus non-head hair. <i>Alcohol and Alcoholism</i> , <b>2009</b> , 44, 62-6	3.5	65
28	Assessment of alcohol use among methadone maintenance patients by direct ethanol metabolites and self-reports. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2008</b> , 32, 1552-7	3.7	36
27	Determination of fentanyl in sweat and hair of a patient using transdermal patches. <i>Journal of Analytical Toxicology</i> , <b>2008</b> , 32, 260-4	2.9	26
26	Chronic intake of fermented floral nectar by wild treeshrews. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 10426-31	11.5	128
25	Determination of fatty acid ethyl esters (FAEE) and ethyl glucuronide (EtG) in hair: a promising way for retrospective detection of alcohol abuse during pregnancy?. <i>Therapeutic Drug Monitoring</i> , <b>2008</b> , 30, 255-63	3.2	123
24	Simultaneous enantioselective quantification of methadone and of 2-ethylidene-1,5-dimethyl-3,3-diphenyl-pyrrolidine in oral fluid using capillary electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2008</b> , 862, 79-85	3.2	22
23	Measurement of direct ethanol metabolites in a case of a former driving under the influence (DUI) of alcohol offender, now claiming abstinence. <i>International Journal of Legal Medicine</i> , <b>2008</b> , 122, 235-9	3.1	35
22	Influence of bleaching on the enantiomeric disposition of amphetamine-type stimulants in hair. <i>Forensic Science International</i> , <b>2008</b> , 176, 38-41	2.6	23
21	Measurement of direct ethanol metabolites suggests higher rate of alcohol use among pregnant women than found with the AUDIT--a pilot study in a population-based sample of Swedish women. <i>American Journal of Obstetrics and Gynecology</i> , <b>2008</b> , 198, 407.e1-5	6.4	73

20	Time-resolved hair analysis of MDMA enantiomers by GC/MS-NCI. <i>Forensic Science International</i> , <b>2007</b> , 172, 150-5	2.6	16
19	Segmental determination of ethyl glucuronide in hair: a pilot study. <i>Forensic Science International</i> , <b>2007</b> , 173, 87-92	2.6	107
18	Ethyl glucuronide concentration in hair is not influenced by pigmentation. <i>Alcohol and Alcoholism</i> , <b>2007</b> , 42, 326-7	3.5	61
17	Alcohol Markers in Hair. <i>International Forensic Science and Investigation Series</i> , <b>2006</b> , 287-323		8
16	Opioids Testing in Hair. <i>International Forensic Science and Investigation Series</i> , <b>2006</b> , 73-94		
15	Sensitive, rapid and validated gas chromatography/negative ion chemical ionization-mass spectrometry assay including derivatisation with a novel chiral agent for the enantioselective quantification of amphetamine-type stimulants in hair. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 819, 88-107	3.2	38
14	Simultaneous enantioselective determination of amphetamine and congeners in hair specimens by negative chemical ionization gas chromatography-mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2005</b> , 825, 57-62	3.2	31
13	Drugs and chronic alcohol abuse in drivers. <i>Forensic Science International</i> , <b>2005</b> , 155, 83-90	2.6	41
12	Un piège dans l'analyse des cheveux : les traitements cosmétiques. <i>Toxicologie Analytique Et Clinique</i> , <b>2005</b> , 17, 275-278	0.4	14
11	Comparison of ethyl glucuronide and fatty acid ethyl ester concentrations in hair of alcoholics, social drinkers and teetotallers. <i>Forensic Science International</i> , <b>2004</b> , 145, 167-73	2.6	158
10	Imaging of arsenic traces in human hair by nano-SIMS 50. <i>Applied Surface Science</i> , <b>2004</b> , 231-232, 490-496	6.7	27
9	Detection and quantification of benzodiazepines in hair by ToF-SIMS: preliminary results. <i>Applied Surface Science</i> , <b>2003</b> , 203-204, 718-721	6.7	7
8	Suicide with remifentanyl and midazolam : a case report. <i>Acta Clinica Belgica</i> , <b>2002</b> , 57 Suppl 1, 54-7	1.8	8
7	Influence of bleaching on stability of benzodiazepines in hair. <i>Forensic Science International</i> , <b>2000</b> , 107, 87-92	2.6	45
6	Incorporation of propyphenazone in beard hair of a migraine patient. <i>Forensic Science International</i> , <b>2000</b> , 107, 233-7	2.6	5
5	Detection of benzodiazepines and other psychotropic drugs in human hair by GC/MS. <i>Forensic Science International</i> , <b>1997</b> , 84, 211-8	2.6	71
4	Quantification of dextropropoxyphene and its metabolite by HPLC in hair of overdose cases. <i>Forensic Science International</i> , <b>1997</b> , 84, 237-42	2.6	12
3	Role of fibre characteristics on cytotoxicity and induction of anaphase/telophase aberrations in rat pleural mesothelial cells in vitro: correlations with in vivo animal findings. <i>Carcinogenesis</i> , <b>1995</b> , 16, 2751-8	4.6	44

2	Induction of metaphase and anaphase/telophase abnormalities by asbestos fibers in rat pleural mesothelial cells in vitro. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>1993</b> , 9, 186-91	5-7	54
1	Use of mesothelial cell cultures to assess the carcinogenic potency of mineral or man made fibers. <i>Cell Biology and Toxicology</i> , <b>1992</b> , 8, 133-9	7-4	4