
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7738321/publications.pdf Version: 2024-02-01



LULIA LACORS

#	Article	IF	CITATIONS
1	Increased interictal synchronicity of respiratory related brain pulsations in epilepsy. Journal of Cerebral Blood Flow and Metabolism, 2022, 42, 1840-1853.	4.3	5
2	Scalp Ripples Can Predict Development of Epilepsy After First Unprovoked Seizure in Childhood. Annals of Neurology, 2021, 89, 134-142.	5.3	28
3	Topography-Related EEG-fMRI in Surgically Confirmed Epileptic Foci: A Comparison to Spike-Related EEG-fMRI in Clinical Practice. Brain Topography, 2021, 34, 373-383.	1.8	2
4	Distinction of Physiologic and Epileptic Ripples: An Electrical Stimulation Study. Brain Sciences, 2021, 11, 538.	2.3	4
5	Prescription patterns of antiseizure drugs in tuberous sclerosis complex (TSC)-associated epilepsy: a multicenter cohort study from Germany and review of the literature. Expert Review of Clinical Pharmacology, 2021, 14, 749-760.	3.1	13
6	Telehealth for Children With Epilepsy Is Effective and Reduces Anxiety Independent of Healthcare Setting. Frontiers in Pediatrics, 2021, 9, 642381.	1.9	5
7	Direct and indirect costs and cost-driving factors of Tuberous sclerosis complex in children, adolescents, and caregivers: a multicenter cohort study. Orphanet Journal of Rare Diseases, 2021, 16, 282.	2.7	13
8	Facilitation of drug-resistant epilepsy and catastrophic status epilepticus in children with combined pituitary hormone deficiency. European Journal of Paediatric Neurology, 2021, 33, 99-105.	1.6	1
9	Efficacy, Retention and Tolerability of Everolimus in Patients with Tuberous Sclerosis Complex: A Survey-Based Study on Patients' Perspectives. CNS Drugs, 2021, 35, 1107-1122.	5.9	13
10	Interictal spikes with and without high-frequency oscillation have different single-neuron correlates. Brain, 2021, 144, 3078-3088.	7.6	30
11	Anxiety of families after first unprovoked or first febrile seizure – A prospective, randomized pilot study. Epilepsy and Behavior, 2021, 122, 108120.	1.7	7
12	Temporo-Frontal Coherences and High-Frequency iEEG Responses during Spatial Navigation in Patients with Drug-Resistant Epilepsy. Brain Sciences, 2021, 11, 162.	2.3	1
13	Effect of Cannabidiol on Interictal Epileptiform Activity and Sleep Architecture in Children with Intractable Epilepsy: A Prospective Open-Label Study. CNS Drugs, 2021, 35, 1207-1215.	5.9	12
14	Health-related quality of life in children and adolescents with tuberous sclerosis complex and their caregivers: A multicentre cohort study from Germany. European Journal of Paediatric Neurology, 2021, 35, 111-122.	1.6	10
15	Automatic detection of high-frequency-oscillations and their sub-groups co-occurring with interictal-epileptic-spikes. Journal of Neural Engineering, 2020, 17, 016030.	3.5	22
16	Trends in pediatric epilepsy surgery in Europe between 2008 and 2015: Countryâ€; centerâ€; and ageâ€specific variation. Epilepsia, 2020, 61, 216-227.	5.1	44
17	Stable high frequency background EEG activity distinguishes epileptic from healthy brain regions. Brain Communications, 2020, 2, fcaa107.	3.3	4
18	HFO to Measure Seizure Propensity and Improve Prognostication in Patients With Epilepsy. Epilepsy Currents, 2020, 20, 338-347.	0.8	29

#	Article	IF	CITATIONS
19	Interictal Fast Ripples Are Associated With the Seizure-Generating Lesion in Patients With Dual Pathology. Frontiers in Neurology, 2020, 11, 573975.	2.4	9
20	Networks in Posterior Cortex Epilepsies. Neurosurgery Clinics of North America, 2020, 31, 325-334.	1.7	3
21	Expectations and knowledge of cannabidiol therapy for childhood epilepsy — A German caregiver survey. Epilepsy and Behavior, 2020, 111, 107268.	1.7	4
22	Respiratory-related brain pulsations are increased in epilepsy—a two-centre functional MRI study. Brain Communications, 2020, 2, fcaa076.	3.3	15
23	Maternal blood pressure levels prepartum correlate with neonatal birth weight in preeclampsia. Journal of Perinatal Medicine, 2019, 47, 894-896.	1.4	0
24	Effects of cannabidiol on brivaracetam plasma levels. Epilepsia, 2019, 60, e74-e77.	5.1	45
25	In search of epileptic scalp high-frequency oscillations. Clinical Neurophysiology, 2019, 130, 1172-1174.	1.5	5
26	Highâ€frequency oscillations mirror severity of human temporal lobe seizures. Annals of Clinical and Translational Neurology, 2019, 6, 2479-2488.	3.7	18
27	Efficacy and Tolerance of Synthetic Cannabidiol for Treatment of Drug Resistant Epilepsy. Frontiers in Neurology, 2019, 10, 1313.	2.4	22
28	A single channel sleep-spindle detector based on multivariate classification of EEG epochs: MUSSDET. Journal of Neuroscience Methods, 2018, 297, 31-43.	2.5	16
29	Cognitive and behavioral comorbidities in Rolandic epilepsy and their relation with default mode network's functional connectivity and organization. Epilepsy and Behavior, 2018, 78, 179-186.	1.7	27
30	Long-term seizure outcome in pediatric patients with focal cortical dysplasia undergoing tailored and standard surgical resections. Seizure: the Journal of the British Epilepsy Association, 2018, 62, 66-73.	2.0	27
31	Removing high-frequency oscillations. Neurology, 2018, 91, e1040-e1052.	1.1	158
32	Cannabidiol for Treatment of Childhood Epilepsy–A Cross-Sectional Survey. Frontiers in Neurology, 2018, 9, 731.	2.4	15
33	FV 269. Cannabidiol for Treatment of Childhood Epilepsy—A Cross-Sectional Survey. , 2018, 49, .		0
34	Vitamin B6–Responsive Epilepsy due to a Novel KCNQ2 Mutation. Neuropediatrics, 2017, 48, 199-204.	0.6	12
35	Highâ€frequency oscillations: The state of clinical research. Epilepsia, 2017, 58, 1316-1329.	5.1	260
36	Ripples on rolandic spikes: A marker of epilepsy severity. Epilepsia, 2016, 57, 1179-1189.	5.1	97

#	Article	IF	CITATIONS
37	Marker-based ballistocardiographic artifact correction improves spike identification in EEG-fMRI of focal epilepsy patients. Clinical Neurophysiology, 2016, 127, 2802-2811.	1.5	7
38	Spontaneous ripples in the hippocampus correlate with epileptogenicity and not memory function in patients with refractory epilepsy. Epilepsy and Behavior, 2016, 62, 258-266.	1.7	22
39	Seizures in Preterm Infants. Journal of Clinical Neurophysiology, 2016, 33, 382-393.	1.7	6
40	The identification of distinct high-frequency oscillations during spikes delineates the seizure onset zone better than high-frequency spectral power changes. Clinical Neurophysiology, 2016, 127, 129-142.	1.5	57
41	High-frequency oscillations in epilepsy and surgical outcome. A meta-analysis. Frontiers in Human Neuroscience, 2015, 9, 574.	2.0	134
42	Concordance of Epileptic Networks Associated with Epileptic Spikes Measured by High-Density EEG and Fast fMRI. PLoS ONE, 2015, 10, e0140537.	2.5	15
43	Electrical stimulation for cortical mapping reduces the density of high frequency oscillations. Epilepsy Research, 2014, 108, 1758-1769.	1.6	10
44	Differentiation of specific ripple patterns helps to identify epileptogenic areas for surgical procedures. Clinical Neurophysiology, 2014, 125, 1339-1345.	1.5	124
45	Frequency domain beamforming of magnetoencephalographic beta band activity in epilepsy patients with focal cortical dysplasia. Epilepsy Research, 2014, 108, 1195-1203.	1.6	25
46	Detecting neonatal seizures: A challenge accepted!. Clinical Neurophysiology, 2014, 125, 1501-1503.	1.5	2
47	Fast fMRI provides high statistical power in the analysis of epileptic networks. NeuroImage, 2014, 88, 282-294.	4.2	48
48	High frequency oscillations mirror disease activity in patients with focal cortical dysplasia. Epilepsia, 2013, 54, 1428-1436.	5.1	68
49	Ictal and interictal high frequency oscillations in patients with focal epilepsy. Clinical Neurophysiology, 2011, 122, 664-671.	1.5	158
50	Highâ€frequency electroencephalographic oscillations correlate with outcome of epilepsy surgery. Annals of Neurology, 2010, 67, 209-220.	5.3	645
51	Value of electrical stimulation and high frequency oscillations (80–500 Hz) in identifying epileptogenic areas during intracranial EEG recordings. Epilepsia, 2010, 51, 573-582.	5.1	53
52	High frequency oscillations in intracranial EEGs mark epileptogenicity rather than lesion type. Brain, 2009, 132, 1022-1037.	7.6	367
53	High frequency oscillations (80–500 Hz) in the preictal period in patients with focal seizures. Epilepsia, 2009, 50, 1780-1792.	5.1	125
54	High frequency oscillations and seizure frequency in patients with focal epilepsy. Epilepsy Research, 2009, 85, 287-292.	1.6	46

#	Article	IF	CITATIONS
55	Interictal highâ€frequency oscillations (80–500 Hz) are an indicator of seizure onset areas independent of spikes in the human epileptic brain. Epilepsia, 2008, 49, 1893-1907.	5.1	542
56	Variability of the hemodynamic response as a function of age and frequency of epileptic discharge in children with epilepsy. NeuroImage, 2008, 40, 601-614.	4.2	93
57	Pathways of seizure propagation from the temporal to the occipital lobe. Epileptic Disorders, 2008, 10, 266-270.	1.3	8
58	Refractory and lethal status epilepticus in a patient with ring chromosome 20 syndrome. Epileptic Disorders, 2008, 10, 254-259.	1.3	17