

# Chantal Michel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7738930/publications.pdf>

Version: 2024-02-01

84  
papers

1,829  
citations

331538

21  
h-index

289141

40  
g-index

99  
all docs

99  
docs citations

99  
times ranked

2049  
citing authors

#	ARTICLE	IF	CITATIONS
1	EPA guidance on the early detection of clinical high risk states of psychoses. <i>European Psychiatry</i> , 2015, 30, 405-416.	0.1	318
2	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	6.0	125
3	Age matters in the prevalence and clinical significance of ultra-high-risk for psychosis symptoms and criteria in the general population: Findings from the BEAR and BEARS-kid studies. <i>World Psychiatry</i> , 2015, 14, 189-197.	4.8	110
4	Prevalence and Clinical Significance of DSM-5 "Attenuated Psychosis Syndrome in Adolescents and Young Adults in the General Population: The Bern Epidemiological At-Risk (BEAR) Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1499-1508.	2.3	79
5	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
6	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016, 7, 9.	1.3	62
7	A Stratified Model for Psychosis Prediction in Clinical Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, 1533-1542.	2.3	59
8	Psychosis-predictive value of self-reported schizotypy in a clinical high-risk sample.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 923-932.	2.0	59
9	Course of clinical high-risk states for psychosis beyond conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 39-48.	1.8	59
10	Coping as a mediator between locus of control, competence beliefs, and mental health: A systematic review and structural equation modelling meta-analysis. <i>Behaviour Research and Therapy</i> , 2019, 121, 103442.	1.6	58
11	Duration of unspecific prodromal and clinical high risk states, and early help-seeking in first-admission psychosis patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1831-1841.	1.6	56
12	"A Rose Is a Rose Is a Rose"™, but At-Risk Criteria Differ. <i>Psychopathology</i> , 2013, 46, 75-87.	1.1	54
13	What percentage of people in the general population satisfies the current clinical at-risk criteria of psychosis?. <i>Schizophrenia Research</i> , 2011, 125, 99-100.	1.1	47
14	Prevalence and clinical relevance of interview-assessed psychosis-risk symptoms in the young adult community. <i>Psychological Medicine</i> , 2018, 48, 1167-1178.	2.7	45
15	Personality disorders and accentuations in at-risk persons with and without conversion to first-episode psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 389-398.	0.9	41
16	Differences in coping, self-efficacy, and external control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. <i>Psychiatry Research</i> , 2014, 219, 95-102.	1.7	36
17	Predictors for DSM-5 nonsuicidal self-injury in female adolescent inpatients: The role of childhood maltreatment, alexithymia, and dissociation. <i>Psychiatry Research</i> , 2016, 239, 346-352.	1.7	35
18	Abnormal involuntary movements are linked to psychosis-risk in children and adolescents: Results of a population-based study. <i>Schizophrenia Research</i> , 2016, 174, 58-64.	1.1	33

#	ARTICLE	IF	CITATIONS
19	Age effect on prevalence of ultra-high risk for psychosis symptoms: replication in a clinical sample of an early detection of psychosis service. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1401-1405.	2.8	28
20	The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter. <i>Schizophrenia Research</i> , 2019, 210, 188-196.	1.1	27
21	The interplay of etiological knowledge and mental illness stigma on healthcare utilisation in the community: A structural equation model. <i>European Psychiatry</i> , 2018, 51, 48-56.	0.1	23
22	What Is the Incidence of Implant Malpositioning and Revision Surgery After Orbital Repair?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2018, 76, 146-153.	0.5	22
23	Functioning mediates help-seeking for mental problems in the general population. <i>European Psychiatry</i> , 2018, 54, 1-9.	0.1	22
24	What are the limitations of the non-patient-specific implant in titanium reconstruction of the orbit?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2020, 58, e80-e85.	0.4	22
25	Striatal cerebral blood flow, executive functioning, and fronto-striatal functional connectivity in clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 201, 231-236.	1.1	21
26	Functional and structural correlates of abnormal involuntary movements in psychosis risk and first episode psychosis. <i>Schizophrenia Research</i> , 2019, 212, 196-203.	1.1	20
27	Predictors of help-seeking behaviour in people with mental health problems: a 3-year prospective community study. <i>BMC Psychiatry</i> , 2021, 21, 432.	1.1	20
28	Age effects on basic symptoms in the community: A route to gain new insight into the neurodevelopment of psychosis?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 311-324.	1.8	19
29	Mediators Linking Childhood Adversities and Trauma to Suicidality in Individuals at Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017, 8, 242.	1.3	17
30	Screening instruments in child and adolescent psychiatry: general and methodological considerations. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 725-727.	2.8	16
31	Effects of age and sex on clinical high-risk for psychosis in the community. <i>World Journal of Psychiatry</i> , 2020, 10, 101-124.	1.3	16
32	Reliability of telephone assessments of at-risk criteria of psychosis: A comparison to face-to-face interviews. <i>Schizophrenia Research</i> , 2014, 153, 251-253.	1.1	15
33	Clinical evaluation of the iterative metal artefact reduction algorithm for post-operative CT examination after maxillofacial surgery. <i>Dentomaxillofacial Radiology</i> , 2017, 46, 20160355.	1.3	15
34	The trait-estate distinction between schizotypy and clinical high risk: results from a one-year follow-up. <i>World Psychiatry</i> , 2019, 18, 108-109.	4.8	15
35	Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. <i>Schizophrenia Research</i> , 2012, 140, 31-36.	1.1	14
36	Is a black eye a useful sign of facial fractures in patients with minor head injuries? A retrospective analysis in a level I trauma centre over 10 years. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014, 52, 518-522.	0.4	14

#	ARTICLE	IF	CITATIONS
37	Development of stimulus material for research in alcohol use disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	14
38	Convergent and concurrent validity of the Frankfurt Complaint Questionnaire as a screener for psychosis risk. <i>Journal of Risk Research</i> , 2017, 20, 1480-1496.	1.4	9
39	The Bern Early Recognition and Intervention Centre for mental crisis (<sc>FETZ</sc> Bern)â€™ An 8â€™year evaluation. <i>Microbial Biotechnology</i> , 2022, 16, 289-301.	0.9	9
40	Clinical high-risk criteria of psychosis in 8â€™17-year-old community subjects and inpatients not suspected of developing psychosis. <i>World Journal of Psychiatry</i> , 2022, 12, 425-449.	1.3	9
41	Twelve-month service use, suicidality and mental health problems of European adolescents after a school-based screening for current suicidality. <i>European Child and Adolescent Psychiatry</i> , 2020, , 1.	2.8	7
42	Associations of psychosis-risk symptoms with quality of life and self-rated health in the Community. <i>European Psychiatry</i> , 2019, 62, 116-123.	0.1	6
43	The Important Role of Stereotypes in the relation between Mental Health Literacy and Stigmatization of Depression and Psychosis in the Community. <i>Community Mental Health Journal</i> , 2021, , 1.	1.1	6
44	Traumatic experiences in childhood and the development of psychosis spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 211-213.	2.8	6
45	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	6.0	6
46	Demographic and clinical characteristics of diagnosed and nonâ€™diagnosed psychotic disorders in the community. <i>Microbial Biotechnology</i> , 2018, 12, 87-90.	0.9	5
47	Clinical high-risk of and conversion to psychosis in the community: A 3-year follow-up of a cohort study. <i>Schizophrenia Research</i> , 2021, 228, 616-618.	1.1	5
48	Basic symptoms and gray matter volumes of patients at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2021, 51, 2666-2674.	2.7	5
49	Positive psychotic symptoms in childhood and adolescence. <i>Current Opinion in Psychology</i> , 2022, 45, 101287.	2.5	4
50	Prediction and Early Detection of First-Episode Psychosis. , 2011, , 207-267.		3
51	The impact of school-based screening on service use in adolescents at risk for mental health problems and risk-behaviour. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1745-1754.	2.8	3
52	An ecological momentary assessment study of age effects on perceptive and non-perceptive clinical high-risk symptoms of psychosis. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1841-1852.	2.8	3
53	S211. SCHIZOTYPY IN PATIENTS FROM A CLINICAL HIGH RISK SERVICE: TRAIT OR STATE?. <i>Schizophrenia Bulletin</i> , 2018, 44, S407-S408.	2.3	2
54	Trapped in a Glass Bell Jar: Neural Correlates of Depersonalization and Derealization in Subjects at Clinical High-Risk of Psychosis and Depersonalizationâ€™Derealization Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 535652.	1.3	2

#	ARTICLE	IF	CITATIONS
55	Estados clínicos de alto riesgo para esquizofrenia y otras formas de psicosis: una breve revisión. Revista De Neuro-psiquiatria, 2017, 80, 42.	0.0	2
56	Introducing a Group Therapy Program (PLAN D) for Young Outpatients with Derealization and Depersonalization: A Pilot Study. Psychopathology, 2021, , 1-7.	1.1	2
57	Childhood Maltreatment and Its Association with Cognitive Ability in Young People Suspected to Be at Clinical High Risk of Psychosis. Psychopathology, 2023, 56, 17-28.	1.1	2
58	The Course of Risk Symptoms for Psychosis in the General Population: 2.5-year Follow-up of the Bern Epidemiological At-risk (Bear) Study. European Psychiatry, 2015, 30, 746.	0.1	1
59	Clinical High Risk Symptoms and Criteria in the Community: Prevalence, Clinical Significance and Risk Factors for Their Occurrence. European Psychiatry, 2017, 41, S226-S226.	0.1	1
60	Basic Symptoms in the Community and their Association with Age. European Psychiatry, 2017, 41, S84-S85.	0.1	1
61	Subjective disturbances in emerging psychosis. , 2020, , 59-80.		1
62	Psychoserisikosyndrome im Kindes- und Jugendalter. Springer Reference Medizin, 2021, , 1-12.	0.0	1
63	Monitoring Adolescents'™ Distress using Social Web data as a Source: the InsideOut Project. , 2017, , 20-29.		1
64	Psychometric properties of the Kessler psychological scales in a Swiss young adult community sample indicate poor suitability for community screening for mental disorders. Microbial Biotechnology, 2023, 17, 85-95.	0.9	1
65	Prevalence and Burden of at-Risk Criteria of Psychosis and Help-Seeking Behaviour - a Population Survey. European Psychiatry, 2011, 26, 1128-1128.	0.1	0
66	Poster #92 PSYCHOPATHOLOGICAL SIGNIFICANCE OF AT-RISK CRITERIA OF PSYCHOSIS IN THE GENERAL POPULATION: PRELIMINARY RESULTS FROM A TELEPHONE SURVEY. Schizophrenia Research, 2012, 136, S313.	1.1	0
67	Poster #93 AT-RISK CRITERIA OF PSYCHOSIS AND QUALITY OF LIFE IN THE GENERAL POPULATION: PRELIMINARY RESULTS FROM A TELEPHONE SURVEY. Schizophrenia Research, 2012, 136, S313-S314.	1.1	0
68	Poster #T160 A STRATIFIED MODEL FOR PSYCHOSIS PREDICTION IN CLINICAL PRACTICE. Schizophrenia Research, 2014, 153, S346-S347.	1.1	0
69	Poster #S127 PREVALENCE OF AT-RISK CRITERIA OF PSYCHOSIS IN CHILDREN AND ADOLESCENTS, AND IN YOUNG ADULTS: RESULTS FROM TWO SWISS COMMUNITY SAMPLES. Schizophrenia Research, 2014, 153, S134.	1.1	0
70	EPA-0765 " Coping, self-efficacy, and control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. European Psychiatry, 2014, 29, 1.	0.1	0
71	EPA-0827 - Prevalence and burden of at-risk criteria of psychosis and help-seeking behaviour: Design and response of a population survey. European Psychiatry, 2014, 29, 1.	0.1	0
72	EPA-0828 - Axis-I disorders and at-risk criteria of psychosis in the general population: Preliminary results from a telephone survey. European Psychiatry, 2014, 29, 1.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Poster #T212 MENTAL HEALTH LITERACY ON PSYCHOSIS AND DEPRESSION: DO LABELING AND CAUSAL ATTRIBUTION AFFECT TREATMENT RECOMMENDATIONS?. Schizophrenia Research, 2014, 153, S364-S365.	1.1	0
74	Poster #M187 NEUROCOGNITIVE IMPAIRMENTS IN ADOLESCENTS WITH AND WITHOUT AT-RISK STATES OF PSYCHOSIS. Schizophrenia Research, 2014, 153, S258.	1.1	0
75	Poster #T234 SLEEP DISRUPTION IN CHILDREN AND ADOLESCENTS AT-RISK FOR PSYCHOSIS: A PRELIMINARY STUDY. Schizophrenia Research, 2014, 153, S372.	1.1	0
76	Poster #S126 MENTAL HEALTH LITERACY: DESIGN OF AND RESPONSE TO AN ADD-ON QUESTIONNAIRE STUDY TO A POPULATION SURVEY. Schizophrenia Research, 2014, 153, S134.	1.1	0
77	Poster #M154 PREVALENCE OF PSYCHOSIS-RISK CRITERIA AND SYMPTOMS IN AN INPATIENT AND GENERAL POPULATION SAMPLE OF CHILDREN AND ADOLESCENTS. Schizophrenia Research, 2014, 153, S246.	1.1	0
78	The Predictive Power of the Wisconsin Scales of Schizophrenia Proneness in Patients of an Early Detection Service. European Psychiatry, 2015, 30, 922.	0.1	0
79	The Impact of Age on the Prevalence and Clinical Relevance of Attenuated Psychotic Symptoms in Patients of an Early Detection Service. European Psychiatry, 2017, 41, S84-S84.	0.1	0
80	O11.8. PREVALENCE AND PREDICTORS OF INTERVIEW-ASSESSED CLINICAL HIGH-RISK SYMPTOMS IN THE GENERAL POPULATION. Schizophrenia Bulletin, 2018, 44, S109-S109.	2.3	0
81	F26. THE NATURE OF CLINICAL HIGH-RISK SYMPTOMS: NEW INSIGHTS GAINED FROM AGE EFFECTS. Schizophrenia Bulletin, 2018, 44, S228-S229.	2.3	0
82	O10.5. CLINICAL HIGH RISK (CHR) CRITERIA IN CHILDREN AND ADOLESCENTS NOT SUSPECTED TO DEVELOP PSYCHOSIS: NO TRANSDIAGNOSTIC SEVERITY MARKER OF MENTAL HEALTH PROBLEMS. Schizophrenia Bulletin, 2020, 46, S26-S26.	2.3	0
83	Clinical High Risk for Psychosis Syndromes Among Swiss and German Youth and Young Adults: Early Identification and Intervention. , 2019, , 115-142.		0
84	Editorial: Clinical High Risk for Psychosis: From Epidemiological Findings to Neurobiological Underpinnings of Treatment Response and Outcome. Frontiers in Psychiatry, 2021, 12, 790810.	1.3	0