

Jong-Il Choi,, Mhs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/774041/jong-il-choi-mhs-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

1,360
citations

20
h-index

30
g-index

154
ext. papers

1,907
ext. citations

3.8
avg, IF

4.48
L-index

#	Paper	IF	Citations
129	Radiologic assessment of rupture risk in small (. <i>Medicine (United States)</i> , 2022 , 101, e28696	1.8	0
128	Therapeutic implications of galectin-3 in patients with atrial fibrillation.. <i>Scientific Reports</i> , 2022 , 12, 7844.9	4.9	0
127	Left Atrial Dysfunction, Fibrosis and the Risk of Thromboembolism in Patients With Paroxysmal and Persistent Atrial Fibrillation. <i>International Journal of Heart Failure</i> , 2022 , 4, 42	1.3	3
126	Association of Depression With Atrial Fibrillation in South Korean Adults.. <i>JAMA Network Open</i> , 2022 , 5, e2141772	10.4	0
125	Metabolic Syndrome, Gamma-Glutamyl Transferase, and Risk of Sudden Cardiac Death.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	3
124	Sex-Related Differences in Left Atrial Low-Voltage Areas According to CHA2DS2-VA Scores among Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3111	5.1	0
123	Malnutrition and Risk of Procedural Complications in Patients With Atrial Fibrillation Undergoing Catheter Ablation. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 736042	5.4	2
122	Impact of carotid atherosclerosis in CHA2DS2-VASc-based risk score on predicting ischemic stroke in patients with atrial fibrillation. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 342-351	2.5	2
121	Early Recurrence Is Reliable Predictor of Late Recurrence After Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>JACC: Clinical Electrophysiology</i> , 2021 , 7, 343-351	4.6	4
120	Socioeconomic Status and Outcomes in Heart Failure With Reduced Ejection Fraction From Asia. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e006962	5.8	3
119	Different Influence of Blood Pressure on New-Onset Atrial Fibrillation in Pre- and Postmenopausal Women: A Nationwide Population-Based Study. <i>Hypertension</i> , 2021 , 77, 1500-1509	8.5	7
118	Inherited arrhythmia syndrome predisposing to sudden cardiac death. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 527-538	2.5	4
117	Premature ventricular contraction increases the risk of heart failure and ventricular tachyarrhythmia. <i>Scientific Reports</i> , 2021 , 11, 12698	4.9	4
116	HRS/EHRA/APHRS/LAHRs/ACC/AHA worldwide practice update for telehealth and arrhythmia monitoring during and after a pandemic. <i>Europace</i> , 2021 , 23, 313	3.9	17
115	Anticoagulant selection in relation to the SAME-TTR score in patients with atrial fibrillation: The GLORIA-AF registry. <i>Hellenic Journal of Cardiology</i> , 2021 , 62, 152-157	2.1	1
114	Adherence to dabigatran and the influence of dabigatran-induced gastrointestinal discomfort in the real-world practice. <i>International Journal of Cardiology</i> , 2021 , 323, 77-82	3.2	0
113	The 10-Year Trend of Out-of-hospital Cardiac Arrests: a Korean Nationwide Population-Based Study. <i>Korean Circulation Journal</i> , 2021 , 51, 866-874	2.2	3

112	Blood flow volume of left atrial appendage measured by magnetic resonance imaging is improved after radiofrequency catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 669-677	2.7	0
111	Premature ventricular contraction is associated with increased risk of atrial fibrillation: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 1601	4.9	7
110	A novel predictive model for late recurrence after catheter ablation for atrial fibrillation using left appendage volume measured by cardiac computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2063-2070	2.5	1
109	Atrial fibrillation is associated with increased risk of lethal ventricular arrhythmias. <i>Scientific Reports</i> , 2021 , 11, 18111	4.9	1
108	LEFTY-PITX2 signaling pathway is critical for generation of mature and ventricular cardiac organoids in human pluripotent stem cell-derived cardiac mesoderm cells. <i>Biomaterials</i> , 2021 , 278, 121133	15.6	3
107	Evaluation of Left Atrial Appendage Isolation Using Cardiac MRI after Catheter Ablation of Atrial Fibrillation: Paradox of Appendage Reservoir. <i>Korean Journal of Radiology</i> , 2021 , 22, 525-534	6.9	
106	Comparison of Outcomes Following Neuronavigation-Assisted Aspiration and Thrombolysis Using Single and Multiple Catheter Insertion for Moderate-Volume Supratentorial Spontaneous Intracerebral Hemorrhage: A Single-Center Retrospective Study of 102 Patients.. <i>Medical Science Monitor</i> , 2021 , 27, e934935	3.2	
105	Management of Atrio-esophageal Fistula Induced by Radiofrequency Catheter Ablation in Atrial Fibrillation Patients: a Case Series. <i>Scientific Reports</i> , 2020 , 10, 8202	4.9	5
104	HRS/EHRA/APHRS/LAHRS/ACC/AHA Worldwide Practice Update for Telehealth and Arrhythmia Monitoring During and After a Pandemic. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 1363-1374	15.1	20
103	HRS/EHRA/APHRS/LAHRS/ACC/AHA worldwide practice update for telehealth and arrhythmia monitoring during and after a pandemic. <i>Heart Rhythm</i> , 2020 , 17, e255-e268	6.7	13
102	Effectiveness and Safety of Off-label Dosing of Non-vitamin K Antagonist Anticoagulant for Atrial Fibrillation in Asian Patients. <i>Scientific Reports</i> , 2020 , 10, 1801	4.9	15
101	Frequent drinking is a more important risk factor for new-onset atrial fibrillation than binge drinking: a nationwide population-based study. <i>Europace</i> , 2020 , 22, 216-224	3.9	24
100	Slit-based irrigation catheters can reduce procedure-related ischemic stroke in atrial fibrillation patients undergoing radiofrequency catheter ablation. <i>PLoS ONE</i> , 2020 , 15, e0239339	3.7	1
99	Incidence and etiology of sudden cardiac arrest in Koreans: A cohort from the national health insurance service database. <i>PLoS ONE</i> , 2020 , 15, e0242799	3.7	4
98	Molecular Signatures of Sinus Node Dysfunction Induce Structural Remodeling in the Right Atrial Tissue. <i>Molecules and Cells</i> , 2020 , 43, 408-418	3.5	0
97	Usefulness of an Implantable Loop Recorder in Diagnosing Unexplained Syncope and Predictors for Pacemaker Implantation. <i>Journal of Korean Medical Science</i> , 2020 , 35, e11	4.7	3
96	Assessment of the Left Ventricular Diastolic Function and Its Association with the Left Atrial Pressure in Patients with Atrial Fibrillation. <i>International Journal of Heart Failure</i> , 2020 , 2, 55	1.3	2
95	The Effects of Single Nucleotide Polymorphisms in Korean Patients with Early-onset Atrial Fibrillation after Catheter Ablation. <i>Journal of Korean Medical Science</i> , 2020 , 35, e411	4.7	

94	Impact of age on thromboembolic events in patients with non-valvular atrial fibrillation. <i>Clinical Cardiology</i> , 2020 , 43, 78-85	3.3	9
93	ECG-Signal Multi-Classification Model Based on Squeeze-and-Excitation Residual Neural Networks. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6495	2.6	10
92	Association of left atrial pressure with late gadolinium enhancement extent in patient who underwent catheter ablation for atrial fibrillation. <i>Scientific Reports</i> , 2020 , 10, 16486	4.9	2
91	HRS/EHRA/APHRS/LAHRs/ACC/AHA Worldwide Practice Update for Telehealth and Arrhythmia Monitoring During and After a Pandemic. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e0090074	6.4	6
90	Electrical Posterior Box Isolation in Persistent Atrial Fibrillation Changed to Paroxysmal Atrial Fibrillation: A Multicenter, Prospective, Randomized Study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008531	6.4	6
89	HRS/EHRA/APHRS/LAHRs/ACC/AHA worldwide practice update for telehealth and arrhythmia monitoring during and after a pandemic. <i>Journal of Arrhythmia</i> , 2020 , 36, 813	1.5	4
88	Non-genetic risk factors for atrial fibrillation are equally important in both young and old age: A nationwide population-based study. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320915664	3.9	17
87	mRNA-Driven Generation of Transgene-Free Neural Stem Cells from Human Urine-Derived Cells. <i>Cells</i> , 2019 , 8,	7.9	7
86	Impact of the Duration and Degree of Hypertension and Body Weight on New-Onset Atrial Fibrillation: A Nationwide Population-Based Study. <i>Hypertension</i> , 2019 , 74, e45-e51	8.5	26
85	The impact of body weight and diabetes on new-onset atrial fibrillation: a nationwide population based study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 128	8.7	31
84	LIF, a Novel Myokine, Protects Against Amyloid-Beta-Induced Neurotoxicity via Akt-Mediated Autophagy Signaling in Hippocampal Cells. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 402-414	5.8	9
83	Trends in the use of implantable cardioverter-defibrillators for prevention of sudden cardiac arrest: A South Korean nationwide population-based study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1086-1094	1.6	6
82	Risk Factors for Ischemic Stroke in Atrial Fibrillation Patients Undergoing Radiofrequency Catheter Ablation. <i>Scientific Reports</i> , 2019 , 9, 7051	4.9	7
81	Use of Cardiac Computed Tomography and Magnetic Resonance Imaging in Case Management of Atrial Fibrillation with Catheter Ablation. <i>Korean Journal of Radiology</i> , 2019 , 20, 695-708	6.9	11
80	Clinical and Echocardiographic Risk Factors Predict Late Recurrence after Radiofrequency Catheter Ablation of Atrial Fibrillation. <i>Scientific Reports</i> , 2019 , 9, 6890	4.9	16
79	Clinical characteristics and rhythm outcome of catheter ablation of hemodynamically corrected valvular atrial fibrillation. <i>Journal of Cardiology</i> , 2019 , 73, 488-496	3	7
78	Different influence of cardiac hemodynamics on thromboembolic events in patients with paroxysmal and non-paroxysmal atrial fibrillation. <i>PLoS ONE</i> , 2019 , 14, e0214743	3.7	3
77	Chromosome 4q25 variants and biomarkers of myocardial fibrosis in patients with atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1904-1913	2.7	1

76	Left Atrial Fibrosis Assessed with Cardiac MRI in Patients with Paroxysmal and Those with Persistent Atrial Fibrillation. <i>Radiology</i> , 2019 , 292, 575-582	20.5	9
75	Impact of persistent left superior vena cava on radiofrequency catheter ablation in patients with atrial fibrillation. <i>Europace</i> , 2019 , 21, 1824-1832	3.9	10
74	Focused Update of 2016 Korean Society of Heart Failure Guidelines for the Management of Chronic Heart Failure. <i>International Journal of Heart Failure</i> , 2019 , 1, 4	1.3	32
73	The extent of complex fractionated atrial electrograms in the left atrium reflects age-related electrical remodeling in patients with persistent atrial fibrillation. <i>Journal of Arrhythmia</i> , 2019 , 35, 805-812	1.5	0
72	Comparison of Renal Function Estimation Formulae for Dosing Direct Oral Anticoagulants in Patients with Atrial Fibrillation. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
71	Comparison between linear and focal ablation of complex fractionated atrial electrograms in patients with non-paroxysmal atrial fibrillation: a prospective randomized trial. <i>Europace</i> , 2019 , 21, 598-606	3.0	5
70	Evaluation of sex differences in the relationship between diastolic dysfunction and thromboembolism using propensity score analysis. <i>Echocardiography</i> , 2018 , 35, 817-826	1.5	1
69	Long-Term Clinical Comparison of Procedural End Points After Pulmonary Vein Isolation in Paroxysmal Atrial Fibrillation: Elimination of Nonpulmonary Vein Triggers Versus Noninducibility. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018 , 11, e005019	6.4	23
68	Electrophysiological features and radiofrequency catheter ablation of supraventricular tachycardia in patients with persistent left superior vena cava. <i>Heart Rhythm</i> , 2018 , 15, 1634-1641	6.7	7
67	Characteristics of atrial fibrillation patients suffering atrioesophageal fistula after radiofrequency catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2018 , 29, 1343-1351	2.7	16
66	Gender-related Difference in Clinical Outcome of the Patient with Atrial Fibrillation after Radiofrequency Catheter Ablation. <i>Korean Circulation Journal</i> , 2018 , 48, 605-618	2.2	6
65	Long-term clinical outcomes of catheter ablation in patients with atrial fibrillation predisposing to tachycardia-bradycardia syndrome: a long pause predicts implantation of a permanent pacemaker. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 106	2.3	6
64	Ischemic stroke risk during long-term follow up in patients with successful catheter ablation for atrial fibrillation in Korea. <i>PLoS ONE</i> , 2018 , 13, e0201061	3.7	4
63	Non-vitamin K antagonist oral anticoagulants versus warfarin for the prevention of spontaneous echo-contrast and thrombus in patients with atrial fibrillation or flutter undergoing cardioversion: A trans-esophageal echocardiography study. <i>PLoS ONE</i> , 2018 , 13, e0191648	3.7	9
62	2018 KHRS Guidelines for Catheter Ablation of Ventricular Arrhythmias [Part3. <i>International Journal of Arrhythmia</i> , 2018 , 19, 82-125	2.4	
61	2018 KHRS Guidelines for Catheter Ablation of Ventricular Arrhythmias [Part1. <i>International Journal of Arrhythmia</i> , 2018 , 19, 36-62	2.4	0
60	2018 KHRS Guidelines for Catheter Ablation of Ventricular Arrhythmias [Part2. <i>International Journal of Arrhythmia</i> , 2018 , 19, 63-81	2.4	
59	Electrical isolation of the left atrial appendage increases the risk of ischemic stroke and transient ischemic attack regardless of postisolation flow velocity. <i>Heart Rhythm</i> , 2018 , 15, 1746-1753	6.7	39

58	Different Responses of Left Atrium and Left Atrial Appendage to Radiofrequency Catheter Ablation of Atrial Fibrillation: a Follow Up MRI study. <i>Scientific Reports</i> , 2018 , 8, 7871	4.9	16
57	Atrial Fibrillation: Relationship between Left Atrial Pressure and Left Atrial Appendage Emptying Determined with Velocity-encoded Cardiac MR Imaging. <i>Radiology</i> , 2017 , 284, 381-389	20.5	7
56	Value of adenosine test to reveal dormant conduction or adenosine-induced atrial fibrillation after pulmonary vein isolation. <i>Journal of Arrhythmia</i> , 2017 , 33, 602-607	1.5	1
55	The Role of Intravenous Dopamine on Hemodynamic Support during Radiofrequency Catheter Ablation of Poorly Tolerated Idiopathic Ventricular Tachycardia. <i>Korean Circulation Journal</i> , 2017 , 47, 65-71	2.2	
54	Effectiveness of beta-blockers depending on the genotype of congenital long-QT syndrome: A meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0185680	3.7	35
53	Single-stage Transpedicular Vertebroctomy and Expandable Cage Placement for Treatment of Unstable Mid and Lower Lumbar Burst Fractures. <i>Clinical Spine Surgery</i> , 2017 , 30, E257-E264	1.8	7
52	Right Ventricular Compression Mimicking Brugada-Like Electrocardiogram in a Patient with Recurrent Pectus Excavatum. <i>Case Reports in Cardiology</i> , 2017 , 2017, 3047937	0.6	1
51	Design of Korean Noninvasive Risk Evaluation Study for Sudden Cardiac Death from Infarction or Heart Failure [Myocardial infarction study of K-REDEFINE registry -. <i>International Journal of Arrhythmia</i> , 2017 , 18, 6-15	2.4	1
50	The clinical efficacy of left atrial appendage isolation caused by extensive left atrial anterior wall ablation in patients with atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2016 , 46, 287-97	2.4	21
49	β-Syntrophin Variant Identified in Drug-Induced Long QT Syndrome Increases Late Sodium Current. <i>PLoS ONE</i> , 2016 , 11, e0152355	3.7	7
48	NOAC for Patients with AF and ACS. <i>International Journal of Arrhythmia</i> , 2016 , 17, 41-45	2.4	
47	Radiofrequency Catheter Ablation Improves the Quality of Life Measured with a Short Form-36 Questionnaire in Atrial Fibrillation Patients: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0163755	3.7	22
46	Effects of Angiotensin-II Receptor Blocker on Inhibition of Thrombogenicity in a Canine Atrial Fibrillation Model. <i>Korean Circulation Journal</i> , 2016 , 46, 335-42	2.2	4
45	Long-Term Outcome of Catheter Ablation for Atrial Fibrillation in Patients With Apical Hypertrophic Cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2016 , 27, 788-95	2.7	8
44	Effect of flecainide on suppression of ventricular fibrillation in a patient with early repolarization syndrome. <i>Heart Rhythm</i> , 2016 , 13, 1724-8	6.7	4
43	Relationship between left atrial appendage emptying and left atrial function using cardiac magnetic resonance in patients with atrial fibrillation: comparison with transesophageal echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32 Suppl 1, 163-71	2.5	7
42	Differential clinical outcomes following encephaloduroarteriosynangiosis in pediatric moyamoya disease presenting with epilepsy or ischemia. <i>Childs Nervous System</i> , 2015 , 31, 713-20	1.7	12
41	Feasibility and accuracy of a new mobile electrocardiography device, ER-2000(□), in the diagnosis of arrhythmia. <i>Journal of Arrhythmia</i> , 2015 , 31, 201-9	1.5	1

40	Irisin, a Novel Myokine, Regulates Glucose Uptake in Skeletal Muscle Cells via AMPK. <i>Molecular Endocrinology</i> , 2015 , 29, 873-81		102
39	Benefit of implantable cardioverter-defibrillator therapy after generator replacement in patients with Brugada syndrome. <i>International Journal of Cardiology</i> , 2015 , 187, 340-4	3.2	6
38	Interatrial septal thickness is associated with the extent of left atrial complex fractionated atrial electrograms and acute procedural outcome in patients with persistent atrial fibrillation. <i>Europace</i> , 2015 , 17, 1700-7	3.9	10
37	Swallowing-induced atrial tachyarrhythmias successfully ablated at the left posterior interatrial septum in patient with wolff-Parkinson-white syndrome. <i>Korean Circulation Journal</i> , 2015 , 45, 253-8	2.2	0
36	Unusual Presentation of Cerebral Cavernous Malformation. <i>Journal of Cerebrovascular and Endovascular Neurosurgery</i> , 2015 , 17, 257-62	0.7	
35	Improvement of Predictive Value for Thromboembolic Risk by Incorporating Left Atrial Functional Parameters in the CHADS2 and CHA2DS2-VASc Scores. <i>International Heart Journal</i> , 2015 , 56, 286-92	1.8	13
34	Predictors of Outcome in Patients with Cervical Spondylotic Myelopathy Undergoing Unilateral Open-Door Laminoplasty. <i>Korean Journal of Spine</i> , 2015 , 12, 261-6		9
33	Is Routine Repeated Head CT Necessary for All Pediatric Traumatic Brain Injury?. <i>Journal of Korean Neurosurgical Society</i> , 2015 , 58, 125-30	2.3	8
32	Idiopathic ventricular arrhythmia originating from the para-Hisian area: Prevalence, electrocardiographic and electrophysiological characteristics. <i>Journal of Arrhythmia</i> , 2014 , 30, 48-54	1.5	12
31	Vav3, a GEF for RhoA, Plays a Critical Role under High Glucose Conditions. <i>Endocrinology and Metabolism</i> , 2014 , 29, 363-70	3.5	4
30	Atypical noncontiguous multiple spinal tuberculosis: a case report. <i>Korean Journal of Spine</i> , 2014 , 11, 77-80		16
29	Hidden dense middle cerebral artery sign in a 4-year-old boy with traumatic subarachnoid hemorrhage. <i>Journal of Child Neurology</i> , 2014 , 29, NP189-92	2.5	0
28	Relationship between complex fractionated atrial electrograms during atrial fibrillation and the critical site of atrial tachycardia that develops after catheter ablation for atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2014 , 25, 146-53	2.7	8
27	Left atrial functional reservoir: predictive value for outcome of catheter ablation in paroxysmal atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 1423-34	2.5	4
26	Late infection from anterior cervical discectomy and fusion after twenty years. <i>Korean Journal of Spine</i> , 2014 , 11, 22-4		9
25	Modified Open-door Laminoplasty Using Hydroxyapatite Spacers and Miniplates. <i>Korean Journal of Spine</i> , 2014 , 11, 188-94		9
24	Semi-quantitative analyses of hippocampal heat shock protein-70 expression based on the duration of ischemia and the volume of cerebral infarction in mice. <i>Journal of Korean Neurosurgical Society</i> , 2014 , 55, 307-12	2.3	2
23	Left atrial appendage: morphology and function in patients with paroxysmal and persistent atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 935-44	2.5	30

22	Intra-procedural imaging of the left atrium and pulmonary veins with rotational angiography: a comparison of anatomy obtained by pre-procedural cardiac computed tomography and trans-thoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1423-32	2.5	2
21	Electrocardiographic and electrophysiological characteristics of premature ventricular complexes associated with left ventricular dysfunction in patients without structural heart disease. <i>Europace</i> , 2013 , 15, 735-41	3.9	83
20	Effects of iatrogenic myocardial injury on coronary microvascular function in patients undergoing radiofrequency catheter ablation of atrial fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 318-26	6.4	15
19	The spatial distribution of atrial fibrillation termination sites in the right atrium during complex fractionated atrial electrograms-guided ablation in patients with persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 949-57	2.7	13
18	Characteristics and Outcomes of Atrial Tachycardia Originating from the Sinus Venosus during Catheter Ablation of Atrial Fibrillation. <i>Korean Circulation Journal</i> , 2013 , 43, 29-37	2.2	2
17	Inadvertently Developed Ventricular Fibrillation during Electrophysiologic Study and Catheter Ablation: Incidence, Cause, and Prognosis. <i>Korean Circulation Journal</i> , 2013 , 43, 474-80	2.2	2
16	Electrophysiological characteristics related to outcome after catheter ablation of idiopathic ventricular arrhythmia originating from the papillary muscle in the left ventricle. <i>Korean Circulation Journal</i> , 2013 , 43, 811-8	2.2	28
15	Is pursuit of termination of atrial fibrillation during catheter ablation of great value in patients with longstanding persistent atrial fibrillation?. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 1051-8	2.7	34
14	Clinical significance of induced atrial tachycardia after termination of longstanding persistent atrial fibrillation using a stepwise approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 1171-8	2.7	10
13	Catheter ablation of atrial fibrillation in patients with chronic lung disease. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 815-22	6.4	30
12	Role of residual potentials inside circumferential pulmonary veins ablation lines in the recurrence of paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 959-65	2.7	2
11	Clinical significance of early recurrences of atrial tachycardia after atrial fibrillation ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 1331-7	2.7	49
10	Coexisting sustained tachyarrhythmia in patients with atrial fibrillation undergoing catheter ablation. <i>Korean Circulation Journal</i> , 2010 , 40, 235-8	2.2	3
9	Atrial activation time and pattern of linear triple-site vs. single-site atrial pacing after cardioversion in patients with atrial fibrillation. <i>Europace</i> , 2010 , 12, 508-16	3.9	8
8	Left atrial electromechanical conduction time can predict six-month maintenance of sinus rhythm after electrical cardioversion in persistent atrial fibrillation by Doppler tissue echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 309-14	5.8	42
7	Safety and convenience of continuous warfarin strategy during the periprocedural period in patients who underwent catheter ablation of atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 620-5	2.7	56
6	Clinical significance of complete conduction block of the left lateral isthmus and its relationship with anatomical variation of the vein of Marshall in patients with nonparoxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 616-22	2.7	21
5	Hybrid epicardial and endocardial catheter ablation in a patient with atrial fibrillation and suspicious left atrial thrombus. <i>Circulation Journal</i> , 2009 , 73, 384-7	2.9	6

4	Changes in left atrial structure and function after catheter ablation and electrical cardioversion for atrial fibrillation. <i>Circulation Journal</i> , 2008 , 72, 2051-7	2.9	35
3	Recurrent syncope 20 years after mediastinal radiation therapy in a patient with breast cancer. <i>Circulation Journal</i> , 2008 , 72, 1550-2	2.9	3
2	A Case of Consecutive Right and Left Ventricular Dysfunction. <i>Journal of Cardiovascular Imaging</i> , 2008 , 16, 123	0	
1	Epicardial Conduction Properties and Electrocardiographic Characteristics of Premature Ventricular Complexes or Ventricular Tachycardias That Originate at the Aortic Cusp. <i>Korean Circulation Journal</i> , 2007 , 37, 616	2.2	1