## Guilherme Loureiro Werneck

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7740581/publications.pdf

Version: 2024-02-01

160 papers 5,707 citations

43 h-index 63 g-index

205 all docs 205 docs citations

205 times ranked 7395 citing authors

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | An Empirical Comparison of Respondent-driven Sampling, Time Location Sampling, and Snowball<br>Sampling for Behavioral Surveillance in Men Who Have Sex with Men, Fortaleza, Brazil. AIDS and<br>Behavior, 2008, 12, 97-104. | 2.7  | 190       |
| 2  | A pandemia de COVID-19 no Brasil: crônica de uma crise sanitária anunciada. Cadernos De Saude Publica, 2020, 36, e00068820.  | 1.0  | 151       |
| 3  | Inequality and leprosy in Northeast Brazil: an ecological study. International Journal of Epidemiology, 2004, 33, 262-269.   | 1.9  | 111       |
| 4  | Two-dose ChAdOx1 nCoV-19 vaccine protection against COVID-19 hospital admissions and deaths over time: a retrospective, population-based cohort study in Scotland and Brazil. Lancet, The, 2022, 399, 25-35.                 | 13.7 | 109       |
| 5  | Multilevel modelling of the incidence of visceral leishmaniasis in Teresina, Brazil. Epidemiology and Infection, 2007, 135, 195-201.   | 2.1  | 92        |
| 6  | Factors Associated with Visceral Leishmaniasis in the Americas: A Systematic Review and Meta-Analysis. PLoS Neglected Tropical Diseases, 2013, 7, e2182.   | 3.0  | 88        |
| 7  | Vaccine effectiveness of heterologous CoronaVac plus BNT162b2 in Brazil. Nature Medicine, 2022, 28, 838-843.   | 30.7 | 85        |
| 8  | Autoavaliação do estado de saúde e a associação com fatores sociodemográficos, hábitos de vida e morbidade na população: um inquérito nacional. Cadernos De Saude Publica, 2013, 29, 723-734.                                | 1.0  | 84        |
| 9  | Is severe visceral leishmaniasis a systemic inflammatory response syndrome? A case control study.<br>Revista Da Sociedade Brasileira De Medicina Tropical, 2010, 43, 386-392.  | 0.9  | 82        |
| 10 | The burden of Neglected Tropical Diseases in Brazil, 1990-2016: A subnational analysis from the Global Burden of Disease Study 2016. PLoS Neglected Tropical Diseases, 2018, 12, e0006559.                                   | 3.0  | 81        |
| 11 | Assessment of agreement of a quantitative variable: a new graphical approach. Journal of Clinical Epidemiology, 2003, 56, 963-967.   | 5.0  | 74        |
| 12 | The Brazilian version of the effort-reward imbalance questionnaire to assess job stress. Cadernos De Saude Publica, 2008, 24, 219-224.   | 1.0  | 74        |
| 13 | Visceral leishmaniasis in Brazil: rationale and concerns related to reservoir control. Revista De<br>Saude Publica, 2014, 48, 851-856.   | 1.7  | 74        |
| 14 | Risk Factors for Adverse Prognosis and Death in American Visceral Leishmaniasis: A Meta-analysis. PLoS Neglected Tropical Diseases, 2014, 8, e2982.  | 3.0  | 74        |
| 15 | Seroprevalence of anti-SARS-CoV-2 among blood donors in Rio de Janeiro, Brazil. Revista De Saude<br>Publica, 2020, 54, 69.   | 1.7  | 74        |
| 16 | The relationship between smoking and age at the menopause: A systematic review. Maturitas, 2008, 61, 287-298.  | 2.4  | 73        |
| 17 | Surgical Site Infection Among Women Discharged with a Drain In Situ After Breast Cancer Surgery. World Journal of Surgery, 2007, 31, 2293-9; discussion 2300-1.  | 1.6  | 72        |
| 18 | Forum: geographic spread and urbanization of visceral leishmaniasis in Brazil. Introduction. Cadernos De Saude Publica, 2008, 24, 2937-2940.   | 1.0  | 72        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Prognostic Factors for Death from Visceral Leishmaniasis in Teresina, Brazil. Infection, 2003, 31, 174-177.   | 4.7 | 71        |
| 20 | Culling Dogs in Scenarios of Imperfect Control: Realistic Impact on the Prevalence of Canine Visceral Leishmaniasis. PLoS Neglected Tropical Diseases, 2013, 7, e2355.  | 3.0 | 71        |
| 21 | Household structure and urban services: neglected targets in the control of visceral leishmaniasis.<br>Annals of Tropical Medicine and Parasitology, 2005, 99, 229-236.   | 1.6 | 68        |
| 22 | Factors associated with the incidence of urban visceral leishmaniasis: an ecological study in Teresina, PiauÃ-State, Brazil. Cadernos De Saude Publica, 2009, 25, 1543-1551.  | 1.0 | 68        |
| 23 | Nutrition Transition, Socioeconomic Differentiation, and Gender Among Adult Xavante Indians,<br>Brazilian Amazon. Human Ecology, 2009, 37, 13-26.   | 1.4 | 68        |
| 24 | Association between self-rated health and mortality: 10 years follow-up to the $Pr\tilde{A}^3$ -Sa $\tilde{A}^0$ decohort study. BMC Public Health, 2012, 12, 676.  | 2.9 | 64        |
| 25 | Association between routine visits for dental checkup and selfâ€perceived oral health in an adult population in Rio de Janeiro: the Próâ€Saúde Study. Community Dentistry and Oral Epidemiology, 2007, 35, 393-400. | 1.9 | 63        |
| 26 | The Urban Spread of Visceral Leishmaniasis: Clues from Spatial Analysis. Epidemiology, 2002, 13, 364-367.   | 2.7 | 62        |
| 27 | Estudo Pró-Saúde: caracterÃsticas gerais e aspectos metodológicos. Revista Brasileira De<br>Epidemiologia, 2005, 8, 454-466.  | 0.8 | 60        |
| 28 | Predicting smear negative pulmonary tuberculosis with classification trees and logistic regression: a cross-sectional study. BMC Public Health, 2006, 6, 43.  | 2.9 | 59        |
| 29 | Expansão geográfica da leishmaniose visceral no Brasil. Cadernos De Saude Publica, 2010, 26, 644-645.   | 1.0 | 59        |
| 30 | Genotypes of the Mannanâ€Binding Lectin Gene and Susceptibility to Visceral Leishmaniasis and Clinical Complications. Journal of Infectious Diseases, 2007, 195, 1212-1217.   | 4.0 | 58        |
| 31 | A systematic review and meta-analysis of the factors associated with Leishmania infantum infection in dogs in Brazil. Veterinary Parasitology, 2013, 195, 1-13.   | 1.8 | 57        |
| 32 | Influence of age on the effectiveness and duration of protection of Vaxzevria and CoronaVac vaccines: A population-based study. The Lancet Regional Health Americas, 2022, 6, 100154.                               | 2.6 | 55        |
| 33 | The burden of Leishmania chagasi infection during an urban outbreak of visceral leishmaniasis in Brazil. Acta Tropica, 2002, 83, 13-18.   | 2.0 | 54        |
| 34 | Family socio-economic background modified secular trends in age at menarche: evidence from the Pró-Sað Study (Rio de Janeiro, Brazil). Annals of Human Biology, 2003, 30, 347-352.                                  | 1.0 | 54        |
| 35 | Burden of leishmaniasis in Brazil and federated units, 1990-2016: Findings from Global Burden of Disease Study 2016. PLoS Neglected Tropical Diseases, 2018, 12, e0006697.  | 3.0 | 52        |
| 36 | Symptoms of postpartum depression and early interruption of exclusive breastfeeding in the first two months of life. Cadernos De Saude Publica, 2008, 24, s341-s352.  | 1.0 | 51        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Characterization of cerebral malaria in the outbred Swiss Webster mouse infected by <i>Plasmodium berghei</i> ANKA. International Journal of Experimental Pathology, 2009, 90, 119-130.   | 1.3 | 51        |
| 38 | Contextual and individual factors associated with dental services utilisation by Brazilian adults: A multilevel analysis. PLoS ONE, 2018, 13, e0192771.   | 2.5 | 50        |
| 39 | Paediatric burns and associated risk factors in Rio de Janeiro, Brazil. Burns, 1997, 23, 478-483.   | 1.9 | 44        |
| 40 | Spatial analysis for identification of priority areas for surveillance and control in a visceral leishmaniasis endemic area in Brazil. Acta Tropica, 2014, 131, 56-62.  | 2.0 | 44        |
| 41 | Identification of Risk Areas for Visceral Leishmaniasis in Teresina, Piaui State, Brazil. American Journal of Tropical Medicine and Hygiene, 2011, 84, 681-687.   | 1.4 | 39        |
| 42 | Classification and regression tree (CART) model to predict pulmonary tuberculosis in hospitalized patients. BMC Pulmonary Medicine, 2012, 12, 40.   | 2.0 | 39        |
| 43 | Risk factors for hospital admission due to acute lower respiratory tract infection in Guarani indigenous children in southern Brazil: a populationâ€based caseâ€control study. Tropical Medicine and International Health, 2013, 18, 596-607. | 2.3 | 39        |
| 44 | Spatial modeling using mixed models: an ecologic study of visceral leishmaniasis in Teresina, PiauÃ-State, Brazil. Cadernos De Saude Publica, 2002, 18, 633-637.  | 1.0 | 38        |
| 45 | Abundance, survival, recruitment and effectiveness of sterilization of free-roaming dogs: A capture and recapture study in Brazil. PLoS ONE, 2017, 12, e0187233.  | 2.5 | 37        |
| 46 | Association of social network and social support with health-related quality of life and fatigue in long-term survivors of Hodgkin lymphoma. Supportive Care in Cancer, 2013, 21, 2153-2159.  | 2.2 | 36        |
| 47 | Population Estimation Methods for Free-Ranging Dogs: A Systematic Review. PLoS ONE, 2015, 10, e0144830.   | 2.5 | 36        |
| 48 | Canine visceral leishmaniasis in Teresina, Brazil: Relationship between clinical features and infectivity for sand flies. Acta Tropica, 2011, 117, 6-9.   | 2.0 | 35        |
| 49 | The epidemiology of hepatitis A in Rio de Janeiro: environmental and domestic risk factors. Epidemiology and Infection, 2001, 127, 327-333.   | 2.1 | 34        |
| 50 | Effectiveness of Insecticide Spraying and Culling of Dogs on the Incidence of Leishmania infantum Infection in Humans: A Cluster Randomized Trial in Teresina, Brazil. PLoS Neglected Tropical Diseases, 2014, 8, e3172.                      | 3.0 | 32        |
| 51 | Estresse no trabalho e hipertensão arterial em mulheres no Estudo Pró-Saúde: Estudo Pró-Saúde<br>(Pro-Health Study). Revista De Saude Publica, 2009, 43, 893-896.   | 1.7 | 29        |
| 52 | Prediction of high-risk areas for visceral leishmaniasis using socioeconomic indicators and remote sensing data. International Journal of Health Geographics, 2014, 13, 13.   | 2.5 | 29        |
| 53 | Demarcation of local neighborhoods to study relations between contextual factors and health. International Journal of Health Geographics, 2010, 9, 34.  | 2.5 | 28        |
| 54 | Algorithms to predict cerebral malaria in murine models using the SHIRPA protocol. Malaria Journal, 2010, 9, 85.  | 2.3 | 28        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Visceral leishmaniasis and HIV/AIDS in Brazil: Are we aware enough?. PLoS Neglected Tropical Diseases, 2017, 11, e0005772.   | 3.0 | 28        |
| 56 | Spatial analysis of the distribution of leprosy in the State of Cear $\tilde{A}_i$ , Northeast Brazil. Memorias Do Instituto Oswaldo Cruz, 2004, 99, 683-686.  | 1.6 | 27        |
| 57 | Social support and leisure-time physical activity: longitudinal evidence from the Brazilian Pró-Saúde cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 77.  | 4.6 | 27        |
| 58 | Validation of the Brazilian Portuguese version of the Medical Outcomes Study-Social Support Survey in Hodgkin's lymphoma survivors. Supportive Care in Cancer, 2012, 20, 1895-1900.  | 2.2 | 27        |
| 59 | Job strain and other work conditions: relationships with psychological distress among civil servants in Rio de Janeiro, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 345-354.   | 3.1 | 26        |
| 60 | The association between educational level and age at the menopause: a systematic review. Archives of Gynecology and Obstetrics, 2011, 283, 83-90.  | 1.7 | 26        |
| 61 | Sensitivity and specificity of parallel or serial serological testing for detection of canine Leishmania infection. Memorias Do Instituto Oswaldo Cruz, 2016, 111, 168-173.  | 1.6 | 26        |
| 62 | Impact of 4% Deltamethrin-Impregnated Dog Collars on the Prevalence and Incidence of Canine Visceral Leishmaniasis. Vector-Borne and Zoonotic Diseases, 2018, 18, 356-363.   | 1.5 | 26        |
| 63 | Lack of association between age at menarche and age at menopause: Pró-Saúde Study, Rio de Janeiro,<br>Brazil. Maturitas, 2010, 67, 245-250.  | 2.4 | 25        |
| 64 | Psychometric Properties of the Multidimensional Fatigue Inventory in Brazilian Hodgkin's Lymphoma Survivors. Journal of Pain and Symptom Management, 2012, 44, 908-915.  | 1.2 | 25        |
| 65 | Comorbidities increase in-hospital mortality in dengue patients in Brazil. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e180082.   | 1.6 | 25        |
| 66 | Association between the prevalence of infestation by Rhipicephalus sanguineus and Ctenocephalides felis felis and the presence of anti-Leishmania antibodies: A case–control study in dogs from a Brazilian endemic area. Preventive Veterinary Medicine, 2010, 97, 131-133. | 1.9 | 24        |
| 67 | Leishmania infection in humans, dogs and sandflies in a visceral leishmaniasis endemic area in Maranhão, Brazil. Memorias Do Instituto Oswaldo Cruz, 2011, 106, 207-211.   | 1.6 | 24        |
| 68 | Effectiveness of dog collars impregnated with 4% deltamethrin in controlling visceral leishmaniasis in Lutzomyia longipalpis (Diptera: Psychodidade: Phlebotominae) populations. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e170377.                                     | 1.6 | 24        |
| 69 | Utilisation of dental services by Brazilian adults in rural and urban areas: a multi-group structural equation analysis using the Andersen behavioural model. BMC Public Health, 2020, 20, 953.  | 2.9 | 24        |
| 70 | Latent class analysis of diagnostic tests for visceral leishmaniasis in Brazil. Tropical Medicine and International Health, 2012, 17, 1202-1207.   | 2.3 | 23        |
| 71 | Validation of the Dual-path Platform chromatographic immunoassay (DPP® CVL rapid test) for the serodiagnosis of canine visceral leishmaniasis. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e180260.   | 1.6 | 23        |
| 72 | Leishmania, Babesia and Ehrlichia in urban pet dogs: co-infection or cross-reaction in serological methods?. Revista Da Sociedade Brasileira De Medicina Tropical, 2015, 48, 64-68.  | 0.9 | 22        |

| #  | Article   | lF   | Citations |
|----|---|------|-----------|
| 73 | Controle da leishmaniose visceral no Brasil: o fim de um ciclo?. Cadernos De Saude Publica, 2016, 32, .   | 1.0  | 22        |
| 74 | Surveillance of Zika virus infection and microcephaly in Brazil. Lancet, The, 2016, 388, 846-847.   | 13.7 | 21        |
| 75 | Burden of Chagas disease in Brazil, 1990–2016: findings from the Global Burden of Disease Study 2016.<br>International Journal for Parasitology, 2019, 49, 301-310.   | 3.1  | 21        |
| 76 | Georeferenced data in epidemiologic research. Ciencia E Saude Coletiva, 2008, 13, 1753-1766.  | 0.5  | 20        |
| 77 | Prepregnancy Weight, Weight Gain during Pregnancy, and Exclusive Breastfeeding in the First Month of Life in Rio de Janeiro, Brazil. Journal of Human Lactation, 2012, 28, 55-61.   | 1.6  | 20        |
| 78 | Factors associated to Montenegro skin test positivity in Teresina, Brazil. Acta Tropica, 2007, 104, 99-107.   | 2.0  | 19        |
| 79 | Predicting frequency distribution and influence of sociodemographic and behavioral risk factors of Schistosoma mansoni infection and analysis of co-infection with intestinal parasites. Geospatial Health, 2015, 10, 303.              | 0.8  | 19        |
| 80 | Direct and indirect exposure to violence and psychological distress among civil servants in Rio de Janeiro, Brazil: a prospective cohort study. BMC Psychiatry, 2015, 15, 109.  | 2.6  | 18        |
| 81 | The direct costs of treating human visceral leishmaniasis in Brazil. Revista Da Sociedade Brasileira De<br>Medicina Tropical, 2017, 50, 478-482.  | 0.9  | 18        |
| 82 | Prevalence of visceral leishmaniasis in A population of free-roaming dogs as determined by multiple sampling efforts: A longitudinal study analyzing the effectiveness of euthanasia. Preventive Veterinary Medicine, 2018, 161, 19-24. | 1.9  | 18        |
| 83 | Factors associated with Leishmania chagasi infection in domestic dogs from Teresina, State of PiauÃ, Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2012, 45, 480-484.   | 0.9  | 18        |
| 84 | Age-period-cohort analysis of suicide rates in Rio de Janeiro, Brazil, 1979?1998. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 192-196.  | 3.1  | 17        |
| 85 | Maternal mental health and nutritional status of six-month-old infants. Revista De Saude Publica, 2016, 50, 7.  | 1.7  | 17        |
| 86 | Cost-effectiveness analysis of diagnostic tests for human visceral leishmaniasis in Brazil.<br>Transactions of the Royal Society of Tropical Medicine and Hygiene, 2016, 110, 464-471.  | 1.8  | 17        |
| 87 | Estimativa de custo da asma em tratamento ambulatorial: estudo com dados de mundo real. Revista De<br>Saude Publica, 2018, 52, 27.  | 1.7  | 17        |
| 88 | Gender differences in social support and leisure-time physical activity. Revista De Saude Publica, 2014, 48, 602-612.   | 1.7  | 16        |
| 89 | Mortality among Guarani Indians in Southeastern and Southern Brazil. Cadernos De Saude Publica, 2011, 27, s222-s236.  | 1.0  | 15        |
| 90 | Uso de serviços de saúde segundo posição socioeconômica em trabalhadores de uma universidade pública. Revista De Saude Publica, 2012, 46, 98-103.   | 1.7  | 14        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Major environmental and socioeconomic determinants of cutaneous leishmaniasis in Brazil - a systematic literature review. Revista Da Sociedade Brasileira De Medicina Tropical, 2020, 53, e20190291.   | 0.9 | 14        |
| 92  | Brief report. Classification trees and logistic regression applied to prognostic studies: a comparison using meningococcal disease as an example. Journal of Tropical Pediatrics, 1999, 45, 248-251.   | 1.5 | 13        |
| 93  | Lipoprotein Lipase and PPAR Alpha Gene Polymorphisms, Increased Very-Low-Density Lipoprotein Levels, and Decreased High-Density Lipoprotein Levels as Risk Markers for the Development of Visceral Leishmaniasis by <i>Leishmania infantum</i> | 3.0 | 13        |
| 94  | Serological tests fail to discriminate dogs with visceral leishmaniasis that transmit Leishmania infantum to the vector Lutzomyia longipalpis. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 483-488.                        | 0.9 | 13        |
| 95  | A modelling analysis of pertussis transmission and vaccination in Rio de Janeiro, Brazil. Epidemiology and Infection, 2006, 134, 850-862.  | 2.1 | 12        |
| 96  | Risk factors for in-hospital mortality from visceral leishmaniasis: A case-control study. Journal of Infection and Public Health, 2020, 13, 538-543.   | 4.1 | 12        |
| 97  | Changes in malaria patterns in Brazil over 28 years (1990–2017): results from the Global Burden of Disease Study 2017. Population Health Metrics, 2020, 18, 5.   | 2.7 | 12        |
| 98  | Intimate partner violence and early interruption of exclusive breastfeeding in the first three months of life. Cadernos De Saude Publica, 2016, 32, e00017816.   | 1.0 | 11        |
| 99  | Are opossums a relevant factor associated with asymptomatic Leishmania infection in the outskirts of the largest Brazilian cities?. Brazilian Journal of Infectious Diseases, 2016, 20, 119-126.   | 0.6 | 11        |
| 100 | Allopurinol therapy provides long term clinical improvement, but additional immunotherapy is required for sustained parasite clearance, in L. infantum-infected dogs. Vaccine: X, 2020, 4, 100048.   | 2.1 | 11        |
| 101 | The burden of tuberculosis and attributable risk factors in Brazil, 1990–2017: results from the Global Burden of Disease Study 2017. Population Health Metrics, 2020, 18, 10.  | 2.7 | 11        |
| 102 | Predictive Factors for Pneumonia Onset After Cardiac Surgery in Rio de Janeiro, Brazil. Infection Control and Hospital Epidemiology, 2007, 28, 382-388.  | 1.8 | 10        |
| 103 | Risky sexual practices among men who have sex with men in Northeast Brazil: results from four sequential surveys. Cadernos De Saude Publica, 2009, 25, 1390-1398.  | 1.0 | 10        |
| 104 | Translation, adaptation and validation of "Community Integration Questionnaire". Ciencia E Saude Coletiva, 2015, 20, 1341-1352.  | 0.5 | 10        |
| 105 | Levels and trends in Chagas disease-related mortality in Brazil, 2000–2019. Acta Tropica, 2021, 220, 105948.   | 2.0 | 10        |
| 106 | The Effect of Subcapsular Meningococcal B + C Vaccine on the Prognosis of Patients with Meningococcal Disease. Scandinavian Journal of Infectious Diseases, 2002, 34, 417-420.   | 1.5 | 9         |
| 107 | Predictive Models for the Diagnostic of Human Visceral Leishmaniasis in Brazil. PLoS Neglected Tropical Diseases, 2012, 6, e1542.  | 3.0 | 9         |
| 108 | Early socioeconomic position and self-rated health among civil servants in Brazil: a cross-sectional analysis from the Pró-Saúde cohort study. BMJ Open, 2014, 4, e005321.   | 1.9 | 9         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Effectiveness of insecticide-impregnated collars for the control of canine visceral leishmaniasis. Preventive Veterinary Medicine, 2020, 182, 105104.   | 1.9 | 9         |
| 110 | Does deforestation drive visceral leishmaniasis transmission? A causal analysis. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20211537.  | 2.6 | 9         |
| 111 | Diagramas causais: a epidemiologia brasileira de volta para o futuro. Cadernos De Saude Publica, 2016, 32, e00120416.   | 1.0 | 9         |
| 112 | Gender differences in the socioeconomic gradient in self-reported diabetes: Does health service access play a role?. Diabetes Research and Clinical Practice, 2009, 86, 134-139.  | 2.8 | 8         |
| 113 | Influencia de fatores psicossociais na cessacao do tabagismo: evidencias longitudinais no Estudo<br>Pro-Saude. Revista De Saude Publica, 2013, 47, 732-739.   | 1.7 | 8         |
| 114 | Dificuldades operacionais no uso de coleiras caninas impregnadas com inseticida para o controle da leishmaniose visceral, Montes Claros, MG, 2012*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2018, 27, e2017469. | 1.0 | 8         |
| 115 | Prevalência da infecção por lentivÃrus de pequenos ruminantes em caprinos em Teresina, PiauÃ. Arquivo<br>Brasileiro De Medicina Veterinaria E Zootecnia, 2011, 63, 757-760.   | 0.4 | 8         |
| 116 | Budgetary impact of diagnostic tests for visceral leishmaniasis in Brazil. Cadernos De Saude Publica, 2017, 33, e00142416.  | 1.0 | 7         |
| 117 | Is There an Association Between Exposure to Cats and Occurrence of Visceral Leishmaniasis in Humans and Dogs?. Vector-Borne and Zoonotic Diseases, 2018, 18, 335-342.   | 1.5 | 7         |
| 118 | The incidence and geographical spread of SARS-CoV-2 in Rio de Janeiro, Brazil based on RT-PCR test results. Revista Da Sociedade Brasileira De Medicina Tropical, 2021, 54, e07792020.  | 0.9 | 7         |
| 119 | Higher Risk of Common Mental Disorders After Experiencing Physical Violence in Rio De Janeiro,<br>Brazil: the <i>Pró-Saúde</i> Study. International Journal of Social Psychiatry, 2008, 54, 112-117.  | 3.1 | 6         |
| 120 | Ectoparasites and anti-Leishmania antibodies: Association in an observational case–control study of dogs from a Brazilian endemic area. Preventive Veterinary Medicine, 2013, 112, 156-159.   | 1.9 | 6         |
| 121 | Focusing neighborhood context and self-rated health in the Pró-Saðde Study. Cadernos De Saude Publica, 2018, 34, e00029517.   | 1.0 | 6         |
| 122 | IgG avidity index and complete blood count as biomarkers of clinical disease in naturally infected dogs with Leishmania infantum. Veterinary Parasitology, 2018, 261, 96-103.   | 1.8 | 6         |
| 123 | Social determinants of pulmonary tuberculosis in Brazil: an ecological study. BMC Pulmonary Medicine, 2019, 19, 87.   | 2.0 | 6         |
| 124 | Cost-effectiveness analysis of diagnostic-therapeutic strategies for visceral leishmaniasis in Brazil.<br>Revista Da Sociedade Brasileira De Medicina Tropical, 2019, 52, e20180272.  | 0.9 | 6         |
| 125 | Effects of Gender, Sterilization, and Environment on the Spatial Distribution of Free-Roaming Dogs: An Intervention Study in an Urban Setting. Frontiers in Veterinary Science, 2020, 7, 289.   | 2.2 | 6         |
| 126 | Regional differences in mortality associated with pandemic Influenza A H1N1 in Brazil. Cadernos De Saude Publica, 2013, 29, 189-194.  | 1.0 | 6         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Cost-effectiveness of a canine visceral leishmaniasis control program in Brazil based on insecticide-impregnated collars. Revista Da Sociedade Brasileira De Medicina Tropical, 2020, 53, e20200680.  | 0.9 | 6         |
| 128 | Cross-cultural adaptation and psychometric properties of the Brazilian-Portuguese version of the VSP-A (Vécu et Santé PerĄSue de l'Adolescent), a health-related quality of life (HRQoL) instrument for adolescents, in a healthy Brazilian population. BMC Pediatrics, 2011, 11, 8.  | 1.7 | 5         |
| 129 | Risk Profiles for Leishmania infantum Infection in Brazil. American Journal of Tropical Medicine and Hygiene, 2016, 94, 1276-1281.  | 1.4 | 5         |
| 130 | Mortality among Hospitalized Dengue Patients with Comorbidities in Mexico, Brazil, and Colombia. American Journal of Tropical Medicine and Hygiene, 2021, , .   | 1.4 | 5         |
| 131 | Asymptomatic infection in individuals from the municipality of Barcelos (Brazilian Amazon) is not associated with the anti-Plasmodium falciparum glycosylphosphatidylinositol antibody response. Memorias Do Instituto Oswaldo Cruz, 2013, 108, 796-800.                              | 1.6 | 4         |
| 132 | Predictive factors for Leishmania infantum infection in dogs examined at a veterinary teaching hospital in Teresina, State of Piau $\tilde{A}_{7}$ Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2016, 49, 107-111.   | 0.9 | 4         |
| 133 | Immune system challenge improves recognition memory and reverses malaria-induced cognitive impairment in mice. Scientific Reports, 2021, 11, 14857.   | 3.3 | 4         |
| 134 | Fortalecer as atividades de informa $\tilde{A}$ § $\tilde{A}$ £o e vigil $\tilde{A}$ ¢ncia epidemiol $\tilde{A}$ 3gica $\tilde{A}$ © essencial e urgente para reduzir a for $\tilde{A}$ §a de transmiss $\tilde{A}$ £o do SARS-CoV-2. Revista Brasileira De Epidemiologia, 0, 24, .   | 0.8 | 4         |
| 135 | Distribución espacial de los casos de traumatismos craneoencefálicos atendidos en unidades de referencia en Salvador, BahÃa, Brasil. Salud Colectiva, 2014, 10, 213.  | 0.2 | 4         |
| 136 | Effectiveness of the CoronaVac Vaccine in Prevention of Symptomatic and Progression to Severe COVID-19 in Pregnant Women in Brazil. SSRN Electronic Journal, 0, , .   | 0.4 | 4         |
| 137 | Comparison of adverse events following immunization with pandemic influenza A (H1N1)pdm09 vaccine with or without adjuvant among health professionals in Rio de Janeiro, Brazil. Memorias Do Instituto Oswaldo Cruz, 2012, 107, 923-927.  | 1.6 | 3         |
| 138 | Analytical validation of real-time quantitative PCR assays for optimum diagnosis of vivax malaria. Memorias Do Instituto Oswaldo Cruz, 2019, 114, e180350.  | 1.6 | 3         |
| 139 | 1 – Cenários epidemiológicos no Brasil: tendências e impactos. , 2021, , 31-41.   |     | 3         |
| 140 | Association between Socioeconomic Position in Earlier and Later Life and Age at Natural Menopause: Estudo Pró-SaúDe, Brazil. Women's Health, 2011, 7, 719-727.  | 1.5 | 2         |
| 141 | Phase II validation study of the rK39 ELISA prototype for the diagnosis of canine visceral leishmaniasis in Brazil. Cadernos De Saude Publica, 2021, 37, e00041320.   | 1.0 | 2         |
| 142 | The use of geotechnologies for the identification of the urban flora in the city of Teresina, Brazil. Urban Ecosystems, 0, , 1.   | 2.4 | 2         |
| 143 | ESTUDO COMPARATIVO ENTRE METODOLOGIAS PARA O DIAGNÓSTICO DA LEISHMANIOSE VISCERAL HUMANA: UMA REVISÃO INTEGRATIVA / COMPARATIVE STUDY METHODOLOGIES FOR THE DIAGNOSIS OF HUMAN VISCERAL LEISHMANIASIS: AN INTEGRATIVE REVIEW. Brazilian Journal of Development, 2020, 6, 71398-71409. | 0.1 | 2         |
| 144 | Leisure-time physical activity in Amazonian pregnant women and offspring birth weight: A prospective cohort study. PLoS ONE, 2022, 17, e0265164.  | 2.5 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Impact of 4% deltamethrin-impregnated dog collars on the incidence of human visceral leishmaniasis. International Journal of Infectious Diseases, 2018, 73, 42.  | 3.3 | 1         |
| 146 | Socioeconomic factors predict the increase of incidence rates of visceral leishmaniasis in higly endemic areas in Brazil. International Journal of Infectious Diseases, 2019, 79, 131.   | 3.3 | 1         |
| 147 | Spatial distribution of Leishmania seropositive dogs in the Angelim neighborhood, Teresina, PiauÃ <del>,</del><br>Brazil: appraisal of three spatial clustering methods. Geo Journal, 2020, 86, 2457.                              | 3.1 | 1         |
| 148 | Willingness to vaccinate against influenza A (H1N1)pdm09 among Brazilian civil servants: Pró-Saúde cohort study. Revista Brasileira De Epidemiologia, 2021, 24, e210014.   | 0.8 | 1         |
| 149 | Socio-economic and environmental factors associated with the occurrence of canine infection by Leishmania infantum in Teresina, Brazil. Veterinary Parasitology: Regional Studies and Reports, 2021, 24, 100561.                   | 0.5 | 1         |
| 150 | Deaths related to Chagas disease and HIV/AIDS coinfection in Brazil: a nationwide population-based analysis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2021, , .   | 1.8 | 1         |
| 151 | A comparison between ARIA and visual analogic scale methods for classifying allergic rhinitis severity. World Allergy Organization Journal, 2015, 8, A5.   | 3.5 | 0         |
| 152 | Changing environment and the incidence of visceral leishmaniasis in Teresina, Brazil. International Journal of Infectious Diseases, 2016, 53, 56.  | 3.3 | 0         |
| 153 | Classification and regression trees for predicting the risk of a negative test result for tuberculosis infection in Brazilian healthcare workers: a cross-sectional study. Revista Brasileira De Epidemiologia, 2021, 24, e210035. | 0.8 | 0         |
| 154 | Factores asociados a la incapacidad funcional global luego de transcurrido un año después del traumatismo craneoencefálico. Salud Colectiva, 2013, 9, 335.   | 0.2 | 0         |
| 155 | EpiVix: epidemiologia brasileira em transição. Cadernos De Saude Publica, 2014, 30, 2029-2029.   | 1.0 | 0         |
| 156 | Value of the intraoperative cytology examination of sentinela lymph node in breast cancer. Mastology, 2018, 23, 212-218.   | 0.1 | 0         |
| 157 | O sistema de avaliação da CAPES e a pós-graduação em saúde coletiva. BIS Boletim Do Instituto De<br>Saúde, 2019, 20, 12-20.  | 0.0 | 0         |
| 158 | PREVALÊNCIA DA LEISHMANIOSE VISCERAL EM CANINOS DA ÃREA URBANA DE MARACANAÃS, CEARÃ, BRASIL. Archives of Veterinary Science, 2020, 15, .   | 0.1 | 0         |
| 159 | The Salvador Primary Care Longitudinal Study of Child Development (CohortDICa) Following the Zika Epidemic: Study Protocol. International Journal of Environmental Research and Public Health, 2022, 19, 2514.                     | 2.6 | O         |
| 160 | The challenges for targeting Chagas disease for elimination as a public health problem. Memorias Do Instituto Oswaldo Cruz, 2022, 117, e210033chgsa.   | 1.6 | 0         |