## **Guilherme Loureiro Werneck**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7740581/publications.pdf Version: 2024-02-01



Guilherme Loureiro

#	Article	IF	CITATIONS
1	Influence of age on the effectiveness and duration of protection of Vaxzevria and CoronaVac vaccines: A population-based study. The Lancet Regional Health Americas, 2022, 6, 100154.	1.5	55
2	Two-dose ChAdOx1 nCoV-19 vaccine protection against COVID-19 hospital admissions and deaths over time: a retrospective, population-based cohort study in Scotland and Brazil. Lancet, The, 2022, 399, 25-35.	6.3	109
3	Vaccine effectiveness of heterologous CoronaVac plus BNT162b2 in Brazil. Nature Medicine, 2022, 28, 838-843.	15.2	85
4	The Salvador Primary Care Longitudinal Study of Child Development (CohortDICa) Following the Zika Epidemic: Study Protocol. International Journal of Environmental Research and Public Health, 2022, 19, 2514.	1.2	0
5	Leisure-time physical activity in Amazonian pregnant women and offspring birth weight: A prospective cohort study. PLoS ONE, 2022, 17, e0265164.	1.1	2
6	The challenges for targeting Chagas disease for elimination as a public health problem. Memorias Do Instituto Oswaldo Cruz, 2022, 117, e210033chgsa.	0.8	0
7	Classification and regression trees for predicting the risk of a negative test result for tuberculosis infection in Brazilian healthcare workers: a cross-sectional study. Revista Brasileira De Epidemiologia, 2021, 24, e210035.	0.3	0
8	Willingness to vaccinate against influenza A (H1N1)pdm09 among Brazilian civil servants: Pró-Saúde cohort study. Revista Brasileira De Epidemiologia, 2021, 24, e210014.	0.3	1
9	Phase II validation study of the rK39 ELISA prototype for the diagnosis of canine visceral leishmaniasis in Brazil. Cadernos De Saude Publica, 2021, 37, e00041320.	0.4	2
10	Socio-economic and environmental factors associated with the occurrence of canine infection by Leishmania infantum in Teresina, Brazil. Veterinary Parasitology: Regional Studies and Reports, 2021, 24, 100561.	0.3	1
11	Mortality among Hospitalized Dengue Patients with Comorbidities in Mexico, Brazil, and Colombia. American Journal of Tropical Medicine and Hygiene, 2021, , .	0.6	5
12	Immune system challenge improves recognition memory and reverses malaria-induced cognitive impairment in mice. Scientific Reports, 2021, 11, 14857.	1.6	4
13	Levels and trends in Chagas disease-related mortality in Brazil, 2000–2019. Acta Tropica, 2021, 220, 105948.	0.9	10
14	Does deforestation drive visceral leishmaniasis transmission? A causal analysis. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20211537.	1.2	9
15	The incidence and geographical spread of SARS-CoV-2 in Rio de Janeiro, Brazil based on RT-PCR test results. Revista Da Sociedade Brasileira De Medicina Tropical, 2021, 54, e07792020.	0.4	7
16	1 – Cenários epidemiológicos no Brasil: tendências e impactos. , 2021, , 31-41.		3
17	Deaths related to Chagas disease and HIV/AIDS coinfection in Brazil: a nationwide population-based analysis. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2021, , .	0.7	1
18	Risk factors for in-hospital mortality from visceral leishmaniasis: A case-control study. Journal of Infection and Public Health, 2020, 13, 538-543.	1.9	12

#	Article	IF	CITATIONS
19	Allopurinol therapy provides long term clinical improvement, but additional immunotherapy is required for sustained parasite clearance, in L. infantum-infected dogs. Vaccine: X, 2020, 4, 100048.	0.9	11
20	Changes in malaria patterns in Brazil over 28 years (1990–2017): results from the Clobal Burden of Disease Study 2017. Population Health Metrics, 2020, 18, 5.	1.3	12
21	Effectiveness of insecticide-impregnated collars for the control of canine visceral leishmaniasis. Preventive Veterinary Medicine, 2020, 182, 105104.	0.7	9
22	Effects of Gender, Sterilization, and Environment on the Spatial Distribution of Free-Roaming Dogs: An Intervention Study in an Urban Setting. Frontiers in Veterinary Science, 2020, 7, 289.	0.9	6
23	Utilisation of dental services by Brazilian adults in rural and urban areas: a multi-group structural equation analysis using the Andersen behavioural model. BMC Public Health, 2020, 20, 953.	1.2	24
24	Spatial distribution of Leishmania seropositive dogs in the Angelim neighborhood, Teresina, PiauÃ <del>,</del> Brazil: appraisal of three spatial clustering methods. Geo Journal, 2020, 86, 2457.	1.7	1
25	Seroprevalence of anti-SARS-CoV-2 among blood donors in Rio de Janeiro, Brazil. Revista De Saude Publica, 2020, 54, 69.	0.7	74
26	The burden of tuberculosis and attributable risk factors in Brazil, 1990–2017: results from the Global Burden of Disease Study 2017. Population Health Metrics, 2020, 18, 10.	1.3	11
27	Major environmental and socioeconomic determinants of cutaneous leishmaniasis in Brazil - a systematic literature review. Revista Da Sociedade Brasileira De Medicina Tropical, 2020, 53, e20190291.	0.4	14
28	A pandemia de COVID-19 no Brasil: crônica de uma crise sanitária anunciada. Cadernos De Saude Publica, 2020, 36, e00068820.	0.4	151
29	PREVALÊNCIA DA LEISHMANIOSE VISCERAL EM CANINOS DA ÂREA URBANA DE MARACANAÃS, CEARÃ; BRASIL. Archives of Veterinary Science, 2020, 15, .	0.1	0
30	ESTUDO COMPARATIVO ENTRE METODOLOGIAS PARA O DIAGNÓSTICO DA LEISHMANIOSE VISCERAL HUMANA: UMA REVISÃ fO INTEGRATIVA / COMPARATIVE STUDY METHODOLOGIES FOR THE DIAGNOSIS OF HUMAN VISCERAL LEISHMANIASIS: AN INTEGRATIVE REVIEW. Brazilian Journal of Development, 2020, 6, 71398-71409.	0.0	2
31	Cost-effectiveness of a canine visceral leishmaniasis control program in Brazil based on insecticide-impregnated collars. Revista Da Sociedade Brasileira De Medicina Tropical, 2020, 53, e20200680.	0.4	6
32	Social determinants of pulmonary tuberculosis in Brazil: an ecological study. BMC Pulmonary Medicine, 2019, 19, 87.	0.8	6
33	Cost-effectiveness analysis of diagnostic-therapeutic strategies for visceral leishmaniasis in Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2019, 52, e20180272.	0.4	6
34	Socioeconomic factors predict the increase of incidence rates of visceral leishmaniasis in higly endemic areas in Brazil. International Journal of Infectious Diseases, 2019, 79, 131.	1.5	1
35	Analytical validation of real-time quantitative PCR assays for optimum diagnosis of vivax malaria. Memorias Do Instituto Oswaldo Cruz, 2019, 114, e180350.	0.8	3
36	Burden of Chagas disease in Brazil, 1990–2016: findings from the Global Burden of Disease Study 2016. International Journal for Parasitology, 2019, 49, 301-310.	1.3	21

#	Article	IF	CITATIONS
37	O sistema de avaliação da CAPES e a pós-graduação em saúde coletiva. BIS Boletim Do Instituto De Saúde, 2019, 20, 12-20.	0.0	0
38	Is There an Association Between Exposure to Cats and Occurrence of Visceral Leishmaniasis in Humans and Dogs?. Vector-Borne and Zoonotic Diseases, 2018, 18, 335-342.	0.6	7
39	Impact of 4% Deltamethrin-Impregnated Dog Collars on the Prevalence and Incidence of Canine Visceral Leishmaniasis. Vector-Borne and Zoonotic Diseases, 2018, 18, 356-363.	0.6	26
40	Focusing neighborhood context and self-rated health in the Pró-Saúde Study. Cadernos De Saude Publica, 2018, 34, e00029517.	0.4	6
41	Estimativa de custo da asma em tratamento ambulatorial: estudo com dados de mundo real. Revista De Saude Publica, 2018, 52, 27.	0.7	17
42	Dificuldades operacionais no uso de coleiras caninas impregnadas com inseticida para o controle da leishmaniose visceral, Montes Claros, MG, 2012*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2018, 27, e2017469.	0.3	8
43	Validation of the Dual-path Platform chromatographic immunoassay (DPP® CVL rapid test) for the serodiagnosis of canine visceral leishmaniasis. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e180260.	0.8	23
44	Prevalence of visceral leishmaniasis in A population of free-roaming dogs as determined by multiple sampling efforts: A longitudinal study analyzing the effectiveness of euthanasia. Preventive Veterinary Medicine, 2018, 161, 19-24.	0.7	18
45	Burden of leishmaniasis in Brazil and federated units, 1990-2016: Findings from Global Burden of Disease Study 2016. PLoS Neglected Tropical Diseases, 2018, 12, e0006697.	1.3	52
46	IgG avidity index and complete blood count as biomarkers of clinical disease in naturally infected dogs with Leishmania infantum. Veterinary Parasitology, 2018, 261, 96-103.	0.7	6
47	Effectiveness of dog collars impregnated with 4% deltamethrin in controlling visceral leishmaniasis in Lutzomyia longipalpis (Diptera: Psychodidade: Phlebotominae) populations. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e170377.	0.8	24
48	Comorbidities increase in-hospital mortality in dengue patients in Brazil. Memorias Do Instituto Oswaldo Cruz, 2018, 113, e180082.	0.8	25
49	Impact of 4% deltamethrin-impregnated dog collars on the incidence of human visceral leishmaniasis. International Journal of Infectious Diseases, 2018, 73, 42.	1.5	1
50	The burden of Neglected Tropical Diseases in Brazil, 1990-2016: A subnational analysis from the Global Burden of Disease Study 2016. PLoS Neglected Tropical Diseases, 2018, 12, e0006559.	1.3	81
51	Contextual and individual factors associated with dental services utilisation by Brazilian adults: A multilevel analysis. PLoS ONE, 2018, 13, e0192771.	1.1	50
52	Value of the intraoperative cytology examination of sentinela lymph node in breast cancer. Mastology, 2018, 23, 212-218.	0.1	0
53	The direct costs of treating human visceral leishmaniasis in Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 478-482.	0.4	18
54	Budgetary impact of diagnostic tests for visceral leishmaniasis in Brazil. Cadernos De Saude Publica, 2017, 33, e00142416.	0.4	7

#	Article	IF	CITATIONS
55	Serological tests fail to discriminate dogs with visceral leishmaniasis that transmit Leishmania infantum to the vector Lutzomyia longipalpis. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 483-488.	0.4	13
56	Visceral leishmaniasis and HIV/AIDS in Brazil: Are we aware enough?. PLoS Neglected Tropical Diseases, 2017, 11, e0005772.	1.3	28
57	Abundance, survival, recruitment and effectiveness of sterilization of free-roaming dogs: A capture and recapture study in Brazil. PLoS ONE, 2017, 12, e0187233.	1.1	37
58	Intimate partner violence and early interruption of exclusive breastfeeding in the first three months of life. Cadernos De Saude Publica, 2016, 32, e00017816.	0.4	11
59	Maternal mental health and nutritional status of six-month-old infants. Revista De Saude Publica, 2016, 50, 7.	0.7	17
60	Sensitivity and specificity of parallel or serial serological testing for detection of canine Leishmania infection. Memorias Do Instituto Oswaldo Cruz, 2016, 111, 168-173.	0.8	26
61	Predictive factors for Leishmania infantum infection in dogs examined at a veterinary teaching hospital in Teresina, State of PiauÃ5 Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2016, 49, 107-111.	0.4	4
62	Surveillance of Zika virus infection and microcephaly in Brazil. Lancet, The, 2016, 388, 846-847.	6.3	21
63	Changing environment and the incidence of visceral leishmaniasis in Teresina, Brazil. International Journal of Infectious Diseases, 2016, 53, 56.	1.5	0
64	Risk Profiles for Leishmania infantum Infection in Brazil. American Journal of Tropical Medicine and Hygiene, 2016, 94, 1276-1281.	0.6	5
65	Cost-effectiveness analysis of diagnostic tests for human visceral leishmaniasis in Brazil. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2016, 110, 464-471.	0.7	17
66	Are opossums a relevant factor associated with asymptomatic Leishmania infection in the outskirts of the largest Brazilian cities?. Brazilian Journal of Infectious Diseases, 2016, 20, 119-126.	0.3	11
67	Controle da leishmaniose visceral no Brasil: o fim de um ciclo?. Cadernos De Saude Publica, 2016, 32, .	0.4	22
68	Diagramas causais: a epidemiologia brasileira de volta para o futuro. Cadernos De Saude Publica, 2016, 32, e00120416.	0.4	9
69	A comparison between ARIA and visual analogic scale methods for classifying allergic rhinitis severity. World Allergy Organization Journal, 2015, 8, A5.	1.6	0
70	Predicting frequency distribution and influence of sociodemographic and behavioral risk factors of Schistosoma mansoni infection and analysis of co-infection with intestinal parasites. Geospatial Health, 2015, 10, 303.	0.3	19
71	Leishmania, Babesia and Ehrlichia in urban pet dogs: co-infection or cross-reaction in serological methods?. Revista Da Sociedade Brasileira De Medicina Tropical, 2015, 48, 64-68.	0.4	22
72	Population Estimation Methods for Free-Ranging Dogs: A Systematic Review. PLoS ONE, 2015, 10, e0144830.	1.1	36

#	Article	IF	CITATIONS
73	Translation, adaptation and validation of "Community Integration Questionnaire". Ciencia E Saude Coletiva, 2015, 20, 1341-1352.	0.1	10
74	Direct and indirect exposure to violence and psychological distress among civil servants in Rio de Janeiro, Brazil: a prospective cohort study. BMC Psychiatry, 2015, 15, 109.	1.1	18
75	Visceral leishmaniasis in Brazil: rationale and concerns related to reservoir control. Revista De Saude Publica, 2014, 48, 851-856.	0.7	74
76	Gender differences in social support and leisure-time physical activity. Revista De Saude Publica, 2014, 48, 602-612.	0.7	16
77	Effectiveness of Insecticide Spraying and Culling of Dogs on the Incidence of Leishmania infantum Infection in Humans: A Cluster Randomized Trial in Teresina, Brazil. PLoS Neglected Tropical Diseases, 2014, 8, e3172.	1.3	32
78	Risk Factors for Adverse Prognosis and Death in American Visceral Leishmaniasis: A Meta-analysis. PLoS Neglected Tropical Diseases, 2014, 8, e2982.	1.3	74
79	Lipoprotein Lipase and PPAR Alpha Gene Polymorphisms, Increased Very-Low-Density Lipoprotein Levels, and Decreased High-Density Lipoprotein Levels as Risk Markers for the Development of Visceral Leishmaniasis by <i>Leishmania infantum</i> . Mediators of Inflammation, 2014, 2014, 1-10.	1.4	13
80	Early socioeconomic position and self-rated health among civil servants in Brazil: a cross-sectional analysis from the PrÃ <sup>3</sup> -Saúde cohort study. BMJ Open, 2014, 4, e005321.	0.8	9
81	Prediction of high-risk areas for visceral leishmaniasis using socioeconomic indicators and remote sensing data. International Journal of Health Geographics, 2014, 13, 13.	1.2	29
82	Spatial analysis for identification of priority areas for surveillance and control in a visceral leishmaniasis endemic area in Brazil. Acta Tropica, 2014, 131, 56-62.	0.9	44
83	Distribución espacial de los casos de traumatismos craneoencefálicos atendidos en unidades de referencia en Salvador, BahÃa, Brasil. Salud Colectiva, 2014, 10, 213.	0.2	4
84	EpiVix: epidemiologia brasileira em transição. Cadernos De Saude Publica, 2014, 30, 2029-2029.	0.4	0
85	Association of social network and social support with health-related quality of life and fatigue in long-term survivors of Hodgkin lymphoma. Supportive Care in Cancer, 2013, 21, 2153-2159.	1.0	36
86	Ectoparasites and anti-Leishmania antibodies: Association in an observational case–control study of dogs from a Brazilian endemic area. Preventive Veterinary Medicine, 2013, 112, 156-159.	0.7	6
87	A systematic review and meta-analysis of the factors associated with Leishmania infantum infection in dogs in Brazil. Veterinary Parasitology, 2013, 195, 1-13.	0.7	57
88	Factors Associated with Visceral Leishmaniasis in the Americas: A Systematic Review and Meta-Analysis. PLoS Neglected Tropical Diseases, 2013, 7, e2182.	1.3	88
89	Culling Dogs in Scenarios of Imperfect Control: Realistic Impact on the Prevalence of Canine Visceral Leishmaniasis. PLoS Neglected Tropical Diseases, 2013, 7, e2355.	1.3	71
90	Risk factors for hospital admission due to acute lower respiratory tract infection in Guarani indigenous children in southern Brazil: a populationâ€based caseâ€control study. Tropical Medicine and International Health, 2013, 18, 596-607.	1.0	39

#	Article	IF	CITATIONS
91	Asymptomatic infection in individuals from the municipality of Barcelos (Brazilian Amazon) is not associated with the anti-Plasmodium falciparum glycosylphosphatidylinositol antibody response. Memorias Do Instituto Oswaldo Cruz, 2013, 108, 796-800.	0.8	4
92	Influencia de fatores psicossociais na cessacao do tabagismo: evidencias longitudinais no Estudo Pro-Saude. Revista De Saude Publica, 2013, 47, 732-739.	0.7	8
93	Regional differences in mortality associated with pandemic Influenza A H1N1 in Brazil. Cadernos De Saude Publica, 2013, 29, 189-194.	0.4	6
94	Autoavaliação do estado de saúde e a associação com fatores sociodemográficos, hábitos de vida e morbidade na população: um inquérito nacional. Cadernos De Saude Publica, 2013, 29, 723-734.	0.4	84
95	Factores asociados a la incapacidad funcional global luego de transcurrido un año después del traumatismo craneoencefálico. Salud Colectiva, 2013, 9, 335.	0.2	0
96	Predictive Models for the Diagnostic of Human Visceral Leishmaniasis in Brazil. PLoS Neglected Tropical Diseases, 2012, 6, e1542.	1.3	9
97	Prepregnancy Weight, Weight Gain during Pregnancy, and Exclusive Breastfeeding in the First Month of Life in Rio de Janeiro, Brazil. Journal of Human Lactation, 2012, 28, 55-61.	0.8	20
98	Latent class analysis of diagnostic tests for visceral leishmaniasis in Brazil. Tropical Medicine and International Health, 2012, 17, 1202-1207.	1.0	23
99	Psychometric Properties of the Multidimensional Fatigue Inventory in Brazilian Hodgkin's Lymphoma Survivors. Journal of Pain and Symptom Management, 2012, 44, 908-915.	0.6	25
100	Association between self-rated health and mortality: 10 years follow-up to the PrÃ <sup>3</sup> -Saúdecohort study. BMC Public Health, 2012, 12, 676.	1.2	64
101	Classification and regression tree (CART) model to predict pulmonary tuberculosis in hospitalized patients. BMC Pulmonary Medicine, 2012, 12, 40.	0.8	39
102	Comparison of adverse events following immunization with pandemic influenza A (H1N1)pdm09 vaccine with or without adjuvant among health professionals in Rio de Janeiro, Brazil. Memorias Do Instituto Oswaldo Cruz, 2012, 107, 923-927.	0.8	3
103	Uso de serviços de saúde segundo posição socioeconômica em trabalhadores de uma universidade pública. Revista De Saude Publica, 2012, 46, 98-103.	0.7	14
104	Validation of the Brazilian Portuguese version of the Medical Outcomes Study-Social Support Survey in Hodgkin's lymphoma survivors. Supportive Care in Cancer, 2012, 20, 1895-1900.	1.0	27
105	Factors associated with Leishmania chagasi infection in domestic dogs from Teresina, State of PiauÃ <del>,</del> Brazil. Revista Da Sociedade Brasileira De Medicina Tropical, 2012, 45, 480-484.	0.4	18
106	Canine visceral leishmaniasis in Teresina, Brazil: Relationship between clinical features and infectivity for sand flies. Acta Tropica, 2011, 117, 6-9.	0.9	35
107	Leishmania infection in humans, dogs and sandflies in a visceral leishmaniasis endemic area in Maranhão, Brazil. Memorias Do Instituto Oswaldo Cruz, 2011, 106, 207-211.	0.8	24
108	The association between educational level and age at the menopause: a systematic review. Archives of Gynecology and Obstetrics, 2011, 283, 83-90.	0.8	26

#	Article	IF	CITATIONS
109	Cross-cultural adaptation and psychometric properties of the Brazilian-Portuguese version of the VSP-A (Vécu et Santé Perçue de l'Adolescent), a health-related quality of life (HRQoL) instrument for adolescents, in a healthy Brazilian population. BMC Pediatrics, 2011, 11, 8.	0.7	5
110	Social support and leisure-time physical activity: longitudinal evidence from the Brazilian PrÃ <sup>3</sup> -Saúde cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2011, 8, 77.	2.0	27
111	Identification of Risk Areas for Visceral Leishmaniasis in Teresina, Piaui State, Brazil. American Journal of Tropical Medicine and Hygiene, 2011, 84, 681-687.	0.6	39
112	Association between Socioeconomic Position in Earlier and Later Life and Age at Natural Menopause: Estudo Pró-SaúDe, Brazil. Women's Health, 2011, 7, 719-727.	0.7	2
113	Prevalência da infecção por lentivÃrus de pequenos ruminantes em caprinos em Teresina, PiauÃ- Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2011, 63, 757-760.	0.1	8
114	Mortality among Guarani Indians in Southeastern and Southern Brazil. Cadernos De Saude Publica, 2011, 27, s222-s236.	0.4	15
115	Job strain and other work conditions: relationships with psychological distress among civil servants in Rio de Janeiro, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 345-354.	1.6	26
116	Association between the prevalence of infestation by Rhipicephalus sanguineus and Ctenocephalides felis felis and the presence of anti-Leishmania antibodies: A case–control study in dogs from a Brazilian endemic area. Preventive Veterinary Medicine, 2010, 97, 131-133.	0.7	24
117	Demarcation of local neighborhoods to study relations between contextual factors and health. International Journal of Health Geographics, 2010, 9, 34.	1.2	28
118	ls severe visceral leishmaniasis a systemic inflammatory response syndrome? A case control study. Revista Da Sociedade Brasileira De Medicina Tropical, 2010, 43, 386-392.	0.4	82
119	Lack of association between age at menarche and age at menopause: Pró-Saúde Study, Rio de Janeiro, Brazil. Maturitas, 2010, 67, 245-250.	1.0	25
120	Algorithms to predict cerebral malaria in murine models using the SHIRPA protocol. Malaria Journal, 2010, 9, 85.	0.8	28
121	Expansão geográfica da leishmaniose visceral no Brasil. Cadernos De Saude Publica, 2010, 26, 644-645.	0.4	59
122	Risky sexual practices among men who have sex with men in Northeast Brazil: results from four sequential surveys. Cadernos De Saude Publica, 2009, 25, 1390-1398.	0.4	10
123	Estresse no trabalho e hipertensão arterial em mulheres no Estudo Pró-Saúde: Estudo Pró-Saúde (Pro-Health Study). Revista De Saude Publica, 2009, 43, 893-896.	0.7	29
124	Factors associated with the incidence of urban visceral leishmaniasis: an ecological study in Teresina, PiauÃ-State, Brazil. Cadernos De Saude Publica, 2009, 25, 1543-1551.	0.4	68
125	Nutrition Transition, Socioeconomic Differentiation, and Gender Among Adult Xavante Indians, Brazilian Amazon. Human Ecology, 2009, 37, 13-26.	0.7	68
126	Characterization of cerebral malaria in the outbred Swiss Webster mouse infected by <i>Plasmodium berghei</i> ANKA. International Journal of Experimental Pathology, 2009, 90, 119-130.	0.6	51

Guilherme Loureiro

#	Article	IF	CITATIONS
127	Gender differences in the socioeconomic gradient in self-reported diabetes: Does health service access play a role?. Diabetes Research and Clinical Practice, 2009, 86, 134-139.	1.1	8
128	An Empirical Comparison of Respondent-driven Sampling, Time Location Sampling, and Snowball Sampling for Behavioral Surveillance in Men Who Have Sex with Men, Fortaleza, Brazil. AIDS and Behavior, 2008, 12, 97-104.	1.4	190
129	The relationship between smoking and age at the menopause: A systematic review. Maturitas, 2008, 61, 287-298.	1.0	73
130	Higher Risk of Common Mental Disorders After Experiencing Physical Violence in Rio De Janeiro, Brazil: the <i>Pró-Saúde</i> Study. International Journal of Social Psychiatry, 2008, 54, 112-117.	1.6	6
131	Forum: geographic spread and urbanization of visceral leishmaniasis in Brazil. Introduction. Cadernos De Saude Publica, 2008, 24, 2937-2940.	0.4	72
132	Georeferenced data in epidemiologic research. Ciencia E Saude Coletiva, 2008, 13, 1753-1766.	0.1	20
133	Symptoms of postpartum depression and early interruption of exclusive breastfeeding in the first two months of life. Cadernos De Saude Publica, 2008, 24, s341-s352.	0.4	51
134	The Brazilian version of the effort-reward imbalance questionnaire to assess job stress. Cadernos De Saude Publica, 2008, 24, 219-224.	0.4	74
135	Genotypes of the Mannanâ€Binding Lectin Gene and Susceptibility to Visceral Leishmaniasis and Clinical Complications. Journal of Infectious Diseases, 2007, 195, 1212-1217.	1.9	58
136	Factors associated to Montenegro skin test positivity in Teresina, Brazil. Acta Tropica, 2007, 104, 99-107.	0.9	19
137	Multilevel modelling of the incidence of visceral leishmaniasis in Teresina, Brazil. Epidemiology and Infection, 2007, 135, 195-201.	1.0	92
138	Predictive Factors for Pneumonia Onset After Cardiac Surgery in Rio de Janeiro, Brazil. Infection Control and Hospital Epidemiology, 2007, 28, 382-388.	1.0	10
139	Association between routine visits for dental checkup and selfâ€perceived oral health in an adult population in Rio de Janeiro: the Próâ€Saúde Study. Community Dentistry and Oral Epidemiology, 2007, 35, 393-400.	0.9	63
140	Surgical Site Infection Among Women Discharged with a Drain In Situ After Breast Cancer Surgery. World Journal of Surgery, 2007, 31, 2293-9; discussion 2300-1.	0.8	72
141	A modelling analysis of pertussis transmission and vaccination in Rio de Janeiro, Brazil. Epidemiology and Infection, 2006, 134, 850-862.	1.0	12
142	Predicting smear negative pulmonary tuberculosis with classification trees and logistic regression: a cross-sectional study. BMC Public Health, 2006, 6, 43.	1.2	59
143	Age-period-cohort analysis of suicide rates in Rio de Janeiro, Brazil, 1979?1998. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 192-196.	1.6	17
144	Estudo Pró-Saúde: caracterÃsticas gerais e aspectos metodológicos. Revista Brasileira De Epidemiologia, 2005, 8, 454-466.	0.3	60

#	Article	IF	CITATIONS
145	Household structure and urban services: neglected targets in the control of visceral leishmaniasis. Annals of Tropical Medicine and Parasitology, 2005, 99, 229-236.	1.6	68
146	Spatial analysis of the distribution of leprosy in the State of CearÃį, Northeast Brazil. Memorias Do Instituto Oswaldo Cruz, 2004, 99, 683-686.	0.8	27
147	Inequality and leprosy in Northeast Brazil: an ecological study. International Journal of Epidemiology, 2004, 33, 262-269.	0.9	111
148	Prognostic Factors for Death from Visceral Leishmaniasis in Teresina, Brazil. Infection, 2003, 31, 174-177.	2.3	71
149	Assessment of agreement of a quantitative variable: a new graphical approach. Journal of Clinical Epidemiology, 2003, 56, 963-967.	2.4	74
150	Family socio-economic background modified secular trends in age at menarche: evidence from the Pró-Saú Study (Rio de Janeiro, Brazil). Annals of Human Biology, 2003, 30, 347-352.	0.4	54
151	The Urban Spread of Visceral Leishmaniasis: Clues from Spatial Analysis. Epidemiology, 2002, 13, 364-367.	1.2	62
152	The Effect of Subcapsular Meningococcal B + C Vaccine on the Prognosis of Patients with Meningococcal Disease. Scandinavian Journal of Infectious Diseases, 2002, 34, 417-420.	1.5	9
153	The burden of Leishmania chagasi infection during an urban outbreak of visceral leishmaniasis in Brazil. Acta Tropica, 2002, 83, 13-18.	0.9	54
154	Spatial modeling using mixed models: an ecologic study of visceral leishmaniasis in Teresina, PiauÃ- State, Brazil. Cadernos De Saude Publica, 2002, 18, 633-637.	0.4	38
155	The epidemiology of hepatitis A in Rio de Janeiro: environmental and domestic risk factors. Epidemiology and Infection, 2001, 127, 327-333.	1.0	34
156	Brief report. Classification trees and logistic regression applied to prognostic studies: a comparison using meningococcal disease as an example. Journal of Tropical Pediatrics, 1999, 45, 248-251.	0.7	13
157	Paediatric burns and associated risk factors in Rio de Janeiro, Brazil. Burns, 1997, 23, 478-483.	1.1	44
158	Fortalecer as atividades de informação e vigilância epidemiológica é essencial e urgente para reduzir a força de transmissão do SARS-CoV-2. Revista Brasileira De Epidemiologia, 0, 24, .	0.3	4
159	The use of geotechnologies for the identification of the urban flora in the city of Teresina, Brazil. Urban Ecosystems, 0, , 1.	1.1	2
160	Effectiveness of the CoronaVac Vaccine in Prevention of Symptomatic and Progression to Severe COVID-19 in Pregnant Women in Brazil. SSRN Electronic Journal, 0, , .	0.4	4