

Irene M Stratton

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7742256/irene-m-stratton-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

135
papers

20,295
citations

46
h-index

142
g-index

142
ext. papers

22,581
ext. citations

7
avg, IF

6.01
L-index

#	Paper	IF	Citations
135	Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. <i>BMJ: British Medical Journal</i> , 2000 , 321, 405-12		5694
134	International Subarachnoid Aneurysm Trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2143 patients with ruptured intracranial aneurysms: a randomised trial. <i>Lancet, The</i> , 2002 , 360, 1267-74	40	2808
133	Risk factors for coronary artery disease in non-insulin dependent diabetes mellitus: United Kingdom Prospective Diabetes Study (UKPDS: 23). <i>BMJ: British Medical Journal</i> , 1998 , 316, 823-8		1367
132	Association of systolic blood pressure with macrovascular and microvascular complications of type 2 diabetes (UKPDS 36): prospective observational study. <i>BMJ: British Medical Journal</i> , 2000 , 321, 412-9		1350
131	UKPDS 50: risk factors for incidence and progression of retinopathy in Type II diabetes over 6 years from diagnosis. <i>Diabetologia</i> , 2001 , 44, 156-63	10.3	684
130	The UKPDS risk engine: a model for the risk of coronary heart disease in Type II diabetes (UKPDS 56). <i>Clinical Science</i> , 2001 , 101, 671-679	6.5	641
129	UKPDS 25: autoantibodies to islet-cell cytoplasm and glutamic acid decarboxylase for prediction of insulin requirement in type 2 diabetes. UK Prospective Diabetes Study Group. <i>Lancet, The</i> , 1997 , 350, 1288-93	40	584
128	The UKPDS risk engine: a model for the risk of coronary heart disease in Type II diabetes (UKPDS 56). <i>Clinical Science</i> , 2001 , 101, 671	6.5	432
127	A model to estimate the lifetime health outcomes of patients with type 2 diabetes: the United Kingdom Prospective Diabetes Study (UKPDS) Outcomes Model (UKPDS no. 68). <i>Diabetologia</i> , 2004 , 47, 1747-59	10.3	425
126	The UKPDS risk engine: a model for the risk of coronary heart disease in Type II diabetes (UKPDS 56). <i>Clinical Science</i> , 2001 , 101, 671-9	6.5	355
125	United Kingdom Prospective Diabetes Study, 30: diabetic retinopathy at diagnosis of non-insulin-dependent diabetes mellitus and associated risk factors. <i>JAMA Ophthalmology</i> , 1998 , 116, 297-303		342
124	UKPDS 60: risk of stroke in type 2 diabetes estimated by the UK Prospective Diabetes Study risk engine. <i>Stroke</i> , 2002 , 33, 1776-81	6.7	336
123	Risks of progression of retinopathy and vision loss related to tight blood pressure control in type 2 diabetes mellitus: UKPDS 69. <i>JAMA Ophthalmology</i> , 2004 , 122, 1631-40		317
122	UKPDS 59: hyperglycemia and other potentially modifiable risk factors for peripheral vascular disease in type 2 diabetes. <i>Diabetes Care</i> , 2002 , 25, 894-9	14.6	279
121	Additive effects of glycaemia and blood pressure exposure on risk of complications in type 2 diabetes: a prospective observational study (UKPDS 75). <i>Diabetologia</i> , 2006 , 49, 1761-9	10.3	255
120	Microalbuminuria prevalence varies with age, sex, and puberty in children with type 1 diabetes followed from diagnosis in a longitudinal study. Oxford Regional Prospective Study Group. <i>Diabetes Care</i> , 1999 , 22, 495-502	14.6	234
119	Risk factors for myocardial infarction case fatality and stroke case fatality in type 2 diabetes: UKPDS 66. <i>Diabetes Care</i> , 2004 , 27, 201-7	14.6	220

118	UKPDS 26: Sulphonylurea failure in non-insulin-dependent diabetic patients over six years. UK Prospective Diabetes Study (UKPDS) Group. <i>Diabetic Medicine</i> , 1998 , 15, 297-303	3.5	218
117	Cost effectiveness of an intensive blood glucose control policy in patients with type 2 diabetes: economic analysis alongside randomised controlled trial (UKPDS 41). United Kingdom Prospective Diabetes Study Group. <i>BMJ: British Medical Journal</i> , 2000 , 320, 1373-8		211
116	Outcome of transphenoidal surgery for acromegaly and its relationship to surgical experience. <i>Clinical Endocrinology</i> , 1999 , 50, 561-7	3.4	199
115	How to deal with regression to the mean in intervention studies. <i>Lancet, The</i> , 1996 , 347, 241-3	4.0	161
114	Risk factors for stroke in type 2 diabetes mellitus: United Kingdom Prospective Diabetes Study (UKPDS) 29. <i>Archives of Internal Medicine</i> , 1999 , 159, 1097-103		143
113	Audit of selected patients with nonfunctioning pituitary adenomas treated without irradiation - a follow-up study. <i>Clinical Endocrinology</i> , 1999 , 51, 281-4	3.4	134
112	Group Sequential Clinical Trials with Triangular Continuation Regions. <i>Biometrics</i> , 1983 , 39, 227	1.8	132
111	Comparison of 11 human insulin assays: implications for clinical investigation and research. <i>Clinical Chemistry</i> , 2007 , 53, 922-32	5.5	111
110	Cancer near nuclear installations. <i>Nature</i> , 1987 , 329, 499-505	50.4	104
109	Genetic heterogeneity of autoimmune diabetes: age of presentation in adults is influenced by HLA DRB1 and DQB1 genotypes (UKPDS 43). UK Prospective Diabetes Study (UKPDS) Group. <i>Diabetologia</i> , 1999 , 42, 608-16	10.3	102
108	Microaneurysms in the development of diabetic retinopathy (UKPDS 42). UK Prospective Diabetes Study Group. <i>Diabetologia</i> , 1999 , 42, 1107-12	10.3	100
107	High prevalence of hepatitis C infection in Afro-Caribbean patients with type 2 diabetes and abnormal liver function tests. <i>Diabetic Medicine</i> , 1995 , 12, 244-9	3.5	98
106	A method for assessing quality of control from glucose profiles. <i>Diabetic Medicine</i> , 2007 , 24, 753-8	3.5	93
105	UKPDS 19: heterogeneity in NIDDM: separate contributions of IRS-1 and beta 3-adrenergic-receptor mutations to insulin resistance and obesity respectively with no evidence for glycogen synthase gene mutations. UK Prospective Diabetes Study. <i>Diabetologia</i> , 1996 , 39, 1505-11	10.3	91
104	Islet autoantibodies in clinically diagnosed type 2 diabetes: prevalence and relationship with metabolic control (UKPDS 70). <i>Diabetologia</i> , 2005 , 48, 695-702	10.3	88
103	Randomised trial of lipid lowering dietary advice in general practice: the effects on serum lipids, lipoproteins, and antioxidants. <i>BMJ: British Medical Journal</i> , 1995 , 310, 569-73		82
102	Relationship between the severity of retinopathy and progression to photocoagulation in patients with Type 2 diabetes mellitus in the UKPDS (UKPDS 52). <i>Diabetic Medicine</i> , 2001 , 18, 178-84	3.5	79
101	Cost-effectiveness analysis of intensive blood-glucose control with metformin in overweight patients with type II diabetes (UKPDS No. 51). <i>Diabetologia</i> , 2001 , 44, 298-304	10.3	72

100	Incidence of AIDS and excess of mortality associated with HIV in haemophiliacs in the United Kingdom: report on behalf of the directors of haemophilia centres in the United Kingdom. <i>BMJ: British Medical Journal</i> , 1989 , 298, 1064-8		70
99	U.K. Prospective Diabetes Study 22. Effect of age at diagnosis on diabetic tissue damage during the first 6 years of NIDDM. <i>Diabetes Care</i> , 1997 , 20, 1435-41	14.6	66
98	Atorvastatin in Factorial with Omega-3 EE90 Risk Reduction in Diabetes (AFORRD): a randomised controlled trial. <i>Diabetologia</i> , 2009 , 52, 50-9	10.3	62
97	Development of a cost-effectiveness model for optimisation of the screening interval in diabetic retinopathy screening. <i>Health Technology Assessment</i> , 2015 , 19, 1-116	4.4	60
96	Epidemiological issues in diabetic retinopathy. <i>Middle East African Journal of Ophthalmology</i> , 2013 , 20, 293-300	0.9	59
95	. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001 , 8, 363-369		57
94	U.K. Prospective Diabetes Study. XV: Relationship of renin-angiotensin system gene polymorphisms with microalbuminuria in NIDDM. <i>Kidney International</i> , 1995 , 48, 1907-11	9.9	57
93	Lack of confidence among trainee doctors in the management of diabetes: the Trainees Own Perception of Delivery of Care (TOPDOC) Diabetes Study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011 , 104, 761-6	2.7	55
92	Effects of three months' diet after diagnosis of Type 2 diabetes on plasma lipids and lipoproteins (UKPDS 45). UK Prospective Diabetes Study Group. <i>Diabetic Medicine</i> , 2000 , 17, 518-23	3.5	50
91	United Kingdom National Ophthalmology Database Study: Diabetic Retinopathy; Report 1: prevalence of centre-involving diabetic macular oedema and other grades of maculopathy and retinopathy in hospital eye services. <i>Eye</i> , 2013 , 27, 1397-404	4.4	49
90	A simple risk stratification for time to development of sight-threatening diabetic retinopathy. <i>Diabetes Care</i> , 2013 , 36, 580-5	14.6	48
89	UK prospective diabetes study (UKPDS) 14: association of angiotensin-converting enzyme insertion/deletion polymorphism with myocardial infarction in NIDDM. <i>Diabetologia</i> , 1995 , 38, 948-52	10.3	38
88	Attitudes, access and anguish: a qualitative interview study of staff and patients' experiences of diabetic retinopathy screening. <i>BMJ Open</i> , 2014 , 4, e005498	3	37
87	Influence of primary care practices on patients' uptake of diabetic retinopathy screening: a qualitative case study. <i>British Journal of General Practice</i> , 2014 , 64, e484-92	1.6	35
86	Menopausal Status and Abdominal Obesity Are Significant Determinants of Hepatic Lipid Metabolism in Women. <i>Journal of the American Heart Association</i> , 2015 , 4, e002258	6	34
85	Screening attendance, age group and diabetic retinopathy level at first screen. <i>Diabetic Medicine</i> , 2016 , 33, 904-11	3.5	34
84	Which visual acuity measurements define high-quality care for patients with neovascular age-related macular degeneration treated with ranibizumab?. <i>Eye</i> , 2013 , 27, 56-64	4.4	32
83	Cohort profile: design and methods in the eye and vision consortium of UK Biobank. <i>BMJ Open</i> , 2019 , 9, e025077	3	31

82	Validation of an algorithm combining haemoglobin A(1c) and fasting plasma glucose for diagnosis of diabetes mellitus in UK and Australian populations. <i>Diabetic Medicine</i> , 2009 , 26, 115-21	3.5	31
81	Insulin sensitivity at diagnosis of Type 2 diabetes is not associated with subsequent cardiovascular disease (UKPDS 67). <i>Diabetic Medicine</i> , 2005 , 22, 306-11	3.5	31
80	The influence of method of contraception and cigarette smoking on menstrual patterns. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1988 , 95, 905-10	3.7	31
79	Progression of diabetes retinal status within community screening programs and potential implications for screening intervals. <i>Diabetes Care</i> , 2015 , 38, 488-94	14.6	28
78	Approach to maintaining comparability of biochemical data during long-term clinical trials. <i>Clinical Chemistry</i> , 1997 , 43, 1913-1918	5.5	28
77	UKPDS 18: estimated dietary intake in type 2 diabetic patients randomly allocated to diet, sulphonylurea or insulin therapy. UK Prospective Diabetes Study Group. <i>Diabetic Medicine</i> , 1996 , 13, 656-62	3.5	28
76	Rapid and simultaneous detection of multiple mutations by pooled and multiplex single nucleotide primer extension: application to the study of insulin-responsive glucose transporter and insulin receptor mutations in non-insulin-dependent diabetes. <i>Human Molecular Genetics</i> , 1992 , 1, 391-5	5.6	27
75	Prospective evaluation of an artificial intelligence-enabled algorithm for automated diabetic retinopathy screening of 30000 patients. <i>British Journal of Ophthalmology</i> , 2021 , 105, 723-728	5.5	27
74	Glycaemic control and familial factors determine hyperlipidaemia in early childhood diabetes. Oxford Regional Prospective Study of Childhood Diabetes. <i>Diabetic Medicine</i> , 1999 , 16, 598-604	3.5	26
73	Factors determining uptake of diabetic retinopathy screening in Oxfordshire. <i>Diabetic Medicine</i> , 2017 , 34, 993-999	3.5	25
72	Prevalence of GCK mutations in individuals screened for fasting hyperglycaemia. <i>Diabetologia</i> , 2009 , 52, 172-4	10.3	23
71	Preanalytical, analytical, and computational factors affect homeostasis model assessment estimates. <i>Diabetes Care</i> , 2008 , 31, 1877-83	14.6	23
70	Delay in diabetic retinopathy screening increases the rate of detection of referable diabetic retinopathy. <i>Diabetic Medicine</i> , 2014 , 31, 439-42	3.5	22
69	Analysis of the hexokinase II gene in subjects with insulin resistance and NIDDM and detection of a Gln142-->His substitution. <i>Diabetes</i> , 1995 , 44, 340-6	0.9	21
68	Individualised variable-interval risk-based screening for sight-threatening diabetic retinopathy: the Liverpool Risk Calculation Engine. <i>Diabetologia</i> , 2017 , 60, 2174-2182	10.3	20
67	Hypertension in Diabetes Study IV. Therapeutic requirements to maintain tight blood pressure control. <i>Diabetologia</i> , 1996 , 39, 1554-61	10.3	20
66	Chromosome 4q locus associated with insulin resistance in Pima Indians. Studies in three European NIDDM populations. <i>Diabetes</i> , 1994 , 43, 800-804	0.9	20
65	Quantile regression analysis reveals widespread evidence for gene-environment or gene-gene interactions in myopia development. <i>Communications Biology</i> , 2019 , 2, 167	6.7	18

64	Repeated Significance Tests for Clinical Trials with a Fixed Number of Patients and Variable Follow-Up. <i>Biometrics</i> , 1985 , 41, 353	1.8	18
63	Efficacy and Safety of Degludec Compared to Glargine 300 Units/mL in Insulin-Experienced Patients With Type 2 Diabetes: Trial Protocol Amendment (NCT03078478). <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 498-506	4.1	16
62	System-level and patient-level explanations for non-attendance at diabetic retinopathy screening in Sutton and Merton (London, UK): a qualitative analysis of a service evaluation. <i>BMJ Open</i> , 2016 , 6, e010952	3	16
61	The influence of background diabetic retinopathy in the second eye on rates of progression of diabetic retinopathy between 2005 and 2010. <i>Acta Ophthalmologica</i> , 2013 , 91, e335-9	3.7	16
60	Risk of diabetic retinopathy at first screen in children at 12 and 13 years of age. <i>Diabetic Medicine</i> , 2016 , 33, 1655-1658	3.5	15
59	Associations with Corneal Hysteresis in a Population Cohort: Results From 96 010 UK Biobank Participants. <i>Ophthalmology</i> , 2019 , 126, 1500-1510	7.3	14
58	The UK Neovascular AMD Database Report 3: inter-centre variation in visual acuity outcomes and establishing real-world measures of care. <i>Eye</i> , 2016 , 30, 1462-1468	4.4	14
57	Prevalence and incidence of blindness and other degrees of sight impairment in patients treated for neovascular age-related macular degeneration in a well-defined region of the United Kingdom. <i>Eye</i> , 2015 , 29, 403-8	4.4	14
56	An economic evaluation of atenolol vs. captopril in patients with Type 2 diabetes (UKPDS 54). <i>Diabetic Medicine</i> , 2001 , 18, 438-44	3.5	14
55	Mortality of nitrate fertiliser workers. <i>Occupational and Environmental Medicine</i> , 1986 , 43, 507-15	2.1	14
54	Geographical variation in certification rates of blindness and sight impairment in England, 2008-2009. <i>BMJ Open</i> , 2012 , 2,	3	13
53	Apolipoprotein E genotype, islet amyloid deposition and severity of Type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2003 , 60, 105-10	7.4	13
52	Rate of change (modulation) of serum growth hormone concentrations is a more important factor in determining growth rate than duration of exposure. <i>Clinical Endocrinology</i> , 1992 , 36, 165-70	3.4	13
51	Individualised screening for diabetic retinopathy: the ISDR study-rationale, design and methodology for a randomised controlled trial comparing annual and individualised risk-based variable-interval screening. <i>BMJ Open</i> , 2019 , 9, e025788	3	12
50	Agreement and reasons for disagreement between photographic and hospital biomicroscopy grading of diabetic retinopathy. <i>Diabetic Medicine</i> , 2011 , 28, 741-6	3.5	12
49	Increasing use of private practice by patients in Oxford requiring common elective surgical operations. <i>British Medical Journal</i> , 1985 , 291, 797-9		12
48	Macula service evaluation and assessing priorities for anti-VEGF treatment in the light of COVID-19. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2020 , 258, 2639-2645	3.8	11
47	Cost-effectiveness of digital surveillance clinics with optical coherence tomography versus hospital eye service follow-up for patients with screen-positive maculopathy. <i>Eye</i> , 2019 , 33, 640-647	4.4	11

46	Development and validation of a Diabetes Risk Score for screening undiagnosed diabetes in Sri Lanka (SLDRISK). <i>BMC Endocrine Disorders</i> , 2016 , 16, 42	3.3	10
45	Multi-trait genome-wide association study identifies new loci associated with optic disc parameters. <i>Communications Biology</i> , 2019 , 2, 435	6.7	10
44	Insights From Survival Analyses During 12 Years of Anti-Vascular Endothelial Growth Factor Therapy for Neovascular Age-Related Macular Degeneration. <i>JAMA Ophthalmology</i> , 2021 , 139, 57-67	3.9	10
43	Comparison of IFCC-calibrated HbA(1c) from laboratory and point of care testing systems. <i>Diabetes Research and Clinical Practice</i> , 2014 , 105, 364-72	7.4	9
42	UKPDS58--modeling glucose exposure as a risk factor for photocoagulation in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2002 , 16, 371-6	3.2	9
41	The use of statistical methodology to determine the accuracy of grading within a diabetic retinopathy screening programme. <i>Diabetic Medicine</i> , 2016 , 33, 896-903	3.5	9
40	Safety and cost-effectiveness of individualised screening for diabetic retinopathy: the ISDR open-label, equivalence RCT. <i>Diabetologia</i> , 2021 , 64, 56-69	10.3	9
39	A potential pathway for managing diabetic patients with arterial emboli detected by retinal screening. <i>European Journal of Vascular and Endovascular Surgery</i> , 2011 , 42, 153-7	2.3	8
38	A prospective study of urinary androgen levels and ovarian cancer. <i>International Journal of Cancer</i> , 1983 , 32, 723-6	7.5	8
37	Personalized risk-based screening for diabetic retinopathy: A multivariate approach versus the use of stratification rules. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 560-568	6.7	8
36	The physiological action of gliclazide: beta-cell function and insulin resistance. <i>Diabetes Research and Clinical Practice</i> , 1991 , 14 Suppl 2, S53-9	7.4	7
35	Renoprotective effects of renin-angiotensin-system inhibitors. <i>Lancet, The</i> , 2006 , 367, 897-8; author reply 900-2	4.0	6
34	Utility of HbA assessment in people with diabetes awaiting liver transplantation. <i>Diabetic Medicine</i> , 2019 , 36, 1444-1452	3.5	6
33	Trends in diabetic retinopathy screening attendance and associations with vision impairment attributable to diabetes in a large nationwide cohort. <i>Diabetic Medicine</i> , 2021 , 38, e14425	3.5	6
32	Approach to maintaining comparability of biochemical data during long-term clinical trials. <i>Clinical Chemistry</i> , 1997 , 43, 1913-8	5.5	6
31	Agreement between photographic screening and hospital biomicroscopy grading of diabetic retinopathy and maculopathy. <i>European Journal of Ophthalmology</i> , 2014 , 24, 550-8	1.9	5
30	The UKPDS risk engine: a model for the risk of coronary heart disease in Type II diabetes (UKPDS 56). <i>Clinical Science</i> , 2002 , 102, 679-679	6.5	5
29	Microsatellite polymorphisms at the glucokinase locus: a population association study in Caucasian type 2 diabetic subjects. <i>Diabetic Medicine</i> , 1993 , 10, 694-8	3.5	5

28	Of insulin resistance and normalcy. <i>Diabetologia</i> , 1992 , 35, 696-8	10.3	5
27	Prevalence and pathophysiology of impaired glucose tolerance in three different high-risk white groups. <i>Metabolism: Clinical and Experimental</i> , 1993 , 42, 932-8	12.7	5
26	The use of weighted health-related Quality of Life scores in people with diabetic macular oedema at baseline in a randomized clinical trial. <i>Diabetic Medicine</i> , 2015 , 32, 97-101	3.5	4
25	Can HbA1c detect undiagnosed diabetes in acute medical hospital admissions?. <i>Diabetes Research and Clinical Practice</i> , 2016 , 115, 106-14	7.4	4
24	Prevalence of admission plasma glucose in 'diabetes' or 'at risk' ranges in hospital emergencies with no prior diagnosis of diabetes by gender, age and ethnicity. <i>Endocrinology, Diabetes and Metabolism</i> , 2020 , 3, e00140	2.7	4
23	Associations with photoreceptor thickness measures in the UK Biobank. <i>Scientific Reports</i> , 2019 , 9, 19440	4.9	4
22	Personalising screening of sight-threatening diabetic retinopathy - qualitative evidence to inform effective implementation. <i>BMC Public Health</i> , 2020 , 20, 881	4.1	3
21	Risk stratification for diabetic eye screening. <i>Diabetologia</i> , 2014 , 57, 259	10.3	3
20	A simple algorithm to estimate the time to development of sight-threatening diabetic retinopathy. <i>Lancet, The</i> , 2012 , 380, S69	4.0	3
19	Differences in level of confidence in diabetes care between different groups of trainees: the TOPDOC diabetes study. <i>BMC Medical Education</i> , 2014 , 14, 191	3.3	2
18	Updating diabetic retinopathy screening lists using automatic extraction from GP patient records. <i>Journal of Medical Screening</i> , 2013 , 20, 111-7	1.4	2
17	Aflibercept in clinical practice; visual acuity, injection numbers and adherence to treatment, for diabetic macular oedema in 21 UK hospitals over 3 years. <i>Eye</i> , 2021 ,	4.4	2
16	How to ensure your paper is rejected by the statistical reviewer. <i>Diabetic Medicine</i> , 2005 , 22, 371-3	3.5	1
15	Testing the performance of risk prediction models to determine progression to referable diabetic retinopathy in an Irish type 2 diabetes cohort. <i>British Journal of Ophthalmology</i> , 2021 ,	5.5	1
14	Prevalence and incidence of diabetic retinopathy (DR) in the UK population of Gloucestershire. <i>Acta Ophthalmologica</i> , 2021 ,	3.7	1
13	Recommendations for designing tables that report randomized trials. <i>Diabetic Medicine</i> , 2007 , 24, 1309-12	3.5	0
12	Incidence of sight-threatening diabetic retinopathy in an established urban screening programme: An 11-year cohort study. <i>Diabetic Medicine</i> , 2021 , 38, e14583	3.5	0
11	Data from UK Biobank on febrile illness. <i>Eye</i> , 2016 , 30, 1650-1651	4.4	

10	Response to Comment on Leese et al. Progression of Diabetes Retinal Status Within Community Screening Programs and Potential Implications for Screening Intervals. <i>Diabetes Care</i> 2015;38:488-494. <i>Diabetes Care</i> , 2015 , 38, e209-10	14.6
9	Algorithm combining HbA1c and fasting plasma glucose for screening subjects for OGTT: Authors' response. <i>Diabetic Medicine</i> , 2009 , 26, 831-833	3.5
8	Diabetic CVI figures for England and Wales (2007-2009). <i>British Journal of Ophthalmology</i> , 2012 , 96, 1046-7	5.7
7	Effect of glycaemic control and the introduction of insulin therapy on retinopathy in non-insulin-dependent diabetes mellitus. <i>Diabetic Medicine</i> , 1997 , 14, 709-10	3.5
6	Dietary advice? Authors' response and erratum for 'Effects of three months' diet after diagnosis of type 2 diabetes on plasma lipids and lipoproteins (UKPDS 45)'. <i>Diabetic Medicine</i> , 2001 , 18, 251-251	3.5
5	Dietary advice? Authors' response and erratum for 'Effects of three months' diet after diagnosis of type 2 diabetes on plasma lipids and lipoproteins (UKPDS 45)'. <i>Diabetic Medicine</i> , 2001 , 18, 251-251	3.5
4	The National Radium-223 Dichloride Audit group: Data from patients in UK oncology centers with metastatic castration-resistant prostate cancer treated with radium-223 dichloride.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e16524-e16524	2.2
3	39-LB: Individualised Screening for Diabetic Retinopathy: The ISDR Study A Randomised Controlled Trial of Safety, Efficacy, and Cost-Effectiveness. <i>Diabetes</i> , 2019 , 68, 39-LB	0.9
2	1312-P: Admission Plasma Glucose and HbA1c in Emergency Hospital Admissions by Ethnicity. <i>Diabetes</i> , 2019 , 68, 1312-P	0.9
1	The statistician will see you now <i>Diabetic Medicine</i> , 2021 , 38, e14437	3.5