## Sara Maisanaba

## List of Publications by Citations

Source: https://exaly.com/author-pdf/7742316/sara-maisanaba-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19 994 31 37 h-index g-index citations papers 61 1,150 4.25 5.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
37	Toxicological evaluation of clay minerals and derived nanocomposites: a review. <i>Environmental Research</i> , <b>2015</b> , 138, 233-54	7.9	135
36	In vitro toxicological evaluation of essential oils and their main compounds used in active food packaging: A review. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 81, 9-27	4.7	88
35	Genotoxic activity of bisphenol A and its analogues bisphenol S, bisphenol F and bisphenol AF and their mixtures in human hepatocellular carcinoma (HepG2) cells. <i>Science of the Total Environment</i> , <b>2019</b> , 687, 267-276	10.2	59
34	New advances in active packaging incorporated with essential oils or their main components for food preservation. <i>Food Reviews International</i> , <b>2017</b> , 33, 447-515	5.5	57
33	In vitro toxicological assessment of clays for their use in food packaging applications. <i>Food and Chemical Toxicology</i> , <b>2013</b> , 57, 266-75	4.7	52
32	Toxic effects of a modified montmorillonite clay on the human intestinal cell line Caco-2. <i>Journal of Applied Toxicology</i> , <b>2014</b> , 34, 714-25	4.1	51
31	Toxicity assessment of organomodified clays used in food contact materials on human target cell lines. <i>Applied Clay Science</i> , <b>2014</b> , 90, 150-158	5.2	47
30	Cytotoxicity and mutagenicity studies on migration extracts from nanocomposites with potential use in food packaging. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 66, 366-72	4.7	42
29	Cytotoxicity and mutagenicity assessment of organomodified clays potentially used in food packaging. <i>Toxicology in Vitro</i> , <b>2015</b> , 29, 1222-30	3.6	38
28	Evaluation of the mutagenicity and genotoxic potential of carvacrol and thymol using the Ames Salmonella test and alkaline, Endo III- and FPG-modified comet assays with the human cell line Caco-2. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 72, 122-8	4.7	37
27	Use of nanoclay platelets in food packaging materials: technical and cytotoxicity approach. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2014</b> , 31, 354-63	3.2	33
26	Genotoxic potential of the binary mixture of cyanotoxins microcystin-LR and cylindrospermopsin. <i>Chemosphere</i> , <b>2017</b> , 189, 319-329	8.4	27
25	In vitro toxicity evaluation of new silane-modified clays and the migration extract from a derived polymer-clay nanocomposite intended to food packaging applications. <i>Journal of Hazardous Materials</i> , <b>2018</b> , 341, 313-320	12.8	26
24	A subchronic 90-day oral toxicity study of Origanum vulgare essential oil in rats. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 101, 36-47	4.7	25
23	In vitro toxicological assessment of an organosulfur compound from Allium extract: Cytotoxicity, mutagenicity and genotoxicity studies. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 99, 231-240	4.7	24
22	In vitro genotoxicity testing of carvacrol and thymol using the micronucleus and mouse lymphoma assays. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , <b>2015</b> , 784-785, 37-44	3	24
21	Mutagenic and genotoxic potential of pure Cylindrospermopsin by a battery of in vitro tests. <i>Food and Chemical Toxicology</i> , <b>2018</b> , 121, 413-422	4.7	22

Cytotoxic and mutagenic in vitro assessment of two organosulfur compounds derived from onion to be used in the food industry. <i>Food Chemistry</i> , <b>2015</b> , 166, 423-431	8.5	20	
Changes on cylindrospermopsin concentration and characterization of decomposition products in fish muscle (Oreochromis niloticus) by boiling and steaming. <i>Food Control</i> , <b>2017</b> , 77, 210-220	6.2	19	
Genotoxicity evaluation of carvacrol in rats using a combined micronucleus and comet assay. <i>Food and Chemical Toxicology</i> , <b>2016</b> , 98, 240-250	4.7	17	
In vivo toxicity evaluation of the migration extract of an organomodified clay-poly(lactic) acid nanocomposite. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2014</b> , 77, 731-4	6 <sup>3.2</sup>	17	
(Amino)cyclophosphazenes as Multisite Ligands for the Synthesis of Antitumoral and Antibacterial Silver(I) Complexes. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 2464-2483	5.1	16	
Genotoxic potential of montmorillonite clay mineral and alteration in the expression of genes involved in toxicity mechanisms in the human hepatoma cell line HepG2. <i>Journal of Hazardous Materials</i> , <b>2016</b> , 304, 425-33	12.8	16	
Genotoxicity assessment of propyl thiosulfinate oxide, an organosulfur compound from Allium extract, intended to food active packaging. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 86, 365-73	4.7	16	
Development, characterization and cytotoxicity of novel silane-modified clay minerals and nanocomposites intended for food packaging. <i>Applied Clay Science</i> , <b>2017</b> , 138, 40-47	5.2	14	
Use of micronucleus and comet assay to evaluate evaluate the genotoxicity of oregano essential oil (Origanum vulgare l. Virens) in rats orally exposed for 90 days. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2018</b> , 81, 525-533	3.2	11	
Bioaccessibility and decomposition of cylindrospermopsin in vegetables matrices after the application of an in vitro digestion model. <i>Food and Chemical Toxicology</i> , <b>2018</b> , 120, 164-171	4.7	10	
Bioaccesibility of Cylindrospermopsin from cooked fish muscle after the application of an in vitro digestion model and its bioavailability. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 110, 360-370	4.7	9	
In vivo evaluation of activities and expression of antioxidant enzymes in Wistar rats exposed for 90 days to a modified clay. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2014</b> , 77, 456-66	3.2	9	
Induction of micronuclei and alteration of gene expression by an organomodified clay in HepG2 cells. <i>Chemosphere</i> , <b>2016</b> , 154, 240-248	8.4	7	
Plastics in Cyanobacterial Blooms-Genotoxic Effects of Binary Mixtures of Cylindrospermopsin and Bisphenols in HepG2 Cells. <i>Toxins</i> , <b>2020</b> , 12,	4.9	6	
Effects of the subchronic exposure to an organomodified clay mineral for food packaging applications on Wistar rats. <i>Applied Clay Science</i> , <b>2014</b> , 95, 37-40	5.2	6	
Toxicological assessment of two silane-modified clay minerals with potential use as food contact materials in human hepatoma cells and Salmonella typhimurium strains. <i>Applied Clay Science</i> , <b>2017</b> , 150, 98-105	5.2	4	
Effects of two organomodified clays intended to food contact materials on the genomic instability and gene expression of hepatoma cells. <i>Food and Chemical Toxicology</i> , <b>2016</b> , 88, 57-64	4.7	4	
Integration of fish cell cultures in the toxicological assessment of effluents. <i>Ecotoxicology and Environmental Safety</i> , <b>2019</b> , 176, 309-320	7	3	
	to be used in the food industry. Food Chemistry, 2015, 166, 423-431  Changes on cylindrospermopsin concentration and characterization of decomposition products in fish muscle (Oreochromis niloticus) by boiling and steaming. Food Control, 2017, 77, 210-220  Genotoxicity evaluation of carvacrol in rats using a combined micronucleus and comet assay. Food and Chemical Toxicology, 2016, 98, 240-250  In vivo toxicity evaluation of the migration extract of an organomodified clay-poly(lactic) acid nanocomposite. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2014, 77, 731-4  (Amino)cyclophosphazenes as Multisite Ligands for the Synthesis of Antitumoral and Antibacterial Silver(I) Complexes. Inorganic Chemistry, 2020, 59, 2464-2483  Genotoxic potential of montmorillonite clay mineral and alteration in the expression of genes involved in toxicity mechanisms in the human hepatoma cell line HepG2. Journal of Hazardous Materials, 2016, 304, 425-33  Genotoxic potential of montmorillonite clay mineral and alteration in the expression of genes involved in toxicity mechanisms in the human hepatoma cell line HepG2. Journal of Hazardous Materials, 2016, 304, 425-33  Development, characterization and cytotoxicity of novel silane-modified clay minerals and nanocomposites intended for food packaging. Food and Chemical Toxicology, 2015, 86, 365-73  Development, characterization and cytotoxicity of novel silane-modified clay minerals and nanocomposites intended for food packaging. Applied Clay Science, 2017, 138, 40-47  Use of micronucleus and comet assay to evaluate evaluate the genotoxicity of oregano essential oil (Origanum vulgare I. Virens) in rats orally exposed for 90 days. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2018, 13-25-533  Bioaccessibility of Cylindrospermopsin from cooked fish muscle after the application of an in vitro digestion model. Food and Chemical Toxicology, 2018, 120, 164-171  Bioaccesibility of Cylindrospermopsin from cooked fish muscle after the appli	Changes on cylindrospermopsin concentration and characterization of decomposition products in fish muscle ( Oreocknomis niloticus) by boiling and steaming. Food Control, 2017, 77, 210-220  Genotoxicity evaluation of carvacrol in rats using a combined micronucleus and comet assay. Food and Chemical Toxicology, 2016, 98, 240-250  In vivo toxicity evaluation of the migration extract of an organomodified clay-poly(lactic) acid nanocomposite. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2014, 77, 731-46 3-2  (Amino) cyclophosphazenes as Multisite Ligands for the Synthesis of Antitumoral and Antibacterial Silver(I) Complexes. Inorganic Chemistry, 2020, 59, 2464-2483  Genotoxic potential of montmorillonite clay mineral and alteration in the expression of genes involved in toxicity mechanisms in the human hepatoma cell line HepG2. Journal of Hazardous Materials, 2016, 304, 425-33  Genotoxicity assessment of propyl thiosulfinate oxide, an organosulfur compound from Allium extract, intended to food active packaging. Food and Chemical Toxicology, 2015, 86, 365-73  Development, characterization and cytotoxicity of novel silane-modified clay minerals and nanocomposites intended for food packaging. Applied Clay Science, 2017, 138, 40-47  Use of micronucleus and comet assay to evaluate evaluate the genotoxicity of oregano essential oil (Origanum vulgare I. Virens) in rats orally exposed for 90 days. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2018, 81, 525-533  Bioaccessibility of Cylindrospermopsiin from cooked fish muscle after the application of an in vitro digestion model. Food and Chemical Toxicology, 2018, 120, 164-171  Bioaccesibility of Cylindrospermopsin from cooked fish muscle after the application of an in vitro digestion model. Food and Chemical Toxicology, 2018, 120, 164-171  Bioaccesibility of Cylindrospermopsin from cooked fish muscle after the application of an in vitro digestion model. Food and Chemical Toxicology, 2018, 120, 164-171  Bioaccesibility of	Changes on cylindrospermopsin concentration and characterization of decomposition products in fish muscle (Oreochromis inloticus) by boiling and steaming. Food Control, 2017, 77, 210-220  Genotoxicity evaluation of carvacrol in rats using a combined micronucleus and comet assay. Food and Chemical Toxicology, 2016, 98, 240-250  In vivo toxicity evaluation of the migration extract of an organomodified clay-poly(lactic) acid nanocomposite. Journal of Toxicology and Environmental Health- Part A: Current Issues, 2014, 77, 731-46-32  (Amino)cyclophosphazenes as Multisite Ligands for the Synthesis of Antitumoral and Antibacterial Silver(I) Complexes. Inorganic Chemistry, 2020, 59, 2464-2483  Genotoxic potential of montmorillonite day mineral and alteration in the expression of genes involved in toxicity mechanisms in the human hepatoma cell line HepG2. Journal of Hazardous Materials, 2016, 304, 425-33  Genotoxicity assessment of propyl thiosulfinate oxide, an organosulfur compound from Allium extract, intended to food active packaging. Food and Chemical Toxicology, 2015, 86, 365-73  Development, characterization and cytotoxicity of novel silane-modified clay minerals and nanocomposites intended for food packaging. Applied Clay Science, 2017, 138, 40-47  Use of micronucleus and comet assay to evaluate evaluate the genotoxicity of organo essential oil (Origanum vulgare I. Virens) in rats orally exposed for 90 days. Journal of Toxicology and Environmental Health- Part A: Current Issues, 2018, 81, 525-2018, 81, 52

Investigation of mechanisms of toxicity and exclusion by transporters of the preservatives triclosan and propylparaben using batteries of Schizosaccharomyces pombe strains. *Environmental Research*, **2020**, 183, 108983

7.9 2

Potential Application of A Synthetic Organo-funtionalized High Load Expandable Mica as A Drug Carrier for Controlled Release. *Current Drug Delivery*, **2021**, 18, 645-653

3.2