

Michael Skovdal Rathleff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7742378/publications.pdf>

Version: 2024-02-01

185
papers

6,062
citations

94269

37
h-index

98622

67
g-index

198
all docs

198
docs citations

198
times ranked

4252
citing authors

#	ARTICLE	IF	CITATIONS
1	Past-season, pre-season and in-season risk assessment of groin problems in male football players: a prospective full-season study. <i>British Journal of Sports Medicine</i> , 2022, 56, 484-489.	3.1	11
2	Knowledge, confidence and learning needs of physiotherapists treating persistent knee pain in Australia and Canada: a mixed-methods study. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2073-2085.	0.6	20
3	Blood-flow restricted exercise following ankle fractures " A feasibility study. <i>Foot and Ankle Surgery</i> , 2022, 28, 726-731.	0.8	3
4	Can we do better? Towards a child-centred approach in the rehabilitation of paediatric sport injuries. <i>British Journal of Sports Medicine</i> , 2022, 56, 242-243.	3.1	0
5	Implementing the 27 PRISMA 2020 Statement items for systematic reviews in the sport and exercise medicine, musculoskeletal rehabilitation and sports science fields: the PERSiST (implementing Prisma) Tj ETQq1 1 0,784314 rgBT /Overl Medicine, 2022, 56, 175-195.	3.1	140
6	PAINSTORIES " Exploring the Temporal Developments in the Challenges, Barriers, and Self-Management Needs of Adolescents with Longstanding Knee Pain: A Qualitative, Retrospective Interview Study with Young Adults Experiencing Knee Pain Since Adolescence. <i>Journal of Pain</i> , 2022, 23, 577-594.	0.7	13
7	The 45-second anterior knee pain provocation test: A quick test of knee pain and sporting function in 10"14-year-old adolescents with patellofemoral pain. <i>Physical Therapy in Sport</i> , 2022, 53, 28-33.	0.8	3
8	Analgesic use in adolescents with patellofemoral pain or Osgood"Schlatter Disease: a secondary cross-sectional analysis of 323 subjects. <i>Scandinavian Journal of Pain</i> , 2022, 22, 543-551.	0.5	5
9	Developing Clinical and Research Priorities for Pain and Psychological Features in People With Patellofemoral Pain: An International Consensus Process With Health Care Professionals. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 29-39.	1.7	13
10	Bio-psycho-social characteristics and impact of musculoskeletal pain in one hundred children and adolescents consulting general practice. , 2022, 23, 20.		6
11	Medical imaging for plantar heel pain: a systematic review and meta"analysis. <i>Journal of Foot and Ankle Research</i> , 2022, 15, 4.	0.7	10
12	Effectiveness of Adding a Large Dose of Shoulder Strengthening to Current Nonoperative Care for Subacromial Impingement: A Pragmatic, Double-Blind Randomized Controlled Trial (SExSI Trial): Response. <i>American Journal of Sports Medicine</i> , 2022, 50, NP20-NP23.	1.9	2
13	Knee-extensor strength, symptoms, and need for surgery after two, four, or six exercise sessions/week using a home-based one-exercise program: a randomized dose"response trial of knee-extensor resistance exercise in patients eligible for knee replacement (the QUADX-1 trial). <i>Osteoarthritis and Cartilage</i> , 2022, 30, 973-986.	0.6	6
14	Exploring patients' and physiotherapists' visions on modelling treatments and optimising self-management strategies for patellofemoral pain: A future workshop approach.. <i>Musculoskeletal Science and Practice</i> , 2022, 60, 102567.	0.6	0
15	Living well (or not) with patellofemoral pain: A qualitative study. <i>Physical Therapy in Sport</i> , 2022, , .	0.8	8
16	Effect of Ultrasonography-Guided Corticosteroid Injection vs Placebo Added to Exercise Therapy for Achilles Tendinopathy. <i>JAMA Network Open</i> , 2022, 5, e2219661.	2.8	11
17	Groin problems from pre- to in-season: a prospective study on 386 male Spanish footballers. <i>Research in Sports Medicine</i> , 2021, 29, 498-504.	0.7	1
18	Infographic. Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 281-282.	3.1	0

#	ARTICLE	IF	CITATIONS
19	Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, 369-377.	3.1	21
20	Custom insoles versus sham and GP-led usual care in patients with plantar heel pain: results of the STAP-study - a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2021, 55, 272-278.	3.1	13
21	Prognostic factors for adolescent knee pain: an individual participant data meta-analysis of 1281 patients. <i>Pain</i> , 2021, 162, 1597-1607.	2.0	16
22	The Role of Sleep in the Transition from Acute to Chronic Musculoskeletal Pain in Youth – A Narrative Review. <i>Children</i> , 2021, 8, 241.	0.6	9
23	Management of plantar heel pain: a best practice guide informed by a systematic review, expert clinical reasoning and patient values. <i>British Journal of Sports Medicine</i> , 2021, 55, 1106-1118.	3.1	44
24	Prognosis and transition of multi-site pain during the course of 5 years: Results of knee pain and function from a prospective cohort study among 756 adolescents. <i>PLoS ONE</i> , 2021, 16, e0250415.	1.1	5
25	REPORT-PFP: a consensus from the International Patellofemoral Research Network to improve REPORTing of quantitative PatelloFemoral Pain studies. <i>British Journal of Sports Medicine</i> , 2021, 55, bjsports-2020-103700.	3.1	14
26	Infographic. Comparative effectiveness of treatments for patellofemoral pain: a living systematic review with network meta-analysis. <i>British Journal of Sports Medicine</i> , 2021, 55, bjsports-2021-104360.	3.1	6
27	Development and validation of the Sorting non-trauMatlc adoLescent knEe pain (SMILE) tool – a development and initial validation study. <i>Pediatric Rheumatology</i> , 2021, 19, 110.	0.9	5
28	Is the Prognosis of Osgood-Schlatter Poorer Than Anticipated? A Prospective Cohort Study With 24-Month Follow-up. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110222.	0.8	10
29	Pain medication use for musculoskeletal pain among children and adolescents: a systematic review. <i>Scandinavian Journal of Pain</i> , 2021, 21, 653-670.	0.5	13
30	A systematic review of imaging findings in patients with Osgood-Schlatter disease. <i>Translational Sports Medicine</i> , 2021, 4, 772-787.	0.5	2
31	Stay alive! What are living systematic reviews and what are their advantages and challenges?. <i>British Journal of Sports Medicine</i> , 2021, 55, 519-520.	3.1	9
32	Tendoscopic peritendon shaving of midportion Achilles tendinopathy: A randomised, placebo-controlled study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, , .	1.3	1
33	From Copenhagen to Nyborg 2022: take the Tour de France Route to #WCSPT2022. <i>British Journal of Sports Medicine</i> , 2021, 55, 1241-1242.	3.1	1
34	How Do Hip Exercises Improve Pain in Individuals With Patellofemoral Pain? Secondary Mediation Analysis of Strength and Psychological Factors as Mechanisms. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2021, 51, 602-610.	1.7	7
35	Reducing the Weight of Spinal Pain in Children and Adolescents. <i>Children</i> , 2021, 8, 1139.	0.6	1
36	Isometric exercise and pain in patellar tendinopathy: A randomized crossover trial. <i>Journal of Science and Medicine in Sport</i> , 2020, 23, 208-214.	0.6	39

#	ARTICLE	IF	CITATIONS
37	Pain, Sports Participation, and Physical Function in Adolescents With Patellofemoral Pain and Osgood-Schlatter Disease: A Matched Cross-sectional Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 149-157.	1.7	31
38	Prevalence and severity of groin problems in Spanish football: A prospective study beyond the time-loss approach. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 914-921.	1.3	28
39	Corticosteroid injection plus exercise versus exercise, beyond advice and a heel cup for patients with plantar fasciopathy: protocol for a randomised clinical superiority trial (the FIX-Heel trial). <i>Trials</i> , 2020, 21, 5.	0.7	3
40	Pain Catastrophizing, Self-reported Disability, and Temporal Summation of Pain Predict Self-reported Pain in Low Back Pain Patients 12 Weeks After General Practitioner Consultation. <i>Clinical Journal of Pain</i> , 2020, 36, 757-763.	0.8	12
41	“More Walk and Less Talk”: Changing gender bias in sports medicine. <i>British Journal of Sports Medicine</i> , 2020, 54, 1380-1381.	3.1	7
42	Concurrent musculoskeletal complaints in elbows, shoulders, and necks after common hand and forearm injuries or conditions: A cross-sectional study among 600 patients. <i>Journal of Hand Therapy</i> , 2020, 34, 543-548.	0.7	1
43	Patients and clinicians managing patellofemoral pain should not rely on general web-based information. <i>Physical Therapy in Sport</i> , 2020, 45, 176-180.	0.8	12
44	Resistance Exercises in Early Functional Rehabilitation for Achilles Tendon Ruptures Are Poorly Described: A Scoping Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 681-690.	1.7	12
45	Musculoskeletal pain is common in competitive gaming: a cross-sectional study among Danish esports athletes. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, 000799.	1.4	28
46	Ultrasound Definitions and Findings in Greater Trochanteric Pain Syndrome: A Systematic Review. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 1584-1598.	0.7	4
47	Current management strategies in Osgood Schlatter: A cross-sectional mixed-method study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1985-1991.	1.3	12
48	Lived experience and attitudes of people with plantar heel pain: a qualitative exploration. <i>Journal of Foot and Ankle Research</i> , 2020, 13, 12.	0.7	20
49	Does foot mobility affect the outcome in the management of patellofemoral pain with foot orthoses versus hip exercises? A randomised clinical trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 1416-1422.	3.1	16
50	Feasibility study on recruitment in general practice for a low back pain online information study (part 1). <i>BMJ Open</i> , 2020, 5, 000000.	0.8	3
51	Patient Education for Patellofemoral Pain: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 388-396.	1.7	47
52	Separating the myths from facts: time to take another look at Osgood-Schlatter “disease”. <i>British Journal of Sports Medicine</i> , 2020, 54, 824-825.	3.1	4
53	Mechanistic pain profiling in young adolescents with patellofemoral pain before and after treatment: a prospective cohort study. <i>Pain</i> , 2020, 161, 1065-1071.	2.0	13
54	Activity Modification and Knee Strengthening for Osgood-Schlatter Disease: A Prospective Cohort Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712091110.	0.8	23

#	ARTICLE	IF	CITATIONS
55	Perceived facilitators and barriers among physical therapists and orthopedic surgeons to pre-operative home-based exercise with one exercise-only in patients eligible for knee replacement: A qualitative interview study nested in the QUADX-1 trial. PLoS ONE, 2020, 15, e0241175.	1.1	5
56	Title is missing!. , 2020, 15, e0241175.		0
57	Title is missing!. , 2020, 15, e0241175.		0
58	Title is missing!. , 2020, 15, e0241175.		0
59	Title is missing!. , 2020, 15, e0241175.		0
60	Taking the pain out of the patellofemoral joint: articulating a bone of contention. British Journal of Sports Medicine, 2019, 53, 268-269.	3.1	15
61	Acute sensory and motor response to 45-s heavy isometric holds for the plantar flexors in patients with Achilles tendinopathy. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2765-2773.	2.3	32
62	Exercise-induced hypoalgesia in young adult females with long-standing patellofemoral pain â€“ A randomized crossover study. European Journal of Pain, 2019, 23, 1780-1789.	1.4	9
63	Comorbid insomnia, psychological symptoms and widespread pain among patients suffering from musculoskeletal pain in general practice: a cross-sectional study. BMJ Open, 2019, 9, e031971.	0.8	27
64	Long-term Prognosis and Impact of Osgood-Schlatter Disease 4 Years After Diagnosis: A Retrospective Study. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711987813.	0.8	24
65	Heavy-slow resistance training in addition to an ultrasound-guided corticosteroid injection for individuals with plantar fasciopathy: a feasibility study. Pilot and Feasibility Studies, 2019, 5, 105.	0.5	7
66	Translation and cultural adaptation of a Danish version of the Foot Health Status Questionnaire for individuals with plantar heel pain. Foot, 2019, 38, 61-64.	0.4	10
67	Point-of-Care Ultrasound in General Practice: A Systematic Review. Annals of Family Medicine, 2019, 17, 61-69.	0.9	137
68	Prevalence and incidence rate of lower-extremity tendinopathies in a Danish general practice: a registry-based study. BMC Musculoskeletal Disorders, 2019, 20, 239.	0.8	66
69	Associations between number of pain sites and sleep, sports participation, and quality of life: a cross-sectional survey of 1021 youth from the Midwestern United States. BMC Pediatrics, 2019, 19, 201.	0.7	14
70	Barriers and facilitators of loaded self-managed exercises and physical activity in people with patellofemoral pain: understanding the feasibility of delivering a multicentred randomised controlled trial, a UK qualitative study. BMJ Open, 2019, 9, e023805.	0.8	11
71	Five-year prognosis and impact of adolescent knee pain: a prospective population-based cohort study of 504 adolescents in Denmark. BMJ Open, 2019, 9, e024113.	0.8	42
72	Self-dosed and pre-determined progressive heavy-slow resistance training have similar effects in people with plantar fasciopathy: a randomised trial. Journal of Physiotherapy, 2019, 65, 144-151.	0.7	26

#	ARTICLE	IF	CITATIONS
73	Isometric exercise for acute pain relief: is it relevant in tendinopathy management?. British Journal of Sports Medicine, 2019, 53, 1330-1331.	3.1	17
74	Activity Modification and Load Management of Adolescents With Patellofemoral Pain: A Prospective Intervention Study Including 151 Adolescents. American Journal of Sports Medicine, 2019, 47, 1629-1637.	1.9	36
75	A loaded self-managed exercise programme for patellofemoral pain: a mixed methods feasibility study. BMC Musculoskeletal Disorders, 2019, 20, 129.	0.8	15
76	“Are women grateful to be here or do women kick ass?” #Sportskongres2020. British Journal of Sports Medicine, 2019, 53, 1441-1442.	3.1	1
77	Poor prognosis of child and adolescent musculoskeletal pain: a systematic literature review. BMJ Open, 2019, 9, e024921.	0.8	18
78	Defining Components of Early Functional Rehabilitation for Acute Achilles Tendon Rupture: A Systematic Review. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711988407.	0.8	26
79	Manifestations of Pain Sensitization Across Different Painful Knee Disorders: A Systematic Review Including Meta-analysis and Metaregression. Pain Medicine, 2019, 20, 335-358.	0.9	47
80	Surgical versus conservative treatment for ankle fractures in adults “ A systematic review and meta-analysis of the benefits and harms. Foot and Ankle Surgery, 2019, 25, 409-417.	0.8	17
81	Pragmatic Home-Based Exercise after Total Hip Arthroplasty - Silkeborg: Protocol for a prospective cohort study (PHETHAS-1). F1000Research, 2019, 8, 965.	0.8	3
82	The Adolescent Knee Pain (AK-Pain) prognostic tool: protocol for a prospective cohort study. F1000Research, 2019, 8, 2148.	0.8	2
83	The Adolescent Knee Pain (AK-Pain) prognostic tool: protocol for a prospective cohort study. F1000Research, 2019, 8, 2148.	0.8	2
84	Pain and sensitization after total knee replacement or nonsurgical treatment in patients with knee osteoarthritis: Identifying potential predictors of outcome at 12 months. European Journal of Pain, 2018, 22, 1088-1102.	1.4	38
85	The experience of living with patellofemoral pain “loss, confusion and fear-avoidance: a UK qualitative study. BMJ Open, 2018, 8, e018624.	0.8	60
86	Pain patterns during adolescence can be grouped into four pain classes with distinct profiles: A study on a population based cohort of 2953 adolescents. European Journal of Pain, 2018, 22, 793-799.	1.4	20
87	STPs: occupational therapists and physiotherapists can support GPs. British Journal of General Practice, 2018, 68, 14.3-15.	0.7	0
88	Preseason Adductor Squeeze Strength in 303 Spanish Male Soccer Athletes: A Cross-sectional Study. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711774727.	0.8	33
89	Exercise therapy, patient education, and patellar taping in the treatment of adolescents with patellofemoral pain: a prospective pilot study with 6 months follow-up. Pilot and Feasibility Studies, 2018, 4, 73.	0.5	23
90	The Strengthening Exercises in Shoulder Impingement trial (The SExSI-trial) investigating the effectiveness of a simple add-on shoulder strengthening exercise programme in patients with long-lasting subacromial impingement syndrome: Study protocol for a pragmatic, assessor blinded, parallel-group, randomised, controlled trial. Trials, 2018, 19, 154.	0.7	17

#	ARTICLE	IF	CITATIONS
91	Total knee replacement and non-surgical treatment of knee osteoarthritis: 2-year outcome from two parallel randomized controlled trials. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1170-1180.	0.6	106
92	Efficacy of foot orthoses for the treatment of plantar heel pain: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2018, 52, 1040-1046.	3.1	49
93	Foot exercises and foot orthoses are more effective than knee focused exercises in individuals with patellofemoral pain. <i>Journal of Science and Medicine in Sport</i> , 2018, 21, 10-15.	0.6	24
94	How can we implement exercise therapy for patellofemoral pain if we don't know what was prescribed? A systematic review. <i>British Journal of Sports Medicine</i> , 2018, 52, 385-385.	3.1	62
95	Feedback Leads to Better Exercise Quality in Adolescents with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 28-35.	0.2	22
96	Patient education in patellofemoral pain: potentially potent and essential, but under-researched. <i>British Journal of Sports Medicine</i> , 2018, 52, 623-624.	3.1	7
97	Which treatment is most effective for patients with patellofemoral pain? A protocol for a living systematic review including network meta-analysis. <i>BMJ Open</i> , 2018, 8, e022920.	0.8	6
98	Distinct patterns of variation in the distribution of knee pain. <i>Scientific Reports</i> , 2018, 8, 16522.	1.6	25
99	Cost-effectiveness of treatments for non-osteoarthritic knee pain conditions: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0209240.	1.1	13
100	The effect of isometric exercise on pain in individuals with plantar fasciopathy: A randomized crossover trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2643-2650.	1.3	33
101	Young females with long-standing patellofemoral pain display impaired conditioned pain modulation, increased temporal summation of pain, and widespread hyperalgesia. <i>Pain</i> , 2018, 159, 2530-2537.	2.0	32
102	Quality of life in individuals with patellofemoral pain: A systematic review including meta-analysis. <i>Physical Therapy in Sport</i> , 2018, 33, 96-108.	0.8	75
103	Comparing satisfaction with a participatory driven web-application and a standard website for patients with low back pain: a study protocol for a randomised controlled trial (part of the ADVIN) <i>Tj ETQq1 1 0.784314 rgBT5/Overlo</i>		
104	Efficacy of pre-operative quadriceps strength training on knee-extensor strength before and shortly following total knee arthroplasty: protocol for a randomized, dose-response trial (The QUADX-1) <i>Tj ETQq0 0 0 rgBT0/Overlock15 Tf 50 2</i>		
105	Study protocol: a mixed methods feasibility study for a loaded self-managed exercise programme for patellofemoral pain. <i>Pilot and Feasibility Studies</i> , 2018, 4, 24.	0.5	11
106	Therapeutic interventions in children and adolescents with patellar tendon related pain: a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000383.	1.4	17
107	Preferences for Web-Based Information Material for Low Back Pain: Qualitative Interview Study on People Consulting a General Practitioner. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2018, 5, e7.	1.1	17
108	Patient Education on Patellofemoral Pain. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 2338.	3.8	2

#	ARTICLE	IF	CITATIONS
109	2018 Consensus statement on exercise therapy and physical interventions (orthoses, taping and) Tj ETQq1 1 0.784314 rgBT /Overlo Patellofemoral Pain Research Retreat, Gold Coast, Australia, 2017. British Journal of Sports Medicine, 2018, 52, 1170-1178.	3.1	207
110	Incidence and prevalence of patellofemoral pain: A systematic review and meta-analysis. PLoS ONE, 2018, 13, e0190892.	1.1	301
111	Capturing patient-reported area of knee pain: a concurrent validity study using digital technology in patients with patellofemoral pain. PeerJ, 2018, 6, e4406.	0.9	16
112	Prevalence and severity of hip and groin pain in sub-elite male football: a cross-sectional cohort study of 695 players. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 107-114.	1.3	97
113	Effect of specific exercise-based football injury prevention programmes on the overall injury rate in football: a systematic review and meta-analysis of the FIFA 11 and 11+ programmes. British Journal of Sports Medicine, 2017, 51, 562-571.	3.1	207
114	The Foot Orthoses versus Hip eXercises (FOHX) trial for patellofemoral pain: a protocol for a randomized clinical trial to determine if foot mobility is associated with better outcomes from foot orthoses. Journal of Foot and Ankle Research, 2017, 10, 5.	0.7	12
115	Is "plantar heel pain" a more appropriate term than "plantar fasciitis"? Time to move on. British Journal of Sports Medicine, 2017, 51, 1576-1577.	3.1	30
116	Transition from acute to chronic pain in children: novel pieces of the puzzle. Pain, 2017, 158, 767-768.	2.0	11
117	Current management strategies for patellofemoral pain: an online survey of 99 practising UK physiotherapists. BMC Musculoskeletal Disorders, 2017, 18, 181.	0.8	34
118	Should exercises be painful in the management of chronic musculoskeletal pain? A systematic review and meta-analysis. British Journal of Sports Medicine, 2017, 51, 1679-1687.	3.1	92
119	Can we predict the outcome for people with patellofemoral pain? A systematic review on prognostic factors and treatment effect modifiers. British Journal of Sports Medicine, 2017, 51, 1650-1660.	3.1	38
120	Infographic: Effects of specific injury prevention programmes in football. British Journal of Sports Medicine, 2017, 51, 1493-1493.	3.1	1
121	Predictive ability of the start back tool: an ancillary analysis of a low back pain trial from Danish general practice. BMC Musculoskeletal Disorders, 2017, 18, 360.	0.8	13
122	Adults with patellofemoral pain do not exhibit manifestations of peripheral and central sensitization when compared to healthy pain-free age and sex matched controls " An assessor blinded cross-sectional study. PLoS ONE, 2017, 12, e0188930.	1.1	21
123	Impaired Conditioned Pain Modulation in Young Female Adults with Long-Standing Patellofemoral Pain: A Single Blinded Cross-Sectional Study. Pain Medicine, 2016, 17, pnv017.	0.9	47
124	Danish translation and validation of the Oslo Sports Trauma Research Centre questionnaires on overuse injuries and health problems. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 1391-1397.	1.3	28
125	Custom-Made Foot Orthoses Decrease Medial Foot Loading During Drop Jump in Individuals With Patellofemoral Pain. Clinical Journal of Sport Medicine, 2016, 26, 335-337.	0.9	9
126	The effects of total knee replacement and non-surgical treatment on pain sensitization and clinical pain. European Journal of Pain, 2016, 20, 1612-1621.	1.4	23

#	ARTICLE	IF	CITATIONS
127	2016 Patellofemoral pain consensus statement from the 4th International Patellofemoral Pain Research Retreat, Manchester. Part 2: recommended physical interventions (exercise, taping, bracing,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 147 T	3.1	28
128	Patellofemoral pain during adolescence: much more prevalent than appreciated. British Journal of Sports Medicine, 2016, 50, 831-832.	3.1	28
129	â€œManaging My Patellofemoral Painâ€™™: the creation of an education leaflet for patients. BMJ Open Sport and Exercise Medicine, 2016, 2, e000086.	1.4	21
130	Efficacy of live feedback to improve objectively monitored compliance to prescribed, home-based, exercise therapy-dosage in 15 to 19-year old adolescents with patellofemoral pain- a study protocol of a randomized controlled superiority trial (The XRCISE-AS-INSTRUcted-1 trial). BMC Musculoskeletal Disorders, 2016, 17, 242.	0.8	10
131	The STAP-study: The (cost) effectiveness of custom made orthotic insoles in the treatment for plantar fasciopathy in general practice and sports medicine: design of a randomized controlled trial. BMC Musculoskeletal Disorders, 2016, 17, 31.	0.8	13
132	A case report of a completely displaced stress fracture of the femoral shaft in a middle-aged male athlete â€œ A precursor of things to come?. Physical Therapy in Sport, 2016, 19, 23-27.	0.8	5
133	Female Adults with Patellofemoral Pain Are Characterized by Widespread Hyperalgesia, Which Is Not Affected Immediately by Patellofemoral Joint Loading. Pain Medicine, 2016, 17, 1953-1961.	0.9	38
134	Can positional MRI predict dynamic changes in the medial plantar arch? An exploratory pilot study. Journal of Foot and Ankle Research, 2016, 9, 35.	0.7	7
135	New exercise-integrated technology can monitor the dosage and quality of exercise performed against an elastic resistance band by adolescents with patellofemoral pain: an observational study. Journal of Physiotherapy, 2016, 62, 159-163.	0.7	31
136	Self-reported Recovery is Associated With Improvement in Localized Hyperalgesia Among Adolescent Females With Patellofemoral Pain. Clinical Journal of Pain, 2016, 32, 428-434.	0.8	15
137	Is Knee Pain During Adolescence a Self-limiting Condition?. American Journal of Sports Medicine, 2016, 44, 1165-1171.	1.9	157
138	Effect of exercise therapy on neuromuscular activity and knee strength in female adolescents with patellofemoral painâ€™™An ancillary analysis of a cluster randomized trial. Clinical Biomechanics, 2016, 34, 22-29.	0.5	17
139	Criteria used when deciding on eligibility for total knee arthroplasty â€™™ Between thinking and doing. Knee, 2016, 23, 300-305.	0.8	29
140	High Risk of Bias and Low Transparency in â€™œHow Effective are F-MARC Injury Prevention Programs for Soccer Players? A Systematic Review and Meta-Analysisâ€™. Sports Medicine, 2016, 46, 293-294.	3.1	2
141	The efficacy of non-surgical treatment on pain and sensitization in patients with knee osteoarthritis: a pre-defined ancillary analysis from a randomized controlled trial. Osteoarthritis and Cartilage, 2016, 24, 108-116.	0.6	21
142	Translation and validation of the Child and the Adolescent HARDSHIP (Headache-attributed) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 T PeerJ, 2016, 4, e1927.	0.9	5
143	Very Low Levels of Physical Activity in Older Patients During Hospitalization at an Acute Geriatric Ward: A Prospective Cohort Study. Journal of Aging and Physical Activity, 2015, 23, 542-549.	0.5	63
144	Translation and validation of the <sc>D</sc>anish <sc>F</sc>oot <sc>F</sc>unction <sc>I</sc>ndex (<sc>FFI</sc>â€™<sc>DK</sc>). Scandinavian Journal of Medicine and Science in Sports, 2015, 25, e408-13.	1.3	16

#	ARTICLE	IF	CITATIONS
145	Adherence to Commonly Prescribed, Home-Based Strength Training Exercises for the Lower Extremity Can Be Objectively Monitored Using the Bandcizer. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 627-636.	1.0	27
146	Prevention of groin injuries in sports: a systematic review with meta-analysis of randomised controlled trials. <i>British Journal of Sports Medicine</i> , 2015, 49, 785-791.	3.1	51
147	“Load me up, Scotty”™: mechanotherapy for plantar fasciopathy (formerly known as plantar fasciitis): Table 1. <i>British Journal of Sports Medicine</i> , 2015, 49, 638-639.	3.1	23
148	Patellofemoral Pain in Adolescence and Adulthood: Same Same, but Different?. <i>Sports Medicine</i> , 2015, 45, 1489-1495.	3.1	57
149	The efficacy of 12 weeks non-surgical treatment for patients not eligible for total knee replacement: a randomized controlled trial with 1-year follow-up. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1465-1475.	0.6	70
150	Dynamic navicular motion measured using a stretch sensor is different between walking and running, and between overground and treadmill conditions. <i>Journal of Foot and Ankle Research</i> , 2015, 8, 5.	0.7	13
151	A Randomized, Controlled Trial of Total Knee Replacement. <i>New England Journal of Medicine</i> , 2015, 373, 1597-1606.	13.9	498
152	Nonoperative treatment improves pain irrespective of radiographic severity. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 599-604.	1.2	18
153	Exercise during school hours when added to patient education improves outcome for 2+ years in adolescent patellofemoral pain: a cluster randomised trial. <i>British Journal of Sports Medicine</i> , 2015, 49, 406-412.	3.1	113
154	High-load strength training improves outcome in patients with plantar fasciitis: A randomized controlled trial with 12-month follow-up. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, e292-300.	1.3	88
155	AN ELASTIC EXERCISE BAND MOUNTED WITH A BANDCIZER, CAN DIFFERENTIATE BETWEEN COMMONLY PRESCRIBED HOME EXERCISES FOR THE SHOULDER. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 332-40.	0.5	15
156	Intra-Tester Reliability of Hand-Held Dynamometry and Strap-Mounted Dynamometry for Assessment of Ankle Strength. <i>International Journal of Athletic Therapy and Training</i> , 2014, 19, 14-19.	0.1	2
157	Novel stretch-sensor technology allows quantification of adherence and quality of home-exercises: a validation study. <i>British Journal of Sports Medicine</i> , 2014, 48, 724-728.	3.1	28
158	Reliability and concurrent validity of a novel method allowing for in-shoe measurement of navicular drop. <i>Journal of Foot and Ankle Research</i> , 2014, 7, 12.	0.7	10
159	Increased medial foot loading during drop jump in subjects with patellofemoral pain. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 2301-2307.	2.3	10
160	Is hip strength a risk factor for patellofemoral pain? A systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2014, 48, 1088-1088.	3.1	173
161	Pressure Pain Sensitivity Changes After Use of Shock-Absorbing Insoles Among Young Soccer Players Training on Artificial Turf: A Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 587-594.	1.7	12
162	Pre-Operative Patient Education is Associated With Decreased Risk of Arthrofibrosis After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2013, 28, 1282-1285.	1.5	32

#	ARTICLE	IF	CITATIONS
163	Care-seeking behaviour of adolescents with knee pain: a population-based study among 504 adolescents. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 225.	0.8	50
164	High prevalence of daily and multi-site pain “ a cross-sectional population-based study among 3000 Danish adolescents. <i>BMC Pediatrics</i> , 2013, 13, 191.	0.7	106
165	The gait pattern is not impaired in subjects with external snapping hip: a comparative cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 212.	0.8	5
166	Neuromuscular Activity and Knee Kinematics in Adolescents with Patellofemoral Pain. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1730-1739.	0.2	43
167	Lower Mechanical Pressure Pain Thresholds in Female Adolescents With Patellofemoral Pain Syndrome. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 414-421.	1.7	92
168	Hip and Knee Strength Is Not Affected in 12-16 Year Old Adolescents with Patellofemoral Pain - A Cross-Sectional Population-Based Study. <i>PLoS ONE</i> , 2013, 8, e79153.	1.1	58
169	Concentric and Eccentric Time-Under-Tension during Strengthening Exercises: Validity and Reliability of Stretch-Sensor Recordings from an Elastic Exercise-Band. <i>PLoS ONE</i> , 2013, 8, e68172.	1.1	24
170	Half of 12-15-year-olds with knee pain still have pain after one year. <i>Danish Medical Journal</i> , 2013, 60, A4725.	0.5	30
171	A Novel Method for Measuring In-Shoe Navicular Drop during Gait. <i>Sensors</i> , 2012, 12, 11697-11711.	2.1	20
172	Efficacy of multimodal, systematic non-surgical treatment of knee osteoarthritis for patients not eligible for a total knee replacement: a study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2012, 2, e002168.	0.8	23
173	Dynamic Midfoot Kinematics in Subjects with Medial Tibial Stress Syndrome. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 205-212.	0.2	13
174	Navicula Drop Test Ad Modum Brody. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 34-38.	0.2	10
175	Time-of-day influences postural balance in older adults. <i>Gait and Posture</i> , 2012, 35, 653-657.	0.6	66
176	Total knee replacement plus physical and medical therapy or treatment with physical and medical therapy alone: a randomised controlled trial in patients with knee osteoarthritis (the MEDIC-study). <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 67.	0.8	18
177	Early intervention for adolescents with Patellofemoral Pain Syndrome - a pragmatic cluster randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 9.	0.8	34
178	Inverse relationship between the complexity of midfoot kinematics and muscle activation in patients with medial tibial stress syndrome. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 638-644.	0.7	22
179	Intra- and interobserver reliability of quantitative ultrasound measurement of the plantar fascia. <i>Journal of Clinical Ultrasound</i> , 2011, 39, 128-134.	0.4	52
180	Patellofemoral Pain Syndrome and Its Association with Hip, Ankle, and Foot Function in 16- to 18-Year-Old High School Students. <i>Journal of the American Podiatric Medical Association</i> , 2011, 101, 215-222.	0.2	98

#	ARTICLE	IF	CITATIONS
181	Video based analysis of dynamic midfoot function and its relationship with Foot Posture Index scores. <i>Gait and Posture</i> , 2010, 31, 126-130.	0.6	41
182	Perspectives for clinical measures of dynamic foot function—Reference data and methodological considerations. <i>Gait and Posture</i> , 2010, 31, 191-196.	0.6	16
183	Determination of normal values for navicular drop during walking: a new model correcting for foot length and gender. <i>Journal of Foot and Ankle Research</i> , 2009, 2, 12.	0.7	52
184	Pragmatic Home-Based Exercise after Total Hip Arthroplasty - Silkeborg: Protocol for a prospective cohort study (PHETHAS-1). <i>F1000Research</i> , 0, 8, 965.	0.8	2
185	Care-seeking behaviour of adolescents with patellofemoral pain: a retrospective cohort study. <i>F1000Research</i> , 0, 11, 161.	0.8	1