

Qing Cai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/774270/publications.pdf>

Version: 2024-02-01

156
papers

5,001
citations

87888

38
h-index

133252

59
g-index

157
all docs

157
docs citations

157
times ranked

6368
citing authors

#	ARTICLE	IF	CITATIONS
1	Vascularized pulp regeneration via injecting simvastatin functionalized GelMA cryogel microspheres loaded with stem cells from human exfoliated deciduous teeth. <i>Materials Today Bio</i> , 2022, 13, 100209.	5.5	17
2	Bioinspired porous microspheres for sustained hypoxic exosomes release and vascularized bone regeneration. <i>Bioactive Materials</i> , 2022, 14, 377-388.	15.6	33
3	3D printing nanocomposites with enhanced mechanical property and excellent electromagnetic wave absorption capability via the introduction of ZIF-derivative modified carbon fibers. <i>Composites Part B: Engineering</i> , 2022, 233, 109658.	12.0	42
4	Improving bone regeneration with composites consisting of piezoelectric poly(l-lactide) and piezoelectric calcium/manganese co-doped barium titanate nanofibers. <i>Composites Part B: Engineering</i> , 2022, 234, 109734.	12.0	42
5	Construction of multifunctional cell aggregates in angiogenesis and osteogenesis through incorporating hVE-cad-Fc-modified PLGA/l ² -TCP microparticles for enhancing bone regeneration. <i>Journal of Materials Chemistry B</i> , 2022, 10, 3344-3356.	5.8	4
6	Polydopamine-coated polycaprolactone/carbon nanotube fibrous scaffolds loaded with brain-derived neurotrophic factor for peripheral nerve regeneration. <i>Biofabrication</i> , 2022, 14, 035006.	7.1	22
7	Hierarchical Therapeutic Ion-Based Microspheres with Precise Ratio-Controlled Delivery as Microscaffolds for In Situ Vascularized Bone Regeneration. <i>Advanced Functional Materials</i> , 2022, 32, .	14.9	25
8	ROS-Scavenging Electroactive Polyphosphazene-Based Core-Shell Nanofibers for Bone Regeneration. <i>Advanced Fiber Materials</i> , 2022, 4, 894-907.	16.1	21
9	Dental resin composites with improved antibacterial and mineralization properties via incorporating zinc/strontium-doped hydroxyapatite as functional fillers. <i>Biomedical Materials (Bristol)</i> , 2022, 17, 045002.	3.3	12
10	Improving antibacterial performance of dental resin adhesive via co-incorporating fluoride and quaternary ammonium. <i>Journal of Dentistry</i> , 2022, 122, 104156.	4.1	2
11	Mimicking osteochondral interface using pre-differentiated BMSCs/fibrous mesh complexes to promote tissue regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2022, 33, 2081-2103.	3.5	2
12	Osteoconductive and osteoinductive biodegradable microspheres serving as injectable micro-scaffolds for bone regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2021, 32, 229-247.	3.5	7
13	Hierarchical and heterogeneous hydrogel system as a promising strategy for diversified interfacial tissue regeneration. <i>Biomaterials Science</i> , 2021, 9, 1547-1573.	5.4	17
14	Roles of oxygen level and hypoxia-inducible factor signaling pathway in cartilage, bone and osteochondral tissue engineering. <i>Biomedical Materials (Bristol)</i> , 2021, 16, 022006.	3.3	15
15	Injectable GelMA Cryogel Microspheres for Modularized Cell Delivery and Potential Vascularized Bone Regeneration. <i>Small</i> , 2021, 17, e2006596.	10.0	91
16	Antibacterial, conductive, and osteocompatible polyorganophosphazene microscaffolds for the repair of infectious calvarial defect. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 2580-2596.	4.0	12
17	Bioceramic fibrous scaffolds built with calcium silicate/hydroxyapatite nanofibers showing advantages for bone regeneration. <i>Ceramics International</i> , 2021, 47, 18920-18930.	4.8	22
18	In situ characterization on macroscale 3D spatial dispersion of MWCNTs in matrix and interfacial phases of quartz fibers/epoxy composites via fluorescence imaging. <i>Journal of Materials Science</i> , 2021, 56, 16399-16421.	3.7	2

#	ARTICLE	IF	CITATIONS
19	Composites made of polyorganophosphazene and carbon nanotube up-regulating osteogenic activity of BMSCs under electrical stimulation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021, 204, 111785.	5.0	10
20	Controlled co-delivery system of magnesium and lanthanum ions for vascularized bone regeneration. <i>Biomedical Materials (Bristol)</i> , 2021, 16, 065024.	3.3	14
21	Coaxially electrospun 5-fluorouracil-loaded PLGA/PVP fibrous membrane for skin tumor treatment. <i>Biomedical Materials (Bristol)</i> , 2021, 16, 065014.	3.3	3
22	Gradient fibrous aerogel conjugated with chemokine peptide for regulating cell differentiation and facilitating osteochondral regeneration. <i>Chemical Engineering Journal</i> , 2021, 422, 130428.	12.7	12
23	Piezoelectric calcium/manganese-doped barium titanate nanofibers with improved osteogenic activity. <i>Ceramics International</i> , 2021, 47, 28778-28789.	4.8	23
24	Composite resin reinforced with fluorescent europium-doped hydroxyapatite nanowires for in-situ characterization. <i>Dental Materials</i> , 2020, 36, e15-e26.	3.5	7
25	Tracing Carbon Nanotubes (CNTs) in Rat Peripheral Nerve Regenerated with Conductive Conduits Composed of Poly(lactide-co-glycolide) and Fluorescent CNTs. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 6344-6355.	5.2	12
26	Ionic Liquid-Graphene Oxide for Strengthening Microwave Curing Epoxy Composites. <i>ACS Applied Nano Materials</i> , 2020, 3, 11955-11969.	5.0	9
27	Mimicking the electrophysiological microenvironment of bone tissue using electroactive materials to promote its regeneration. <i>Journal of Materials Chemistry B</i> , 2020, 8, 10221-10256.	5.8	53
28	Efficient regeneration of rat calvarial defect with gelatin-hydroxyapatite composite cryogel. <i>Biomedical Materials (Bristol)</i> , 2020, 15, 065005.	3.3	19
29	Biodegradable microspheres made of conductive polyorganophosphazene showing antioxidant capacity for improved bone regeneration. <i>Chemical Engineering Journal</i> , 2020, 397, 125352.	12.7	29
30	Comparative study of gelatin cryogels reinforced with hydroxyapatites with different morphologies and interfacial bonding. <i>Biomedical Materials (Bristol)</i> , 2020, 15, 035012.	3.3	14
31	Multiple nanosecond pulsed electric fields stimulation with conductive poly(lactide) prolonged in vitro culture. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2020, 14, 1136-1148.	2.7	6
32	Macroporous scaffolds developed from CaSiO ₃ nanofibers regulating bone regeneration via controlled calcination. <i>Materials Science and Engineering C</i> , 2020, 113, 111005.	7.3	19
33	Degradation behaviors of three-dimensional hydroxyapatite fibrous scaffolds stabilized by different biodegradable polymers. <i>Ceramics International</i> , 2020, 46, 14124-14133.	4.8	14
34	Calcium silicate scaffolds promoting bone regeneration via the doping of Mg ²⁺ or Mn ²⁺ ion. <i>Composites Part B: Engineering</i> , 2020, 190, 107937.	12.0	85
35	Synthetic/natural blended polymer fibrous meshes composed of polylactide, gelatin and glycosaminoglycan for cartilage repair. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2020, 31, 1437-1456.	3.5	14
36	Chemical Grafting-derived N, P Co-doped Hollow Microporous Carbon Spheres for High-Performance Sodium-ion Battery Anodes. <i>Applied Surface Science</i> , 2020, 518, 146221.	6.1	41

#	ARTICLE	IF	CITATIONS
37	Dual Controlled Release of Icaritin/Mg ²⁺ from Biodegradable Microspheres and Their Synergistic Upregulation Effect on Bone Regeneration. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000211.	7.6	47
38	Photoluminescent biodegradable polyorganophosphazene: A promising scaffold material for in vivo application to promote bone regeneration. <i>Bioactive Materials</i> , 2020, 5, 102-109.	15.6	13
39	Vancomycin- and Strontium-Loaded Microspheres with Multifunctional Activities against Bacteria, in Angiogenesis, and in Osteogenesis for Enhancing Infected Bone Regeneration. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 30596-30609.	8.0	74
40	Regenerating infected bone defects with osteocompatible microspheres possessing antibacterial activity. <i>Biomaterials Science</i> , 2019, 7, 272-286.	5.4	22
41	Formation of core-shell structured calcium silicate fiber via sol-gel electrospinning and controlled calcination. <i>Ceramics International</i> , 2019, 45, 23975-23983.	4.8	20
42	Design and synthesis of a fluorescent amino poly(glycidyl methacrylate) for efficient gene delivery. <i>Journal of Materials Chemistry B</i> , 2019, 7, 1875-1881.	5.8	5
43	Enhancing overall properties of epoxy-based composites using polydopamine-coated edge-carboxylated graphene prepared via one-step high-pressure ball milling. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 21726-21737.	2.8	5
44	Comprehensive enhancement in overall properties of MWCNTs-COOH/epoxy composites by microwave: An efficient approach to strengthen interfacial bonding via localized superheating effect. <i>Composites Part B: Engineering</i> , 2019, 174, 106909.	12.0	19
45	Molecular Mechanism Study on Effect of Biodegradable Amino Acid Ester Substituted Polyphosphazenes in Stimulating Osteogenic Differentiation. <i>Macromolecular Bioscience</i> , 2019, 19, 1800464.	4.1	10
46	Carbon nanomaterials for implant dentistry and bone tissue engineering. , 2019, , 429-468.		5
47	Pore size effect on adsorption and release of metoprolol tartrate in mesoporous silica: Experimental and molecular simulation studies. <i>Materials Science and Engineering C</i> , 2019, 100, 789-797.	7.3	14
48	Synergistic effect of stem cells from human exfoliated deciduous teeth and rhBMP-2 delivered by injectable nanofibrous microspheres with different surface modifications on vascularized bone regeneration. <i>Chemical Engineering Journal</i> , 2019, 370, 573-586.	12.7	19
49	Hydroxyapatite nanowire composited gelatin cryogel with improved mechanical properties and cell migration for bone regeneration. <i>Biomedical Materials (Bristol)</i> , 2019, 14, 045001.	3.3	41
50	Promoting osteogenic differentiation of BMSCs via mineralization of polylactide/gelatin composite fibers in cell culture medium. <i>Materials Science and Engineering C</i> , 2019, 100, 862-873.	7.3	14
51	Strengthening the potential of biomineralized microspheres in enhancing osteogenesis via incorporating alendronate. <i>Chemical Engineering Journal</i> , 2019, 368, 577-588.	12.7	37
52	Roles of electrical stimulation in promoting osteogenic differentiation of BMSCs on conductive fibers. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 1443-1454.	4.0	35
53	Osteochondral tissue regenerated via a strategy by stacking pre-differentiated BMSC sheet on fibrous mesh in a gradient. <i>Biomedical Materials (Bristol)</i> , 2019, 14, 065017.	3.3	19
54	Strengthening the Shape Memory Behaviors of L-Lactide-based Copolymers via Its Stereocomplexation Effect with Poly-D-Lactide). <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 22021-22031.	3.7	7

#	ARTICLE	IF	CITATIONS
55	Study of Electrical Stimulation with Different Electric-Field Intensities in the Regulation of the Differentiation of PC12 Cells. <i>ACS Chemical Neuroscience</i> , 2019, 10, 348-357.	3.5	46
56	Promoting neural transdifferentiation of BMSCs via applying synergetic multiple factors for nerve regeneration. <i>Experimental Cell Research</i> , 2019, 375, 80-91.	2.6	16
57	Injectable PLGA microspheres with tunable magnesium ion release for promoting bone regeneration. <i>Acta Biomaterialia</i> , 2019, 85, 294-309.	8.3	136
58	Effects of high hydrostatic pressure on structural and physical properties of nisin-SPI film. <i>International Journal of Biological Macromolecules</i> , 2018, 111, 976-982.	7.5	17
59	Using biomimetically mineralized collagen membranes with different surface stiffness to guide regeneration of bone defects. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, 1545-1555.	2.7	24
60	Constructing conductive conduit with conductive fibrous infilling for peripheral nerve regeneration. <i>Chemical Engineering Journal</i> , 2018, 345, 566-577.	12.7	63
61	Inter-brain synchrony and cooperation context in interactive decision making. <i>Biological Psychology</i> , 2018, 133, 54-62.	2.2	103
62	Poly(L-lactide) nanocomposites containing poly(D-lactide) grafted nanohydroxyapatite with improved interfacial adhesion via stereocomplexation. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 78, 10-19.	3.1	20
63	Directing osteogenic differentiation of BMSCs by cell-secreted decellularized extracellular matrixes from different cell types. <i>Journal of Materials Chemistry B</i> , 2018, 6, 7471-7485.	5.8	19
64	Injectable polyphosphazene/gelatin hybrid hydrogel for biomedical applications. <i>Materials and Design</i> , 2018, 160, 1137-1147.	7.0	28
65	Multiwalled Carbon nanotubes/hydroxyapatite nanoparticles incorporated GTR membranes. , 2018, , 181-209.		1
66	Bioresorbable Microspheres with Surface-Loaded Nanosilver and Apatite as Dual-Functional Injectable Cell Carriers for Bone Regeneration. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800062.	3.9	26
67	Synthesis and characterization of citrate-based fluorescent small molecules and biodegradable polymers. <i>Acta Biomaterialia</i> , 2017, 50, 361-369.	8.3	45
68	Paracingulate Sulcus Asymmetry in the Human Brain: Effects of Sex, Handedness, and Race. <i>Scientific Reports</i> , 2017, 7, 42033.	3.3	20
69	Effects of Ca/P molar ratios on regulating biological functions of hybridized carbon nanofibers containing bioactive glass nanoparticles. <i>Biomedical Materials (Bristol)</i> , 2017, 12, 025019.	3.3	10
70	Repairing a bone defect with a three-dimensional cellular construct composed of a multi-layered cell sheet on electrospun mesh. <i>Biofabrication</i> , 2017, 9, 025036.	7.1	41
71	Nanoporous fibers built with carbon-bound SiO ₂ nanospheres via electrospinning and calcination. <i>Materials and Design</i> , 2017, 130, 231-238.	7.0	23
72	Correlating cytotoxicity to elution behaviors of composite resins in term of curing kinetic. <i>Materials Science and Engineering C</i> , 2017, 78, 413-419.	7.3	8

#	ARTICLE	IF	CITATIONS
73	Time-dependent effect of electrical stimulation on osteogenic differentiation of bone mesenchymal stromal cells cultured on conductive nanofibers. <i>Journal of Biomedical Materials Research - Part A</i> , 2017, 105, 3369-3383.	4.0	46
74	Photoluminescent polyphosphazene nanoparticles for <i>in situ</i> simvastatin delivery for improving the osteocompatibility of BMSCs. <i>Journal of Materials Chemistry B</i> , 2017, 5, 9300-9311.	5.8	10
75	Composite resin reinforced with silver nanoparticles-laden hydroxyapatite nanowires for dental application. <i>Dental Materials</i> , 2017, 33, 12-22.	3.5	89
76	Synthesis and characterization of polyphosphazene microspheres incorporating demineralized bone matrix scaffolds controlled release of growth factor for chondrogenesis applications. <i>Oncotarget</i> , 2017, 8, 114314-114327.	1.8	8
77	Regulating proliferation and differentiation of osteoblasts on poly(l-lactide)/gelatin composite nanofibers via timed biomineralization. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 1968-1980.	4.0	20
78	Cell studies of hybridized carbon nanofibers containing bioactive glass nanoparticles using bone mesenchymal stromal cells. <i>Scientific Reports</i> , 2016, 6, 38685.	3.3	16
79	Gold nanoparticle-conjugated heterogeneous polymer brush-wrapped cellulose nanocrystals prepared by combining different controllable polymerization techniques for theranostic applications. <i>Polymer Chemistry</i> , 2016, 7, 3107-3116.	3.9	62
80	Direct fabrication of hybrid nanofibres composed of SiO ₂ -PMMA nanospheres via electrospinning. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 144, 238-249.	5.0	15
81	Effectively Exerting the Reinforcement of Dopamine Reduced Graphene Oxide on Epoxy-Based Composites via Strengthened Interfacial Bonding. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 13037-13050.	8.0	134
82	Establishing Antibacterial Multilayer Films on the Surface of Direct Metal Laser Sintered Titanium Primed with Phase-Transited Lysozyme. <i>Scientific Reports</i> , 2016, 6, 36408.	3.3	30
83	Dual functional poly(lactide)-hydroxyapatite nanocomposites for bone regeneration with nano-silver being loaded via reductive polydopamine. <i>RSC Advances</i> , 2016, 6, 91349-91360.	3.6	13
84	Synthesis and Fluorescent Property of Biodegradable Polyphosphazene Targeting Long-Term <i>in Vivo</i> Tracking. <i>Macromolecules</i> , 2016, 49, 8508-8519.	4.8	16
85	Enhancing the biological properties of carbon nanofibers by controlling the crystallization of incorporated bioactive glass via silicon content. <i>RSC Advances</i> , 2016, 6, 53958-53966.	3.6	5
86	Thermal-based regulation on biomineralization and biological properties of bioglass nanoparticles decorated PAN-based carbon nanofibers. <i>RSC Advances</i> , 2016, 6, 428-438.	3.6	4
87	Improving interfacial adhesion with epoxy matrix using hybridized carbon nanofibers containing calcium phosphate nanoparticles for bone repairing. <i>Materials Science and Engineering C</i> , 2016, 61, 174-179.	7.3	16
88	Regulating micro-structure and biomineralization of electrospun PVP-based hybridized carbon nanofibers containing bioglass nanoparticles via aging time. <i>RSC Advances</i> , 2016, 6, 3870-3881.	3.6	17
89	Flexible fiber-reinforced composites with improved interfacial adhesion by mussel-inspired polydopamine and poly(methyl methacrylate) coating. <i>Materials Science and Engineering C</i> , 2016, 58, 742-749.	7.3	46
90	Improved performance of Bis-GMA/TEGDMA dental composites by net-like structures formed from SiO ₂ nanofiber fillers. <i>Materials Science and Engineering C</i> , 2016, 59, 464-470.	7.3	56

#	ARTICLE	IF	CITATIONS
91	Highly moisture-resistant epoxy composites: an approach based on liquid nano-reinforcement containing well-dispersed activated montmorillonite. <i>RSC Advances</i> , 2015, 5, 44853-44864.	3.6	11
92	Visualization of <i>in vivo</i> degradation of aliphatic polyesters by a fluorescent dendritic star macromolecule. <i>Biomedical Materials (Bristol)</i> , 2015, 10, 065003.	3.3	7
93	A series of new supramolecular polycations for effective gene transfection. <i>Polymer Chemistry</i> , 2015, 6, 2466-2477.	3.9	15
94	Numerical Characterization of Magnetically Aligned Multiwalled Carbon Nanotube@Fe ₃ O ₄ Nanoparticle Complex. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 3170-3179.	8.0	39
95	Nanoporous structured carbon nanofiber@bioactive glass composites for skeletal tissue regeneration. <i>Journal of Materials Chemistry B</i> , 2015, 3, 5300-5309.	5.8	19
96	Mineralization on polylactide/gelatin composite nanofibers using simulated body fluid containing amino acid. <i>Applied Surface Science</i> , 2015, 349, 538-548.	6.1	25
97	In vitro and in vivo drug release behavior and osteogenic potential of a composite scaffold based on poly(μ -caprolactone)-block-poly(lactic-co-glycolic acid) and β -tricalcium phosphate. <i>Journal of Materials Chemistry B</i> , 2015, 3, 6885-6896.	5.8	17
98	PLGA/PDLLA core-shell submicron spheres sequential release system: Preparation, characterization and promotion of bone regeneration in vitro and in vivo. <i>Chemical Engineering Journal</i> , 2015, 273, 490-501.	12.7	35
99	What can atypical language hemispheric specialization tell us about cognitive functions?. <i>Neuroscience Bulletin</i> , 2015, 31, 220-226.	2.9	16
100	Polylactide@hydroxyapatite nanocomposites with highly improved interfacial adhesion via mussel-inspired polydopamine surface modification. <i>RSC Advances</i> , 2015, 5, 95631-95642.	3.6	22
101	Micro-structural evolution and biomineralization behavior of carbon nanofiber/bioactive glass composites induced by precursor aging time. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 136, 585-593.	5.0	14
102	Enhanced osteogenic differentiation of mesenchymal stem cells on poly(lactide) nanofibrous scaffolds containing carbon nanomaterials. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 1424-1435.	4.0	77
103	Electrospun biodegradable polyorganophosphazene fibrous matrix with poly(dopamine) coating for bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 3894-3902.	4.0	32
104	Improving the miscibility of biodegradable polyester/polyphosphazene blends using cross-linkable polyphosphazene. <i>Biomedical Materials (Bristol)</i> , 2014, 9, 061001.	3.3	5
105	Growth mechanism of bioglass nanoparticles in polyacrylonitrile-based carbon nanofibers. <i>RSC Advances</i> , 2014, 4, 64299-64309.	3.6	12
106	NaF-loaded core-shell PAN@PMMA nanofibers as reinforcements for Bis-GMA/TEGDMA restorative resins. <i>Materials Science and Engineering C</i> , 2014, 34, 262-269.	7.3	23
107	pH-sensitive unimolecular fluorescent polymeric micelles: from volume phase transition to optical response. <i>Chemical Communications</i> , 2014, 50, 823-825.	4.1	36
108	Biomineralization on polymer-coated multi-walled carbon nanotubes with different surface functional groups. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 123, 753-761.	5.0	33

#	ARTICLE	IF	CITATIONS
109	Improved bioactivity of PAN-based carbon nanofibers decorated with bioglass nanoparticles. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2014, 25, 341-353.	3.5	18
110	Synthesis of iodine-containing cyclophosphazenes for using as radiopacifiers in dental composite resin. <i>Materials Science and Engineering C</i> , 2014, 43, 432-438.	7.3	14
111	Perylene-cored Star-shaped Polycations for Fluorescent Gene Vectors and Bioimaging. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 16327-16334.	8.0	58
112	Macroporous and nanofibrous PLLA scaffolds reinforced with calcium phosphate-coated multiwalled carbon nanotubes. <i>Materials Letters</i> , 2014, 128, 238-241.	2.6	16
113	Osteocompatibility evaluation of poly(glycine ethyl ester-co-L-alanine ethyl ester)phosphazene with honeycomb-patterned surface topography. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 307-317.	4.0	33
114	Effect of surface modification of fiber post using dopamine polymerization on interfacial adhesion with core resin. <i>Applied Surface Science</i> , 2013, 274, 248-254.	6.1	31
115	Electrospun magnetic poly(L-lactide) (PLLA) nanofibers by incorporating PLLA-stabilized Fe ₃ O ₄ nanoparticles. <i>Materials Science and Engineering C</i> , 2013, 33, 3498-3505.	7.3	52
116	Preparation of biomimetic hydroxyapatite by biomineralization and calcination using poly(L-lactide)/gelatin composite fibrous mat as template. <i>Materials Letters</i> , 2013, 91, 275-278.	2.6	24
117	Controlled release behaviour of protein-loaded microparticles prepared via coaxial or emulsion electrospray. <i>Journal of Microencapsulation</i> , 2013, 30, 490-497.	2.8	38
118	Dose-dependent enhancement of bone marrow stromal cells adhesion, spreading and osteogenic differentiation on atmospheric plasma-treated poly(L-lactic acid) nanofibers. <i>Journal of Bioactive and Compatible Polymers</i> , 2013, 28, 453-467.	2.1	11
119	Hydroxyapatite-poly(L-lactide) nanohybrids via surface-initiated ATRP for improving bone-like apatite-formation abilities. <i>Applied Surface Science</i> , 2012, 258, 6823-6830.	6.1	29
120	Macroporous and nanofibrous poly(lactide-co-glycolide)(50/50) scaffolds via phase separation combined with particle-leaching. <i>Materials Science and Engineering C</i> , 2012, 32, 1407-1414.	7.3	28
121	Synthesis of periodic copolymers via ring-opening copolymerizations of cyclic anhydrides with tetrahydrofuran using nonafluorobutanesulfonimide as an organic catalyst and subsequent transformation to aliphatic polyesters. <i>Journal of Polymer Science Part A</i> , 2012, 50, 3171-3183.	2.3	17
122	Calcium ion release and osteoblastic behavior of gelatin/beta-tricalcium phosphate composite nanofibers fabricated by electrospinning. <i>Materials Letters</i> , 2012, 73, 172-175.	2.6	27
123	Biomineralization of electrospun poly(L-lactic acid)/gelatin composite fibrous scaffold by using a supersaturated simulated body fluid with continuous CO ₂ bubbling. <i>Applied Surface Science</i> , 2011, 257, 10109-10118.	6.1	64
124	Nanofibrosis of uncrystallizable poly(lactide-co-glycolide) via phase separation. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1078-1082.	3.2	4
125	Preparation of amino acid ester substituted polyphosphazene microparticles via electrohydrodynamic atomization. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2009-2016.	3.2	17
126	Structure and wettability relationship of coelectrospun poly(L-lactic acid)/gelatin composite fibrous mats. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2222-2230.	3.2	26

#	ARTICLE	IF	CITATIONS
127	Phase separation of polyphosphazene/poly(lactide-co-glycolide) blends prepared under different conditions. <i>Polymers for Advanced Technologies</i> , 2011, 22, 2448-2457.	3.2	5
128	The effect of poly (L-lactic acid) nanofiber orientation on osteogenic responses of human osteoblast-like MG63 cells. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2011, 4, 600-609.	3.1	86
129	Investigation of the effects of the retention groove location and dimensions of threaded glass fiber post on biomechanical responses of the restorative system. , 2011, , .		0
130	̂2-tricalcium phosphate nanoparticles adhered carbon nanofibrous membrane for human osteoblasts cell culture. <i>Materials Letters</i> , 2010, 64, 725-728.	2.6	26
131	Post-draw PAN-PMMA nanofiber reinforced and toughened Bis-GMA dental restorative composite. <i>Dental Materials</i> , 2010, 26, 873-880.	3.5	77
132	Effect of solvent on surface wettability of electrospun polyphosphazene nanofibers. <i>Journal of Applied Polymer Science</i> , 2010, 115, 3393-3400.	2.6	21
133	The biological properties of carbon nanofibers decorated with ̂2-tricalcium phosphate nanoparticles. <i>Carbon</i> , 2010, 48, 2266-2272.	10.3	27
134	Co-electrospun composite nanofibers of blends of poly[(amino acid ester)phosphazene] and gelatin. <i>Polymer International</i> , 2010, 59, 610-616.	3.1	14
135	Electrospun nanofiber reinforced and toughened composites through in situ nano-interface formation. <i>Composites Science and Technology</i> , 2008, 68, 3322-3329.	7.8	122
136	Prenatal stress on the kinetic properties of Ca ²⁺ and K ⁺ channels in offspring hippocampal CA3 pyramidal neurons. <i>Life Sciences</i> , 2007, 80, 681-689.	4.3	21
137	Phosphazene cyclomatrix network polymers: Some aspects of the synthesis, characterization, and flame-retardant mechanisms of polymer. <i>Journal of Applied Polymer Science</i> , 2005, 95, 880-889.	2.6	45
138	Nucleophilic cosubstitution of poly(dichlorophosphazene) with alkyl ether and amino acid ester. <i>Journal of Polymer Science Part A</i> , 2005, 43, 2417-2425.	2.3	3
139	Formation of ordered microporous films with water as templates from poly(D,L-lactic-co-glycolic) Tj ETQq1 1 0.784314 rgBT /Overlock 60	2.6	60
140	Enzymatic degradation behavior and mechanism of Poly(lactide-co-glycolide) foams by trypsin. <i>Biomaterials</i> , 2003, 24, 629-638.	11.4	150
141	Synthesis and characterization of biodegradable polylactide-grafted dextran and its application as compatilizer. <i>Biomaterials</i> , 2003, 24, 3555-3562.	11.4	77
142	Enhancing the cell affinity of macroporous poly(L-lactide) cell scaffold by a convenient surface modification method. <i>Polymer International</i> , 2003, 52, 1892-1899.	3.1	98
143	Morphology and levonorgestrel release behavior of polycaprolactone/poly(ethylene?oxide)/Polylactide tri-component copolymeric microspheres. <i>Polymers for Advanced Technologies</i> , 2003, 14, 239-244.	3.2	21
144	The fabrication and characterization of poly(lactic acid) scaffolds for tissue engineering by improved solid-liquid phase separation. <i>Polymers for Advanced Technologies</i> , 2003, 14, 565-573.	3.2	93

#	ARTICLE	IF	CITATIONS
145	Synthesis and Properties of Star-Shaped Polylactide Attached to Poly(Amidoamine) Dendrimer. <i>Biomacromolecules</i> , 2003, 4, 828-834.	5.4	145
146	An important biodegradable polymer – polylactone-family polymer. <i>Macromolecular Symposia</i> , 2003, 195, 263-268.	0.7	20
147	Relationship among drug delivery behavior, degradation behavior and morphology of copolylactones derived from glycolide, L-lactide and ϵ -caprolactone. <i>Polymers for Advanced Technologies</i> , 2002, 13, 105-111.	3.2	24
148	Fabrication and biocompatibility of cell scaffolds of poly(L-lactic acid) and poly(L-lactic-co-glycolic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	3.2	92
149	In vitro study on the drug release behavior from Polylactide-based blend matrices. <i>Polymers for Advanced Technologies</i> , 2002, 13, 534-540.	3.2	38
150	Relationship between morphology structure and composition of polycaprolactone/Poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	3.2	12
151	Synthesis and properties of ABA-type triblock copolymers of poly(glycolide-co-caprolactone) (A) and poly(ethylene glycol) (B). <i>Polymer</i> , 2002, 43, 3585-3591.	3.8	28
152	A novel porous cells scaffold made of polylactide-dextran blend by combining phase-separation and particle-leaching techniques. <i>Biomaterials</i> , 2002, 23, 4483-4492.	11.4	169
153	Biodegradation behaviour of poly(lactide-co-glycolide) induced by microorganisms. <i>Polymer Degradation and Stability</i> , 2001, 71, 243-251.	5.8	38
154	Degradation and 5-fluorouracil release behavior in vitro of polycaprolactone/poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td	3.2	23
155	Synthesis and characterization of polycaprolactone (B)-poly(lactide-co-glycolide) (A) ABA block copolymer. <i>Polymers for Advanced Technologies</i> , 2000, 11, 159-166.	3.2	26
156	Synthesis and degradation of a tri-component copolymer derived from glycolide, L-lactide, and μ -caprolactone. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2000, 11, 273-288.	3.5	67