

# Jorg Kotzka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7742813/publications.pdf>

Version: 2024-02-01

84  
papers

2,933  
citations

172457

29  
h-index

182427

51  
g-index

90  
all docs

90  
docs citations

90  
times ranked

4182  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term adjustment of hepatic lipid metabolism after chronic stress and the role of FGF21. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022, 1868, 166286.	3.8	4
2	BOND study: a randomised double-blind, placebo-controlled trial over 12 months to assess the effects of benfotiamine on morphometric, neurophysiological and clinical measures in patients with type 2 diabetes with symptomatic polyneuropathy. <i>BMJ Open</i> , 2022, 12, e057142.	1.9	9
3	Identification of Novel Genes Involved in Hyperglycemia in Mice. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3205.	4.1	3
4	Hepatic energy metabolism in a family with a glucokinase gene mutation and dysglycemia. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109779.	2.8	1
5	Nudix hydrolase NUDT19 regulates mitochondrial function and ATP production in murine hepatocytes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2022, 1867, 159153.	2.4	4
6	Adaptation of Oxidative Phosphorylation Machinery Compensates for Hepatic Lipotoxicity in Early Stages of MAFLD. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6873.	4.1	4
7	Association of cardiac autonomic dysfunction with higher levels of plasma lipid metabolites in recent-onset type 2 diabetes. <i>Diabetologia</i> , 2021, 64, 458-468.	6.3	20
8	Preparation of "Functional" Mitochondria: A Challenging Business. <i>Methods in Molecular Biology</i> , 2021, 2276, 31-39.	0.9	2
9	Isolation and Quality Control of Functional Mitochondria. <i>Methods in Molecular Biology</i> , 2021, 2276, 41-55.	0.9	3
10	NDUFB6 Polymorphism Is Associated With Physical Activity-Mediated Metabolic Changes in Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2021, 12, 693683.	3.5	5
11	Investigating the Adipose Tissue Secretome: A Protocol to Generate High-Quality Samples Appropriate for Comprehensive Proteomic Profiling. <i>Methods in Molecular Biology</i> , 2021, 2261, 421-431.	0.9	1
12	Development of the Metabolic Syndrome: Study Design and Baseline Data of the Lufthansa Prevention Study (LUPS), A Prospective Observational Cohort Survey. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2020, 128, 777-787.	1.2	2
13	Lipodystrophies "Disorders of the Fatty Tissue. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8778.	4.1	18
14	Histone deacetylase 5 regulates interleukin 6 secretion and insulin action in skeletal muscle. <i>Molecular Metabolism</i> , 2020, 42, 101062.	6.5	15
15	The RabGAPs TBC1D1 and TBC1D4 Control Uptake of Long-Chain Fatty Acids Into Skeletal Muscle via Fatty Acid Transporter SLC27A4/FATP4. <i>Diabetes</i> , 2020, 69, 2281-2293.	0.6	15
16	Physiological Disturbance in Fatty Liver Energy Metabolism Converges on IGFBP2 Abundance and Regulation in Mice and Men. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4144.	4.1	22
17	Role of Patatin-Like Phospholipase Domain-Containing 3 Gene for Hepatic Lipid Content and Insulin Resistance in Diabetes. <i>Diabetes Care</i> , 2020, 43, 2161-2168.	8.6	45
18	Rhein, a novel Histone Deacetylase (HDAC) inhibitor with antifibrotic potency in human myocardial fibrosis. <i>Scientific Reports</i> , 2020, 10, 4888.	3.3	22

#	ARTICLE	IF	CITATIONS
19	Identification of the Secreted Proteins Originated from Primary Human Hepatocytes and HepG2 Cells. <i>Nutrients</i> , 2019, 11, 1795.	4.1	26
20	Risk of diabetes-associated diseases in subgroups of patients with recent-onset diabetes: a 5-year follow-up study. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 684-694.	11.4	364
21	The adipokine sFRP4 induces insulin resistance and lipogenesis in the liver. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 2671-2684.	3.8	28
22	Fatty Liver Due to Increased de novo Lipogenesis: Alterations in the Hepatic Peroxisomal Proteome. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 248.	3.7	23
23	Correlates of Insulin-Stimulated Glucose Disposal in Recent-Onset Type 1 and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2295-2304.	3.6	6
24	Adipokinome Signatures in Obese Mouse Models Reflect Adipose Tissue Health and Are Associated with Serum Lipid Composition. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2559.	4.1	17
25	A variant of the glucose transporter gene SLC2A2 modifies the glycaemic response to metformin therapy in recently diagnosed type 2 diabetes. <i>Diabetologia</i> , 2019, 62, 286-291.	6.3	24
26	Exosomal proteins constitute an essential part of the human adipose tissue secretome. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 140172.	2.3	75
27	CDH13 abundance interferes with adipocyte differentiation and is a novel biomarker for adipose tissue health. <i>International Journal of Obesity</i> , 2018, 42, 1039-1050.	3.4	15
28	Alteration of Liver Peroxisomal and Mitochondrial Functionality in the NZO Mouse Model of Metabolic Syndrome. <i>Proteomics - Clinical Applications</i> , 2018, 12, 1700028.	1.6	25
29	Insulin Resistance and Vulnerability to Cardiac Ischemia. <i>Diabetes</i> , 2018, 67, 2695-2702.	0.6	31
30	Reduced expression of stearoyl-CoA desaturase-1, but not free fatty acid receptor 2 or 4 in subcutaneous adipose tissue of patients with newly diagnosed type 2 diabetes mellitus. <i>Nutrition and Diabetes</i> , 2018, 8, 49.	3.2	13
31	Two Novel Candidate Genes for Insulin Secretion Identified by Comparative Genomics of Multiple Backcross Mouse Populations. <i>Genetics</i> , 2018, 210, 1527-1542.	2.9	17
32	Inactivation of SREBP-1a Phosphorylation Prevents Fatty Liver Disease in Mice: Identification of Related Signaling Pathways by Gene Expression Profiles in Liver and Proteomes of Peroxisomes. <i>International Journal of Molecular Sciences</i> , 2018, 19, 980.	4.1	30
33	Impact of insulin sensitivity, beta-cell function and glycaemic control on initiation of second-line glucose-lowering treatment in newly diagnosed type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 866-873.	4.4	3
34	Mechanisms of Insulin Resistance in Primary and Secondary Nonalcoholic Fatty Liver. <i>Diabetes</i> , 2017, 66, 2241-2253.	0.6	124
35	Differential Patterns of Impaired Cardiorespiratory Fitness and Cardiac Autonomic Dysfunction in Recently Diagnosed Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2017, 40, 246-252.	8.6	26
36	Association between copy-number variation on metabolic phenotypes and HDL-C levels in patients with polycystic ovary syndrome. <i>Molecular Biology Reports</i> , 2017, 44, 51-61.	2.3	3

#	ARTICLE	IF	CITATIONS
37	Circulating adiponectin concentration is inversely associated with glucose tolerance and insulin secretion in people with newly diagnosed diabetes. <i>Diabetic Medicine</i> , 2017, 34, 239-244.	2.3	7
38	Association of transketolase polymorphisms with measures of polyneuropathy in patients with recently diagnosed diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2811.	4.0	22
39	Novel Insights into the Adipokinome of Obese and Obese/Diabetic Mouse Models. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1928.	4.1	17
40	Metabolic flexibility and oxidative capacity independently associate with insulin sensitivity in individuals with newly diagnosed type 2 diabetes. <i>Diabetologia</i> , 2016, 59, 2203-2207.	6.3	25
41	Variants in Genes Controlling Oxidative Metabolism Contribute to Lower Hepatic ATP Independent of Liver Fat Content in Type 1 Diabetes. <i>Diabetes</i> , 2016, 65, 1849-1857.	0.6	21
42	Associations between explorative dietary patterns and serum lipid levels and their interactions with ApoA5 and ApoE haplotype in patients with recently diagnosed type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 138.	6.8	18
43	Untargeted mass spectrometric approach in metabolic healthy offspring of patients with type 2 diabetes reveals medium-chain acylcarnitine as potential biomarker for lipid induced glucose intolerance (LGIT). <i>Archives of Physiology and Biochemistry</i> , 2016, 122, 266-280.	2.1	2
44	Divergent phenotypes in siblings with identical novel mutations in the HNF-1 $\beta$ gene leading to maturity onset diabetes of the young type 3. <i>BMC Medical Genetics</i> , 2016, 17, 36.	2.1	4
45	Specific Metabolic Profiles and Their Relationship to Insulin Resistance in Recent-Onset Type 1 and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2130-2140.	3.6	64
46	Preparation of "Functional" Mitochondria: A Challenging Business. <i>Methods in Molecular Biology</i> , 2015, 1264, 1-8.	0.9	4
47	Peroxisomes compensate hepatic lipid overflow in mice with fatty liver. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 965-976.	2.4	43
48	Isolation and Quality Control of Functional Mitochondria. <i>Methods in Molecular Biology</i> , 2015, 1264, 9-23.	0.9	8
49	Investigating the Adipose Tissue Secretome: A Protocol to Generate High-Quality Samples Appropriate for Comprehensive Proteomic Profiling. <i>Methods in Molecular Biology</i> , 2015, 1295, 43-53.	0.9	4
50	Phosphorylation of sterol regulatory element-binding protein (SREBP)-1c by p38 kinases, ERK and JNK influences lipid metabolism and the secretome of human liver cell line HepG2. <i>Archives of Physiology and Biochemistry</i> , 2014, 120, 216-227.	2.1	38
51	Secretome profiling of primary human skeletal muscle cells. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 1011-1017.	2.3	138
52	Endogenous galactose formation in galactose-1-phosphate uridylyltransferase deficiency. <i>Archives of Physiology and Biochemistry</i> , 2014, 120, 228-239.	2.1	17
53	Identification of novel adipokines differential regulated in C57BL/Ks and C57BL/6. <i>Archives of Physiology and Biochemistry</i> , 2014, 120, 208-215.	2.1	5
54	Tissue-Specific Differences in the Development of Insulin Resistance in a Mouse Model for Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 3856-3867.	0.6	51

#	ARTICLE	IF	CITATIONS
55	A mutation in the c-Fos gene associated with congenital generalized lipodystrophy. Orphanet Journal of Rare Diseases, 2013, 8, 119.	2.7	32
56	2D-ToGo workflow: increasing feasibility and reproducibility of 2-dimensional gel electrophoresis. Archives of Physiology and Biochemistry, 2013, 119, 108-113.	2.1	7
57	Indirect calorimetry in humans: a postcalorimetric evaluation procedure for correction of metabolic monitor variability. American Journal of Clinical Nutrition, 2013, 97, 763-773.	4.7	63
58	So close and yet so far: mitochondria and peroxisomes are one but with specific talents. Archives of Physiology and Biochemistry, 2013, 119, 126-135.	2.1	21
59	Genetic variants in central metabolic genes influence some but not all relations of inflammatory markers in a collective with polycystic ovary syndrome. Archives of Physiology and Biochemistry, 2012, 118, 219-229.	2.1	4
60	Genetic variations in SREBP-1 and LXRI± are not directly associated to PCOS but contribute to the physiological specifics of the syndrome. Molecular Biology Reports, 2012, 39, 6835-6842.	2.3	10
61	Liver-Specific Expression of Transcriptionally Active SREBP-1c Is Associated with Fatty Liver and Increased Visceral Fat Mass. PLoS ONE, 2012, 7, e31812.	2.5	141
62	Preventing Phosphorylation of Sterol Regulatory Element-Binding Protein 1a by MAP-Kinases Protects Mice from Fatty Liver and Visceral Obesity. PLoS ONE, 2012, 7, e32609.	2.5	42
63	Identification of a gene variant in the master regulator of lipid metabolism SREBP-1 in a family with a novel form of severe combined hypolipidemia. Atherosclerosis, 2011, 218, 134-143.	0.8	29
64	Phosphorylation of sterol regulatory element-binding protein (SREBP)-1a links growth hormone action to lipid metabolism in hepatocytes. Atherosclerosis, 2010, 213, 156-165.	0.8	36
65	Enhancing mass spectrometry based serum profiling by a combination of free flow electrophoresis and ClinProt<sup>â„¢</sup>. Archives of Physiology and Biochemistry, 2009, 115, 259-266.	2.1	8
66	A critical comparison between two classical and a kitâ€based method for mitochondria isolation. Proteomics, 2009, 9, 3209-3214.	2.2	46
67	Combinatorial hexapeptide ligand libraries (ProteoMiner<sup>â„¢</sup>): An innovative fractionation tool for differential quantitative clinical proteomics. Archives of Physiology and Biochemistry, 2009, 115, 155-160.	2.1	60
68	Peroxisome proliferator-activated receptor-?? Pro12Ala and endothelial nitric oxide synthase-4a/b gene polymorphisms are not associated with hypertension in diabetes mellitus type 2. Journal of Hypertension, 2005, 23, 301-308.	0.5	24
69	The peroxisome proliferator activated receptor gamma Pro12Ala polymorphism is associated with a lower hirsutism score and increased insulin sensitivity in women with polycystic ovary syndrome. Clinical Endocrinology, 2005, 62, 573-579.	2.4	68
70	Effect of Sterol Regulatory Element Binding Protein-1a on the Mitochondrial Protein Pattern in Human Liver Cells Detected by 2D-DIGE. Biochemistry, 2005, 44, 5117-5128.	2.5	28
71	Sterol regulatory element-binding protein (SREBP)-1: gene regulatory target for insulin resistance?. Expert Opinion on Therapeutic Targets, 2004, 8, 141-149.	3.4	33
72	Insulin-activated Erk-mitogen-activated Protein Kinases Phosphorylate Sterol Regulatory Element-binding Protein-2 at Serine Residues 432 and 455 in Vivo. Journal of Biological Chemistry, 2004, 279, 22404-22411.	3.4	99

#	ARTICLE	IF	CITATIONS
73	Identification of Major ERK-Related Phosphorylation Sites in Gab1. <i>Biochemistry</i> , 2004, 43, 12133-12140.	2.5	52
74	Association between the PPAR $\alpha$ L162V polymorphism, plasma lipoprotein levels, and atherosclerotic disease in patients with diabetes mellitus type 2 and in nondiabetic controls. <i>American Heart Journal</i> , 2004, 147, 1117-1124.	2.7	34
75	Estrogen receptor $\alpha$ and Sp1 interact in the induction of the low density lipoprotein-receptor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003, 86, 113-121.	2.5	41
76	Primary skin fibroblasts as human model system for proteome analysis. <i>Proteomics</i> , 2002, 2, 280.	2.2	11
77	SREBP $\alpha$ : Gene Regulatory Key to Syndrome X?. <i>Annals of the New York Academy of Sciences</i> , 2002, 967, 19-27.	3.8	30
78	Sterol-regulatory element binding proteins (SREBPs): gene-regulatory target of statin action. , 2002, , 35-54.		2
79	MAP Kinases Erk1/2 Phosphorylate Sterol Regulatory Element-binding Protein (SREBP)-1a at Serine 117 in Vitro. <i>Journal of Biological Chemistry</i> , 2000, 275, 33302-33307.	3.4	139
80	Characterization of a Postreceptor Signaling Defect That Impairs cfos Expression in Cultured Fibroblasts of a Patient with Insulin Resistance. <i>Biochemical and Biophysical Research Communications</i> , 2000, 268, 577-582.	2.1	4
81	Identification of Major Tyrosine Phosphorylation Sites in the Human Insulin Receptor Substrate Gab-1 by Insulin Receptor Kinase in Vitro. <i>Biochemistry</i> , 2000, 39, 10898-10907.	2.5	56
82	Identification of Tyrosine Phosphorylation Sites in Human Gab-1 Protein by EGF Receptor Kinase in Vitro. <i>Biochemistry</i> , 1999, 38, 151-159.	2.5	52
83	ADD1/SREBP-1c Mediates Insulin-Induced Gene Expression Linked to the MAP Kinase Pathway. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 375-379.	2.1	73
84	SREBP-1 Mediates Activation of the Low Density Lipoprotein Receptor Promoter by Insulin and Insulin-like Growth Factor-I. <i>Journal of Biological Chemistry</i> , 1996, 271, 7128-7133.	3.4	137