
Vasco Menconi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7744147/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	First insights into plastic and microplastic occurrence in biotic and abiotic compartments, and snow from a high-mountain lake (Carnic Alps). Chemosphere, 2021, 265, 129121.	8.2	78
2	Use of the Zebra Mussel Dreissena polymorpha (Mollusca, Bivalvia) as a Bioindicator of Microplastics Pollution in Freshwater Ecosystems: A Case Study from Lake Iseo (North Italy). Water (Switzerland), 2021, 13, 434.	2.7	26
3	Prevalence of Diphyllobothrium latum (Cestoda: Diphyllobothriidae) plerocercoids in fish species from four Italian lakes and risk for the consumers. International Journal of Food Microbiology, 2016, 235, 109-112.	4.7	25
4	The Old and the New on Viral Diseases in Sturgeon. Pathogens, 2020, 9, 146.	2.8	21
5	Oxidative stress ecology in brook trout (Salvelinus fontinalis) from a high-mountain lake (Cottian) Tj ETQq1 1 0.7	84314 rgE 8.0	3T_/Overlock
6	First Occurrence of Eustrongylides spp. (Nematoda: Dioctophymatidae) in a Subalpine Lake in Northwest Italy: New Data on Distribution and Host Range. International Journal of Environmental Research and Public Health, 2020, 17, 4171.	2.6	16
7	Mycobacterium pseudoshottsii in Mediterranean Fish Farms: New Trouble for European Aquaculture?. Pathogens, 2020, 9, 610.	2.8	15
8	A Summer Mortality Outbreak of Lactococcosis by Lactococcus garvieae in a Raceway System Affecting Farmed Rainbow Trout (Oncorhynchus mykiss) and Brook Trout (Salvelinus fontinalis). Animals, 2019, 9, 1043.	2.3	14
9	First Report of Clinostomum complanatum (Trematoda: Digenea) in European Perch (Perca fluviatilis) from an Italian Subalpine Lake: A Risk for Public Health?. International Journal of Environmental Research and Public Health, 2020, 17, 1389.	2.6	14
10	Two New Sturgeon Species are Susceptible to Acipenser Iridovirus European (AcIV-E) Infection. Pathogens, 2020, 9, 156.	2.8	13
11	Gene Sequencing and Phylogenetic Analysis: Powerful Tools for an Improved Diagnosis of Fish Mycobacteriosis Caused by Mycobacterium fortuitum Group Members. Microorganisms, 2021, 9, 797.	3.6	13
12	Assessment of Biological and Sanitary Condition of Alien Fish from a High-Mountain Lake (Cottian) Tj ETQq0 0 0	rgBT/Over	lock 10 Tf 5
13	Health Risk Assessment of Potentially Toxic Elements, Persistence of NDL-PCB, PAHs, and Microplastics in the Translocated Edible Freshwater Sinotaia quadrata (Gasteropoda, Viviparidae): A Case Study from the Arno River Basin (Central Italy). Exposure and Health, 2021, 13, 583-596.	4.9	12
14	Hepatic Steatosis in a Bullhead (Cottus gobio) Population from a High-Mountain Lake (Carnic Alps): Adaptation to an Extreme Ecosystem?. Water (Switzerland), 2019, 11, 2570.	2.7	12
15	The unusual isolation of carnobacteria in eyes of healthy salmonids in high-mountain lakes. Scientific Reports, 2021, 11, 2314.	3.3	8

14	Hepatic Steatosis in a Bullhead (Cottus gobio) Population from a High-Mountain Lake (Carnic Alps): Adaptation to an Extreme Ecosystem?. Water (Switzerland), 2019, 11, 2570.	2.7	12
15	The unusual isolation of carnobacteria in eyes of healthy salmonids in high-mountain lakes. Scientific Reports, 2021, 11, 2314.	3.3	8
16	Could Fish Feeding Behaviour and Size Explain Prevalence Differences of the Nematode Eustrongylides excisus among Species? The Case Study of Lake Garda. Water (Switzerland), 2021, 13, 3581.	2.7	7
17	Occurrence and Spatial Distribution of Dibothriocephalus Latus (Cestoda: Diphyllobothriidea) in Lake Iseo (Northern Italy): An Update. International Journal of Environmental Research and Public Health, 2020, 17, 5070.	2.6	6
18	Investigation of Potential Reservoirs of Non-Tuberculous Mycobacteria in a European Sea Bass (Dicentrarchus labrax) Farm. Pathogens, 2021, 10, 1014.	2.8	6

VASCO MENCONI

#	Article	IF	CITATIONS
19	The role of live fish trade in the translocation of parasites: the case of Cystidicola farionis in farmed rainbow trout (Oncorhynchus mykiss). Aquaculture International, 2019, 27, 1667-1671.	2.2	5
20	Episode of mortality associated with isolation of <i>Streptococcus iniae</i> in Adriatic sturgeon (<i>Acipenser naccarii</i> Bonaparte, 1836) reared in Northern Italy. Journal of Fish Diseases, 2022, 45, 939-942.	1.9	5
21	Liver Lipid Accumulation in European Bullhead (Cottus cobio) from a High-Mountain Lake: An Adaptive Strategy to Survive the Adverse Winter Season. Diversity, 2020, 12, 442.	1.7	4
22	The Isolation of Vibrio crassostreae and V. cyclitrophicus in Lesser-Spotted Dogfish (Scyliorhinus) Tj ETQq0 0 0 rg 114.	BT /Overlo 2.6	ck 10 Tf 50 4
23	Occurrence of ascaridoid nematodes in Illex coindetii, a commercially relevant cephalopod species from the Ligurian Sea (Northwest Mediterranean Sea). Food Control, 2020, 116, 107311.	5.5	3
24	Northward Spread of the Parrotfish Sparisoma cretense (Teleostei: Scaridae) in the Mediterranean Sea: An Update on Current Distribution with Two New Records from Sardinia. Journal of Marine Science and Engineering, 2021, 9, 536.	2.6	3
25	Relationship between the prevalence of <i>Dibothriocephalus latus</i> (Cestoda: Diphyllobothriidea) and the load of <i>Escherichia coli</i> : New findings in a neglected fishâ€borne parasitic zoonosis. Zoonoses and Public Health, 2021, 68, 965-972.	2.2	3
26	Unusual Localization of Pennella Sp. in Swordfish (Xiphias gladius) Hearts. Animals, 2021, 11, 1757.	2.3	2
27	Reply to Pavlik et al. Clinical Relevance and Environmental Prevalence of Mycobacterium fortuitum Group Members. Comment on "Mugetti et al. Gene Sequencing and Phylogenetic Analysis: Powerful Tools for an Improved Diagnosis of Fish Mycobacteriosis Caused by Mycobacterium fortuitum Group Members. Microorganisms 2021, 9, 797†Microorganisms, 2022, 10, 55.	3.6	1