

# Hubert Marotte

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7744733/hubert-marotte-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

2,716  
citations

31  
h-index

49  
g-index

145  
ext. papers

3,196  
ext. citations

4.5  
avg, IF

5  
L-index

#	Paper	IF	Citations
126	YAP Transcriptional Activity Dictates Cell Response to TNF .. <i>Frontiers in Immunology</i> , <b>2022</b> , 13, 856247	8.4	1
125	Improvement of Pain Management by Nefopam in a Rat Adjuvant-Induced Arthritis Model.. <i>Frontiers in Veterinary Science</i> , <b>2022</b> , 9, 809980	3.1	0
124	An update on the adalimumab biosimilar landscape following the approval of the first high-concentration biosimilar. <i>Immunotherapy</i> , <b>2021</b> ,	3.8	1
123	Changes in Etanercept and Adalimumab Biosimilar Prescriptions for the Initial Treatment of Rheumatoid Arthritis in France: Data from the ART-SFR Registry. <i>Joint Bone Spine</i> , <b>2021</b> , 89, 105310	2.9	0
122	Dorsal Defect of the Patella: An Efficient, Safe, and Minimally Invasive Treatment with Percutaneous Sclerotherapy Using Radiopaque Gelified Ethanol. <i>Journal of Vascular and Interventional Radiology</i> , <b>2021</b> ,	2.4	
121	Distal phalangeal bone erosions observed by HR-pQCT in patients with psoriatic onycholysis. <i>Rheumatology</i> , <b>2021</b> , 60, 1176-1184	3.9	1
120	Reliability and Change in Erosion Measurements by High-resolution Peripheral Quantitative Computed Tomography in a Longitudinal Dataset of Rheumatoid Arthritis Patients. <i>Journal of Rheumatology</i> , <b>2021</b> , 48, 348-351	4.1	1
119	Immunomodulation with IL-17 and TNF- $\alpha$ in spondyloarthritis: focus on the eye and the central nervous system. <i>Therapeutic Advances in Musculoskeletal Disease</i> , <b>2021</b> , 13, 1759720X211025894	3.8	1
118	The Non-Haemostatic Response of Platelets to Stress: An Actor of the Inflammatory Environment on Regenerative Medicine?. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 741988	8.4	1
117	Rheumatoid arthritis and depression. <i>Joint Bone Spine</i> , <b>2021</b> , 88, 105200	2.9	4
116	Efficacy and safety of rituximab in peripheral ulcerative keratitis associated with rheumatoid arthritis. <i>RMD Open</i> , <b>2021</b> , 7,	5.9	2
115	YAP/TAZ: Key Players for Rheumatoid Arthritis Severity by Driving Fibroblast Like Synoviocytes Phenotype and Fibro-Inflammatory Response.. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 791907	8.4	5
114	Response to: 'Alcohol is not the missing link between related periodontitis and radiologic progression in early Rheumatoid arthritis' by Hillion. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, e108	2.4	3
113	Consensus approach for 3D joint space width of metacarpophalangeal joints of rheumatoid arthritis patients using high-resolution peripheral quantitative computed tomography. <i>Quantitative Imaging in Medicine and Surgery</i> , <b>2020</b> , 10, 314-325	3.6	12
112	Exposure-Response Relationship of Certolizumab Pegol and Achievement of Low Disease Activity and Remission in Patients With Rheumatoid Arthritis. <i>Clinical and Translational Science</i> , <b>2020</b> , 13, 743-754	4.9	2
111	Non-surgical periodontal disease to treat rheumatoid arthritis after selection of the right patients. <i>Rheumatology</i> , <b>2020</b> , 59, 928-929	3.9	1
110	Tocilizumab in symptomatic calcium pyrophosphate deposition disease: a pilot study. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 1126-1128	2.4	6

109	Arthrite associée au syndrome cardio-facio-cutané liée à une mutation de MAP2K1. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2020</b> , 87, 403	0.1	
108	Tapering without relapse in rheumatoid arthritis patients with high TNF blocker concentrations: data from STRASS study. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, e81	2.4	5
107	Arthritis associated to cardio-facio-cutaneous syndrome related to a MAP2K1 mutation. <i>Joint Bone Spine</i> , <b>2020</b> , 87, 169	2.9	1
106	Implication of IL-17 in Bone Loss and Structural Damage in Inflammatory Rheumatic Diseases. <i>Mediators of Inflammation</i> , <b>2019</b> , 2019, 8659302	4.3	14
105	experimentally induces periodontitis and an anti-CCP2-associated arthritis in the rat. <i>Annals of the Rheumatic Diseases</i> , <b>2019</b> , 78, 594-599	2.4	38
104	Determining the Right Time for the Right Treatment-Application to Preclinical Rheumatoid Arthritis. <i>JAMA Network Open</i> , <b>2019</b> , 2, e195358	10.4	3
103	Infliximab Induced a Dissociated Response of Severe Periodontal Biomarkers in Rheumatoid Arthritis Patients. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	11
102	Osteoclast-Derived Autotaxin, a Distinguishing Factor for Inflammatory Bone Loss. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 1801-1811	9.5	7
101	La persistance d'une inflammation articulaire locale infra-clinique est associée à une altération de la microarchitecture osseuse des têtes métacarpiennes au cours de la polyarthrite rhumatoïde en faible activité. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2019</b> , 86, 301-304	0.1	
100	How to Get the Most from Methotrexate (MTX) Treatment for Your Rheumatoid Arthritis Patient?-MTX in the Treat-to-Target Strategy. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	34
99	Modic type 2 MRI dans la lombalgie chronique : un aller-retour du type 2 vers le type 1. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2019</b> , 86, 402-404	0.1	
98	Cutaneous Mycobacterium chelonae infection in a patient with rheumatoid arthritis treated with glucocorticoids. <i>Joint Bone Spine</i> , <b>2019</b> , 86, 105	2.9	1
97	Prealbumin, platelet factor 4 and S100A12 combination at baseline predicts good response to TNF alpha inhibitors in rheumatoid arthritis. <i>Joint Bone Spine</i> , <b>2019</b> , 86, 195-201	2.9	10
96	Infection cutanée à Mycobacterium chelonae chez un patient atteint de polyarthrite rhumatoïde sous glucocorticoïdes. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2019</b> , 86, 524	0.1	
95	Platelet Inflammatory Response to Stress. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 1478	8.4	42
94	Methotrexate Restores CD73 Expression on Th1.17 in Rheumatoid Arthritis and Psoriatic Arthritis Patients and May Contribute to Its Anti-Inflammatory Effect through Ado Production. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	4
93	Calcium Pyrophosphate Deposition Disease Arthropathy-Related Sciatica. <i>Arthritis and Rheumatology</i> , <b>2019</b> , 71, 2099	9.5	0
92	A single nucleotide polymorphism of IL6-receptor is associated with response to tocilizumab in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , <b>2019</b> , 19, 368-374	3.5	9

91	Sources de variation et reproductibilit� de la mesure des fusions de la polyarthrite rhumato�de par HRpQCT. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2019</b> , 86, 170-177	0.1	
90	A 3-year back and forth between Modic type 1 and 2 on MRI in chronic low back pain. <i>Joint Bone Spine</i> , <b>2019</b> , 86, 109-110	2.9	
89	Compression m�dullaire secondaire � une pseudotumeur retro-odonto�de induite par des d�p�ts de cristaux de pyrophosphate de calcium prouv� histologiquement. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2019</b> , 86, 106-107	0.1	
88	Early sclerostin expression explains bone formation inhibition before arthritis onset in the rat adjuvant-induced arthritis model. <i>Scientific Reports</i> , <b>2018</b> , 8, 3492	4.9	13
87	Polyarthrite rhumato�de trait�e par tocilizumab chez deux patients souffrant d'h�patopathie chronique compliqu�e d'hypertension portale. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2018</b> , 85, 294-296 <sup>0.1</sup>		
86	Remaining local subclinical joint inflammation is associated with deteriorated metacarpal head bone microarchitecture in rheumatoid arthritis patients low disease activity. <i>Joint Bone Spine</i> , <b>2018</b> , 85, 569-572	2.9	5
85	Precision and sources of variability in the assessment of rheumatoid arthritis erosions by HRpQCT. <i>Joint Bone Spine</i> , <b>2018</b> , 85, 211-217	2.9	8
84	Evaluation of bone quality with trabecular bone score in active spondyloarthritis. <i>Joint Bone Spine</i> , <b>2018</b> , 85, 727-731	2.9	17
83	Forte pr�valence de dficence parmi les femmes ost�oporotiques. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2018</b> , 85, 266-269	0.1	
82	Retro-odontoid pseudo-tumor due to calcium pyrophosphate crystal deposits with spinal cord compression and histopathological confirmation. <i>Joint Bone Spine</i> , <b>2018</b> , 85, 497-498	2.9	2
81	Rheumatoid arthritis treated with tocilizumab in two patients with complicated chronic liver disease with portal hypertension. <i>Joint Bone Spine</i> , <b>2018</b> , 85, 115-117	2.9	2
80	Contrairement au tocilizumab, l'etanercept augmente lg�ement l'agr�gation plaquettaire exp�rimentale induite par la thrombine chez les sujets sains. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2018</b> , 85, 514-516	0.1	
79	New-onset vitiligo and progression of pre-existing vitiligo during treatment with biological agents in chronic inflammatory diseases. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 181-186	4.6	38
78	Azathioprine dose reduction in inflammatory bowel disease patients on combination therapy: an open-label, prospective and randomised clinical trial. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2017</b> , 46, 142-149	6.1	79
77	Protective effect of low dose intra-articular cadmium on inflammation and joint destruction in arthritis. <i>Scientific Reports</i> , <b>2017</b> , 7, 2415	4.9	19
76	Tumor Necrosis Factor Alpha Overexpression Induces Mainly Osteoclastogenesis at the Vertebral Site. <i>Calcified Tissue International</i> , <b>2017</b> , 100, 575-584	3.9	2
75	Methotrexate Reduced TNF Bioactivity in Rheumatoid Arthritis Patients Treated with Infliximab. <i>Mediators of Inflammation</i> , <b>2017</b> , 2017, 3708250	4.3	5
74	PUMA gene delivery to synoviocytes reduces inflammation and degeneration of arthritic joints. <i>Nature Communications</i> , <b>2017</b> , 8, 146	17.4	18

73	Évaluer les lésions structurales de la PR : radiographie standard, échographie et IRM. <i>Revue Du Rhumatisme Monographies</i> , <b>2017</b> , 84, 369-375	0	1
72	Early Subchondral Bone Loss at Arthritis Onset Predicted Late Arthritis Severity in a Rat Arthritis Model. <i>Journal of Cellular Physiology</i> , <b>2017</b> , 232, 1318-1325	7	10
71	High prevalence of dementia in women with osteoporosis. <i>Joint Bone Spine</i> , <b>2017</b> , 84, 611-614	2.9	23
70	Unlike tocilizumab, etanercept slightly increases experimental thrombin-induced aggregation in healthy individuals. <i>Joint Bone Spine</i> , <b>2017</b> , 84, 373-375	2.9	3
69	Non-TNF-Targeted Biologic vs a Second Anti-TNF Drug to Treat Rheumatoid Arthritis in Patients With Insufficient Response to a First Anti-TNF Drug: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2016</b> , 316, 1172-1180	27.4	129
68	Dermatose neutrophile du dos des mains et myélome multiple. <i>Revue Du Rhumatisme (Edition Française)</i> , <b>2016</b> , 83, 152	0.1	
67	Tooth-brushing: An impact on rheumatoid arthritis. <i>Joint Bone Spine</i> , <b>2016</b> , 83, 619-621	2.9	10
66	Variations in the metabolome in response to disease activity of rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , <b>2016</b> , 17, 353	2.8	19
65	Amélioration des lombalgies discogéniques Modic I par injection intradiscale de corticoïdes. <i>Revue Du Rhumatisme (Edition Française)</i> , <b>2016</b> , 83, A157-A158	0.1	
64	Neutrophil dermatosis of the dorsal hands with multiple myeloma. <i>Joint Bone Spine</i> , <b>2016</b> , 83, 227	2.9	2
63	Definition for Rheumatoid Arthritis Erosions Imaged with High Resolution Peripheral Quantitative Computed Tomography and Interreader Reliability for Detection and Measurement. <i>Journal of Rheumatology</i> , <b>2016</b> , 43, 1935-1940	4.1	46
62	3D ultrasound compared to magnetic resonance imaging and 2D ultrasound in assessing rheumatoid arthritis activity: A 6-month pilot study. <i>Joint Bone Spine</i> , <b>2015</b> , 82, 212-3	2.9	3
61	Combination of C-reactive protein, infliximab trough levels, and stable but not transient antibodies to infliximab are associated with loss of response to infliximab in inflammatory bowel disease. <i>Journal of Crohns and Colitis</i> , <b>2015</b> , 9, 525-31	1.5	65
60	Response to tocilizumab in rheumatoid arthritis is not influenced by the body mass index of the patient. <i>Journal of Rheumatology</i> , <b>2015</b> , 42, 580-4	4.1	42
59	Folate Receptor-Targeted Dendrimer-Methotrexate Conjugate for Inflammatory Arthritis. <i>Journal of Biomedical Nanotechnology</i> , <b>2015</b> , 11, 1431-41	4	50
58	Severe hypocalcemia due to lenalidomide. <i>Joint Bone Spine</i> , <b>2015</b> , 82, 380-1	2.9	1
57	Erosion or vascular channel?. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 2956	9.5	11
56	The antibody response against human and chimeric anti-TNF therapeutic antibodies primarily targets the TNF binding region. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e40	2.4	2

55	Spectacular improvement in vitamin D status in elderly osteoporotic women: 8-year analysis of an osteoporotic population treated in a dedicated fracture liaison service. <i>Osteoporosis International</i> , <b>2015</b> , 26, 2869-75	5.3	7
54	Impact of genetic predisposition of de novo uveitis with etanercept in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e22	2.4	2
53	Efficacy and safety of tocilizumab in elderly patients with rheumatoid arthritis. <i>Joint Bone Spine</i> , <b>2015</b> , 82, 25-30	2.9	39
52	Predictors of response and remission in a large cohort of rheumatoid arthritis patients treated with tocilizumab in clinical practice. <i>Rheumatology</i> , <b>2014</b> , 53, 76-84	3.9	69
51	Association between pharmacokinetics of adalimumab and mucosal healing in patients with inflammatory bowel diseases. <i>Clinical Gastroenterology and Hepatology</i> , <b>2014</b> , 12, 80-84.e2	6.9	215
50	Could biomarkers of bone, cartilage or synovium turnover be used for relapse prediction in rheumatoid arthritis patients?. <i>Mediators of Inflammation</i> , <b>2014</b> , 2014, 537324	4.3	15
49	Blocking the janus-activated kinase pathway reduces tumor necrosis factor alpha-induced interleukin-18 bioactivity by caspase-1 inhibition. <i>Arthritis Research and Therapy</i> , <b>2014</b> , 16, R102	5.7	1
48	Bortezomib induced a phrenic palsy in a multiple myeloma patient. <i>Annals of Hematology</i> , <b>2013</b> , 92, 1135-6		2
47	A novel role for inducible Fut2 in angiogenesis. <i>Angiogenesis</i> , <b>2013</b> , 16, 195-205	10.6	12
46	Therapeutic drug monitoring of infliximab and mucosal healing in inflammatory bowel disease: a prospective study. <i>Inflammatory Bowel Diseases</i> , <b>2013</b> , 19, 2568-76	4.5	170
45	AB0084 Novel regulation of TNF-induced-IL-18 bioactivity in rheumatoid arthritis synovial fibroblasts by reducing caspase-1 via JAK2 inhibition. <i>Annals of the Rheumatic Diseases</i> , <b>2013</b> , 71, 642.10-642		24
44	Assessment of hand trabecular bone texture with high resolution direct digital radiograph in rheumatoid arthritis: a case control study. <i>Joint Bone Spine</i> , <b>2012</b> , 79, 379-83	2.9	14
43	Évaluation de la texture de l'os trabéculaire par radiographie numérique à haute résolution dans la polyarthrite rhumatoïde : une étude cas-témoin. <i>Revue Du Rhumatisme (Edition Française)</i> , <b>2012</b> , 79, 346-350		0.1
42	Meta-analysis identified the TNFA -308G > A promoter polymorphism as a risk factor for disease severity in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2012</b> , 14, R264	5.7	18
41	Novel regulation of TNF-induced-IL-18 bioactivity in rheumatoid arthritis synovial fibroblasts by reducing caspase-1 Via JAK2 inhibition. <i>Annals of the Rheumatic Diseases</i> , <b>2012</b> , 71, A9.2-A10	2.4	
40	Blocking of interferon regulatory factor 1 reduces tumor necrosis factor induced interleukin-18 bioactivity in rheumatoid arthritis synovial fibroblasts by induction of interleukin-18 binding protein a: role of the nuclear interferon regulatory factor 1-NF- $\kappa$ -c-jun complex. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 53, 2273-80		12
39	Administration of IL-18BP by gene therapy reduces inflammation and prevents joint destruction by downregulation of MMP9 in rat AIA: role of MMP9 in bone and joint destruction in arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A71-A72	2.4	
38	Green tea extract inhibits chemokine production, but up-regulates chemokine receptor expression, in rheumatoid arthritis synovial fibroblasts and rat adjuvant-induced arthritis. <i>Rheumatology</i> , <b>2010</b> , 49, 467-79	3.9	44

37	Interleukin 18 induces angiogenesis in vitro and in vivo via Src and Jnk kinases. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 2204-12	2.4	50
36	Assessment of hand bone loss in rheumatoid arthritis by high-resolution peripheral quantitative CT. <i>Annals of the Rheumatic Diseases</i> , <b>2010</b> , 69, 1671-6	2.4	84
35	Rare incidence of methotrexate-specific lesions in liver biopsy of patients with arthritis and elevated liver enzymes. <i>Arthritis Research and Therapy</i> , <b>2010</b> , 12, R143	5.7	34
34	Interleukin-18 as an in vivo mediator of monocyte recruitment in rodent models of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2010</b> , 12, R118	5.7	28
33	Prolidase deficiency: a rare aetiology of arthritis. <i>Joint Bone Spine</i> , <b>2010</b> , 77, 88-9	2.9	9
32	Biomarkers for prediction of TNFalpha blockers response in rheumatoid arthritis. <i>Joint Bone Spine</i> , <b>2010</b> , 77, 297-305	2.9	29
31	Blocking ERK-1/2 reduces tumor necrosis factor alpha-induced interleukin-18 bioactivity in rheumatoid arthritis synovial fibroblasts by induction of interleukin-18 binding protein A. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 722-31		16
30	Expression and function of CXCL16 in a novel model of gout. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 2536-44		11
29	Le déficit en prolidase : une cause rare de polyarthrite. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2010</b> , 77, 111-112	0.1	
28	Biomarqueurs prédictifs de la réponse aux anti-TNF alpha dans la polyarthrite rhumatoïde. <i>Revue Du Rhumatisme (Edition Francaise)</i> , <b>2010</b> , 77, 448-457	0.1	
27	Early occupational therapy programme increases hand grip strength at 3 months: results from a randomised, blind, controlled study in early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 400-3	2.4	25
26	Effects of infliximab therapy on biological markers of synovium activity and cartilage breakdown in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 1197-200	2.4	20
25	Apolipoprotein A-I and platelet factor 4 are biomarkers for infliximab response in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 1328-33	2.4	59
24	Circulating nitrated N-telopeptide of type III collagen (III Nys) as a biochemical marker of oxidative-related synovial tissue metabolism in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 451-2	2.4	6
23	Nitrated type III collagen as a biological marker of nitric oxide-mediated synovial tissue metabolism in osteoarthritis. <i>Osteoarthritis and Cartilage</i> , <b>2009</b> , 17, 1362-7	6.2	11
22	Down-regulation of myeloid cell leukemia 1 by epigallocatechin-3-gallate sensitizes rheumatoid arthritis synovial fibroblasts to tumor necrosis factor alpha-induced apoptosis. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 1282-93		32
21	Increase in human endogenous retrovirus HERV-K (HML-2) viral load in active rheumatoid arthritis. <i>Scandinavian Journal of Immunology</i> , <b>2009</b> , 70, 295-9	3.4	22
20	Epigallocatechin-3-gallate inhibits IL-6 synthesis and suppresses transsignaling by enhancing soluble gp130 production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 14692-7	11.5	103

19	Rituximab-related late-onset neutropenia in a patient with severe rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2008</b> , 67, 893-4	2.4	16
18	Prevention of bone mineral density loss in patients with rheumatoid arthritis treated with anti-TNFalpha therapy. <i>Biologics: Targets and Therapy</i> , <b>2008</b> , 2, 663-9	4.4	19
17	Improvement with rituximab in a patient with both rheumatoid arthritis and myasthenia gravis. <i>Muscle and Nerve</i> , <b>2008</b> , 38, 1343-5	3.4	13
16	Association between the level of circulating bioactive tumor necrosis factor alpha and the tumor necrosis factor alpha gene polymorphism at -308 in patients with rheumatoid arthritis treated with a tumor necrosis factor alpha inhibitor. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 58, 1258-63		49
15	A rapid semi automated method for DNA extraction from dried-blood spots: application to the HLA-DR shared epitope analysis in rheumatoid arthritis. <i>Journal of Immunological Methods</i> , <b>2007</b> , 328, 220-5	2.5	3
14	Will steroidal aromatase inhibitors induce rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 557-8	2.4	24
13	Rheumatoid arthritis and genetic markers in Syrian and French populations: different effect of the shared epitope. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 195-201	2.4	20
12	Etanercept treatment for three months is safe in patients with rheumatological manifestations associated with hepatitis C virus. <i>Rheumatology</i> , <b>2007</b> , 46, 97-9	3.9	56
11	A 1-year case-control study in patients with rheumatoid arthritis indicates prevention of loss of bone mineral density in both responders and nonresponders to infliximab. <i>Arthritis Research and Therapy</i> , <b>2007</b> , 9, R61	5.7	83
10	Overexpression of synoviolin in peripheral blood and synoviocytes from rheumatoid arthritis patients and continued elevation in nonresponders to infliximab treatment. <i>Arthritis and Rheumatism</i> , <b>2006</b> , 54, 2109-18		40
9	The shared epitope is a marker of severity associated with selection for, but not with response to, infliximab in a large rheumatoid arthritis population. <i>Annals of the Rheumatic Diseases</i> , <b>2006</b> , 65, 342-7	2.4	58
8	Extensive multiallelic analysis of the relationship between HLA-DRB1 and rheumatoid arthritis using a Bayesian partition model. <i>Genes and Immunity</i> , <b>2006</b> , 7, 487-93	4.4	1
7	The association between periodontal disease and joint destruction in rheumatoid arthritis extends the link between the HLA-DR shared epitope and severity of bone destruction. <i>Annals of the Rheumatic Diseases</i> , <b>2006</b> , 65, 905-9	2.4	107
6	Circulating tumour necrosis factor-alpha bioactivity in rheumatoid arthritis patients treated with infliximab: link to clinical response. <i>Arthritis Research</i> , <b>2005</b> , 7, R149-55		53
5	Chronic myeloid leukaemia and tuberculosis in a patient with rheumatoid arthritis treated with infliximab. <i>Annals of the Rheumatic Diseases</i> , <b>2005</b> , 64, 509-10	2.4	12
4	Lupus erythematosus with leflunomide: induction or reactivation?. <i>Annals of the Rheumatic Diseases</i> , <b>2005</b> , 64, 153-5	2.4	43
3	Cerebral calcifications in an elderly lupus patient. <i>Annals of the Rheumatic Diseases</i> , <b>2003</b> , 62, 283-4	2.4	4
2	A routine assay for the direct analysis of HLA-DR-related shared epitope and B27 alleles in chronic inflammatory arthritis. <i>Journal of Immunological Methods</i> , <b>2001</b> , 256, 47-53	2.5	8

1 Infliximab-induced aseptic meningitis. *Lancet, The*, **2001**, 358, 1784

40 54