

Maria Helena Santos de Oliveira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7746086/maria-helena-santos-de-oliveira-publications-by-year.pdf>
Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21 papers	1,155 citations	8 h-index	26 g-index
26 ext. papers	1,623 ext. citations	4.3 avg, IF	5.74 L-index

#	Paper	IF	Citations
21	Mindfulness-based treatment for smoking cessation: a randomized controlled trial.. <i>Jornal Brasileiro De Pneumologia</i> , 2022 , 47, e20210254	1.1	2
20	Cell-Free DNA, Neutrophil extracellular traps (NETs), and Endothelial Injury in Coronavirus Disease 2019- (COVID-19-) Associated Acute Kidney Injury.. <i>Mediators of Inflammation</i> , 2022 , 2022, 9339411	4.3	0
19	The anti-inflammatory cytokine response characterized by elevated interleukin-10 is a stronger predictor of severe disease and poor outcomes than the pro-inflammatory cytokine response in coronavirus disease 2019 (COVID-19). <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 599-607	5.9	19
18	The role of lipoprotein(a) in coronavirus disease 2019 (COVID-19) with relation to development of severe acute kidney injury. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	4
17	Chronic liver disease is not associated with severity or mortality in Coronavirus disease 2019 (COVID-19): a pooled analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 114-115	2.2	30
16	ADAMTS13 activity to von Willebrand factor antigen ratio predicts acute kidney injury in patients with COVID-19: Evidence of SARS-CoV-2 induced secondary thrombotic microangiopathy. <i>International Journal of Laboratory Hematology</i> , 2021 , 43 Suppl 1, 129-136	2.5	22
15	Clinical Predictors of SARS-CoV-2 Testing Pressure on Clinical Laboratories: A Multinational Study Analyzing Google Trends and Over 100 Million Diagnostic Tests. <i>Laboratory Medicine</i> , 2021 , 52, 311-314	1.6	1
14	Utility of Google Trends in anticipating COVID-19 outbreaks in Poland. <i>Polish Archives of Internal Medicine</i> , 2021 , 131, 389-392	1.9	2
13	Serum ACE activity and plasma ACE concentration in patients with SARS-CoV-2 infection. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 272-275	2	2
12	Complement levels at admission as a reflection of coronavirus disease 2019 (COVID-19) severity state. <i>Journal of Medical Virology</i> , 2021 , 93, 5515-5522	19.7	5
11	Alterations in the lipid profile associate with a dysregulated inflammatory, prothrombotic, anti-fibrinolytic state and development of severe acute kidney injury in coronavirus disease 2019 (COVID-19): A study from Cincinnati, USA. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 863-868	8.9	2
10	Congenital Anomalies of the Tracheobronchial Tree: A Meta-Analysis and Clinical Considerations. <i>Annals of Thoracic Surgery</i> , 2021 , 112, 315-325	2.7	2
9	Circulating level of Angiotensin-2 is associated with acute kidney injury in coronavirus disease 2019 (COVID-19). <i>Angiogenesis</i> , 2021 , 24, 403-406	10.6	5
8	Outcomes of extracorporeal life support for respiratory failure in children with primary immunodeficiencies. <i>Perfusion (United Kingdom)</i> , 2021 , 2676591211033946	1.9	0
7	Mirabegron as effective as oxybutynin for ureteral stent symptoms.. <i>Revista Da Associação Médica Brasileira</i> , 2021 , 67, 1793-1797	1.4	
6	Analysis of clinical and demographic heterogeneity of patients dying from COVID-19 in Brazil versus China and Italy. <i>Brazilian Journal of Infectious Diseases</i> , 2020 , 24, 273-275	2.8	4
5	Laboratory abnormalities in children with mild and severe coronavirus disease 2019 (COVID-19): A pooled analysis and review. <i>Clinical Biochemistry</i> , 2020 , 81, 1-8	3.5	80

4	Hematologic, biochemical and immune biomarker abnormalities associated with severe illness and mortality in coronavirus disease 2019 (COVID-19): a meta-analysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 58, 1021-1028	5.9	871
3	Red Blood Cell Distribution Width (RDW) Predicts COVID-19 Severity: A Prospective, Observational Study from the Cincinnati SARS-CoV-2 Emergency Department Cohort. <i>Diagnostics</i> , 2020 , 10,	3.8	37
2	Gastrointestinal symptoms associated with severity of coronavirus disease 2019 (COVID-19): a pooled analysis. <i>Internal and Emergency Medicine</i> , 2020 , 15, 857-859	3.7	50
1	Sudden rise in COVID-19 case fatality among young and middle-aged adults in the south of Brazil after identification of the novel B.1.1.28.1 (P.1) SARS-CoV-2 strain: analysis of data from the state of Parana		16