Jaime Prohens TomÃ;s

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7746653/publications.pdf

Version: 2024-02-01

255 papers

7,847 citations

41323 49 h-index 71 g-index

261 all docs

261 docs citations

261 times ranked

6104 citing authors

#	Article	IF	CITATIONS
1	Breeding and Domesticating Crops Adapted to Drought and Salinity: A New Paradigm for Increasing Food Production. Frontiers in Plant Science, 2015, 6, 978.	1.7	263
2	Application of Genomic Tools in Plant Breeding. Current Genomics, 2012, 13, 179-195.	0.7	236
3	Introgressiomics: a new approach for using crop wild relatives in breeding for adaptation to climate change. Euphytica, 2017, 213, 1.	0.6	154
4	Responses to salt stress in the halophyte Plantago crassifolia (Plantaginaceae). Journal of Arid Environments, 2004, 58, 463-481.	1.2	138
5	Wild Relatives of the Eggplant (Solanum melongena L.: Solanaceae): New Understanding of Species Names in a Complex Group. PLoS ONE, 2013, 8, e57039.	1.1	134
6	Toward an Evolved Concept of Landrace. Frontiers in Plant Science, 2017, 08, 145.	1.7	132
7	Eggplant relatives as sources of variation for developing new rootstocks: Effects of grafting on eggplant yield and fruit apparent quality and composition. Scientia Horticulturae, 2011, 128, 14-22.	1.7	126
8	Comparison of eggplant landraces and commercial varieties for fruit content of phenolics, minerals, dry matter and protein. Journal of Food Composition and Analysis, 2008, 21, 370-376.	1.9	109
9	Total Phenolic Concentration and Browning Susceptibility in a Collection of Different Varietal Types and Hybrids of Eggplant: Implications for Breeding for Higher Nutritional Quality and Reduced Browning. Journal of the American Society for Horticultural Science, 2007, 132, 638-646.	0.5	108
10	World Vegetable Center Eggplant Collection: Origin, Composition, Seed Dissemination and Utilization in Breeding. Frontiers in Plant Science, 2017, 8, 1484.	1.7	106
11	Effects of salinity and drought on growth, ionic relations, compatible solutes and activation of antioxidant systems in oleander (Nerium oleander L.). PLoS ONE, 2017, 12, e0185017.	1.1	103
12	Genetic diversity in morphological characters and phenolic acids content resulting from an interspecific cross between eggplant, <i>Solanum melongena</i> , and its wild ancestor (<i>S.Âincanum</i>). Annals of Applied Biology, 2013, 162, 242-257.	1.3	95
13	Effects of Salt and Water Stress on Plant Growth and on Accumulation of Osmolytes and Antioxidant Compounds in Cherry Tomato. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2015, 43, 1-11.	0.5	95
14	Diversity for chemical composition in a collection of different varietal types of tree tomato (Solanum betaceum Cav.), an Andean exotic fruit. Food Chemistry, 2015, 169, 327-335.	4.2	94
15	Location of chlorogenic acid biosynthesis pathway and polyphenol oxidase genes in a new interspecific anchored linkage map of eggplant. BMC Plant Biology, 2014, 14, 350.	1.6	93
16	α-Solasonine and α-Solamargine Contents of Gboma (Solanum macrocarpon L.) and Scarlet (Solanum) Tj ETQq	0 0 _{.0} rgB1	Oygrlock 10
17	Are soluble carbohydrates ecologically relevant for salt tolerance in halophytes?. Functional Plant Biology, 2013, 40, 805.	1.1	92
18	Breeding for Chlorogenic Acid Content in Eggplant: Interest and Prospects. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2013, 41, 26.	0.5	92

#	Article	IF	CITATIONS
19	Interspecific Hybridization between Eggplant and Wild Relatives from Different Genepools. Journal of the American Society for Horticultural Science, 2016, 141, 34-44.	0.5	89
20	Breeding Vegetables with Increased Content in Bioactive Phenolic Acids. Molecules, 2015, 20, 18464-18481.	1.7	88
21	Effects of Organic and Conventional Cultivation Methods on Composition of Eggplant Fruits. Journal of Agricultural and Food Chemistry, 2010, 58, 6833-6840.	2.4	82
22	Crop wild relatives of the brinjal eggplant (<i>Solanum melongena</i>): Poorly represented in genebanks and many species at risk of extinction. American Journal of Botany, 2016, 103, 635-651.	0.8	78
23	Antioxidant responses under salinity and drought in three closely related wild monocots with different ecological optima. AoB PLANTS, 2017, 9, plx009.	1.2	78
24	Diversity and Relationships in Key Traits for Functional and Apparent Quality in a Collection of Eggplant: Fruit Phenolics Content, Antioxidant Activity, Polyphenol Oxidase Activity, and Browning. Journal of Agricultural and Food Chemistry, 2013, 61, 8871-8879.	2.4	77
25	Characterization of composition traits related to organoleptic and functional quality for the differentiation, selection and enhancement of local varieties of tomato from different cultivar groups. Food Chemistry, 2015, 187, 517-524.	4.2	76
26	Morphological and Molecular Variation in a Collection of Eggplants from a Secondary Center of Diversity: Implications for Conservation and Breeding. Journal of the American Society for Horticultural Science, 2005, 130, 54-63.	0.5	72
27	Single Primer Enrichment Technology (SPET) for High-Throughput Genotyping in Tomato and Eggplant Germplasm. Frontiers in Plant Science, 2019, 10, 1005.	1.7	71
28	Solanum Perlongistylum and S. Catilliflorum, New Endemic Peruvian Species of Solanum, Section Basarthrum, Are Close Relatives of the Domesticated Pepino, S. Muricatum. Novon, 2006, 16, 161-167.	0.3	70
29	Reducing Capacity, Chlorogenic Acid Content and Biological Activity in a Collection of Scarlet (Solanum aethiopicum) and Gboma (S. macrocarpon) Eggplants. International Journal of Molecular Sciences, 2014, 15, 17221-17241.	1.8	68
30	Responses of five Mediterranean halophytes to seasonal changes in environmental conditions. AoB PLANTS, 2014, 6, plu049-plu049.	1.2	68
31	Environmentally induced changes in antioxidant phenolic compounds levels in wild plants. Acta Physiologiae Plantarum, 2016, 38, 1.	1.0	68
32	Diversity in commercial varieties and landraces of black eggplants and implications for broadening the breeders' gene pool. Annals of Applied Biology, 2009, 154, 453-465.	1.3	66
33	Development and characterization of genomic simple sequence repeat markers in eggplant and their application to the study of diversity and relationships in a collection of different cultivar types and origins. Molecular Breeding, 2012, 30, 647-660.	1.0	66
34	Development of backcross generations and new interspecific hybrid combinations for introgression breeding in eggplant (Solanum melongena). Scientia Horticulturae, 2016, 213, 199-207.	1.7	66
35	Improving seed germination of the eggplant rootstock Solanum torvum by testing multiple factors using an orthogonal array design. Scientia Horticulturae, 2015, 193, 174-181.	1.7	65
36	Phenotyping of Eggplant Wild Relatives and Interspecific Hybrids with Conventional and Phenomics Descriptors Provides Insight for Their Potential Utilization in Breeding. Frontiers in Plant Science, 2016, 7, 677.	1.7	65

#	Article	IF	Citations
37	Unraveling Salt Tolerance Mechanisms in Halophytes: A Comparative Study on Four Mediterranean Limonium Species with Different Geographic Distribution Patterns. Frontiers in Plant Science, 2017, 8, 1438.	1.7	65
38	Simultaneous CRISPR/Cas9 Editing of Three PPO Genes Reduces Fruit Flesh Browning in Solanum melongena L Frontiers in Plant Science, 2020, 11, 607161.	1.7	64
39	Characterization of interspecific hybrids and first backcross generations from crosses between two cultivated eggplants (Solanum melongena and S. aethiopicum Kumba group) and implications for eggplant breeding. Euphytica, 2012, 186, 517-538.	0.6	63
40	Transcriptome analysis and molecular marker discovery in Solanum incanum and S. aethiopicum, two close relatives of the common eggplant (Solanum melongena) with interest for breeding. BMC Genomics, 2016, 17, 300.	1.2	63
41	The Tamarillo (Cyphomandra betacea). International Journal of Fruit Science, 2001, 1, 43-68.	0.2	62
42	Genetic diversity, population structure, and relationships in a collection of pepper (Capsicum spp.) landraces from the Spanish centre of diversity revealed by genotyping-by-sequencing (GBS). Horticulture Research, 2019, 6, 54.	2.9	61
43	Coding SNPs analysis highlights genetic relationships and evolution pattern in eggplant complexes. PLoS ONE, 2017, 12, e0180774.	1.1	61
44	Conventional and phenomics characterization provides insight into the diversity and relationships of hypervariable scarlet (Solanum aethiopicum L.) and gboma (S. macrocarpon L.) eggplant complexes. Frontiers in Plant Science, 2014, 5, 318.	1.7	60
45	Phenolics content, fruit flesh colour and browning in cultivated eggplant, wild relatives and interspecific hybrids and implications for fruit quality breeding. Food Research International, 2017, 102, 392-401.	2.9	60
46	Effects of Salt Stress on Three Ecologically Distinct Plantago Species. PLoS ONE, 2016, 11, e0160236.	1.1	60
47	Diversity and Relationships of Eggplants from Three Geographically Distant Secondary Centers of Diversity. PLoS ONE, 2012, 7, e41748.	1.1	59
48	Relationships, origin, and diversity of Galápagos tomatoes: implications for the conservation of natural populations. American Journal of Botany, 2004, 91, 86-99.	0.8	58
49	Soluble Carbohydrates as Osmolytes in Several Halophytes from a Mediterranean Salt Marsh. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2011, 39, 09.	0.5	58
50	Development and Genetic Characterization of Advanced Backcross Materials and An Introgression Line Population of Solanum incanum in a S. melongena Background. Frontiers in Plant Science, 2017, 8, 1477.	1.7	57
51	The Use of Proline in Screening for Tolerance to Drought and Salinity in Common Bean (Phaseolus) Tj ETQq1	l 0.784314 1.3	l rgBT_/Overlock
52	Evaluation of androgenic competence through anther culture in common eggplant and related species. Euphytica, 2011, 182, 261.	0.6	56
53	Improved genome assembly and panâ€genome provide key insights into eggplant domestication and breeding. Plant Journal, 2021, 107, 579-596.	2.8	56
54	Genetic structure of Cannabis sativa var. indica cultivars based on genomic SSR (gSSR) markers: Implications for breeding and germplasm management. Industrial Crops and Products, 2017, 104, 171-178.	2.5	55

#	Article	IF	CITATIONS
55	The pepino(Solanum muricatum, Solanaceae): A "New―crop with a history. Economic Botany, 1996, 50, 355-368.	0.8	51
56	Characterization, diversity, and relationships of the Spanish striped (Listada) eggplants: a model for the enhancement and protection of local heirlooms. Euphytica, 2008, 164, 405-419.	0.6	50
57	Influence of the stage for anther excision and heterostyly in embryogenesis induction from eggplant anther cultures. Euphytica, 2012, 184, 235-250.	0.6	49
58	Global range expansion history of pepper (<i>Capsicum</i> spp.) revealed by over 10,000 genebank accessions. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	48
59	Proline as a biochemical marker in relation to the ecology of two halophytic Juncus species. Journal of Plant Ecology, 2013, 6, 177-186.	1.2	47
60	Whole-Genome Resequencing of Seven Eggplant (Solanum melongena) and One Wild Relative (S.) Tj ETQq0 0 0 in Plant Science, 2019, 10, 1220.	rgBT /Ove 1.7	rlock 10 Tf 50 46
61	Plant Breeding: A Success Story to be Continued Thanks to the Advances in Genomics. Frontiers in Plant Science, 2011, 2, 51.	1.7	45
62	Native-Invasive Plants vs. Halophytes in Mediterranean Salt Marshes: Stress Tolerance Mechanisms in Two Related Species. Frontiers in Plant Science, 2016, 7, 473.	1.7	45
63	Plant Genebanks: Present Situation and Proposals for Their Improvement. the Case of the Spanish Network. Frontiers in Plant Science, 2018, 9, 1794.	1.7	45
64	Salinity-Induced Variation in Biochemical Markers Provides Insight into the Mechanisms of Salt Tolerance in Common (Phaseolus vulgaris) and Runner (P. coccineus) Beans. International Journal of Molecular Sciences, 2016, 17, 1582.	1.8	44
65	Comparison of transcriptome-derived simple sequence repeat (SSR) and single nucleotide polymorphism (SNP) markers for genetic fingerprinting, diversity evaluation, and establishment of relationships in eggplants. Euphytica, 2017, 213, 1.	0.6	44
66	Flavonoids: Antioxidant Compounds for Plant Defence and for a Healthy Human Diet. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2017, 46, 14-21.	0.5	44
67	Variation for bioactive compounds in aj $ ilde{A}$ -(Capsicum baccatum L.) and rocoto (C. pubescens R. & L.) and implications for breeding. Euphytica, 2009, 170, 169-181.	0.6	43
68	Diallel genetic analysis for multiple traits in eggplant and assessment of genetic distances for predicting hybrids performance. PLoS ONE, 2018, 13, e0199943.	1.1	43
69	Comparative analysis of the responses to water stress in eggplant (Solanum melongena) cultivars. Plant Physiology and Biochemistry, 2019, 143, 72-82.	2.8	41
70	Natural Occurrence of Pepino mosaic virus in Lycopersicon Species in Central and Southern Peru. Journal of Phytopathology, 2002, 150, 49-53.	0.5	40
71	Successful Wide Hybridization and Introgression Breeding in a Diverse Set of Common Peppers (Capsicum annuum) Using Different Cultivated AjÃ-(C. baccatum) Accessions as Donor Parents. PLoS ONE, 2015, 10, e0144142.	1.1	40
72	Solanum insanum L. (subgenus Leptostemonum Bitter, Solanaceae), the neglected wild progenitor of eggplant (S. melongena L.): a review of taxonomy, characteristics and uses aimed at its enhancement for improved eggplant breeding. Genetic Resources and Crop Evolution, 2017, 64, 1707-1722.	0.8	39

#	Article	IF	CITATIONS
73	Characterization of a collection of local varieties of tomato (Solanum lycopersicum L.) using conventional descriptors and the high-throughput phenomics tool Tomato Analyzer. Genetic Resources and Crop Evolution, 2015, 62, 189-204.	0.8	38
74	Diversity, relationships, and genetic fingerprinting of the Listada de GandÃa eggplant landrace using genomic SSRs and EST-SSRs. Scientia Horticulturae, 2011, 129, 238-246.	1.7	37
75	Genomic Tools for the Enhancement of Vegetable Crops: A Case in Eggplant. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2017, 46, 1-13.	0.5	37
76	Distinguishing a protected geographical indication vegetable (<i>Almagro</i> eggplant) from closely related varieties with selected morphological traits and molecular markers. Journal of the Science of Food and Agriculture, 2009, 89, 320-328.	1.7	36
77	Phenomics of fruit shape in eggplant (Solanum melongena L.) using Tomato Analyzer software. Scientia Horticulturae, 2013, 164, 625-632.	1.7	36
78	Detection of honey adulteration by conventional and real-time PCR. Food Control, 2019, 95, 57-62.	2.8	35
79	A highly efficient organogenesis protocol based on zeatin riboside for in vitro regeneration of eggplant. BMC Plant Biology, 2020, 20, 6.	1.6	35
80	Enhancing conservation and use of local vegetable landraces: the Almagro eggplant (Solanum) Tj ETQq0 0 0 rgBT	/Overlock	10 Tf 50 462
81	Stress tolerance mechanisms in Juncus: responses to salinity and drought in three Juncus species adapted to different natural environments. Functional Plant Biology, 2016, 43, 949.	1.1	34
82	Screening for drought tolerance in cultivars of the ornamental genus <i>Tagetes</i> (Asteraceae). PeerJ, 2016, 4, e2133.	0.9	34
83	Development of a Direct in vitro Plant Regeneration Protocol From Cannabis sativa L. Seedling Explants: Developmental Morphology of Shoot Regeneration and Ploidy Level of Regenerated Plants. Frontiers in Plant Science, 2020, 11, 645.	1.7	33
84	Fruit composition profile of pepper, tomato and eggplant varieties grown under uniform conditions. Food Research International, 2021, 147, 110531.	2.9	33
85	First successful backcrossing towards eggplant (Solanum melongena) of a New World species, the silverleaf nightshade (S. elaeagnifolium), and characterization of interspecific hybrids and backcrosses. Scientia Horticulturae, 2019, 246, 563-573.	1.7	32
86	SILEX: a fast and inexpensive high-quality DNA extraction method suitable for multiple sequencing platforms and recalcitrant plant species. Plant Methods, 2020, 16, 110.	1.9	31
87	The Dawn of the Age of Multi-Parent MAGIC Populations in Plant Breeding: Novel Powerful Next-Generation Resources for Genetic Analysis and Selection of Recombinant Elite Material. Biology, 2020, 9, 229.	1.3	31
88	AFLP and DNA sequence variation in an Andean domesticate, pepino (<i>Solanum muricatum</i> ,) Tj ETQq0 0 0 0 1 1219-1229.	gBT /Overl 0.8	ock 10 Tf 50 30
89	ddRAD sequencing-based genotyping for population structure analysis in cultivated tomato provides new insights into the genomic diversity of Mediterranean †da serbo†type long shelf-life germplasm. Horticulture Research, 2020, 7, 134.	2.9	30
90	Genetic diversity and conservation of two endangered eggplant relatives (Solanum vespertilio Aiton) Tj ETQq0 0 (O rgBT /Ove 0.8	erlock 10 Tf ! 29

2007, 54, 451-464.

#	ARTICLE	IF	Citations
91	GenotypeÂ×Âenvironment interactions in eggplant for fruit phenolic acid content. Euphytica, 2015, 205, 823-836.	0.6	29
92	The first de novo transcriptome of pepino (Solanum muricatum): assembly, comprehensive analysis and comparison with the closely related species S. caripense, potato and tomato. BMC Genomics, 2016, 17, 321.	1.2	29
93	Insights Into the Adaptation to Greenhouse Cultivation of the Traditional Mediterranean Long Shelf-Life Tomato Carrying the alc Mutation: A Multi-Trait Comparison of Landraces, Selections, and Hybrids in Open Field and Greenhouse. Frontiers in Plant Science, 2018, 9, 1774.	1.7	29
94	Identification of Salt Stress Biomarkers in Romanian Carpathian Populations of Picea abies (L.) Karst PLoS ONE, 2015, 10, e0135419.	1.1	27
95	Phenological growth stages of tree tomato (Solanum betaceum Cav.), an emerging fruit crop, according to the basic and extended BBCH scales. Scientia Horticulturae, 2016, 199, 216-223.	1.7	27
96	Physiological and Biochemical Responses to Salt Stress in Cultivated Eggplant (Solanum melongena L.) and in S. insanum L., a Close Wild Relative. Agronomy, 2020, 10, 651.	1.3	27
97	Performance of a Set of Eggplant (Solanum melongena) Lines With Introgressions From Its Wild Relative S. incanum Under Open Field and Screenhouse Conditions and Detection of QTLs. Agronomy, 2020, 10, 467.	1.3	27
98	"Heirloom―varieties as sources of variation for the improvement of fruit quality in greenhouse-grown tomatoes. Journal of Horticultural Science and Biotechnology, 2005, 80, 453-460.	0.9	26
99	Breeding strategies for improving the performance and fruit quality of the pepino (Solanum) Tj ETQq1 1 0.784314 International, 2011, 44, 1927-1935.	1 rgBT /Ove 2.9	erlock 10 Tf 26
100	From bits to bites: Advancement of the Germinate platform to support prebreeding informatics for crop wild relatives. Crop Science, 2021, 61, 1538-1566.	0.8	26
101	Variation among tree tomato (Solanum betaceum Cav.) accessions from different cultivar groups: implications for conservation of genetic resources and breeding. Genetic Resources and Crop Evolution, 2011, 58, 943-960.	0.8	25
102	Eggplant fruit composition as affected by the cultivation environment and genetic constitution. Journal of the Science of Food and Agriculture, 2014, 94, 2774-2784.	1.7	25
103	Phenological growth stages of pepino (Solanum muricatum) according to the BBCH scale. Scientia Horticulturae, 2015, 183, 1-7.	1.7	25
104	Variation of morphological descriptors for the evaluation of tomato germplasm and their stability across different growing conditions. Scientia Horticulturae, 2018, 238, 107-115.	1.7	25
105	Variable Levels of Tolerance to Water Stress (Drought) and Associated Biochemical Markers in Tunisian Barley Landraces. Molecules, 2018, 23, 613.	1.7	25
106	Potential In Vitro Inhibition of Selected Plant Extracts against SARS-CoV-2 Chymotripsin-Like Protease (3CLPro) Activity. Foods, 2021, 10, 1503.	1.9	25
107	Diversity for olive oil composition in a collection of varieties from the region of Valencia (Spain). Food Research International, 2013, 54, 1941-1949.	2.9	24

#	Article	IF	Citations
109	Responses of succulents to drought: Comparative analysis of four Sedum (Crassulaceae) species. Scientia Horticulturae, 2019, 243, 235-242.	1.7	24
110	Diversity in composition of scarlet (S. aethiopicum) and gboma (S. macrocarpon) eggplants and of interspecific hybrids between S. aethiopicum and common eggplant (S. melongena). Journal of Food Composition and Analysis, 2016, 45, 130-140.	1.9	23
111	Viruses Infecting Tomato in ValÃ"ncia, Spain: Occurrence, Distribution and Effect of Seed Origin. Journal of Phytopathology, 2010, 158, 797-805.	0.5	22
112	Rapid Biosynthesis of Silver Nanoparticles Using Pepino (Solanum muricatum) Leaf Extract and Their Cytotoxicity on HeLa Cells. Materials, 2016, 9, 325.	1.3	22
113	Physiological and Molecular Characterization of Crop Resistance to Abiotic Stresses. Agronomy, 2020, 10, 1308.	1.3	22
114	Analysis of the Volatile Aroma Constituents of Parental and Hybrid Clones of Pepino (Solanum) Tj ETQq0 0 0 rgBT	/9.yerlock	₹ 10 Tf 50 5
115	Constitutive and Induced Salt Tolerance Mechanisms and Potential Uses of Limonium Mill. Species. Agronomy, 2021, 11, 413.	1.3	21
116	Phenolic Profile and Biological Activities of the Pepino (Solanum muricatum) Fruit and Its Wild Relative S. caripense. International Journal of Molecular Sciences, 2016, 17, 394.	1.8	20
117	Fruit composition diversity in land races and modern pepino (Solanum muricatum) varieties and wild related species. Food Chemistry, 2016, 203, 49-58.	4.2	20
118	A novel and rapid method for Agrobacterium-mediated production of stably transformed Cannabis sativa L. plants. Industrial Crops and Products, 2021, 170, 113691.	2.5	20
119	Analysis of landrace cultivation in Europe: A means to support in situ conservation of crop diversity. Biological Conservation, 2022, 267, 109460.	1.9	20
120	Strategies for breeding a new greenhouse crop, the pepino (Solanum muricatum Aiton). Canadian Journal of Plant Science, 1999, 79, 269-275.	0.3	19
121	Efficient regeneration in two potential new crops for subtropical climates, the scarlet <i>(Solanum) Tj ETQq1 1 0.7 Horticultural Science, 2006, 34, 55-62.</i>	784314 rg 0.7	BT /Overloc 19
122	Identification of Salt and Drought Biochemical Stress Markers in Several Silene vulgaris Populations. Sustainability, 2019, 11, 800.	1.6	19
123	Insights on Salt Tolerance of Two Endemic Limonium Species from Spain. Metabolites, 2019, 9, 294.	1.3	19
124	`Sweet Round' and `Sweet Long': Two Pepino Cultivars for Mediterranean Climates. Hortscience: A Publication of the American Society for Hortcultural Science, 1997, 32, 751-752.	0.5	19
125	Biochemical responses to drought, at the seedling stage, of several Romanian Carpathian populations of Norway spruce (Picea abies L. Karst). Trees - Structure and Function, 2017, 31, 1479-1490.	0.9	18
126	Comparative Studies on the Physiological and Biochemical Responses to Salt Stress of Eggplant (Solanum melongena) and Its Rootstock S. torvum. Agriculture (Switzerland), 2020, 10, 328.	1.4	18

#	Article	IF	CITATIONS
127	Genome wide association mapping for agronomic, fruit quality, and root architectural traits in tomato under organic farming conditions. BMC Plant Biology, 2021, 21, 481.	1.6	18
128	Grafting vigour is associated with DNA de-methylation in eggplant. Horticulture Research, 2021, 8, 241.	2.9	18
129	Composition of eggplant cultivars of the <scp>O</scp> ccidental type and implications for the improvement of nutritional and functional quality. International Journal of Food Science and Technology, 2013, 48, 2490-2499.	1.3	17
130	Effects of Drought and Salinity on European Larch (Larix decidua Mill.) Seedlings. Forests, 2018, 9, 320.	0.9	17
131	Genetic Analyses Indicate Superiority of Performance of Cape Gooseberry(Physalis peruvianaL.) Hybrids. Journal of New Seeds, 2001, 3, 71-84.	0.3	16
132	Temperature, electrolyte leakage, ascorbic acid content and sunscald in two cultivars of pepino, <i>Solanum muricatum</i> . Journal of Horticultural Science and Biotechnology, 2004, 79, 375-379.	0.9	16
133	Genetic diversity and relationships in accessions from different cultivar groups and origins in the tree tomato (Solanum betaceum Cav.). Euphytica, 2012, 187, 87-97.	0.6	16
134	Highly informative SSR genotyping reveals large genetic diversity and limited differentiation in European larch (Larixdecidua) populations from Romania. Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry, 2018, 42, 165-175.	0.8	16
135	Responses to Salt Stress in Portulaca: Insight into Its Tolerance Mechanisms. Plants, 2020, 9, 1660.	1.6	16
136	Grafting Improves Fruit Yield of Cucumber Plants Grown under Combined Heat and Soil Salinity Stresses. Horticulturae, 2021, 7, 61.	1.2	16
137	Inoculation of cucumber, melon and zucchini varieties with <i>Tomato leaf curl New Delhi virus</i> and evaluation of infection using different detection methods. Annals of Applied Biology, 2017, 170, 405-414.	1.3	15
138	Development of Interspecific Hybrids between a Cultivated Eggplant Resistant to Bacterial Wilt (Ralstonia solanacearum) and Eggplant Wild Relatives for the Development of Rootstocks. Plants, 2020, 9, 1405.	1.6	15
139	Genetic parameters of drought tolerance for agromorphological traits in eggplant, wild relatives, and interspecific hybrids. Crop Science, 2021, 61, 55-68.	0.8	15
140	Variation for Composition and Quality in a Collection of the Resilient Mediterranean †de penjar†Long Shelf-Life Tomato Under High and Low N Fertilization Levels. Frontiers in Plant Science, 2021, 12, 633957.	1.7	15
141	Newly Developed MAGIC Population Allows Identification of Strong Associations and Candidate Genes for Anthocyanin Pigmentation in Eggplant. Frontiers in Plant Science, 2022, 13, 847789.	1.7	15
142	Yield, earliness and fruit quality of pepino clones and their hybrids in the autumn-winter cycle. Journal of the Science of Food and Agriculture, 1999, 79, 340-346.	1.7	14
143	The Implications of AFLP Data for the Systematics of the Wild Species of <1>Solanum 1 Section <1>Basarthrum 1 . Systematic Botany, 2006, 31, 208-216.	0.2	14
144	Morphological and molecular characterization of local varieties, modern cultivars and wild relatives of an emerging vegetable crop, the pepino (Solanum muricatum), provides insight into its diversity, relationships and breeding history. Euphytica, 2015, 206, 301-318.	0.6	14

#	Article	IF	Citations
145	Morphological and Agronomic Characterization of Spanish Landraces of Phaseolus vulgaris L Agriculture (Switzerland), 2019, 9, 149.	1.4	14
146	Fruit shape morphometric analysis and QTL detection in a set of eggplant introgression lines. Scientia Horticulturae, 2021, 282, 110006.	1.7	14
147	The Inheritance of Parthenocarpy and Associated Traits in Pepino. Journal of the American Society for Horticultural Science, 1998, 123, 376-380.	0.5	14
148	Comparative analysis of drought responses in Phaseolus vulgaris (common bean) and P. coccineus (runner bean) cultivars. The EuroBiotech Journal, 2017, 1, 247-252.	0.5	14
149	Modern variety breeding for present and future needs. Euphytica, 2009, 170, 1-3.	0.6	13
150	Stress-tolerant Wild Plants: a Source of Knowledge and Biotechnological Tools for the Genetic Improvement of Stress Tolerance in Crop Plants. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2012, 40, 323.	0.5	13
151	HS-SPME analysis of the volatiles profile of water celery (Apium nodiflorum), a wild vegetable with increasing culinary interest. Food Research International, 2019, 121, 765-775.	2.9	13
152	Fostering Conservation via an Integrated Use of Conventional Approaches and High-Throughput SPET Genotyping: A Case Study Using the Endangered Canarian Endemics Solanum lidii and S. vespertilio (Solanaceae). Frontiers in Plant Science, 2020, 11, 757.	1.7	13
153	Responses to Salinity in Four Plantago Species from Tunisia. Plants, 2021, 10, 1392.	1.6	13
154	Genetic Analysis of Quantitative Traits in Pepino (Solanum muricatum) in Two Growing Seasons. Journal of the American Society for Horticultural Science, 2002, 127, 271-278.	0.5	13
155	Variation in carbohydrate content during ripening in two clones of pepino. Journal of the Science of Food and Agriculture, 2000, 80, 1985-1991.	1.7	12
156	Adapting Agriculture to Climate Change: A Synopsis of Coordinated National Crop Wild Relative Seed Collecting Programs across Five Continents. Plants, 2022, 11, 1840.	1.6	12
157	TREATMENTS FOR IMPROVING SEED GERMINATION IN EGGPLANT AND RELATED SPECIES. Acta Horticulturae, 2011, , 45-51.	0.1	11
158	Screening for Salt Tolerance in Four Local Varieties of Phaseolus lunatus from Spain. Agriculture (Switzerland), 2018, 8, 201.	1.4	11
159	Eggplant (Solanum melongena L.): Taxonomy and Relationships. Compendium of Plant Genomes, 2019, , 11-22.	0.3	11
160	Responses to Water Deficit and Salt Stress in Silver Fir (Abies alba Mill.) Seedlings. Forests, 2020, 11, 395.	0.9	11
161	Evaluation of Advanced Backcrosses of Eggplant with Solanum elaeagnifolium Introgressions under Low N Conditions. Agronomy, 2021, 11, 1770.	1.3	11
162	A Spontaneous Eggplant (Solanum melongena L.) Color Mutant Conditions Anthocyanin-free Fruit Pigmentation. Hortscience: A Publication of the American Society for Hortcultural Science, 2016, 51, 793-798.	0.5	11

#	Article	IF	Citations
163	The genus <i>Portulaca</i> as a suitable model to study the mechanisms of plant tolerance to drought and salinity. The EuroBiotech Journal, 2018, 2, 104-113.	0.5	11
164	European traditional tomatoes galore: a result of farmers' selection of a few diversity-rich loci. Journal of Experimental Botany, 2022, 73, 3431-3445.	2.4	11
165	Effects of Drought and Salinity on Two Commercial Varieties of Lavandula angustifolia Mill. Plants, 2020, 9, 637.	1.6	10
166	Consumers acceptance and volatile profile of wall rocket (Diplotaxis erucoides). Food Research International, 2020, 132, 109008.	2.9	10
167	Effects of Salt and Water Stress on Plant Growth and on Accumulation of Osmolytes and Antioxidant Compounds in Cherry Tomato. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2015, 43,	0.5	10
168	'Puzol': A Facultatively Parthenocarpic Hybrid of Pepino (Solanum muricatum). Hortscience: A Publication of the American Society for Hortcultural Science, 2002, 37, 418-419.	0.5	10
169	`Valencia': A New Pepino (Solanum muricatum) Cultivar with Improved Fruit Quality. Hortscience: A Publication of the American Society for Hortcultural Science, 2004, 39, 1500-1502.	0.5	10
170	Fruit Composition of Eggplant Lines with Introgressions from the Wild Relative S. incanum: Interest for Breeding and Safety for Consumption. Agronomy, 2022, 12, 266.	1.3	10
171	The effects of thermotherapy and sodium hypochlorite treatments on pepino seed germination, a crucial step in breeding programmes. Annals of Applied Biology, 1999, 134, 299-305.	1.3	9
172	Performance of hybrid segregating populations of pepino (<i>Solanum muricatum</i>) and its relation to genetic distance among parents. Journal of Horticultural Science and Biotechnology, 2003, 78, 911-918.	0.9	9
173	Antioxidant and antiâ€inflammatory activities of freezeâ€dried grapefruit phenolics as affected by gum arabic and bamboo fibre addition and microwave pretreatment. Journal of the Science of Food and Agriculture, 2018, 98, 3076-3083.	1.7	9
174	Growing Conditions Affect the Phytochemical Composition of Edible Wall Rocket (Diplotaxis) Tj ETQq0 0 0 rgBT	/Oyerlock	19 _, Tf 50 302
175	Multi-Level Characterization of Eggplant Accessions from Greek Islands and the Mainland Contributes to the Enhancement and Conservation of this Germplasm and Reveals a Large Diversity and Signatures of Differentiation between both Origins. Agronomy, 2019, 9, 887.	1.3	9
176	Factors affecting germination of Diplotaxis erucoides and their effect on selected quality properties of the germinated products. Scientia Horticulturae, 2020, 261, 109013.	1.7	9
177	Morphoagronomic characterization and whole-genome resequencing of eight highly diverse wild and weedy S. pimpinellifolium and S. lycopersicum var. cerasiforme accessions used for the first interspecific tomato MAGIC population. Horticulture Research, 2020, 7, 174.	2.9	9
178	Advancing the Tamarillo Harvest by Induced Postharvest Ripening. Hortscience: A Publication of the American Society for Hortcultural Science, 1996, 31, 109-111.	0.5	9
179	Physico-Chemical, Nutritional, and Sensory Evaluation of Two New Commercial Tomato Hybrids and Their Parental Lines. Plants, 2021, 10, 2480.	1.6	9
180	Analysis of Physico-Chemical and Organoleptic Fruit Parameters Relevant for Tomato Quality. Agronomy, 2022, 12, 1232.	1.3	9

#	Article	IF	CITATIONS
181	GROWING CYCLES FOR A NEW CROP, THE PEPINO, IN THE SPANISH MEDITERRANEAN. Acta Horticulturae, 2000, , 53-60.	0.1	8
182	Wild relatives can contribute to the improvement of fruit quality in pepino (Solanum muricatum). Euphytica, 2003, 129, 311-318.	0.6	8
183	Vigor for <i>In Vitro</i> Culture Traits in <i>S. melongena</i> ê‰â€‰ã€‰ã€‰ã€‰ci>S. aethiopicumHybrids Potential as Rootstocks for Eggplant. Scientific World Journal, The, 2014, 2014, 1-8.	with 0.8	8
184	Swedish coffee (Astragalus boeticus L.), a neglected coffee substitute with a past and a potential future. Genetic Resources and Crop Evolution, 2014, 61, 287-297.	0.8	8
185	In vitro germination and growth protocols of the ornamental Lophophora williamsii (Lem.) Coult. as a tool for protecting endangered wild populations. Scientia Horticulturae, 2018, 237, 120-127.	1.7	8
186	Large scale phenotyping and molecular analysis in a germplasm collection of rocket salad (Eruca) Tj ETQqO 0 0 rgE	BT/Qverloo	ck 10 Tf 50 5
187	Wild edible fool's watercress, a potential crop with high nutraceutical properties. PeerJ, 2019, 7, e6296.	0.9	8
188	Title is missing!. Euphytica, 2001, 120, 247-256.	0.6	7
189	Potential of wall rocket (Diplotaxis erucoides) as a new crop: Influence of the growing conditions on the visual quality of the final product. Scientia Horticulturae, 2019, 258, 108778.	1.7	7
190	Association of Heterotic Groups with Morphological Relationships and General Combining Ability in Eggplant. Agriculture (Switzerland), 2020, 10, 203.	1.4	7
191	â€~H15', an Almagro-type Pickling Eggplant with High Yield and Reduced Prickliness. Hortscience: A Publication of the American Society for Hortcultural Science, 2009, 44, 2017-2019.	0.5	7
192	Improvement of mishqui (Solanum muricatum) earliness by selection and ethephon applications. Scientia Horticulturae, 2001, 87, 247-259.	1.7	6
193	BREEDING ANDEAN SOLANACEAE FRUIT CROPS FOR ADAPTATION TO SUBTROPICAL CLIMATES. Acta Horticulturae, 2004, , 129-137.	0.1	6
194	Utilization of genetic resources for the introduction and adaptation of exotic vegetable crops: The case of pepino (Solanum muricatum). Euphytica, 2005, 146, 133-142.	0.6	6
195	Screening of eggplant genotypes for resistance to bacterial wilt disease caused by Clavibacter michiganensis subsp. michiganensis. Plant Protection Science, 2021, 57, 112-121.	0.7	6
196	Tomato Mosaic Tobamovirus, Causal Agent of a Severe Disease of Pepino (Solanum muricatum). Plant Disease, 1998, 82, 1281-1281.	0.7	6
197	Biological Traits and Genetic Relationships Amongst Cultivars of Three Species of Tagetes (Asteraceae). Plants, 2022, 11, 760.	1.6	6
198	Turia pepino. Canadian Journal of Plant Science, 2004, 84, 603-606.	0.3	5

#	Article	IF	CITATIONS
199	Genetic Diversity and Relationships in Local Varieties of Eggplant from Different Cultivar Groups as Assessed by Genomic SSR Markers. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2014, 42, .	0.5	5
200	Use of Embryos Extracted from Individual <i>Cannabis sativa</i> Seeds for Genetic Studies and Forensic Applications. Journal of Forensic Sciences, 2016, 61, 494-500.	0.9	5
201	Screening for Salt and Water Stress Tolerance in Fir (Abies alba) Populations. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2019, 47, 1063-1072.	0.5	5
202	Responses to Increased Salinity and Severe Drought in the Eastern Iberian Endemic Species Thalictrum maritimum (Ranunculaceae), Threatened by Climate Change. Plants, 2020, 9, 1251.	1.6	5
203	Moderate and severe water stress effects on morphological and biochemical traits in a set of pepino (Solanum muricatum) cultivars. Scientia Horticulturae, 2021, 284, 110143.	1.7	5
204	Editorial: Introgression Breeding in Cultivated Plants. Frontiers in Plant Science, 2021, 12, 764533.	1.7	5
205	De novo Transcriptome Assembly and Comprehensive Annotation of Two Tree Tomato Cultivars (Solanum betaceum Cav.) with Different Fruit Color. Horticulturae, 2021, 7, 431.	1.2	5
206	Ploidy Modification for Plant Breeding Using In Vitro Organogenesis: A Case in Eggplant. Methods in Molecular Biology, 2021, 2264, 197-206.	0.4	5
207	STRATEGIES FOR THE BREEDING OF EGGPLANTS WITH IMPROVED NUTRITIONAL QUALITY. Acta Horticulturae, 2008, , 285-292.	0.1	4
208	CHARACTERIZATION FOR BIOACTIVE COMPOUNDS OF SPANISH PEPPER LANDRACES. Acta Horticulturae, 2011, , 537-543.	0.1	4
209	New sources of resistance to PepMV in tomato. Journal of Plant Diseases and Protection, 2011, 118, 149-155.	1.6	4
210	Biochemical Markers of Salt Stress in European Larch (Larix decidua). Notulae Scientia Biologicae, 2018, 10, 430-438.	0.1	4
211	Spectral comparison of diffuse PAR irradiance under different tree and shrub shading conditions and in cloudy days. Journal of Photochemistry and Photobiology B: Biology, 2018, 189, 274-282.	1.7	4
212	Responses to Drought in Seedlings of European Larch (Larix decidua Mill.) from Several Carpathian Provenances. Forests, 2019, 10, 511.	0.9	4
213	A Deep Learning-Based System (Microscan) for the Identification of Pollen Development Stages and Its Application to Obtaining Doubled Haploid Lines in Eggplant. Biology, 2020, 9, 272.	1.3	4
214	Genetic Relationships and Reproductive Traits of Romanian Populations of Silver Fir (Abies alba): Implications for the Sustainable Management of Local Populations. Sustainability, 2020, 12, 4199.	1.6	4
215	Microgametophyte Development in Cannabis sativa L. and First Androgenesis Induction Through Microspore Embryogenesis. Frontiers in Plant Science, 2021, 12, 669424.	1.7	4
216	Comparative studies on the stress responses of two Bupleurum (Apiaceae) species in support of conservation programmes. Environmental and Experimental Botany, 2021, 191, 104616.	2.0	4

#	Article	IF	CITATIONS
217	Variation among Solanaceae crops in cadmium tolerance and accumulation. Agronomy for Sustainable Development, 2005, 25, 237-241.	2.2	4
218	The impact of an extreme climatic disturbance and different fertilization treatments on plant development, phenology, and yield of two cultivar groups of Solanum betaceum Cav PLoS ONE, 2017, 12, e0190316.	1.1	4
219	In Vitro Propagation of Dierama latifolium. HortTechnology, 1985, 20, 1049-1050.	0.5	4
220	Genotypic and Environmental Effects on Morpho-Physiological and Agronomic Performances of a Tomato Diversity Panel in Relation to Nitrogen and Water Stress Under Organic Farming. Frontiers in Plant Science, 0, 13, .	1.7	4
221	The effects of genetic parthenocarpy on pepino (<i>Solanum muricatum</i>) yield and fruit quality. Journal of Horticultural Science and Biotechnology, 2001, 76, 101-106.	0.9	3
222	COMPARISON OF MORPHOLOGICAL, AFLP AND SSR MARKERS FOR THE PROTECTION OF EGGPLANT GERMPLASM. Acta Horticulturae, 2011 , , $123-131$.	0.1	3
223	Detection, molecular characterisation and aspects involving the transmission of tomato chlorotic dwarf viroid in eggplant. Annals of Applied Biology, 2019, 175, 172-183.	1.3	3
224	Screening cultivated eggplant and wild relatives for resistance to sweetpotato whitefly (Bemisia) Tj ETQq0 0 0 rgl	BT/Qverlo	ick 10 Tf 50 4
225	Pepper and Eggplant Genetic Resources. Compendium of Plant Genomes, 2021, , 119-154.	0.3	3
226	Effect of the Pesticide Endosulfan and Two Different Biostimulants on the Stress Responses of Phaseolus leptostachyus Plants Grown in a Saline Soil. Agronomy, 2021, 11, 1208.	1.3	3
227	Screening of Suitable Plant Regeneration Protocols for Several Capsicum spp. through Direct Organogenesis. Horticulturae, 2021, 7, 261.	1.2	3
228	VEGETABLE CROP DIVERSIFICATION IN AREAS AFFECTED BY SALINITY: THE CASE OF PEPINO (SOLANUM) Tj ETQq	70 0 0 rgB	Γ/Qverlock 1
229	DEVELOPMENT OF BREEDING PROGRAMMES IN EGGPLANT WITH DIFFERENT OBJECTIVES AND APPROACHES: THREE EXAMPLES OF USE OF PRIMARY GENEPOOL DIVERSITY. Acta Horticulturae, 2015, , 711-718.	0.1	2
230	Spruce Trees Growth and Forest Landscape Depending on Microstational Factors and Ecological Conditions. Notulae Scientia Biologicae, 2017, 9, 582-588.	0.1	2
231	Influence of the Growing Conditions in the Content of Vitamin C in Diplotaxis erucoides. Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca: Horticulture, 2017, 74, 144.	0.2	2
232	Morphological Diversity and Bioactive Compounds in Wall Rocket (Diplotaxis erucoides (L.) DC.). Agronomy, 2020, 10, 306.	1.3	2
233	Genomic Resources in the Eggplant Wild Genepool. Compendium of Plant Genomes, 2021, , 189-200.	0.3	2
234	Fine tuning European geographic quality labels, an opportunity for horticulture diversification: A tentative proposal for the Spanish case. Food Control, 2021, 129, 108196.	2.8	2

#	Article	IF	Citations
235	Importance of the growing system in the leaf morphology of Diplotaxis erucoides. Acta Horticulturae, 2018, , 25-32.	0.1	2
236	Eggplant (Solanum melongena, S. aethiopicum and S. macrocarpon) Breeding., 2021, , 163-203.		2
237	IMPROVEMENT OF FRUIT SETTING AND YIELD IN MISHQUI. A REVIEW WITH SPECIAL EMPHASIS IN GENETIC PARTHENOCARPY. Acta Horticulturae, 2001, , 687-692.	0.1	1
238	AFLP DIVERSITY AMONG AND WITHIN POPULATIONS OF THE INSULAR, ENDEMIC AND ENDANGERED SOLANUM VESPERTILIO AND S. LIDII. Acta Horticulturae, 2007, , 311-318.	0.1	1
239	Characterization of the Spectrum of Solar Irradiance under Different Crop Protection Coverings in Mediterranean Conditions and Effect on the Interception of Photosynthetically Active Radiation. Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 2018, 47, 441-449.	0.5	1
240	Resequencing. Compendium of Plant Genomes, 2019, , 81-89.	0.3	1
241	Improving the Conservation and Use of Traditional Germplasm through Breeding for Local Adaptation: The Case of the Castellfollit del Boix Common Bean (Phaseolus vulgaris L.) Landrace. Agronomy, 2019, 9, 889.	1.3	1
242	Breeding and Genome Mapping for Resistance to Biotic Stress in Eggplant., 2022,, 147-187.		1
243	THE STUDY OF MOLECULAR DIVERSITY IN NATURAL POPULATIONS OF WILD AND WEEDY TOMATOES AND ITS IMPLICATIONS IN TOMATO BREEDING. Acta Horticulturae, 2008, , 249-256.	0.1	0
244	CHARACTERISTICS AND SELECTION OF THE 'ALMAGRO' HEIRLOOM EGGPLANT AND POTENTIAL FOR FURTHER DEVELOPMENT. Acta Horticulturae, 2012, , 385-392.	0.1	0
245	Breeding Vegetables with Improved Bioactive Properties. Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca: Horticulture, 2014, 71, .	0.2	0
246	Genetic diversity of wild populations of Apium nodiflorum. Journal of Biotechnology, 2015, 208, S111.	1.9	0
247	Biotechnological tools for introgression breeding for adaptation of crops to climate change. Journal of Biotechnology, 2019, 305, S19.	1.9	0
248	Screening of pepino (Solanum muricatum) and wild relatives against four major tomato diseases threatening its expansion in the Mediterranean region. Annals of Applied Biology, 2021, 179, 288.	1.3	0
249	ENHANCING SPECIFIC COMPETENCES IN MICROSCOPIC TECHNIQUES IN PLANT SCIENCES MASTER STUDENTS. , 2018, , .		0
250	INTRODUCTION AND DEVELOPMENT OF A PRACTICAL LESSON FOR IMPROVING THE COMPETENCE OF MASTER STUDENTS IN PLANT BREEDING: THE USEFULNESS OF SPECIFIC SOFTWARE IN PHENOTYPING TASKS. INTED Proceedings, 2019, , .	0.0	O
251	INTRODUCTION OF A PRACTICAL LESSON FOR THE EVALUATION OF BIOACTIVE QUALITY IN PLANT MATERIALS ADDRESSED TO STUDENTS IN PLANT BREEDING. , 2019, , .		0
252	INTRODUCTION OF A PRACTICAL LESSON FOR THE EVALUATION OF CAROTENOIDS IN FRUITS AND VEGETABLES FOR MASTER STUDENTS. , 2019, , .		0

#	Article	IF	CITATIONS
253	Conventional and Innovative Processing in the Stability of Glucosinolates. , 2022, , 411-460.		O
254	INTRODUCTION AND DEVELOPMENT OF A PRACTICAL LESSON FOR IMPROVING THE COMPETENCE OF UNDERGRADUATE STUDENTS IN MASSIVE GENOTYPING DATA ANALYSIS: THE USEFULNESS OF TASSEL SOFTWARE. INTED Proceedings, 2022, , .	0.0	0
255	INTRODUCTION TO ADVANCED SEQUENCING TECHNOLOGIES FOR UNDERGRADUATE STUDENTS IN GENETICS: MINION REAL-TIME SEQUENCING. INTED Proceedings, 2022, , .	0.0	O