

Johan Rnnelid

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7748808/johan-ronnelid-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

5,411
citations

32
h-index

72
g-index

156
ext. papers

6,320
ext. citations

4.7
avg, IF

5.2
L-index

#	Paper	IF	Citations
134	A new model for an etiology of rheumatoid arthritis: smoking may trigger HLA-DR (shared epitope)-restricted immune reactions to autoantigens modified by citrullination. <i>Arthritis and Rheumatism</i> , 2006 , 54, 38-46		1043
133	International recommendations for the assessment of autoantibodies to cellular antigens referred to as anti-nuclear antibodies. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 17-23	2.4	360
132	Gene-gene and gene-environment interactions involving HLA-DRB1, PTPN22, and smoking in two subsets of rheumatoid arthritis. <i>American Journal of Human Genetics</i> , 2007 , 80, 867-75	11	317
131	Specific interaction between genotype, smoking and autoimmunity to citrullinated alpha-enolase in the etiology of rheumatoid arthritis. <i>Nature Genetics</i> , 2009 , 41, 1319-24	36.3	254
130	Longitudinal analysis of citrullinated protein/peptide antibodies (anti-CP) during 5 year follow up in early rheumatoid arthritis: anti-CP status predicts worse disease activity and greater radiological progression. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 1744-9	2.4	240
129	Cytokine production, serum levels and disease activity in systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2000 , 18, 565-70	2.2	180
128	A genome-wide association study suggests contrasting associations in ACPA-positive versus ACPA-negative rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 259-65	2.4	176
127	Antibodies of IgG, IgA and IgM isotypes against cyclic citrullinated peptide precede the development of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2011 , 13, R13	5.7	163
126	Antibodies against citrullinated vimentin in rheumatoid arthritis: higher sensitivity and extended prognostic value concerning future radiographic progression as compared with antibodies against cyclic citrullinated peptides. <i>Arthritis and Rheumatism</i> , 2008 , 58, 36-45		158
125	Multiplex analyses of antibodies against citrullinated peptides in individuals prior to development of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 899-910		142
124	Local anti-type II collagen antibody production in rheumatoid arthritis synovial fluid. Evidence for an HLA-DR4-restricted IgG response. <i>Arthritis and Rheumatism</i> , 1994 , 37, 1023-9		108
123	Rheumatoid factor and antibodies to cyclic citrullinated peptides are associated with severe extra-articular manifestations in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 59-64	2.4	105
122	Silica exposure among male current smokers is associated with a high risk of developing ACPA-positive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1072-6	2.4	103
121	Immune complexes from SLE sera induce IL10 production from normal peripheral blood mononuclear cells by an FcγRII dependent mechanism: implications for a possible vicious cycle maintaining B cell hyperactivity in SLE. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 37-42	2.4	94
120	Anti-carbamylated protein antibodies in the pre-symptomatic phase of rheumatoid arthritis, their relationship with multiple anti-citrulline peptide antibodies and association with radiological damage. <i>Arthritis Research and Therapy</i> , 2015 , 17, 25	5.7	90
119	Immune complexes from rheumatoid arthritis synovial fluid induce FcγRIIIa dependent and rheumatoid factor correlated production of tumour necrosis factor-alpha by peripheral blood mononuclear cells. <i>Arthritis Research and Therapy</i> , 2006 , 8, R64	5.7	89
118	Shared immunological targets in the lungs and joints of patients with rheumatoid arthritis: identification and validation. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1772-7	2.4	86

117	IL-17 and IL-23 in lupus nephritis - association to histopathology and response to treatment. <i>BMC Immunology</i> , 2015 , 16, 7	3.7	83
116	Use of a commercial line blot assay as a screening test for autoantibodies in inflammatory myopathies. <i>Autoimmunity Reviews</i> , 2009 , 9, 58-61	13.6	74
115	Validation of a multiplex chip-based assay for the detection of autoantibodies against citrullinated peptides. <i>Arthritis Research and Therapy</i> , 2012 , 14, R201	5.7	62
114	Surface-bound anti-type II collagen-containing immune complexes induce production of tumor necrosis factor alpha, interleukin-1beta, and interleukin-8 from peripheral blood monocytes via Fc gamma receptor IIA: a potential pathophysiologic mechanism for humoral anti-type II collagen immunity in arthritis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1759-71		62
113	Abatacept in the treatment of adult dermatomyositis and polymyositis: a randomised, phase IIb treatment delayed-start trial. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 55-62	2.4	61
112	Smoking and pre-existing organ damage reduce the efficacy of belimumab in systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2017 , 16, 343-351	13.6	52
111	Cigarette smoking, antiphospholipid antibodies and vascular events in Systemic Lupus Erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1537-43	2.4	49
110	High anti-collagen type-II antibody levels and induction of proinflammatory cytokines by anti-collagen antibody-containing immune complexes in vitro characterise a distinct rheumatoid arthritis phenotype associated with acute inflammation at the time of disease onset. <i>Annals of the Rheumatic Diseases</i> , 2007 , 46, 1337-41	2.4	48
109	Comparison of autoantibody specificities tested by a line blot assay and immunoprecipitation-based algorithm in patients with idiopathic inflammatory myopathies. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 858-860	2.4	46
108	Antibodies to carbamylated ßenolase epitopes in rheumatoid arthritis also bind citrullinated epitopes and are largely indistinct from anti-citrullinated protein antibodies. <i>Arthritis Research and Therapy</i> , 2016 , 18, 96	5.7	45
107	Rheumatoid factor isotypes in relation to antibodies against citrullinated peptides and carbamylated proteins before the onset of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016 , 18, 43	5.7	40
106	Four Anti-dsDNA Antibody Assays in Relation to Systemic Lupus Erythematosus Disease Specificity and Activity. <i>Journal of Rheumatology</i> , 2015 , 42, 817-25	4.1	40
105	Anti-type II collagen antibodies are associated with early radiographic destruction in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R100	5.7	39
104	Associations of antibodies against citrullinated peptides with human leukocyte antigen-shared epitope and smoking prior to the development of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015 , 17, 125	5.7	38
103	Functional and Structural Characterization of a Novel HLA-DRB1*04:01-Restricted ßenolase T Cell Epitope in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2016 , 7, 494	8.4	32
102	International consensus on antinuclear antibody patterns: definition of the AC-29 pattern associated with antibodies to DNA topoisomerase I. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1783-1788	5.9	32
101	Differential ACPA Binding to Nuclear Antigens Reveals a PAD-Independent Pathway and a Distinct Subset of Acetylation Cross-Reactive Autoantibodies in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018 , 9, 3033	8.4	31
100	Autoantibodies associated with RNA are more enriched than anti-dsDNA antibodies in circulating immune complexes in SLE. <i>Lupus</i> , 2012 , 21, 586-95	2.6	31

99	Very high levels of anti-citrullinated protein antibodies are associated with HLA-DRB1*15 non-shared epitope allele in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2078-84		31
98	N-methyl-d-aspartate receptor autoimmunity affects cognitive performance in herpes simplex encephalitis. <i>Clinical Microbiology and Infection</i> , 2016 , 22, 934-940	9.5	30
97	Targeting of anti-citrullinated protein/peptide antibodies in rheumatoid arthritis using peptides mimicking endogenously citrullinated fibrinogen antigens. <i>Arthritis Research and Therapy</i> , 2015 , 17, 155	5.7	30
96	Cytokine induction by circulating immune complexes and signs of in-vivo complement activation in systemic lupus erythematosus are associated with the occurrence of anti-Sjögren's syndrome A antibodies. <i>Clinical and Experimental Immunology</i> , 2007 , 147, 513-20	6.2	30
95	Anticitrullinated protein/peptide antibody multiplexing defines an extended group of ACPA-positive rheumatoid arthritis patients with distinct genetic and environmental determinants. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 203-211	2.4	30
94	Unending story of the indirect immunofluorescence assay on HEp-2 cells: old problems and new solutions?. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e46	2.4	28
93	Circulating immune complexes (IC) and IC-induced levels of GM-CSF are increased in sudanese patients with acute visceral Leishmania donovani infection undergoing sodium stibogluconate treatment: implications for disease pathogenesis. <i>Journal of Immunology</i> , 2007 , 178, 5383-9	5.3	26
92	Production of T-cell cytokines at the single-cell level in patients with inflammatory arthritides: enhanced activity in synovial fluid compared to blood. <i>Rheumatology</i> , 1998 , 37, 7-14	3.9	25
91	Serological assessment for celiac disease in IgA deficient adults. <i>PLoS ONE</i> , 2014 , 9, e93180	3.7	23
90	Cathepsin S and cathepsin L in serum and synovial fluid in rheumatoid arthritis with and without autoantibodies. <i>Rheumatology</i> , 2015 , 54, 1923-8	3.9	21
89	Short-term kinetics of the humoral anti-C1q response in SLE using the ELISPOT method: fast decline in production in response to steroids. <i>Scandinavian Journal of Immunology</i> , 1994 , 40, 243-50	3.4	21
88	Anti-type II collagen antibodies, anti-CCP, IgA RF and IgM RF are associated with joint damage, assessed eight years after onset of juvenile idiopathic arthritis (JIA). <i>Pediatric Rheumatology</i> , 2014 , 12, 22	3.5	19
87	Anticollagen type II antibodies are associated with an acute onset rheumatoid arthritis phenotype and prognosticate lower degree of inflammation during 5 years follow-up. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1529-1536	2.4	18
86	Presence of autoantibodies in "seronegative" rheumatoid arthritis associates with classical risk factors and high disease activity. <i>Arthritis Research and Therapy</i> , 2020 , 22, 170	5.7	17
85	Distinct HLA Associations with Rheumatoid Arthritis Subsets Defined by Serological Subphenotype. <i>American Journal of Human Genetics</i> , 2019 , 105, 616-624	11	16
84	Anti-type II collagen immune complex-induced granulocyte reactivity is associated with joint erosions in RA patients with anti-collagen antibodies. <i>Arthritis Research and Therapy</i> , 2015 , 17, 8	5.7	16
83	The importance of differences; On environment and its interactions with genes and immunity in the causation of rheumatoid arthritis. <i>Journal of Internal Medicine</i> , 2020 , 287, 514-533	10.8	16
82	Rheumatoid factor and anti-CCP do not predict progressive joint damage in patients with early rheumatoid arthritis treated with prednisolone: a randomised study. <i>BMJ Open</i> , 2014 , 4, e005246	3	16

81	Depressed serum IgM levels in SLE are restricted to defined subgroups. <i>Clinical Immunology</i> , 2017 , 183, 304-315	9	15
80	Number of individual ACPA reactivities in synovial fluid immune complexes, but not serum anti-CCP2 levels, associate with inflammation and joint destruction in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1345-1353	2.4	15
79	CYSTATIN C AS A MARKER OF IMMUNE COMPLEX ASSOCIATED RENAL IMPAIRMENT IN A SUDANESE POPULATION WITH VISCERAL LEISHMANIASIS. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006 , 75, 864-868	3.2	15
78	Two subgroups in systemic lupus erythematosus with features of antiphospholipid or Sjögrenß syndrome differ in molecular signatures and treatment perspectives. <i>Arthritis Research and Therapy</i> , 2019 , 21, 62	5.7	15
77	Outcome predictors of intra-articular glucocorticoid treatment for knee synovitis in patients with rheumatoid arthritis - a prospective cohort study. <i>Arthritis Research and Therapy</i> , 2014 , 16, R129	5.7	14
76	Longitudinal anti-nuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of Swedish cases with recent-onset disease. <i>Clinical and Experimental Immunology</i> , 2020 , 199, 245-254	6.2	14
75	Sjögren Syndrome in Systemic Lupus Erythematosus: A Subset Characterized by a Systemic Inflammatory State. <i>Journal of Rheumatology</i> , 2020 , 47, 865-875	4.1	13
74	Antibody responses to de novo identified citrullinated fibrinogen peptides in rheumatoid arthritis and visualization of the corresponding B cells. <i>Arthritis Research and Therapy</i> , 2016 , 18, 284	5.7	13
73	Cytokine Autoantibody Screening in the Swedish Addison Registry Identifies Patients With Undiagnosed APS1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 179-186	5.6	12
72	Anti-citrullinated peptide antibodies in Sudanese patients with Leishmania donovani infection exhibit reactivity not dependent on citrullination. <i>Scandinavian Journal of Immunology</i> , 2015 , 81, 201-8	3.4	12
71	Autoantibody and Cytokine Profiles during Treatment with Belimumab in Patients with Systemic Lupus Erythematosus. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	11
70	Immune complex-mediated cytokine production is regulated by classical complement activation both in vivo and in vitro. <i>Advances in Experimental Medicine and Biology</i> , 2008 , 632, 187-201	3.6	11
69	Pentraxin 3 in serum and synovial fluid of patients with rheumatoid arthritis with and without autoantibodies. <i>Scandinavian Journal of Rheumatology</i> , 2017 , 46, 346-352	1.9	10
68	Establishment of an international autoantibody reference standard for human anti-DFS70 antibodies: proof-of-concept study for a novel Megapool strategy by pooling individual specific sera. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1754-1763	5.9	10
67	The autoantibody repertoire in periodontitis: a role in the induction of autoimmunity to citrullinated proteins in rheumatoid arthritis? Antibodies against uncitrullinated peptides seem to occur prior to the antibodies to the corresponding citrullinated peptides. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, e46	2.4	10
66	Harmonization of antineutrophil cytoplasmic antibodies (ANCA) testing by reporting test result-specific likelihood ratios: position paper. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, e35-e39	5.9	10
65	Quality and best practice in medical laboratories: specific requests for autoimmunity testing. <i>Autoimmunity Highlights</i> , 2020 , 11, 12	3.7	10
64	Autoantibodies in Rheumatoid Arthritis - Laboratory and Clinical Perspectives. <i>Frontiers in Immunology</i> , 2021 , 12, 685312	8.4	10

63	Active Rheumatoid Arthritis in Central Africa: A Comparative Study Between Sudan and Sweden. <i>Journal of Rheumatology</i> , 2016 , 43, 1777-1786	4.1	10
62	Sudanese and Swedish patients with systemic lupus erythematosus: immunological and clinical comparisons. <i>Rheumatology</i> , 2020 , 59, 968-978	3.9	10
61	Reversal of Immunoglobulin A Deficiency in Children. <i>Journal of Clinical Immunology</i> , 2015 , 35, 87-91	5.7	9
60	Differences in the Spectrum of Anti-Citrullinated Protein Antibody Fine Specificities Between Malaysian and Swedish Patients With Rheumatoid Arthritis: Implications for Disease Pathogenesis. <i>Arthritis and Rheumatology</i> , 2017 , 69, 58-69	9.5	9
59	Antibodies against citrullinated peptides are associated with clinical and radiological outcomes in patients with early rheumatoid arthritis: a prospective longitudinal inception cohort study. <i>RMD Open</i> , 2019 , 5, e000946	5.9	9
58	A WHO Reference Reagent for lupus (anti-dsDNA) antibodies: international collaborative study to evaluate a candidate preparation. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1677-1680	2.4	9
57	Immunoglobulin A anti-phospholipid antibodies in Swedish cases of systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. <i>Clinical and Experimental Immunology</i> , 2018 , 194, 27-38	6.2	9
56	Circulating Levels of Interferon Regulatory Factor-5 Associates With Subgroups of Systemic Lupus Erythematosus Patients. <i>Frontiers in Immunology</i> , 2019 , 10, 1029	8.4	8
55	Clinical significance of IgM and IgA class anti-NMDAR antibodies in herpes simplex encephalitis. <i>Journal of Clinical Virology</i> , 2018 , 103, 75-80	14.5	8
54	General false positive ELISA reactions in visceral leishmaniasis. Implications for the use of enzyme immunoassay analyses in tropical Africa. <i>Journal of Immunological Methods</i> , 2016 , 431, 66-71	2.5	8
53	False Positive Results in SARS-CoV-2 Serological Tests for Samples From Patients With Chronic Inflammatory Diseases. <i>Frontiers in Immunology</i> , 2021 , 12, 666114	8.4	8
52	Identification of specific antinuclear antibodies in dogs using a line immunoassay and enzyme-linked immunosorbent assay. <i>Veterinary Immunology and Immunopathology</i> , 2015 , 168, 233-41	2	7
51	Arthritis in systemic lupus erythematosus is characterized by local IL-17A and IL-6 expression in synovial fluid. <i>Clinical and Experimental Immunology</i> , 2021 , 205, 44-52	6.2	7
50	Increased levels of anti-dsDNA antibodies in immune complexes before treatment with belimumab associate with clinical response in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2019 , 21, 259	5.7	7
49	Occurrence of anti-CCP2 and RF isotypes and their relation to age and disease severity among Sudanese patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2019 , 38, 1545-1553	3.9	6
48	Anti-Citrullinated Protein Antibody Specificities, Rheumatoid Factor Isotypes, and Incident Cardiovascular Events in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2020 , 72, 1658-1667	9.5	6
47	Elevated IgA antiphospholipid antibodies in healthy pregnant women in Sudan but not Sweden, without corresponding increase in IgA anti-β ₂ -glycoprotein I domain 1 antibodies. <i>Lupus</i> , 2020 , 29, 463-473	2.6	6
46	Granulocyte-augmented chemokine production induced by type II collagen containing immune complexes is mediated via TLR4 in rheumatoid arthritis patients. <i>European Journal of Immunology</i> , 2016 , 46, 2822-2834	6.1	5

45	Normal serum levels of immune complexes in postpolio patients. <i>Results in Immunology</i> , 2014 , 4, 54-7		5
44	A Comprehensive Evaluation of the Relationship Between Different IgG and IgA Anti-Modified Protein Autoantibodies in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2021 , 12, 627986	8.4	5
43	The Choice of Laboratory Methodology Influences Autoantibody Test Results. <i>Frontiers in Immunology</i> , 2015 , 6, 392	8.4	4
42	Increased IgG Rheumatoid Factor-Positivity in the Asian Rheumatoid Arthritis Patients Irrespective of Ethnicity. <i>Open Journal of Rheumatology and Autoimmune Diseases</i> , 2014 , 04, 43-51	0.2	4
41	Response to: Psemi-quantitative analysis of line blot assay for myositis-specific and myositis-associated antibodies: a better performance? Pby Cavazzana. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e153	2.4	4
40	Clinical phenotype, autoantibody profile and HLA-DR-type in Vietnamese patients with idiopathic inflammatory myopathies. <i>Rheumatology</i> , 2019 , 58, 361-363	3.9	4
39	Antibodies against collagen type II are not a general marker of acute arthritis onset. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 954-956	2.4	3
38	High IgA antiphospholipid autoantibodies in healthy Sudanese explain the increased prevalence among Sudanese compared to Swedish systemic lupus erythematosus patients. <i>Lupus</i> , 2020 , 29, 1412-1422	2.6	3
37	Accumulation of antinuclear associated antibodies in circulating immune complexes is more prominent in SLE patients from Sudan than Sweden. <i>Scientific Reports</i> , 2020 , 10, 21126	4.9	3
36	Response to: PDetection of myositis-specific antibodies Pby Vulsteke. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e8	2.4	3
35	Response to: PDetection of myositis-specific antibodies: additional notes Pby Infantino. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, e30	2.4	3
34	FRI0046 Anti-Carbamylated Protein Antibodies Precede the Onset of Symptoms of Rheumatoid Arthritis in A Swedish Biobank Cohort. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 397.3-398	2.4	2
33	A1.1 Characterisation of lung inflammation and identification of shared citrullinated targets in the lungs and joints of early rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A4.2-A5	2.4	2
32	Indirect immunofluorescence for detecting anti-neuronal autoimmunity in CSF after COVID-19 - Possibilities and pitfalls. <i>Brain, Behavior, and Immunity</i> , 2021 , 94, 473-474	16.6	2
31	The genetically determined production of the alarmin eosinophil-derived neurotoxin is reduced in visceral leishmaniasis. <i>Apmis</i> , 2018 , 126, 85-91	3.4	2
30	Antibodies to a Citrullinated Epitope Are Increased in Early Rheumatoid Arthritis, and Can Be Produced by Gingival Tissue B Cells: Implications for a Bacterial Origin in RA Etiology.. <i>Frontiers in Immunology</i> , 2022 , 13, 804822	8.4	2
29	Anti-cyclic citrullinated peptide antibodies, other common autoantibodies, and smoking as risk factors for lymphoma in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2018 , 47, 270-275	1.9	1
28	A9.10 Neutralisation of ACPA DA Way to Go?. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A68.1-A68	2.4	1

27	Local versus systemic immunoreactivity to collagen and the collage-like region of C1q in rheumatoid arthritis and SLE. <i>Scandinavian Journal of Rheumatology</i> , 1995 , 101, 57-61	1.9	1
26	Impact of autoimmune serology test results on RA classification and diagnosis.. <i>Journal of Translational Autoimmunity</i> , 2022 , 5, 100142	4.1	1
25	Antibodies against native collagen and citrullinated proteins precede the development of rheumatoid arthritis with a consecutive pattern. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A22.1-A22	2.4	1
24	Correspondence on Performance of the 2019 EULAR/ACR classification criteria for systemic lupus erythematosus in early disease, across sexes and ethnicities? <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	1
23	Associations with thrombosis are stronger for antiphosphatidylserine/prothrombin antibodies than for the Sydney criteria antiphospholipid antibody tests in SLE. <i>Lupus</i> , 2021 , 30, 1289-1299	2.6	1
22	High levels of interleukin-6 in rheumatoid arthritis joint fluids can stimulate local production of C-reactive protein resulting in elevated circulating levels. <i>Joint Bone Spine</i> , 2021 , 88, 105159	2.9	1
21	Response to: Comment on: standardisation of myositis-specific antibodies: where are we today? by Infantino. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e116	2.4	1
20	Rheumatoid arthritis autoantibodies and their association with age and sex. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 879-882	2.2	1
19	The citrullinated/native index of autoantibodies against hnRNP-DL predicts an individual "window of treatment success" in RA patients. <i>Arthritis Research and Therapy</i> , 2021 , 23, 239	5.7	0
18	A2.11 Antibodies to carbamylated enolase epitopes in rheumatoid arthritis also bind citrullinated epitopes and are largely indistinct from anti-citrullinated protein antibodies. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, A19.2-A19	2.4	
17	THU0510 IgG ACPA Level Increase Drives Rheumatoid Factor Response Maturation in Patients before Onset of Clinically Apparent Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 359.3-360	2.4	
16	FRI0402 Cluster Analysis of an ARRAY of Autoantibodies in Neuropsychiatric Systemic Lupus Erythematosus (NPSLE). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 532.3-533	2.4	
15	OP0085 Multiplex analysis of antibodies against citrullinated peptides in individuals prior to development of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 82.1-82	2.4	
14	THU0030 Neutralization of ACPA in Rheumatoid Arthritis - A Novel Principle of Treatment. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A174.2-A174	2.4	
13	AB0111 Development of anti-citrullinated protein antibody and rheumatoid factor isotypes in relation to smoking prior to the onset of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A819.2-A819	2.4	
12	OP0176 Clusters of Single Nucleotide Polymorphisms Within the HLA-DRB1 Gene in Relation to Antibodies Against Citrullinated Peptides in Individuals Prior to the Development of Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A112.2-A113	2.4	
11	Humoral immune response against fibrinogen epitopes citrullinated in vivo in rheumatoid arthritis synovial tissue detected by autoantibody multiplexing. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A3-A3 ⁴	2.4	
10	Clinical characteristics of Vietnamese patients with idiopathic inflammatory myopathies and autoantibodies to aminoacyl-transfer RNA synthetases. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 663-670	2.3	

- 9 POS0355 ASSOCIATIONS BETWEEN HLA-DRB1 SHARED EPITOPES ALLELES AND ANTI-RA33 ANTIBODIES IN DIFFERENT SUBSETS OF RHEUMATOID ARTHRITIS IN MALAYSIAN POPULATION. *Annals of the Rheumatic Diseases*, **2021**, 80, 408.1-408 2.4
- 8 POS0457 CHANGES OF RF ISOTYPE PROFILE IN PATIENTS WITH RHEUMATOID ARTHRITIS: DATA FROM 10 YEARS FOLLOW-UP STUDY. *Annals of the Rheumatic Diseases*, **2021**, 80, 459-460 2.4
- 7 AB0122 THE NORA PROJECT - PREDICTION OF THERAPY RESPONSE IN RHEUMATOID ARTHRITIS. *Annals of the Rheumatic Diseases*, **2021**, 80, 1090.2-1090 2.4
- 6 POS0009 THE RELATIONSHIP BETWEEN DIFFERENT IGG AND IGA ANTI-MODIFIED PROTEIN AUTOANTIBODIES IN RHEUMATOID ARTHRITIS. *Annals of the Rheumatic Diseases*, **2021**, 80, 206.1-207 2.4
- 5 A9.01 Characterisation of extracellular histidyl-trnasynthethase in myositis. *Annals of the Rheumatic Diseases*, **2016**, 75, A70.1-A70 2.4
- 4 SAT0189 Characterization of Extracellular Histidyl-TRNA Synthetase in Myositis. *Annals of the Rheumatic Diseases*, **2016**, 75, 736.3-737 2.4
- 3 Comment on: Sudanese and Swedish patients with systemic lupus erythematosus, immunological and clinical comparisons: reply. *Rheumatology*, **2020**, 59, 1454-1455 3.9
- 2 Occupational physical workload and development of anti-collagen type II antibodies in rheumatoid arthritis: results from the Swedish EIRA population-based case-control study. *Clinical and Experimental Rheumatology*, **2020**, 38, 1029-1030 2.2
- 1 Exhaled nitric oxide in early rheumatoid arthritis and effects of methotrexate treatment.. *Scientific Reports*, **2022**, 12, 6489 4.9